

STATE OF MONTANA ss.
County of Beaverhead

108542

I hereby certify that the within instrument
was filed in my office on the 26 day
of Dec. A. D. 1963 at 11:19 a.m.
hour of the clock P. M. and recorded on
page 357 of Book 133 of
State Records of Beaverhead
County, Montana.

Attest my hand and seal,
Julius J. Sage
County Clerk

By _____ Deputy

Fee \$ 1.00

File No.

DUPLICATE

T. 13 S. R. 2 W.
Beaverhead
County, Montana

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JUL 31 1964

STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1915


Owner Mamie Beck Address Dillon Mont

Contractor (if any)

Address of Contractor

Date Started natural Spring Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Flowing spring and used for stock water in summer months



N.W. 1/4 Sec. 6 T. 13 S. R. 2 W

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Summer use for line stock checked flow by 5 gal measure averaged about 5 gal per minute

Signature of Owner Mamie Beck by Joseph Beck Guardian

Date Dec 27-1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

30202

RECORDER'S OFFICE,
Madison County, Montana.

Filed July 17 1964

at 8:06 o'clock A. m.

Paul S. H. ...
County Recorder

By 200
re

10/12/64
Madison County

Handwritten notes and signatures on the right side of the page.

6

File No.....

T13S R2W

DUPLICATE

County Madison

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 24 1963

Notice of Completion of Groundwater Appropriation
Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1915


Owner Marnie Beck Address Dillon, Mont Co 127

Contractor (if any)

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Natural flowing springs and used for stock water



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Summer season for stock water. Checked low by 5 gal measure averaged about 5 gal a minute

NW 1/4 Sec. 6 T13S R2W

Indicate point of appropriation and place of use, if possible.

Signature of Owner Marnie Beck by Joseph H Beck
Date Dec 27 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state; otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA,
County of Beaverhead ss.

108589

I hereby certify that the within instrument
was filed in my office on the 27 day
of April, A. D. 1968 at 05 min.
past 4 o'clock, P and recorded on
page 367 of Book 133
of Platte Records of Beaverhead
County, Montana.

Attest my hand and seal
Carlynn J. Lopez
County Recorder

By PLC Deputy
Fee \$ 1.00

108589

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 27 day of Dec. A. D. 1963 at 05 min. past 4 o'clock P. M. and recorded on page 367 of Book 133 of Dr. Allen Records of Beaverhead County, Montana.

Attest my hand and seal,
Carlson J. Sage
County Recorder

By _____ Deputy
Fee \$ 4.00

GW

File No.

T. 13 S. R. 2 W

DUPLICATE


County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 15 1964
STATE ENGINEER

1. Lee Martinell of Dell
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 12, T. 13 S. R. 2 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Aug. 15, 1956
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 15 g.p.m.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof ****
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal cylinder & working head
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Started drilling Aug. 4, 1956 finished well Aug. 8, 1956
Installed pump and working head Aug. 13, 1956
8. The depth of water table Static water level 159 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled well, used 5 5/8 blk water well casing. Drilled 181 ft deep. Cased to 161 ft.
10. The estimated amount of groundwater withdrawn each year 800,000 g.p.y.
11. The log of formations encountered in the drilling of each well if available 8' surface dirt
8 - 70 soft rock, 70 to 90 ft yellow clay, 90-95 clay & brown rock
95 to 160 sandy clay & rock 160 to 181 fairly solid rock.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of a county record ****

Signature of Owner Lee S. Martinell
Date 12-20-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

32372

108761

STATE OF MONTANA,
County of Beaverhead, ss.

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1943 at 34 min.
past 8 o'clock P. M. and recorded on
page 387-8 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. Seeger
County Recorder

By _____ Deputy

Fee \$ _____

File No.

T 13⁵ R 2^W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
SEP 18 1963

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Dr. Fred Kesler Address 2439 Highline Drive Salt Lake City, Utah

Driller Carl E. Hollensteiner Address Dillon, Montana

Date of Notice of Appropriation of Groundwater ***

Date well started July 25, 1963 Date Completed July 29, 1963

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

☞ Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Top of Ground
(Elev. above sea level.....)


14 ft gravel

clay & sand to 75'

sandy gravel with caly to 80'

coarse sand to 92'
finished at 92 ft.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. Blk 18.97	1ft up lb.	92 ft		None	



N 1/4 SE Sec 14 T. 135 R. 24

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well..... 65' feet.

Shut-in Pressure for Flowing Well ***

Pumping Water Level..... 75 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well..... ***

How Tested..... Bailer Length of Test..... 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License No. 9
Driller's License Number

Carl E. Hollensteiner
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss.
County of Beaverhead.

107532

I hereby certify that the within instrument
was filed in my office on the 12 day
of Sept A. D. 1963 at 30 min.
past 4 o'clock P. M and recorded on
page 453 of Book 151 of
Helen D. Hall Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carlynn J. Sage
County Recorder

By _____ Deputy
Fee \$ 4.00

PA. E. ...

cw3

File No.....

DUPLICATE

T. 13 R. 2W

County.....

17
19
20

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1900


Owner Centennial Livestock Address Dillon, Mont.

Contractor (if any) None

Address of Contractor

Date Started 1900 Date Completed 1900

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring cleaned out and developed. Water comes to surface in the amount of approximately 125 inches and flows out in ditch.



W 1/2 Sec. 17 & part Secs. 19 & 20
1/4 Sec. T13SR.2W

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use 125 inches developed and run into ditch, measured in the ditch, and used constantly during the irrigation season, to irrigate W 1/2 Sec. 17 and part of Secs. 19 & 20, T. 13 S. R. 2 W.

Signature of Owner By William S. Standen
Vice-President
Date Dec. 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA, **108820**
County of Beaverhead, SS.

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec. A. D. 1963 at 33 min.
past 9 o'clock, A. M. and recorded on
page 465-6 of Book 133 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carlynn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No. _____

T. 13 R. 20 017

ORIGINAL

County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964


Declaration of Vested Groundwater Rights

(Under Ch. 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Centennial Livestock, of Dillon
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 17, T. 13 S., R. 2 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Stock water
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1960
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 35 gal. per minute.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not apply.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1960.

8. The depth of water table 10 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well 38 feet deep, 8 inch casing. Electric pump used to withdraw water.

10. The estimated amount of groundwater withdrawn each year 15,000,000 gal. per yr.

11. The log of formations encountered in the drilling of each well if available. Sand and gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None available.

CENTENNIAL LIVESTOCK

By William S. Staudenmeyer
Signature of Owner Vice-President.

Date Dec. 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32480

STATE OF MONTANA, 108869
County of Beaverhead. SB.

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1963 at 22 min.
past 10 o'clock, A. M and recorded on
page 439-40 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.

T. 13 R. 20 24
County


~~BEAVERHEAD~~

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964
ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Centennial Livestock of Dillon
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 24 T. 13 S. R. 2W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Stock water.
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been: 1937.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 12 gal. per minute.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not apply.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Windmill

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater: 1937.
- 8. The depth of water table: 16 feet.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Driven well, 207 feet deep, with 6-inch casing. Windmill used to withdraw water.
- 10. The estimated amount of groundwater withdrawn each year 5,000,000 gal. per yr.
- 11. The log of formations encountered in the drilling of each well if available: Windmill.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record: None available.

Centennial Livestock
By
Signature of Owner William S. Stauffermeyer
Vice-President
Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32478

108867

STATE OF MONTANA, ss.
County of Beaverhead.

I heroby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1993 at 20 min.
past 1.0 o'clock, PM and recorded on
page 435-6 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.

T. 13 R. 2W
County

ORIGINAL

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 15 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Centennial Livestock, of Dillon
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Center of
1/4 Sec. 25, T.13S R.2W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stock water.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 15 gal. per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not apply.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1930

8. The depth of water table 6 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Driven well, 28 feet deep, 6-inch casing. Windmill to withdraw water.

10. The estimated amount of groundwater withdrawn each year 6,000,000 gal. per year.

11. The log of formations encountered in the drilling of each well if available. Gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None available.

CENTENNIAL LIVESTOCK

By William S. Stuedemann
Signature of Owner Vice-president
Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32474

STATE OF MONTANA,)
County of Beaverhead.) SB.

108863

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec. A. D. 1943 at 16 min.
past 10 o'clock P. M. and recorded on
page 427-8 of Book 174 of
Wates Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.

T. 13 R. 2W 030
County

~~SECRET~~

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 15 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Centennial Livestock, of Dillon
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Center
1/4 Sec. 30, T13S R. 2W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Stock water.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1960

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 20 gal. per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Not apply.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1960

8. The depth of water table. 20 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Driven well 92 feet deep, 8-inch casing. Windmill for withdrawing water.

10. The estimated amount of groundwater withdrawn each year. 7,000,000 gal. per yr.

11. The log of formations encountered in the drilling of each well if available. Sand and gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None available.

CENTENNIAL LIVESTOCK

Signature of Owner: William S. Stauffermeyer
Vice-president.
Date: Dec. 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32479

108868

STATE OF MONTANA, ss.
County of Beaverhead.

I heroby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1963 at 21 min.
past 10 o'clock A. M and recorded on
page 437-8 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Dorothy J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.

T/35 R/W

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

RECEIVED
DEC 31 1963
STATE ENGINEER

Date of Appropriation of Groundwater

Owner *Joseph A. Buck* Address *Dillon Mont. Box 127*


Contractor (if any)

Address of Contractor

Date Started

Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. *natural spring flowing approx. 3 gal. per minute and used for stock water*



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. *summer use for stock*

SE 1/4 SE Sec 7 T/35 R/W

Indicate point of appropriation and place of use, if possible.

Signature of Owner *Joseph A. Buck*

Date *Dec. 27-1963*

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

108590

STATE OF MONTANA, ss.
County of Beaverhead

I hereby certify that the within instrument was filed in my office on the 27 day of Aug A. D. 1963 at 06 min. past 7 o'clock, P. M. and recorded on page 369 of Book 133 of W. A. Davis Records of Beaverhead County, Montana.

Attest my hand and seal,

Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

File No.....

T. 13 R. 1

DUPLICATE

County.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 31 1963
STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater.....


Owner Joseph H. Buck Address Dillon Mont 8 Box 127

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. natural spring flowing app.
50 gal per min used for summer use
stock water



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. approximate
flow measured

SW
NE 1/4 NE 1/4 Sec. 9 T. 13 S. R. 1 W.
Indicate point of appropriation and place of use, if possible.

Signature of Owner Joseph H. Buck

Date Dec 27 - 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA,)
County of Beaverhead.) ss.

108591

I hereby certify that the within instrument
was filed in my office on the 27 day
of Dec A. D. 1962 at 07 min.
past 4 o'clock P M and recorded on
page 271 of Book 133 of
Native Records of Beaverhead
County, Montana.

Attest my hand and seal,

Ernest J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

131877

STATE OF MONTANA, County of Beaverhead ss. I hereby certify that the within instrument was filed in my office on the 19th day of Sept. A. D. 1972 at 15 min. past 2:00 o'clock P. M. and recorded on page 1165-66 of book 204, Records of Beaverhead County, Montana.

Attest my hand and seal
By Theresa Sorenson
Deputy

Margaret P. Thompson
County Recorder

Form No. 18
8-69

21

T. 13 S R. 1W

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 19 1962

WATER WELL LOG

STATE ENGINEER

Owner Dr. Fred Kessler Address Salt Lake City

Driller Carl F. Hollensteiner Address Dillon, Mont.

Date Started Aug. 21, 1961 Date Completed Aug. 25, 1961

Location: Sec. 21 T. 13 S R. 1W $\frac{1}{4}$ sec.

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: Surface ft. to 111 ft. Type Balck W.F. Case Size 5 5/8" - 10#lb.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: _____ 63 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ 10 gal. per min.

How tested: Bailer

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

21

T. 13 S R. 1W

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 19 1961

WATER WELL LOG

STATE ENGINEER

Owner Dr. Fred Kessler Address Salt Lake City

Driller Carl F. Hollensteiner Address Dillon, Mont.

Date Started Aug. 21, 1961 Date Completed Aug. 25, 1961

Location: Sec. 21 T. 13 S R. 1W $\frac{1}{4}$ sec. _____

Type of well Drilled Equipment used Churn Drill
(Dig, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: Surface ft. to 111 ft. Type Balck T.F. Casing Size 5 5/8" - 10 1/2 lb.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: _____ 63 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ 10 gal. per min.

How tested: Bailer

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No.

T 13S R 1W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER UG 5 1953

RECEIVED

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Top of Ground
(Elev. above sea level.....)

85' fine sand

coarse & fine sand
to 86'

Finished in coarse sand
does not raise.

Owner Willis Jones Address Dell, Montana

Driller Carl F. Hollensteiner Address Dillon, Montana

Date of Notice of Appropriation of Groundwater ***


Date well started June 25, 1963 Date Completed June 27, 1963

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" XXX	6" blk. seamless 18.97 lb.	4' above	86		None	



1/4 Sec. 22 T13S R. 1W
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

86 feet deep.
Show exact depth of bottom.

Static Water Level for non-flowing Well 62 feet.

Shut-in Pressure for Flowing Well ***

Pumping Water Level 72 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well ***

How Tested Bailer Length of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License #9

Driller's License Number

Carl F. Hollensteiner
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

5262

STATE OF MONTANA,
County of Beaverhead.

98.

107204

I hereby certify that the within instrument
was filed in my office on the 22 day
of July A. D. 1963 at 3.2 min.
past 1 o'clock P. M and recorded on
page 441 of Book 151 of
Water Wheel Records of Beaverhead
County, Montana.

Attest in hand and seal,

Collyer J. Sager
County Recorder

By _____ Deputy

Fee \$ 4.00

26

File No.

T 13 S R 1 W

DUPLICATE


County Beaverhead
Red Rock Lakes N.W.R.
Montana

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER
OFFICE OF ~~WATER~~ ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
The United States of America
By J. T. Barnaby, Acting Regional Director
Bureau of Sport Fisheries and Wildlife
Fish and Wildlife Service
Department of the Interior, of 1002 N.E. Holladay, P.O. Box 3737, Portland
(Name of Appropriator) (Address) (Town)

County of Multnomah State of Oregon
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 SE 1/4
1/4 Sec. 26 T. 13S R. 1W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. Stock watering
- Date or approximate date of earliest beneficial use; and how continuous the use has been. October, 1953
Has been used July through October every year since
- The amount of groundwater claimed (in miner's inches or gallons per minute) 30 GPM
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
The United States of America
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Windmill Pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. start 10/12/53
finished 10/16/63
- The depth of water table. 85.5 feet
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
6" I.D. pipe 88 1/2 feet in the ground
- The estimated amount of groundwater withdrawn each year. 1/2 acre foot
- The log of formations encountered in the drilling of each well if available. 15' fine sand, 60' silt and sand, 75' sand and clay water in formation, 85 1/2' solid formation like shale, water bearing.
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Well drilled by Carl F. Hollenstainer, Dillon, Montana. Re Well drillers report #169 filed with Division of Sanitary Engineers, Helena, Montana

original signed by
Signature of Owner J. T. Barnaby
J. T. Barnaby, Actg. Reg'l.
Date Director - Dec. 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

16516

108541

STATE OF MONTANA, : ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 27th day
of Dec. A. D. 1963 at 18 min.
past 5 o'clock P M and recorded on
page 5 of Book 174 of
Water Drill Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ 1.00

File No. _____

T3S, R1W

DUPLICATE


County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 16 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

Joseph H. Buck, of Dillon, B.O. 127
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 SE 1/4
SE 1/4 NW 1/4 Sec. 8 T3S R1W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stock water for 60 to 75 cows

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Summer use and well was dug in 1959. Well being used since the pond that was cleaned has been used for watering stock for 60 years

4. The amount of groundwater claimed (in miner's inches or gallons per minute) possible use 10 gal per day for 60 cows or up to 75 = 1500 gal per day

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof No irrigation

6. The means of withdrawing water from the ground and the location of each well or other structure water is put in tanks

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater This pond was cleaned out of muddy silt to a depth of about 7 ft approx. 30 x 60 sloped sides and was dug during Sept. 1959

8. The depth of water table 7 ft on well

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Dug well 3' latid casing 16 ft deep with a 2 horse power centrifugal pump. This well was put in to test in case pond level drops till it gets unusable

10. The estimated amount of groundwater withdrawn each year _____

11. The log of formations encountered in the drilling of each well if available just straight sand and clayish sand formation

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None recorded

Signature of Owner Joseph H. Buck
Date Dec 27-1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32214

108599

STATE OF MONTANA,
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 27 day of Dec. A. D. 1962 at 15 min. past 4 o'clock P. M. and recorded on page 71 of Book 174 of Water Well Rights of Beaverhead County, Montana.

Attest my hand and seal,
Carlson J. Sager
County Recorder

By _____ Deputy

Fee \$ 1.00

FR# No. _____

T. 13 S. R. 1 E

DUPLICATE

RECEIVED
AUG 22 1962


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Herman B. Clarno (by succession) of Alder
(Name of Appropriator) (Address) (Town)

County of Madison State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



- 2. The beneficial use on which the claim is based livestock water and irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been May 1, 1951 - used continuously through farming and grazing seasons of each year
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 miners inches
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof approximately 25 acres in Section 15, T. 14 S., R. 1 E.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal by open diversion ditches

Sec. 4 T. 13 S. R. 1 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater constructed diversion ditches or about May 1, 1951
- 8. The depth of water table unknown
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Ditch approximately 1 ft. in width and 10 to 12 inches deep from spring to SW 1/4 of Section 4, T. 13 S., R. 1 E., and similar ditch in southeasterly direction from Spring across said Section 4 and Section 9 and 10, T. 13 S., R. 1 E. to irrigated lands in Section 15, T. 14 S., R. 1 E. Reservoir for livestock water constructed at same time in SE 1/4 of said Section 4, T. 13 S., R. 1 E.
- 10. The estimated amount of groundwater withdrawn each year continuous flow for about six months each year.
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Doc. No. 104715
Filed for 27 JUNE
this 62 4:55
A. D. P.

Signature of Owner Herman B. Clarno
Date June 27th, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

173 (159)

ERR.

1447

DUPLICATE

13 S R 1 E


County Beverhead
RECEIVED
AUG 22 1962

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER
- J P -

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1 Herman B. Clarno (by succession) of Alder
(Name of Appropriator) (Address) (Town)
County of Madison, Beverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



.....1/4..... Sec. 4 T. 13 S. R. 1 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based livestock water and irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been May 1, 1951 - used continuously through farming and grazing seasons of each year
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 miners inches
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof approximately 25 acres in Section 15, T 14 S, R 1 E
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal by open diversion ditches

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater constructed diversion ditches on or about May 1, 1951

8. The depth of water table unknown

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Ditch approximately 1 ft. in width and 10 to 12 inches deep from spring to SW 1/4 of Section 4, T 13 S, R 1 E, and similar ditch in Southeastern direction from Spring across said Section 4 and Section 9 and 10, T 13 S, R 1 E to irrigated lands in Section 15, T 14 S, R 1 E. Reservoir for livestock water constructed at same time in SE 1/4 of said Section 4, T 13 S, R 1 E.

10. The estimated amount of groundwater withdrawn each year continuous flow for about six months each year.

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Herman B. Clarno


Date June 27th, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

[Faint, mostly illegible text from the reverse side of the document is visible through the paper.]



STATE OF MONTANA, } ss. 104715
 County of Beaverhead.

I hereby certify that the within instrument
 was filed in my office on the 27 day
 of June A. D. 1962 at 55 min.
 past 4 o'clock, M. and recorded on
 page 155 of Book 133 of

 Records of Beaverhead
 County, Montana.
 Attest my hand and seal,
[Signature]
 County Recorder

By _____ Deputy

Fee \$ _____

File No. _____

T. 14S R. 10W

DUPLICATE

STATE WATER CONSERVATION BOARD

County Beaverhead 27

LOG

OCT 7 1966 STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Billie _____
Butcher _____
Coyne _____
Darlington _____
Dickert _____

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Dell Lichtenburg Address Dell, Montana

Driller Briggs Drly. Contractor address Dillon, Montana


Date of Notice of appropriation of groundwater July 12, 1966

Date well started 7-7-66 Date completed 7-9-66

Type of well drilled Equipment used cable tool
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Top of Ground

(Elev. above sea level)

topsoil

large gravel


Limestone grey

Limestone (water at 75')

Limestone tan hard

open hole from 20-85

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 5/8	8 5/8 25#	+1	20	none		



Static Water Level for non-flowing well 65 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 65 feet
at..... 30 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested..... bailer

Length of Test..... 2 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

1/4 ne Sec. 27 T. 14S R. 10W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

148
Driller's License Number

Richard Briggs
Driller's Signature

41,480

STATE OF MONTANA, ss. 11549
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 27th day
of July A. D. 1966 at 30 min.
past 10 o'clock A M and recorded on
page 103 of Book 182 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal.

Gaylord J. Leger
County Registrar

By _____ Deputy

Fee \$ 1.00

File No.

T. 14 R. 9

DUPLICATE


County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. James L. Munday of Lima
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE NE 1 146 9N
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based watering lawn, stock, home
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1926 - Continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal. per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Submersible 3/4 home

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1926
- 8. The depth of water table 140 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 230 ft. deep
- 10. The estimated amount of groundwater withdrawn each year 956,000
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner James L. Munday
Date Dec 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

108654

STATE OF MONTANA,
County of Beaverhead. ss.

I hereby certify that the within instrument
was filed in my office on the 30 day
of Dec A. D. 1963 at 39 min.
past 4:00 o'clock, P. M. and recorded on
page 153-4 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,
Dorlyn J. Sage
County Recorder
By _____ Deputy

Fee \$.....

File No.

DUPLICATE

T. 14 S. R. 9 W

County Beaverhead


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 30 1963
STATE ENGINEER

1. Henry T. Gravelly of Dell
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 SW Sec. 12 T. 14 S. R. 9 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic & Stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1945 - Intermittent

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 G.P.M.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not Applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Gasoline Driven Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1945

8. The depth of water table 90' to 100'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Driven well, 6" iron casing
Depth of 120'

10. The estimated amount of groundwater withdrawn each year 200,000 gallons

11. The log of formations encountered in the drilling of each well if available Not Available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Not Available

Signature of Owner Henry T. Gravelly

Date Dec, 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss.
County of Beaufort.

108270

I hereby certify that the within instrument
was filed in my office on the 9 day
of Dec A. D. 1962 at 12 min.
past 3 o'clock P. M. and recorded on
page 553 of Book 151 of
Native Title Records of Beaverhead
County, Montana.

Attest my hand and seal.

Larry J. Sege
County Recorder

By _____ Deputy

Fee \$ 4⁰⁰

File No.

T. 14 S. R. 9 W.

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

DEC 31 1963

(Under Chapter 237 Montana Session Laws, 1961) STATE ENGINEER

Original 1900
Date of Appropriation of Groundwater 23 Dec 1963

Owner Don Dettan Address Dell, Montana


Contractor (if any) None

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Natural groundwater flow
with 2" pipe to wooden troughs.



SE 1/4 SE Sec. 24 T. 14 S. R. 9 W
Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use.

10 gallons Per minute
May thru Oct.

Signature of Owner Don Dettan

Date 23 Dec 1963

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

16483

STATE OF MONTANA, 188. 108487
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 23 day of June A. D. 1963 at 12 min. past 10 o'clock A. M. and recorded on page 331 of Book 33 of Waters Records of Beaverhead County, Montana.

Attest my hand and seal
[Signature]
County Register

By _____ Deputy
Fee \$ 4.00

File No.

T. 14S R. 9W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

RECEIVED
DEC 23 1963
STATE ENGINEER

Est. Original 1900

Date of Appropriation of Groundwater 23 Dec 1963

Owner Don Patton Address Dell Mont

Contractor (if any) _____

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Natural groundwater flow with small earth fill dam

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent


estimate approximate lengths of periods of use.

5 gallons Per minute

May thru Oct.

Signature of Owner Don Patton

Date 23 Dec 1963



SE 1/4 NE Sec. 25 T. 14S R. 9W

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

108485

STATE OF MONTANA, | SA
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 23 day
of Dec A. D. 1963 at 10 min.
past 12 o'clock A. M. and recorded on
page 327 of Book 153 of
Prater Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4232

File No.

T. R.

DUPLICATE

STATE WATER CONSERVATION BOARD

County Beaverhead

LOG JAN 5 1967

STATE OF MONTANA

Billie _____ McDermott _____ ADMINISTRATOR OF GROUNDWATER CODE

Butzerin _____ McNulty _____ OFFICE OF STATE ENGINEER

Coyle _____ Marten _____

Leysalton _____ Sullivan _____

Dickert _____

Top of Ground

(Elev. above sea level)



sand & gravel & boulders
some water

gravel (water)

sandstone

total depth 192'

Show exact depth of bottom.

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Ralph Stasich Address Lima, Montana

Driller Briggs Daly, Contractor Address Billings, Montana

Date of Notice of appropriation of groundwater


Date well started Aug. 22, 1966 Date completed Sept. 17, 1966

Type of well drilled Equipment used cable
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8 18.97	+1	192	tonch		
				4x4	180	192



Static Water Level for non-flowing well 120 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 125 feet at 50 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested ump

Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff)

S.W. 1/4 Sec. 4, T14S, R.8W. Indicate location of well and place of use, if possible. Each small square represents 40 acres, Tract A Block 6

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 143

Driller's Signature Richard Briggs

41602

STATE OF MONTANA, ss.
County of Beaverhead.

116059

I hereby certify that the within instrument

was filed in my office on the 13th day

of Oct. A.D. 1966 at 4.5 min.

past 4 o'clock P.M. and recorded on

page 113 of Book 182 of

Water Well Records of Beaverhead

County, Montana.

Attest my hand and seal,

Conlynd J. Sage
County Recorder

By _____ Deput

Fee \$ 4.00

RECEIVED
AUG 12 1958

T. 14 S. R. 8 W.

County Beaverhead

49

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	SW 1/4 NE 1/4	
SECTION 5		

Owner Montana Highway Department Address Helena, Montana

Driller Carl E. Hollensteiner Address Dillon, Mont.

Date Started Apr. 21, 1958 Date Completed May 1, 1958

Location: Sec. 5 T. 14 S. R. 8 W. 1/4 sec. SW 1/4 NE 1/4

Type of well drilled (Dug, driven, bored, or drilled) Equipment used Churn drill (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

2' above Casing: surface ft. to 165 1/2 ft. Type black 19.5 lb. Size 6" I.D. Std pipe

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. None to ft. Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 110 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 155 feet at 10 gal. per min.

How tested: Bailer

Length of test: 3 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

① DUPLICATE 49

T. 14 S. R. 8 W. 5

RECEIVED
AUG 6 1958

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
STATE ENGINEER Butte, Montana

WATER WELL LOG

	SW 1/4 NE 1/4	
SECTION 5		

Owner Montana Highway Department Address Helena, Montana

Driller Carl F. Hollenstainer Address Dillon, Mont.

Date Started Apr. 21, 1958 Date Completed May 1, 1958

Location: Sec. 5 T. 14 S. R. 8 W. 1/4 sec. SW 1/4 NE 1/4

Type of well drilled Equipment used Churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other: _____

Casing: surface 2' above ft. to 165 ft. Type black 12.5 lb. size 6" I.D. Ste pipe

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. None to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 110 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 155 feet at 10 gal per min.

How tested: Bailer

Length of test: 3 hrs.

Remarks: (Gravelpacking, cementing, packers, type of shut-off, depth of shut-off)

GW 2

Approved Stock Form - e Publishing Co., Helena, Montana - 2642

MONTANA WATER RESOURCES BOARD

File No.

RECEIVED

T. 145 R. 8W

DUPLICATE

County Beaverhead

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

17 *large gravel & boulders*

Owner Leon Bennard Address Libby, Montana

45 *cemented gravel*

Driller Briggs Dalg. Co. Address Dillon, Montana

Date of Notice of appropriation of groundwater.....

Date well started Dec. 2, 1966 Date completed Dec. 27, 1966

175 *large gravel, boulders
sandy clay streaks*

Type of well drilled Equipment used churn
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

210 *gr. cl, sand water seeps*

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8 18.97	+1	232	4x4	225	232

220 *gravel & sand*

232 *clean gravel (water)*



Static Water Level for non-flowing well 180 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 190 feet
at 32 50 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested water pumped

Length of Test 12 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW 1/4 NW Sec. 9 T. 145 R. 8W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

148
Driller's License Number

Richard Briggs
Driller's Signature

112, 450