

File No.


T. S. R. 9 W

DUPLICATE

County BEAVERHEAD

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 22 1965
STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner James J. Rebich Address Dillon, Montana

Driller Carl F. Hollensteiner Address Dillon, Montana

Date of Notice of Appropriation of Groundwater.....

Date well started Nov. 5, 1964 Date Completed Nov. 7, 1964

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" O.D. galv. 10.5 lb.	2' up	52'	None		

Static Water Level for non-flowing Well..... 20 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 30 feet at..... 30 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Bailer Length of Test 1 1/2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License No. 9

Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39015

STATE OF MONTANA, ss. 111705
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 30 day
of Dec. A. D. 1964 at 10 min.
past 4 o'clock P. M. and recorded on
page 45 of Book 182 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,
George J. Engel
County Recorder

By _____ Deputy
Fee \$ 4.00

SERVICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Ch. 237, Montana Session Laws, 1952)

RECEIVED
JAN 5 1964


JAMES J. PELICH
(Name of Appropriator)

Rt. 1 So. Box 128
(Address)

County of Beaverhead

State of Montana

have appropriated groundwater according to the Montana Laws in effect prior to January 1, 1952, as follows:



2. The beneficial use on which the claim is based
Drinking water and livestock water

3. Date or approximate date of earliest beneficial use and how continuous the use has been
1924 Well #1 1961 Well #2 All wells continuous use

4. The amount of groundwater claimed in miner's inches or gallons per minute
500 Gallons per hour for each well

5. The point of appropriation, if used for irrigation, give the acreage and land & plants to use, if possible. Description of the lands to which water has been applied. Each well's location, depth and name of the user thereof.

6. The means of withdrawing such water from the ground & the location of each well or other means of withdrawal
Drawn by submersible pumps

7. The date of commencement & completion of the construction of the well, wells, or other works for withdrawal of groundwater
Well #1 1900 Well #2 1924 AND Well #3 1961

8. The depth of water table
25 ft

9. So far as it may be available, the type, size & depth of each well or the general specifications of any other works for the withdrawal of groundwater
well #1 60 FT 8 1/2 inch casing
well #2 60 FT " " "
well #3 40 FT " " "

10. The estimated amount of groundwater withdrawn each year
30,000 Gallons

11. The travel of waterlines encountered in the drilling of each well if available
Travel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including references to both pages of any county records

Signature of Owner James J. Pelich
Date Dec 30, 1963

STATE OF MONTANA ss. 108747
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 31 day of Dec A. D. 1963 at 20 min. past 8 o'clock A. M and recorded on page 359-60 of Book 174 of Water Records of Beaverhead County, Montana.

Attest my hand and seal,
[Signature]
By _____ Deputy

Fee \$ _____

GW 2

File No.

APR 11 1967

T. 8 S. R. 9 W. 9
County Beaverhead

DUPLICATE

LOG

Billings _____ McDaniel _____
Butzerin _____ M. M. _____
Coyle _____ _____
Dawinton _____ Sullivan _____
Dickers _____ _____
STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

0-23 hand dug with cement curb (Under Chapter 237, Montana Session Laws, 1961)

Owner Ben Slinger Address Rural Route #1 Dillon

Driller Carl F. Hollensteiner Address Dillon, Montana

Date of Notice of appropriation of groundwater. ***


Date well started Mar. 18, 1967 Date completed Mar. 20, 1967

Type of well Drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 18.97 lb black E13	surface	4 1/2	None		



23- 4 1/2 sand & gravel clean, full of water



Static Water Level for non-flowing well 22 1/2 feet.
Shut-in Pressure for Flowing Well ***
Pumping Water Level 27 1/2 feet at 29 gal. per minute.
Discharge in gal. per min. of flowing well ***

How Tested Railer
Length of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) well was drilled in dug well which was cemented up for cribbing.

SE 1/4 Sec. 9 T. 8 S R. 9 W.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition). ***

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

License No. 9
Driller's License Number
Carl F. Hollensteiner
Driller's Signature.

41859

STATE OF MONTANA, ss.
County of Beaverhead.

116954

I hereby certify that the within instrument
was filed in my office on the 4 day
of Apr. A. D. 1967 at 30 min.
past 9 o'clock, A. M. and recorded on
page 161 of Book 182 of
Well of Beaverhead
County, Montana

Attest my hand and seal.

Carolyn J. Sage
County Recorder

By _____

Deputy

Fee \$ 7.00

File No.....

T. Q S R 9 W

DUPLICATE

County Beauregard

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

RECEIVED
JUL 10 1963

(Under Chapter 237 Montana Session Laws, 1961)

STATE ENGINEER

Date of Appropriation of Groundwater May 28 1958

Owner James F. Seotield Address Dillon, Mont

Contractor (if any) None

Address of Contractor None

Date Started May 24 Date Completed May 28 1958


Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Sub-irrigation and spring was dug down to a depth of 10' and 10' wide and 20' long to increase water where a 4" pump could be installed for irrigation

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. From 200 to 250 Gallons Per minute depending on amount of water coming in. Have been pumping from June 1st to Sept 15th

Signature of Owner James F. Seotield

Date June 24 1963



SE 1/4 Sec. 9 T8s. R9W
Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

107050

INDEXED

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 24 day
of June A. D. 1963 at 31 min.
past 4:00 o'clock, P. M. and recorded on
page 419-39 of Book 151 of
Nata Hill Records of Beaverhead
County, Montana.

Attest my hand and seal.

Ernest J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.....

T8 South R 9 West

DUPLICATE

County Beaverhead


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JUL 10 1963

STATE ENGINEER
Dillon

1. James F. Scotfield of
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec 9 T8S R9W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and Stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
#1 1900 Continuous
#2 1940 Continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) #1 600 G.P.H.
#2 1430 G.P.H.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and location of each well or other means of withdrawal
#1 Hand pump and Electric Pump
#2 Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
#1 1900
#2 1940

8. The depth of water table - 12' to 40'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
#1 Dug well 4' Square - 24' Deep Concrete Curb
#2 Drilled well 6" casing 44' Deep

10. The estimated amount of groundwater withdrawn each year 219,000 gals

11. The log of formations encountered in the drilling of each well if available
Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None that I know of.

Signature of Owner James F. Scotfield
Date June 24 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

RECEIVED

STATE DEPARTMENT

107049

INDEXED

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 24th day
of June A. D. 1933 at 30 min.
past 4:00 o'clock P. M. and recorded on
page 4-17-18 of Book 151 of
Water Well Records of Beaverhead
County, Montana

Attest my hand and seal,

Earlyn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

GW 2

File No.

DUPLICATE

MONTANA WATER RESOURCES BOARD

Approved Stock Form—State Publishing Co., Helena, Montana—46805

RECEIVED

JUL 3 1968

T. 85 R. 44

County Beaverhead

LOG

0 Top of Ground
(Elev. above sea level.....)

22 sand, gravel & boulders

35 boulders

52 sand

64 gravel (water)

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)
Owner D.B. Clark Canyon Lumber Co. Address Box 1432
Leonard Hamilton Missoula, Montana

Driller Briggs Delp. Contractors Address Dillon, Montana

Date of Notice of appropriation of groundwater.....


Date well started April 26, 1968 Date completed April 29, 1968

Type of well drilled Equipment used cable tool
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8 OD +1 13.97#		64	4x6	54	64



Static Water Level for non-flowing well 29 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 31 feet
at..... 50 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested bailer.....

Length of Test 2 hrs......

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW
1/4 Sec 9 T85 R9W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

148
Driller's License Number
Richard Briggs
Driller's Signature.

44, 185

GRANTING WITHIN A LIMITED PERIOD

following instrument is presented to you for
file in record of mortgages

and you are hereby notified that the same
will be recorded in the public records of
this county if you do not file a certificate of
non-recordation within the time specified
in the instrument.

120132

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 29th day
of May A. D. 1968 at _____ min.
past 3:00 o'clock, P. M. and recorded on
page 50-1 of Book 193 of
Records of Beaverhead
County, Montana.

Attest my hand and seal

Lucy J. Sage
County Recorder

By *Phyllis D. Bunnell*
Deputy

Fee \$ 4.00

File No.

DUPLICATE

T. 8 S. R. 9 W

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 30 1968

STATE ENGINEER

1. Kenneth Eliason, of Plt. 1 Box 143, Dillon
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 SE Sec. 10 T. 8 S. R. 9 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household & stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 9m continuous use since 1947

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 350 gals per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Centrifugal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 9m the year 1947

8. The depth of water table 28 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Dug well, cement walled and 46 ft. deep

10. The estimated amount of groundwater withdrawn each year 150,000 gals.

11. The log of formations encountered in the drilling of each well if available not known

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Kenneth Eliason

Date Nov. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA ss. 108182
County of Beaverhead.

I, _____, the within instrument
was filed on the 3rd day
of Dec 63 at 30 min.
past 10 o'clock A. M. and recorded on
page 511 of Book 151 of
Water Right Records of Beaverhead
County, Montana.

Attest my hand and seal,
Cody J. Sage
County Recorder

By _____ Deputy
Fee \$ 4.00

RECEIVED

County MISSOULA

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

JUL 24 1972

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

MINERAL DEPARTMENT OF BUSINESS AND COMMERCE

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Donald F. Schwegean
Address 1015 N. 1st St.
Billon, Montana 59725
Date well started July 12, 1972
completed July 13, 1972

For Administrator's Use
File 131317
July 20, 1972 11:40 a.m.
GW 1

Type of well drilled (Dug, driven, bored or drilled)


Equipment used rodless tool (Churn drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe _____
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind & Size	From (Feet)	To (Feet)
4"	12.5 lb 40/3	22"	42"			



Static water levelft.*
Pumping water levelft.*
atgallons per minute,
measuredminutes after pumping
began.
*Measured from ground level.
Well developed by
forhours.
Power..... Pump..... HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Donald F. Schwegean

Driller's Address 1015 N. 1st St., Billon, Montana 59725

LICENSE NO.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	3	soil
3	20	harder & gravel
20	30	same & gravel
30	42	gravel water

Show exact depth of bottom

50,999

RECEIVED

County GARFIELD

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

JUL 24 1972

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned:

Owner Donald F. Schwegean
Donald F. Schwegean

Address Box 143 A
Billon, Montana 59725

Date well started July 12, 1972

completed July 13, 1972

Type of well drilled
(Dug, driven, bored or drilled)


Equipment used air lift tool
(Churn drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe _____
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind and Size	From (Feet)	To (Feet)
6"	1 1/2" 5/8"	7 1/2"	12"			



Static water level 20 ft.*
Pumping water level 25 ft.*
at 125 gallons per minute,
measured 1 minutes after pumping began.

*Measured from ground level.
Well developed by _____
for _____ hours.
Power _____ Pump _____ HP
Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Donald F. Schwegean

Driller's Address Box 143 A, Billon, Montana 59725

LICENSE NO. _____

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	Description
0	3	soil
1	25	boulders + gravel
24	38	sand + gravel
38	42	gravel (water)

Show exact depth of bottom

59,997

131317

STATE OF MONTANA, County of Bea. hereby certify that the within instrument was filed in my office on the
20th day of July A. D. 1979 at 40 min. past 11:00 o'clock P. M. and recorded on
page 575-6 of book 204, Records of Beaverhead County, Montana.

Attest my hand and seal

By Christa Sorenson

Fee \$ 4.00 Deputy

Margaret L. Thompson

County Recorder


8-9 10
 JAN 15 1964
 DILLON ENGINEER

Adolf Kruljac

Beaverhead

State of Montana

and approximate ground-water table in effect per January 1, 1962, as follows:



2. The beneficial use on which the claim is based
 (2) Stock water (1) Personal

3. Date or approximate date of earliest beneficial use, and how continuous the use has been
 (1) 1904 (2) 1959

4. The amount of groundwater obtained in average inches or gallons per minute
 unknown

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the water user
 None

6. The means of withdrawing such water from the ground & the location of each well or other means of withdrawal
 (1) & (2) Hand Pumps

7. The date of commencement & completion of the construction of the well, wells, or other works for withdrawal of groundwater
 (1) 1904 (2) 1959

8. The depth of water table (1) 20 ft (2) 14 ft

9. So far as it may be available, the type, size & depth of each well or the general specifications of any other works for the withdrawal of groundwater
 (1) Drilled in 1953. 6" casing with hand pump.
 (2) Hand dug 4' deep with hand pump.

10. The estimated amount of groundwater withdrawn each year.

11. The log of formations encountered in the drilling of each well if available.

12. Any other information of a similar nature which may be needed in carrying out the policy of this act, including reference to book & page of any other records.

Signature of Owner Adolf Kruljac
 Date Dec 30 - 1963

Beaverhead
 Adolf Kruljac is

STATE OF MONTANA, ss. 108715
 County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 30 day of Dec A. D. 1963 at 4.0 min. past 5 o'clock P.M. and recorded on page 275-6 of Book 174 of Water Records of Beaverhead County, Montana.

Attest my hand and seal,
Carolyn J. Seeger
 County Recorder

By _____ Deputy

Fee \$ _____

32316

File No.

T. 85 R. 9W 11

DUPLICATE


County BEAVERHEAD

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 22 1964

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Owner John W. Liden Address Dillon, Montana

Driller Carl F. Hollensteiner Address Dillon, Montana

Date of Notice of Appropriation of Groundwater ****


Date well started Oct. 29, 1964 Date Completed Oct 30, 1964

Type of well Drilled Equipment Used churn drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 18.97 lb	1 ft up	41 1/2	None		



SE 1/4 NW Sec. 11. T. 85. R. 9W
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 21 feet.

Shut-in Pressure for Flowing Well ****

Pumping Water Level 30 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well ****

How Tested Bailer Length of Test 2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) ****

License No. 9

Driller's License Number

Carl F. Hollensteiner
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39014

STATE OF MONTANA,
County of Beaverhead, ss.

111433

I hereby certify that the within instrument
was filed in my office on the 27 day
of Nov. A. D. 1964 at 15 min.
past 10 o'clock A.M. and recorded on
page 43 of Book 187 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal

Frederick J. Sage
County Recorder

By _____

Deputy

Fee \$ 1.00

File No. _____

T. 2-S. R. 9-W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 31 1963
STATE ENGINEER

1. John W. Francis, P. & Chas. M. Loden, of Pte. 1 Box 145 Dillon
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NW Sec. 11 T. 2-S. R. 9-W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household
& Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1900 - Since

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30 gallons Per Minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pressure Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1900 - Aug - Cement Cased

8. The depth of water table 25 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Aug well West Area

10. The estimated amount of groundwater withdrawn each year 2,500,000

11. The log of formations encountered in the drilling; of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner John W. Loden

Date Dec 26 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss.
County of Beaverhead.

108568

I hereby certify that the within instrument
was filed in my office on the 27 day
of Dec. A. D. 1963 at 26 min.
past 8 o'clock, A. M. and recorded on
page 57 of Book 174 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal

Carolyn J. Sage
County Recorder

By _____ Deputy
Fee \$ 4.00

GW 2

File No.

T. 8S R. 9W

DUPLICATE


County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1962
STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well


(Under Chapter 237, Montana Session Laws, 1961)



Owner: Edward Sporich Address: Dillon, Montana
 Driller: U.S.B.R. Address: Dillon, Montana
 Date of Notice of Appropriation of Groundwater:
 Date well started: 8-23-62 Date Completed: 9-27-62
 Type of well: drilled Equipment Used: rotar
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)
 Water Use: Domestic Municipal Other Irrigation
 Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4"	4" 7 1/2#	0	62	none		



NW 1/4 SW Sec. 14 T. 8S R. 9W
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well: 35 1/2 feet.
 Shut-in Pressure for Flowing Well: No test
 Pumping Water Level: No test feet at gal. per minute.
 Discharge in gal. per min. of flowing well: No test
 How Tested: No test Length of Test: No test

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation). The above well was drilled to determine depth to ground water and geological formations. After information was obtained the well was given to Mr. Sporich in exchange for an existing well in order to obtain fluctuation in ground water table and determine effectiveness of asphalt membrane canal lining.

Driller's License Number

Richard M. ...
Eng. Tech. U.S.B.R. Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the county Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA,
County of Beaverhead.

105961

ss.

I hereby certify that the within instrument
was filed in my office on the 31st day
of Dec. A. D. 1962 at 45 min.
past 2 o'clock, P M and recorded on
page 345-6 of Book 151 of
Water Right Records of Beaverhead

Attest my hand and seal,

Carolyn J. Sage
County Recorder

By _____

Deputy

Fee \$ 4.00

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4564.

File No. _____

T. 85 R. 9W

DUPLICATE

STATE WATER CONSERVATION BOARD

County Beaverhead

APR 11 1967

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

LOG

Top of Ground

Filler _____

Rutterin _____

Coyle _____

Dartinton _____

Dickert _____

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Edward Spornich Address Dillon, Montana

Driller Briggs Drlg. Co. Address Dillon, Montana

Date of Notice of appropriation of groundwater _____

Date well started Jan. 3rd, 1967 Date completed Jan. 30, 1967

Type of well drilled Equipment used cable
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



0 Top of Ground
 3 topsoil
 12 sand & boulders
 40 consolidated gravel 4" minus
 some water 5 GPM
 115 gravel, sand, clay traces
 179 coarse sand & gravel
 126 gravel, sand, clay traces
 158 coarse water bearing sand & gravel
 water
 175 large gravel, coarse sand
 6" minus

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
20" 90	20" x 344 72.16 #	+1	175	4x4 12x8"	75	175



Static Water Level for non-flowing well 38 feet.
 Shut-in Pressure for Flowing Well
 Pumping Water Level 165 feet
 at 435 gal. per minute.
 Discharge in gal. per min. of flowing well

How Tested pump test
 Length of Test 8 hrs.

Remarks: (Gravel packing, cementing, packers, type of snuffoff)

Sec. 14 Sec. 14 T. 85 R. 9W
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

.....(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

148
 Driller's License Number

Richard Briggs
 Driller's Signature.

41860

STATE OF MONTANA, } 116905
County of Beaverhead }

I hereby certify that the within instrument
was filed in my office on the 22 day
of Nov. A. D. 1967 at 20 min.
past 1 o'clock, P. M. and recorded on
page 153 of Book 187 of
Water Well Records of Beaverhead
County, Montana.
Attest my hand and seal,

Carolyn J. [Signature] County Recorder
By _____ Deputy

Fee \$ 4.00

File No.

T. 85 R. 9W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
FEB 20 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Edward Spovich, of Dillon Rt. Box 140 Montana
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SW Sec. 14 T. 85 R. 9W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Watering stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 8-27-42 use 16 months just for watering stock

4. The amount of groundwater claimed (in miner's inches or gallons per minute)

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not used for irrigating purposes.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal By drilled well then attached gas pump NW 1/4 SW Sec. 14 T. 85 R. 9W

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Date well started - 8-23-42
Date completed - 8-27-42

8. The depth of water table 35 1/2 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Size of drilled hole - 5" size x weight of casing - 1 1/2" depth of well - 62 feet

10. The estimated amount of groundwater withdrawn each year 18,000

11. The log of formations encountered in the drilling of each well if available drilled - Equip. used water
Soil to top of well 10 feet sand gravel - 5 ft between 20-30 feet sand gravel
Some rock 35 feet sand gravel 50 feet sand gravel 62 feet water
Driller Carl Hollenstein

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Edward Spovich
Date Dec. 29, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Dillon RR Co. Inc. Member

Edward ... Beaverhead

Watering stock

use of ...

X

...

...

...

...

...

STATE OF MONTANA, } sa
County of Beaverhead.

106068

I hereby certify that the within instrument was filed in my office on the 17th day of JAN A. D. 1963 at 3:30 min past 3 o'clock P. M. and recorded on page 355 of Book 151 of Water Well Records of Beaverhead County, Montana.

Attest my hand and seal,
Lucy J. Lopez
Deputy

By 400 Deputy
Fee \$ 4.00

File No.

DUPLICATE

T. 8 R. 9
County. Beaurhain


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. John A. Lakin, of Rt I S - Box 119 - Dillon, Montana
(Name of Appropriator) (Address) (Town) (State of)

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 of 14-8-9
NE 1/4 Sec. 14 T. 8 R. 9

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stack, an irrigation water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Drilled by White and Halenstener in 1934

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3300 per minute after continuous pumping

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 40 acres of NE 1/4 of Sect. 14 T-8-R-9 - owned by same

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Gas motor & centrifugal pumps

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Spring of 1935 - by White came from Salmon Sta - drilled well

8. The depth of water table 60 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater This well has an eight inch casing - 200 feet deep - about 100 feet of water in well at all times

10. The estimated amount of groundwater withdrawn each year 900 million gallon

11. The log of formations encountered in the drilling of each well if available mostly gravel from surface to 200 feet deep - 2 small layers of sandstone

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner John A. Lakin
Date 12/23/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA,
County of Beaverhead.

108522

I hereby certify that the within instrument
was filed in my office on the 23rd day
of Dec., A. D. 1934 at 34 min.
past 4 o'clock P. M. and recorded on
page 681 of Book 151 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal.

Carolyn J. Sage
By _____ Deputy

Fee \$ 4.00

OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Ch. 237, Montana Session Laws, 1961)


8-9-15
JAN 15 1984

Rebich & Sons Livestock Co
Name of Appropriator

of Re-15-Box 137

Dillon
STATE ENGINEER

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1982, as follows:



2. The beneficial use on which the claim is based 2

Wells - Household & Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been

1930 1900

4. The amount of groundwater claimed (in miner's inches or gallons per minute)

9 gallon per minute Both - 20

N10 & W Sec 15 T8S R9W
Indicate point of appropriation & place of use, if possible. Each small sq. represents 40 acres.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground & the location of each well or other means of withdrawal

1 lift pump - one pressure pump

7. The date of commencement & completion of the construction of the well, wells, or other works for withdrawal of groundwater

In 1900 - Ditcher well started in 1900 as dug - drilled in 1930
Dug well - 1900 - completed

8. The depth of water table

25 feet

9. So far as it may be available, the type, size & depth of each well or the general specifications of any other works for the withdrawal of groundwater

Dug well - 35 feet
Ditcher well - 1930 - 2 1/2 in casing - 80 feet

10. The estimated amount of groundwater withdrawn each year

5000 gpd

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book & page of any county record

Rebich & Sons Livestock Company Rebich
scut - trees
Date Dec-30-1963

STATE OF MONTANA 108758
County of Beaverhead ss.

I hereby certify that the within instrument was filed in my office on the 31 day of Dec A. D. 1963 at 3:11 min past 8 o'clock A. M. and recorded on page 381-2 of Book 174 of Water Records of Beaverhead County, Montana.

Attest my hand and seal,
Carolyn J. Sager
County Recorder

By _____ Deputy

Fee \$ _____

3/5

File No.

T 8-S R 9-W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 14 1964

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

BLAZ SPORICH

1. 1/2 Ed + Wm S Porich of Rte 1 Box 140 Dillon
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NW Sec. 15 T. 8-S. 9-W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Household + Live stock
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1870 dug - Casced approx 1930
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 40 gpm per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Pressure Pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Drilled well Aug 1930 - Casced - Paich was a Aug well
- 8. The depth of water table. 25 ft
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 5" casing - 45 ft deep
- 10. The estimated amount of groundwater withdrawn each year. 2,500,000
- 11. The log of formations encountered in the drilling of each well if available.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner: William Sporich

Date 2-2-1963

Three copies to be filed by the owner: with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32219

108604

STATE OF MONTANA,) ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 27 day
of Dec. A. D. 1968, at 20 min.
past 4 o'clock P. M and recorded on
page 81 of Book 174 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Loulyn J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

STATE OF MONTANA
COUNTY OF BEAVERHEAD

RECORDS SECTION
COUNTY CLERK'S OFFICE
BEAVERHEAD COUNTY, MONTANA

133282

STATE OF MONTANA, County of Beaverhead ss. I hereby certify that the within instrument was filed in my office on the 6th day of March A. D. 1973 at 30 min. past 10 o'clock P. M. and recorded on page 467-1 of book 205, Records of Beaverhead County, Montana.

Attest my hand and seal
By Charles D. Bennett
Deputy
Fee \$ 1.00

Margaret L. Thompson
County Recorder

File No.

T. 8S R. 9W

DUPLICATE

County. Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater..... Aug. 17, 1965


Owner. EDWARD R. FEBICH..... Address..... Rt. 18 Box 129

Contractor (if any) Dillon, Montana

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable..... Sub-irrigation, pond 15' deep about 1000 feet wide, and 1000 feet long. Will use pump.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use..... 5 months in the spring and summer.

NW 1/4 SW Sec. 17 T. 8S R. 9W
Indicate point of appropriation and place of use, if possible.

Signature of Owner Edward R. Febich

Date..... Aug. 17, 1965

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 17 day
of Aug A. D. 1965 at 5.0 min.
past 3 o'clock P. M. and recorded on
page 90-2 of 133 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal.

L. Lynn J. Segal
County Recorder

By _____ Deputy

Fee \$ 4.00

113190

STATE WATER CONSERVATION BOARD

OCT 4 1965

Gille _____	McDermott _____
Butzerin _____	M _____
Coyle _____	M _____
Darlington _____	Sullivan _____
Dickert _____	_____



RECEIVED

8-9-77

SEP 11 1972

County, Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MONTANA DEPARTMENT OF INDUSTRY,
RESOURCES AND CONSERVATION

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Bill Stewart

Address S. of Dillon

Dillon, Montana

Date well started Aug. 24, 1972

completed Aug. 25, 1972

Type of well drilled

Equipment used cable tool

Water Use: Domestic Municipal Stock Irrigation


Industrial Drainage Other * Garden/Lawn

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	18.97 6 5/8	18	45	4 1/2"	40	45



..... 1/4 1/4 Sec.....
T..... N R..... E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Briggs Drilling Contractor

Driller's Address Box 1083 Dillon, Montana 59725

David M. Park LICENSE NO. 148

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	Description
0	2	soil
2	18	boulders and gravel
18	38	sand with water
38	45	gravel with sandy clay

45 Show exact depth of bottom

1-F

1-F

51,338

51,338

ESTIMATED ANNUAL WITHDRAWAL

MONTEGLO, MONTANA

NOV 29 1912

RECEIVED

To (Feet)	From (Feet)	Kind	Size (Feet)	To (Feet)	From (Feet)
18.97	418	45	40	45	45

6" Size of Drilled Hole

18.97 Size and Weight of Casing

45 To (Feet)

40 From (Feet)

45 Kind

40 Size (Feet)

45 To (Feet)

45 From (Feet)

PERFORMANCES

Static water level ft. 20

Pumping water level ft. 25

gallons per minute 12

at 120 minutes after pumping

began.

Measured from ground level.

and Addition):

Use: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. lot, block

* Describe

Water Use: Domestic Municipal Stock Irrigation

Industrial Drainage Other * Garden/Lawn

Equipment used (Churn drill, rotary or other)

131751

STATE OF MONTANA, County of Beaverhead ss. I hereby certify that the within instrument was filed in my office on the 6th day of September A. D. 1912 at 25 min. past 11:00 o'clock A. M. and recorded on page 1025-6 of Book 204, Records of Beaverhead County, Montana.

Attest my hand and seal

By Phyllis A. Russell Deputy

Fee \$4.00

Marjorie E. Thompson
County Recorder

File No.


T. 83 R. 94

DUPLICATE

County BEAVERHEAD

STATE OF MONTANA
ADMINISTRATOR OF GROUND-WATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 22 1965



Top of Ground
(Elev. above sea level.....)
0' to 15'
rocks and gravel
15' to 30'
sands and gravel
(water)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner EDWARD R. RESICH Address Rt. 1 Box 129 Dillon, Mont.

Driller O'Keefe Drilling Co. Address Butte, Mont.

Date of Notice of Appropriation of Groundwater.....


Date well started Nov. 15, 1964 Date Completed Nov. 17, 1964

Type of well Drilled Equipment Used Churn
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 19#	0'	30'	cutting torch	25'	30'



SE 1/4 NW 1/4 Sec. 17 T. 83 R. 94
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.
(30 feet deep)

Static Water Level for non-flowing Well 16 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 18 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested bailer Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Driller's License Number 8

Edward R. O'Keefe
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39017

STATE OF MONTANA, ss.
County of Beaverhead.

112028

I hereby certify that the within instrument
was filed in my office on the 16 day
of Feb 25 1965 at 5.0 min.
past 10 A M and recorded on
page 49 of 182 of
Claw Well Rules of Beaverhead
County, Montana.

Attest my hand and seal

Caryn J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

File No.

DUPLICATE

MONTANA WATER RESOURCES BOARD
RECEIVED

County Beaverhead

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Top of Ground
(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

0-37 sand, gravel & boulders
some clay

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner: COLUMBIA BENEFICIAL HOLDINGS, LTD.
Box 26 Address Dillon, Montana

37-42 water bearing sand & gravel

Driller: L. F. Hollenstainer Address Dillon, Montana

Date of Notice of appropriation of groundwater: *****

42-47 tight sand & gravel
(might be cemented)

Date well started: Apr. 24, 1968 Date completed: Apr. 26, 1968

Type of well: Drilled Equipment used: Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


47-49 water bearing gravel

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

finished @ 49'

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 18.97 lb ERW	1 1/2 up	49	None		



Static Water Level for non-flowing well 25 feet. ***
 Shut-in Pressure for Flowing Well
 Pumping Water Level 30 feet
 at 25 gal. per minute.
 Discharge in gal. per min. of flowing well ***
 How Tested: Baler
 Length of Test: 1 hr.
 marks: (Gravel packing, cementing, packers, type of shutoff) ***

NE 1/4 of Sec. 17, T. 8S., R. 5E.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

License No. 9
Driller's License Number

L. F. Hollenstainer
Driller's Signature

44,250

Faint, mostly illegible text at the top of the page, possibly containing a title or header information.

120260

STATE OF MONTANA, ss
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 19th day of June A. D. 19 68 at 10 min. past 2:00 o'clock, P. M. and recorded on page 162-3 of Book 193 of Records of Beaverhead County, Montana.

Attest my hand and seal,

Evelyn J. Sage
County Recorder

By *Thyllis D. Sumner*
Deputy

Fee \$.....

File No.

DUPLICATE

T. 8 R. 9

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 7 1962

STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Carl A. and Mary E. Bolik of Rt 1 Box 124 Deer
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 17 T. 9 R. 9

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household
Carl Bolik

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1932 daily use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 15 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1932

8. The depth of water table 0 to 20 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 inch casing depth 50 feet

10. The estimated amount of groundwater withdrawn each year

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Mary E. Bolik
Carl A. Bolik

Date December 28, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

105940

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 28 day
of Dec. A. D. 1962 at 52 min.
past 11:00 o'clock, A. M. and recorded on
page 33-32 of Book 157 of
Water Righting Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carlynn J. Long
County Recorder

By..... Deputy

Fee \$.....

Barrett's old well
GV Helena Independent Record

File No.

T. P. R. 9

DUPLICATE

County *Beaverhead*

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. *Carl A. & Mary C. Bolick* of *N.H. Sec. 15, T. 9, R. 9* *Billon*
(Name of Appropriator) (Address) (Town)

County of *Beaverhead* State of *Montana*
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N.W. 1/4 Sec. 17, T. 9, R. 9
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based *Household and in stock*

3. Date or approximate date of earliest beneficial use; and how continuous the use has been *1880-1932*

4. The amount of groundwater claimed (in miner's inches or gallons per minute) *1.5 gallons per minute*

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *garden and lawn*

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal *spring*

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *1880*

8. The depth of water table *20 feet*

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater *Hand dug well*

10. The estimated amount of groundwater withdrawn each year

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner *Mary C. Bolick*
Carl A. Bolick

Date *Dec. 28, 1962*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

105939

STATE OF MONTANA, | ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 28 day
of Dec A. D. 1962 at 51 min.
past 11:00 o'clock A. M. and recorded on
page 329-30 of Book 157 of
Water Heritage Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carlyle J. Sage
County Recorder
By _____ Deputy

Fee \$.....

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—42329

File No.

T-8-S R 9 W

DUPLICATE

County Beaverhead

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JUN 14 1965

Notice of Completion of Groundwater Appropriation by META WINEER DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)

10 0 to 17
20 rocks and gravel
30 17 to 22
34 clay and gravel
sand & water)

Owner Ralph Banning Address Dillon, Mont.

Driller O'Keefe Drilling Co. Address Butte, Montana

Date of Notice of appropriation of groundwater.....


Date well started Oct 6 1964 Date completed Oct. 8 1964

Type of well Drilled Equipment used Churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other garden

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 19 ¹¹ / ₁₆ "	0	34	cutting torch	28	33



Static Water Level for non-flowing well 18 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 20 feet at 35 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested bailer

Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW 1/4 NW 1/4 Sec. 7 T 8 S R 9 W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Domestic use and garden & lawn irrigation.

Show exact depth of bottom.
34 feet deep

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 8

Edward R. O'Keefe
Driller's Signature

39206

112528

STATE OF MONTANA,
County of Beaverhead, ss.

I hereby certify that the within instrument
was filed in my office on the 4th day
of May, A. D. 1965 at 5.0 min.
past 10.0 o'clock, A.M. and recorded on
page 57-8 of Book 182 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. Sage
County Recorder

By _____ Deputy

Fee \$ 1.00

File No.....

T. 8 S. R. 9 W.

DUPLICATE

County BEAVERHEAD

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JUN 29 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Tri State Minerals, of Dillon Mont.
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE Sec. 17, T. 8 S. R. 9 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based operation of Talc refining plant at Barretts station

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Feb. 1, 1953, continuous except for minor shut downs

4. The amount of groundwater claimed (in miner's inches or gallons per minute) ~~100 g.p.m.~~ 130 g.p.m.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
7 1/2 H.P. turbine

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Aug. 1952 started drilling, Jan. 1953 extended well down, Feb. installed jet pump capable of withdrawing 100 g.p.m.

8. The depth of water table ***

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 8" std pipe slotted with torch for 18' of perforations. Total depth of well 858 top of perforations 21 ft of surface. Installed turbine pu.p in well replacing jet. tested 132 g.p.m.

10. The estimated amount of groundwater withdrawn each year 50,000,000 gal

11. The log of formations encountered in the drilling of each well if available gravel & clay to 15', then gravel to 35', clay & sand to 85' no water below 38'

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Tri State Minerals Co.
Ed Tom in Dillon, Mont
Date Sept. 3, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

File No.

T. 8 S. R. 9 W.

DUPLICATE

County BEAVERHEAD

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
MAY 25 1962
STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Fine Pigments Division Tri State Minerals Dillon, Montana
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Mont.

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SE Sec. 17 T8S R9W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based operation of talc processing plant at Barretts sta.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Aug. or Sept 1959
continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 120 g.p.m.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof ***

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 7 1/2 H.P. deep well jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Drilling started July 25, 1959 well test pumped July 28, 1959

8. The depth of water table Static water level 16 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well is drilled and cased with 8" std blk. pipe, casing slotted with torch between 28 & 38' All water is obtained above 38'

10. The estimated amount of groundwater withdrawn each year 40 to 50 million gallons / yr.

11. The log of formations encountered in the drilling of each well if available Gravel to 38' then yellow sandy clay to 81 ft. No water at bottom of casing.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Fine Pigments Corp.
W. J. ...
Date May 25, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA, ' SA. 105264
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 24 day
of Sept A. D. 1962 at 3.6 min.
past 4 o'clock, P.M. and recorded on
page 283-4 of Book 151 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal,

Civilyn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.....

DUPLICATE

T. 8 S R 9 W 17
County. Beaver

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963
STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. WILLIAM L. STEWART (Name of Appropriator) of RR #1 Box 130 DILLON (Address) (Town)

County of BEAVERHEAD State of MONTANA

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 17 T. 8 S R. 9 W ut

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based HOUSE HOLD

3. Date or approximate date of earliest beneficial use; and how continuous the use has been OCT 15 TH 1961 Continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) UNKNOWN (WILL FLOW CONTINUOUS HEAD THROUGH 2 INCH PIPE FULL) APPROX. 150 GPHR.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater OCT 14, 1961

8. The depth of water table 21 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Originally 12 inch Dig to 35 ft. installed 2 inch pipe and cased in. Water rose in pipe to a maximum level of 21 ft. after pumping for 1 hour water level in pipe was still at 23 ft.

10. The estimated amount of groundwater withdrawn each year 25,000 to 35,000 gal

11. The log of formations encountered in the drilling of each well if available no log kept. However gravel sand, pea gravel, heavy gravel, occurred in alternating layers. Water seems to be held by a layer of blue clay just below it.

12. Such other information of a similar nature as may be useful in carrying out the policy, of this act, including reference to book and page of any county record. Used to this property is recorded on page 327 of Book 156 of Deed Records of Beaverhead County Montana.

Signature of Owner William L. Stewart

DATE Dec 20, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions, If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss. 108218
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 9th day of Dec A D 1963 at 47 min. past 9 o'clock A. M and recorded on page 535 of Book 151 of Water Well Records of Beaverhead County, Montana.

Attest my hand and seal,

Lesley J. Lay
County Recorder.

By _____ Deputy
Fee \$ 4.00

File No.

T. 9 S. R. 9 E. 17

DUPLICATE

County

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER


RECEIVED
 DEC 26 1963

Declaration of Vested Groundwater Rights
 (Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. William L. Stewart of RR # 1 Box 130 Dillon
 (Name of Appropriator) (Address) (Town)
 County of BEAVERHEAD State of MONTANA

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 17 T8 S R9 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based IRRIGATION

3. Date or approximate date of earliest beneficial use; and how continuous the use has been June 1, 1962

4. The amount of groundwater claimed (in miner's inches or gallons per minute) gal Per MIN. 100

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof same HOME SITE (Landon etc.)
Owner: Wm. L. STEWART

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Dec 12, 1961

8. The depth of water table 18 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Hand dug a maximum depth of 25 ft open well, 42 inches square, timber cased.

10. The estimated amount of groundwater withdrawn each year 250,000 gal

11. The log of formations encountered in the drilling of each well if available No log kept. gravel from surface to water seems, gravel from sand and gravel mixed to pea gravel no sand, to heavy gravel. Water seems appear to be held in place by a layer of blue clay

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record RECORDED ON PAGE 323-4 OF DEEDS THIS PROPERTY IS BEAVERHEAD COUNTY MONTANA

Signature of Owner William L. Stewart

Date Dec 24 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA,
County of Powderhead.

108247

I hereby certify that the within instrument
was filed in my office on the 9 day
of Dec. A. D. 1962 at 4
o'clock, A. M. and recorded
in Book 15
of the
Water Well Records of
County, Montana.
Attest my hand and seal

REVAE H HAY CO...
RECORDED ON PAGE 392
By _____ Deputy
Fee \$ 1.00

Well #38, 340' Lt. of Sta. 463+50

Project I-15-1(5)51

Approved Stock Form—State Publishing Co., Helena, Montana—4232.

File No.

STATE WATER CONSERVATION BOARD

T. 8 S. R. 9 W.

DUPLICATE

APR 19 1966

County Beaverhead

LOG

McDermott STATE OF MONTANA
 But Administrator of Groundwater Code
 Go. Morton Office of State Engineer
 Darlington Sullivan

Top of Ground
 (Elev. above sea level 5261 ft.)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner State Montana Highway Commission Address Helena, Montana

Driller Montana Highway Dept. Address Helena, Montana

Date of Notice of appropriation of groundwater January 21, 1966


Date well started January 4, 1966 Date completed January 14, 1966

Type of well Drilled Equipment used Churn drill
 (Dug, Driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other

Rest Area Water Supply

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" ID 19.88 lbs. per ft.	0.0'	44.6'	NONE		



Static Water Level for non-flowing well 12 feet.
 Shut-in Pressure for Flowing Well
 Pumping Water Level 37± feet
 at 22 gal. per minute.
 Discharge in gal. per min. of flowing well
 How Tested Pumped
 Length of Test Bailed 3 hrs.; pumped 3 hrs.

NW 1/4 of SE 1/4 of
 NE 1/4 Sec. 19 T. 8 S. R. 9 W.
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).
 pH 6.8 due to carbon dioxide (CO₂)
 CO₂ 41 p.p.m. sample CO₂ soluble in
 Phenolphthalein Alkalinity None H₂O & forms carbonic
 Methyl Orange 147 p.p.m. CaCO₃ acid.
 Total Hardness 214 p.p.m. CaCO₃

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

None required.
 Driller's License Number
 Driller's Signature Shuman D. Fox
 Matls. E. engr.

40983