

34

File No. one

T. 9 So R. 14 W

DUPLICATE

County Beaverhead

SW

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
AUG 5 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 29, 1963


Owner Alex Christie Address Grant, Mont.

Contractor (if any) _____

Address of Contractor _____

Date Started June 29, 1963 Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring water flows into this part of my land.



Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. 15 inches of water estimated. Used all year for stock water.

Signature of Owner Alex Christie

Date June 29, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA. ss. 107128
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 9 day
of July A. D. 1963 at 4.0 min.
past 1 o'clock P. M. and recorded on
page 173-4 of Book 133 of
Plater Records of Beaverhead
County, Montana.

Attest my hand and seal,
William J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

File No. _____
STATE WATER CONSERVATION BOARD
DUPLICATE

T. 9S R. 14W
County Beaverhead


JAN 5 1967

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER
Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Alex Christie (Name of Appropriator), of Grant, Mont. (Address) Grant (Town)
County of Beaverhead State of Mont.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NE Sec. 35 T. 9S. R. 14W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. Household well
- Date or approximate date of earliest beneficial use; and how continuous the use has been. About 1945 or 46
- The amount of groundwater claimed (in miner's inches or gallons per minute). About 10 gal per minute
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. irrigate lawn
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Pump Township 9S Range 14W Sec. 35 S. E. 1/4 of The No. 4
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. In the Fall of the year 1945 or 46
- The depth of water table. About 68 ft.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well 6" hole 68 ft.
- The estimated amount of groundwater withdrawn each year. about 200,000 gal
- The log of formations encountered in the drilling of each well if available. not known
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Alex Christie
Date Oct 21, 1966

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

41597

STATE OF MONTANA, ss. 116098
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 21st day
of Oct. A. D. 1966 at 11 min.
past 10 o'clock A. M. and recorded on
page 119 of Book 187 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal,

Dorothy J. Sage
County Recorder

By _____ Deputy
400

RE VE 32 10 AM

GW 4

F 9² R 1² 35


County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 30 1963

1. J. S. and FRANCES BRENNER, of Grant
(Name of Appropriator) (Address)
County of Beaverhead, State of Montana, have appropriated groundwater according to
the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 35 T 9S R 14W
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

- 2. The beneficial use on which the claim is based
is for irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1952 - continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)
200 miners inches
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
100 acres in S1SW1 and SW1SE1 and SE1SE1, Sec. 35 T. 9S. R. 14W. - owners the same as above
- 6. The means of withdrawing such water from the ground and the location of each well of other means of withdrawal. Drag line ditch arises in SE1SE1 Sec. 35, T. 9S. R. 14W.
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
all started and completed in Sept. Oct. 1952
- 8. The depth of water table 5 to 7 feet below surface at ground
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drag line ditch - approximately 5' wide and 3' to 7' deep
- 10. The estimated amount of groundwater withdrawn each year continuous flow 200 miners inches
- 11. The log of formations encountered in the drilling of each well if available
no logs
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner J. S. BRENNER
Frances A. Brenner
Date March 1963

STATE OF MONTANA)
COUNTY OF BEAVERHEAD) ss J. S. Brenner and Frances Brenner
Beaverhead having first been duly sworn,
depose and say that they of lawful age and are
the appropriators and claimants of the order and water right mentioned in the
foregoing declaration of vested groundwater rights and the persons whose names
subscribed thereto, as the appropriators and claimants, that they know
the contents of said foregoing notice and that the matters and things therein stated are
true.

Subscribed and sworn to before me, this 16 day of Dec 16 1963, 1963
Notary public for the State of Montana, residing at Beaverhead Commission expires later
16420



108373

STATE OF MONTANA, ss
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 17 day of Dec A. D. 1963 at 19 min past 1 o'clock P M and recorded on page 628 of Book 151 of Water Well Records of Beaverhead County, Montana.
Attest my hand and seal;

Evelyn J. ...
By _____ Deputy

Fee \$ 2.00

[Faint, mostly illegible text and lines, possibly representing a list or ledger entries.]

513 141
10/1/1963

45836


County of Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 31 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1951)

1. J. S. and FRANCES BRENNER, of Grangeville, GRANGEVILLE ENGINEER
(Name of Appropriator) (Address) (Town)
County of Silver Bow, State of Montana, have appropriated groundwater according to
the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 35
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based for irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1952 - continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 400 miners' inches

If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof - owners same as above

340 acres (approx.) in Secs. 35 & 36 T.9S. R.14W. and in Sec. 1, T.10S. R.14W.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
By drag line ditches

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
started Sept. - Oct. 1952 and partially completed 1952; and modified and completed Nov. 1958

8. The depth of water table 5' to 7'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Two ditches 5' wide each and 3' to 7' deep. One ditch 20' wide and 5' to 7' deep

10. The estimated amount of groundwater withdrawn each year 400 miners' inches

11. The log of formations encountered in the drilling of each well if available
no log

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner J. S. Brenner
Frances J. Brenner
Date 12-11-63

STATE OF MONTANA)
COUNTY OF SILVER BOW) ss J. S. Brenner and
BEAVERHEAD) Frances Brenner having first been duly sworn,
depose and say that they of lawful age and are
the appropriators and claimants of the order and water right mentioned in the
foregoing declaration of vested groundwater rights and the persons whose names
subscribed thereto, as the appropriators and claimants, that they know
the contents of said foregoing notice and that the matters and things therein stated are
true.

Subscribed and sworn to before me, this 16 December, 1963

Notary public for the State of Montana, residing at Beaverhead Commission expires 12/11/64

16/19

573-14
10-14-63

35X30


County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 31 1963

1. J. S. and FRANCES BRENNER, of Grangeville Grangeville Grangeville
(Name of Appropriator) (Address) (Town)
County of Silver Bow, State of Montana, have appropriated groundwater according to
the Montana laws in effect prior to January 1, 1962, as follows:



Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is
based for irrigation

3. Date or approximate date of earliest benefi-
cial use; and how continuous the use has
been 1952 - continuous

4. The amount of groundwater claimed (in
miner's inches or gallons per minute)
400 miners' inches

If used for irrigation, give the acreage a
and description of the lands to which
water has been applied and name of the
owner thereof - Owners same as above
340 acres (approx.) in Secs. 35 & 36 T.9S.
R.14W. and in Sec. 1, T.10S. R.14W.

6. The means of withdrawing such water from
the ground and the location of each well
or other means of withdrawal
By drag line ditches

7. The date of commencement and completion of the construction of the well, wells, or
other works for withdrawal of groundwater
started Sept.-Oct. 1952 and partially completed 1952; and modified and
completed Nov. 1953

8. The depth of water table 5' to 7'

9. So far as it may be available, the type, size and depth of each well or the general
specifications of any other works for the withdrawal of groundwater
Two ditches 5' wide each and 3' to 7' deep. One ditch 20' wide and
5' to 7' deep

10. The estimated amount of groundwater withdrawn each year 400 miners' inches

11. The log of formations encountered in the drilling of each well if available
no log

12. Such other information of a similar nature as may be useful in carrying out the policy
of this act, including reference to book and page of any county record

Signature of Owner

J. S. Brenner
Frances J. Brenner
Date 12-16-63

STATE OF MONTANA)
COUNTY OF SILVER BOW) ss
BEAVERHEAD

J. S. Brenner and
Frances Brenner

having first been duly sworn,
depose and say that they of lawful age and are
the appropriators and claimants of the order and water right mentioned in the
foregoing declaration of vested groundwater rights and the persons whose names
subscribed thereto, as the appropriators and claimants, that they know
the contents of said foregoing notice and that the matters and things therein stated are
true.

Subscribed and sworn to before me, this 16

J. S. Brenner
Frances J. Brenner

Notary public for the State of Montana, residing at

Grangeville, 1963
Commission expires 12/31/64

16419

File No.

T. 95 R. 14W 30

DUPLICATE

County Deerhead

STATE WATER CONSERVATION BOARD STATE OF MONTANA
LOG
JAN 5 1967 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level)

Billie _____ McDemmitt
Butz _____
Coyne _____ Minton
Earl _____ Sullivan
Dickert _____

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

0-12 gravel & clay

Owner: Alex Christie Address: Grant, Montana

Driller: Carl F. Hollensteiner Address: Dillon, Montana

Date of Notice of appropriation of groundwater: *****

12-60 yellow clay

Date well started: Oct. 11, 1966 Date completed: Oct. 12, 1966

Type of well: Drilled Equipment used: Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other


60-78- greenish gray clay

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

78-81½ sandy clay

finished in coarse sand at 81½ ft.

| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS | | |
|----------------------|----------------------------------|-------------|-----------|--------------|-------------|-----------|
| | | | | Kind Size | From (Feet) | To (Feet) |
| 6" | 6" I.D. 18.97 lb Butt weld | 1' up | 75½ | None | | |



Static Water Level for non-flowing well 8 feet.

Shut-in Pressure for Flowing Well: ***

Pumping Water Level: 75 feet at 10 gal. per minute.

Discharge in gal. per min. of flowing well ***

How Tested: Bailer

Length of Test: 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) ***

X S.W. ¼, Sec. 26, T. 95, R. 14W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

License No. 9

Driller's License Number

Carl F. Hollensteiner
Driller's Signature.

41595

116099

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 21st day
of Oct. A. D. 1966 at 12 min.
past 10 o'clock A.M. and recorded on
page 121 of Book 187 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. Seigel
County Recorder

By _____ Deputy

Fee \$ 4.00

File No.

T. 9S R. 13W

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Henry T. Gravelly of Dell
(Name of Appropriator) (Address)
County of Beaverhead State of Montana
(Town)

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SW Sec. 14 T. 13S R. 9W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based Domestic & stock water
- Date or approximate date of earliest beneficial use; and how continuous the use has been 1932 - every other year - 1 month
- The amount of groundwater claimed (in miner's inches or gallons per minute) 10 G.P.M.
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not applicable
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Gasoline Driven Pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1932
- The depth of water table 10'
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Dug + Driven well - 3' Bi walls Depth 20'
- The estimated amount of groundwater withdrawn each year 24,000 Gallons Per Year
- The log of formations encountered in the drilling of each well if available Not Available
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Not Available

Signature of Owner Henry T. Gravelly
Date Dec 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.


STATE OF MONTANA,
County of Beaverhead.

ss.

108271

I hereby certify that the within instrument
was filed in my office on the 9 day
of Dec, A. D. 1963 at 12 min.
past 3 o'clock P. M. and recorded on
page 555 of Book 151 of
Water Well Book 1, of Beaverhead
County, Montana.

Attest my hand and seal,


By _____ Deputy

Fee \$ 4.00

File No.

DUPLICATE

T. 9 R. 13 W.

County Beaverhead

24

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
MAR 23 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

Seven U F Livestock of Giant
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/2 NW 1/4 Sec. 24 T. 9 R. 13 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household & livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been March 10, 1947
Continuous

4. The amount of groundwater claimed, (in miner's inches or gallons per minute) 15 gals per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof no irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Feb. 12, 1947 March 10, 1947

8. The depth of water table 22 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 in casing 42 ft deep

10. The estimated amount of groundwater withdrawn each year 750,000 gals

11. The log of formations encountered in the drilling of each well if available gravel & hardpan

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None available

Hubert Campbell
Signature of Owner: John Waldemar
Date: 2-22-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA,) ss. 104102
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 27 day
of May A. D. 1962 at 21 min.
past 3 o'clock P M and recorded on
page 229 of Book 151 of
Water Well Records of Beaverhead
County, Montana.

Attest my hand and seal,
Coryn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

File No.....

DUPLICATE

T. 9 R. 13 W
County Beauregard


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 23 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Herbert Campbell of Grant
(Name of Appropriator) (Address) (Town)
County of Beauregard State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N 1/2 NW 1/4 Sec 24 T. 9 R. 13 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based household
- Date or approximate date of earliest beneficial use; and how continuous the use has been Jan 3 1959
Continuous
- The amount of groundwater claimed (in miner's inches or gallons per minute) 1.5 gal per min.
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof no irrigation
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Dec 30 1958 - Jan 3 1959
- The depth of water table 20 ft.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater sig. in casing - 42 ft deep
- The estimated amount of groundwater withdrawn each year 75,000 gals
- The log of formations encountered in the drilling of each well if available gravel + hardpan
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner Herbert Campbell

Date 3-22-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA,
County of Beaverhead.

ss. 104103

I hereby certify that the within instrument
was filed in my office on the 22nd day
of May, A. D. 1962 at 10:30 Min.
past 3 o'clock, P.M. and recorded on
page 231 of Book 151 of
Water Will Records of Beaverhead
County, Montana.

Attest my hand and seal,

Carolyn J. [Signature]
County Register

By _____ Deputy

Fee \$ _____

GW3

27

File No.....

T. 9 S., R. 13 W.

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
AUG 5 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater July 1, 1963


Owner E. L. M. Address Dillon, Montana

Contractor (if any) None

Address of Contractor Not Applicable

Date Started 4-17-63 Date Completed 7-1-63

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. a trench approximately 2 feet deep in a seepy area with the water piped to wood catchment basin, then to 3 galvanized steel stock water tanks of 350 gallons capacity each.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

SW 1/4 NE Sec. 27 T9S. R. 13W.

Indicate point of appropriation and place of use, if possible.

40 gallons per hour - gallon measuring can, watch, The water to be used the entire year by game, and from 4-27- to 6-15 by livestock.

Signature of Owner [Signature] BUREAU OF LAND MANAGEMENT

Date August 2, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

107266

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 27th day
of Aug A. D. 1963 at 35 min.
past 2 o'clock P M and recorded on
page 87-8 of Book 133 of
Beaverhead Records of Beaverhead
County, Montana.

Attest my hand and seal,

Dorothy J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

3

Beaverhead Printers, Dillon, Montana

File No.....

T. 9. S. R. 13. W.

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 12 1964

Notice of Completion of Groundwater Appropriation Without Well STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater.....October 29, 1964

USDI


Owner Bureau of Land Mgmt. Address Box 191, Dillon, Mont.

Contractor (if any) None

Address of Contractor None

Date Started 10-16-64 Date Completed 10-16-64

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. A seepage area dug out to a depth of 8 feet. Water allowed to flow in an open trench.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Measuring can, watch. 8 gallon flow per minute. Period of

NW 1/4, SE 1/4 Sec. 29, T. 9. S. R. 13. W.

Indicate point of appropriation and place of use, if possible.

use for livestock, May 1, through October 31, year around use by game animals.

Signature of Owner R. McILDERY

By District Manager

Date October 29, 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

38644

STATE OF MONTANA,
County of Beaverhead.

111237

I hereby certify that the within instrument
was filed in my office on the 30 day
of Oct A. D. 1964 at 03 min.
past 1 o'clock P M and recorded on
page 579 of Book 133 of
Watu Records of Beaverhead
County, Montana.

Attest my hand and seal.

[Signature]
County Recorder

By _____ Deputy

Fee \$ 4.00

3

Beaverhead Printers, Dillon, Montana

29

File No.....

T. 9 S. R. 13 W.

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 12 1964

STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater... October 29, 1964
USDI


Owner Bureau of Land Mgmt. Address Box 191, Dillon, Mont.

Contractor (if any) None

Address of Contractor None

Date Started: 10-15-64 Date Completed: 10-15-64

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Seepage area dug out to a depth of 6 feet with a dragline, water allowed to flow in an open trench.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Measuring can and watch. 10 gallons per minute flow.

NE 1/4 NW 1/4 Sec. 29 T. 9 S. R. 13 W.
Indicate point of appropriation and place of use, if possible.

Use from May 1 through October 31, yearly for livestock and game use.

Signature of Owner R. McELDERY
By District Manager
Date October 29, 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

38645

STATE OF MONTANA, ss.
County of Beaverhead.

111238

I hereby certify that the within instrument
was filed in my office on the 30 day
of Oct, A. D. 1964 at 04 min.
past 1 o'clock, P M and recorded on
page 581 of Book 123 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Gaylord J. Sage
County Recorder.

By _____ Deputy

Fee \$ 4.00

GW 3

File No.

T. 9 R. 13 31

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Notice of Completion of Groundwater Appropriation **Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1948

Robert H. James

Owner Isabel James Address Grant, Montana


Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. underground water developed

by bulldozer and blasting



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use 20

inches used for irrigation

SW 1/4 SW Sec. 31 T. 9S R. 13W
Indicate point of appropriation and place of use, if possible.

Signature of Owner Robert H. James

Date December 20, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA,)
County of Beaverhead.) ss.

108586

I hereby certify that the within instrument was filed in my office on the 27 day of Dec. A. D. 1963 at 07 min. past 4 o'clock, P.M. and recorded on page 261 of Book 133 of Waller Records of Beaverhead County, Montana.

Attest my hand and seal,

Dorothy J. Sage
County Recorder

By _____ Deputy

Fee \$ 4.00

78 AM
50 100

X

File No.

RECEIVED

T. 9.5 R. 13W 34

DUPLICATE

DEC 2 1969

County Beaverhead

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Top of Ground
(Elev. above sea level.....)

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

0-1'-6" surface dirt
0-6" hand dug pit
1 1/2' - 15' gravel & clay

Owner James Barrett Address Grant, Montana

Driller Carl F. Hollensteiner Address Dillon, Montana

Date of Notice of appropriation of groundwater ****

Date well started Nov. 5, 1969 Date completed Nov. 6, 1969

15-37 yellow clay

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


37-71 gravel, sand & clay

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

finished in fine gravel
at 71'

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS | | |
|----------------------|-------------------------------|--------------|-----------|--------------|-------------|-----------|
| | | | | Kind Size | From (Feet) | To (Feet) |
| 6" | 6-5/8" O.D. Black 17 lb | In pit 6' | 71 | | | |



Static Water Level for non-flowing well 36' feet.

Shut-in Pressure for Flowing Well ****

Pumping Water Level 41' feet
at 20 gal. per minute.

Discharge in gal. per min. of flowing well ****

How Tested Bailer

Length of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) All measurements are from ground level.

Sec. 1/4 Sec. 24 T. 9S R. 12W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

License No. 9

Driller's License Number

Driller's Signature

45924

DEC 8 1969

RECORDED

STATE OF MONTANA
BEAVERHEAD COUNTY
COUNTY CLERK

Notarized to notary to collect
Not to exceed 1/2 notary fee
NOTARY PUBLIC STATE OF MONTANA

124122

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 1st day
of December, A. D. 1969 at 25 min.
past 10:00 o'clock P. M. and recorded on
page 293-4 of Book 198 of
Records of Beaverhead
County, Montana.

Attest my hand and seal,

Ernest J. Lopez
County Recorder

By Thelma D. Burwell
Deputy

Fee \$ 4.00

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOV 2 1970

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Bureau of Land Management

Address Dillon, Montana 59725

Date well started 8-18-70

completed 9-18-70

Type of well drilled

Equipment used cable tool

Water Use: Domestic Municipal Stock Irrigation


Industrial Drainage Other * Garden/Lawn

*Describe _____

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWAL 1,000,000 gal.

| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS | | |
|----------------------|---------------------------|-------------|-----------|--------------|-------------|-----------|
| | | | | Kind Size | From (Feet) | To (Feet) |
| 6" | 6 5/8 OD 18.97 | +2 | 403 | torch cut | | |
| | | | | torch cut | 293 | 306 |
| | | | | 348 | 395 | |



1/4 NW 1/4 Sec. 6
T. 9S N. R. 12W E
S W

Static water level 276 ft.*
Pumping water level 300 ft.*
at 12 gallons per minute,
measured 120 minutes after pumping
began. Bailer test

*Measured from ground level.
Well developed by bailer
for 2 hours.

Power none Pump none HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)
packers between perforated zones.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Triggs Drilling Contractor

Driller's Address Box 1083, Dillon, Montana 59725

Richard Triggs

LICENSE NO. 148

| Top of Ground (Elev. above sea level) | | |
|---------------------------------------|-----------|---------------------------|
| From (Feet) | To (Feet) | |
| 0 | 25 | gravel & boulders |
| 25 | 100 | clay imbedded gravels |
| 100 | 130 | grey clay |
| 130 | 140 | limestone grey |
| 140 | 155 | clay grey |
| 155 | 180 | grey limestone |
| 180 | 293 | sandstone, imbedded rocks |
| 293 | 303 | clay & rock lenses |
| 303 | 306 | grey clay trace of water |
| 306 | 315 | yellow sandstone |
| 315 | 322 | course sand |
| 322 | 334 | yellow sandstone |
| 334 | 348 | conglomerate in sandstone |
| 348 | 373 | sandstone (water) |
| 373 | 395 | white clay |
| 395 | 403 | |

403 Show exact depth of bottom

477705

[Faint handwritten text]

126450

STATE OF MONTANA, ss.
County of Beaverhead

I hereby certify that the within instrument
was filed in my office on the 30th day
of October 1910 at 7:30 a.m.
paid 1.00 P. H. and recorded in
book 43-4 page 200 of

County, Montana

Attest my hand and seal

Earl J. Sage
County Recorder

Myrtle M. Ballou
Deputy

For a
B & M

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner John Erb
Grant Star Route
 Address Allison, Montana
 Date well started 11/7/70
 completed 11/10/70


| |
|-------------------------|
| For Administrator's Use |
| File |
| GW 1 |

Type of well Drilled
 (Dig, driven, bored or drilled)
 Equipment used Cable Tool
 (Churn drill, rotary or other)
 Water Use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other * Garden/Lawn

*Describe _____
 USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWAL _____

| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS | | |
|----------------------|---------------------------|-------------|-----------|---------------|-------------|-----------|
| | | | | Kind and Size | From (Feet) | To (Feet) |
| 6" | 6 5/8" | 0 | 75 | CC to SA | CC to SA | SA |



Static water level 6.5 ft.*
 Pumping water level ft.*
 at gallons per minute,
 measured minutes after pumping
 began.
 *Measured from ground level.
 Well developed by
 for hours.
 Power..... Pump..... HP
 Remarks: (Gravel packing, cementing,
 packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
 EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Richard Briggs
 Driller's Address P.O. Box 1053 Allison, Montana
 License No. 149

DRILLER'S LOG
 Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

| Top of Ground (Elev. above sea level) | | |
|---------------------------------------|-----------|--------------------------------|
| From (Feet) | To (Feet) | |
| 0 | 0 | Surface soil |
| 2 | 10 | silty clay |
| 10 | 20 | silty clay |
| 20 | 30 | silty - little water (1.0 ft) |
| 30 | 40 | silty clay |
| 40 | 50 | silty - more in water (1.0 ft) |
| 50 | 60 | silty clay |
| 60 | 70 | silty - more water (1.0 ft) |
| 70 | 75 | silty - water |

75 Show exact depth of bottom

48042

File No.

DUPLICATE

T. 9 S. R. 12-W

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964

**Notice of Completion of Groundwater Appropriation
Without Well**

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater..... 1913.....

James Prohosky and


Owner Ruby Prohosky..... Address Grant, Mont.....

Contractor (if any) ..None.....

Address of Contractor

Date Started..... 1913..... Date Completed..... 1913.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Water flows naturally and stock utilize it.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. 100 miners

inches of water. Measured in channel. Is used intermittently throughout year for watering livestock in corral.

SW 1/4 SW Sec. 17 T. 9 S. R. 12-W
Indicate point of appropriation and place of use, if possible.

James Prohosky Ruby Prohosky
Signature of Owner By James Prohosky and Ruby Prohosky

Date Dec. 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

32405

STATE OF MONTANA, 1st SS. 108794
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1963 at 7 min.
past 9 o'clock P. M. and recorded on
page 413-14 of Book 133 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Caryn J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

T. 9 S. R. 12 W.

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 11 1962
STATE ENGINEER

WATER WELL LOG

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

Owner Jane Prohsky Address Grant, Montana

Driller C.F. Freble Address Hillcreek RFD # 1

Anaconda Montana

Date Started October 15, 1956 Date Completed October 18, 1961

Location: Sec. 17 T. 9 S. R. 12 W. ¼ sec. S.W.

Type of well drilled Equipment used churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: Surface ft. to 30' ft. Type Standard Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 3' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 20' feet at 25 gal. per min.

How tested: Failed and pumped

Length of test: 2 1/2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 9 S R. 12 W

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 19 1962

WATER WELL LOG

STATE ENGINEER

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |

Owner James Probusky Address Grant, Mont.

Driller Carl E. Hollenstiner Address Dillon, Montana

Date Started Aug. 14, 1961 Date Completed Aug. 15, 1961

Location: Sec. 17 T. 9 S R. 12 W $\frac{1}{4}$ sec. S.W.

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (churn, drill, rotary, other)

Water use: Domestic Municipal Stock Garden & Irrigation
Industrial Drainage Other _____

Casing: 46 ft. to 46 ft. Type 6" O.D. 10 1/2 lb.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: _____ 21 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 35 feet at 30 gal. per min.

How tested: Bailer

Length of test 2 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 9 S R. 12 W

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 10 1962

WATER WELL LOG

STATE ENGINEER

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |

Owner James Prohnsky Address Grant, Mont.

Driller Carl F. Hollensteiner Address Dillon, Montana

Date Started Aug. 14, 1961 Date Completed Aug. 15, 1961

Location: Sec. 17 T. 9 S R. 12 W $\frac{1}{4}$ sec. S.W.

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Garden & Irrigation
Industrial Drainage Other _____

Casing: Surface ft. to 46 ft. Type blk. W. casing Size 6" O.D. 10 1/2 lb.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: _____ 21 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 35 feet at _____ 30 gal. per min. _____

How tested: Bailer

Length of test 2 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

| Depth, feet | | Description of Material Drilled |
|-------------|-----|---|
| From | To | |
| 0 | 116 | clear sand |
| | 116 | finished in coarse sand |
| | | 103568 INDEXED |
| | | STATE OF MONTANA, ss. |
| | | County of Beaverhead. |
| | | I hereby certify that the within instrument |
| | | was filed in my office on the 27 day |
| | | of Dec. A. D. 1961 at 4.7 min. |
| | | past 2:00 o'clock P. M. and recorded on |
| | | page 189 of Book 151 of |
| | | Beaverhead County Records of Beaverhead |
| | | County, Montana. |
| | | Attest my hand and seal, |
| | | <i>Charles J. [Signature]</i> |
| | | County Recorder |
| | | By _____ Deputy |
| | | Fee \$ 2.00 |

File No.

T. R. 18

DUPLICATE

County Beaverhead

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JUL 22 1964
STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner James Prohoski Address Grant, Montana

Driller Carl F. Hollensteiner Address Dillon, Montana


Date of Notice of Appropriation of Groundwater. *****

Date well started Mar. 30, 1964 Date Completed Mar 31, 1964


Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS | | |
|----------------------|---------------------------|-------------|-----------|--------------|-------------|-----------|
| | | | | Kind Size | From (Feet) | To (Feet) |
| 6" | 6" O.D. Galv. 10.5 lb. | 4' in pit | 45 1/2 | None | | |



SE 1/4 Sec. 18 T. 15. R. 12 N
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well from surface 30 feet.

Shut-in Pressure for Flowing Well *****

Pumping Water Level 35 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well. *****

How Tested Bailer Length of Test 1, hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License no 9

Driller's License Number

Carl F. Hollensteiner
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA, ss. 110463
County of Beaverhead,

I hereby certify that the within instrument
was filed in my office on the 23 day
of June A. D. 1964 at 40 min.
past 4 o'clock P. M. and recorded on
page 19 of Book 187 of
Hazel Hrell Records of Beaverhead
County, Montana.

Attest my hand and seal,
Carolyn J. Sage
County Recorder

By _____ Deputy
Fee \$ 4.00

File No.....

T. 9 R. 12

DUPLICATE

County.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1964


**Notice of Completion of Groundwater Appropriation
Without Well**

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1908
James Prohosky and
Owner Ruby Prohosky Address Grant, Mont.
Contractor (if any) None
Address of Contractor
Date Started 1908 Date Completed 1908

Describe means of obtaining groundwater without a well "as by
sub-irrigation and other natural processes". Include depth to
water when applicable Spring dug out and tiled.



Quantity of water developed and used with explanation of method
used to measure or estimate such amount. If use is intermittent
estimate approximate lengths of periods of use 50 miners inches.

~~Water is used in summer for irrigation and in
winter for stock water. 50 acres irrigated in
NE 1/4 Sec. 19, T. 9 S. R. 12 W. Water measured in
ditch. Further development was made in 1930 and
the spring was tiled.~~

..... 1/4 Sec. T. R.
Indicate point of appropriation and
place of use, if possible.

Signature of Owner James Prohosky and Ruby Prohosky

Date Dec. 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

108795

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument
was filed in my office on the 31 day
of Dec A. D. 1963 at 8 min.
past 9 o'clock, A. M. and recorded on
page 415-16 of Book 133 of
Water Records of Beaverhead
County, Montana.

Attest my hand and seal,

Paul J. Lopez
County Recorder

By _____ Deputy
Fee \$ _____

Form No. 18
8-60

19

T. 9 S R. 12 W

County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 10 1962

STATE ENGINEER

WATER WELL LOG

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |

Owner Jim Prochsky Address Grant, Mont.

Driller Carl F. Hollensteiner Address Dillon, Montana

Date Started Aug. 15, 1961 Date Completed Aug. 16, '61

Location: Sec. 19 T. 9 S R. 12 W $\frac{1}{4}$ sec. N.E. $\frac{1}{2}$

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: surface ft. to 50 ft. Type Blk. W.C. Casing Size 6" O.D. 10 $\frac{1}{2}$ lb.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: _____ 23 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. at: _____ (data)

Pumping water level 28 feet at _____ 50 gal. per min.

How tested: Bailer

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Water use: Domestic Industrial Municipal
 Type of well: Drilled (auger, driven, bored)
 Location: Sec. 19 T. 9 S. R. 12 W. 4 S.
 Date Started Aug. 15, 1961
 Driller Carl F. Hollenstater
 Owner Jim Prohasky
 WATER WELL LOG
 BUTTE, MONTANA
 COUNTY, BEAVERHEAD
 R. 12 W. 4 S. T. 9 S.
 DATE COMPLETED AUG. 15, 1961
 ADDRESS DILLON, MONTANA
 GRANT, MONTANA

Log of Well

| Depth, (feet) | | Description of Material Drilled |
|---------------|----|---------------------------------|
| From | To | |
| Surface | 10 | gravel & clay |
| 10 | 50 | clay |
| | 50 | finished in sand rock, & clay |

103567

STATE OF MONTANA, ss.
County of Beaverhead.

I hereby certify that the within instrument was filed in my office on the 29 day of Dec. A. D. 1961 at 4:00 min. past 2:00 o'clock, P. M. and recorded on page 157 of Book 157 of Water Regulations Records of Beaverhead County, Montana.

Attest my hand and seal,
Conroy J. Davis
 County Recorder

By _____ Deputy
 Fee \$ 2.00

RECEIVED
 JAN 10 1962
 STATE ENGINEER

RECEIVED
APR 15 1958

T. 9 S. R. 12 E. 26

County: Beaverhead

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |

Owner: The Cross Ranch
Alice J. Crossin Address: Dillon, Montana

Driller: Carl F. Hollenstainor Address: Dillon, Montana

Date Started: Oct. 7, 1953 Date Completed: Oct. 8, 1953

Location: Sec. 26 T. 9 S. R. 12 E. 1/4 sec.

Type of well: Drilled Equipment used: Churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: surface ft. to 33 ft. Type: G.P.D. Galv Size: 10.5 inch casing

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Perforated or Screened: Ft. None to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 10 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 20 feet at 20 gal. per min.

How tested: Bailor

Length of test: _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)



(over)

RECEIVED
JUL 15 1958
STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Filed for record this 10 day of JULY A. D. 1958 at 11:35 o'clock A. M.

Owner: The Cross Ranch
Address: Allen & Cross
Driller: Carl F. Hollenstetter
Address: Butte, Montana

Date Started: Oct 7, 1953
Date Completed: Oct 8, 1953

Location: Sec. 20 T. 9S R. 12E N. 5S

Type of well: Domestic Industrial Municipal Stock Irrigation

Equipment used: _____
(Pur, driven, bored, or drilled)

Water use: Domestic Industrial

Log of Well

| Depth, feet | | Description of Material Drilled |
|---|--------|---|
| From | To | |
| surface | 20 | yellow clay & gravel |
| 20 | 30 1/2 | coarse sand, fine gravel |
| | | STATE OF MONTANA, <u>95785</u> County of Beaverhead, ss. |
| I hereby certify that the within instrument was filed by my office on the <u>10</u> day of <u>July</u> A. D. 19 <u>58</u> at <u>35</u> min. past <u>11</u> o'clock <u>A.</u> M. and recorded on page <u>157</u> of Book <u>157</u> of <u>Water</u> Records of Beaverhead County, Montana. | | |
| Attest my hand and seal | | |
| _____ COUNTY RECORDER | | |
| By _____ Deputy | | |
| Fee \$. | | |

RECEIVED
JUL 15 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

93 12W 37
T. R.
Beaverhead
County

WATER WELL LOG

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

The Cross Ranch
 Owner Alice J. Cragh, * Dillon, Montana
 Address
 Driller White & Hollensteiner Dillon, Montana
 Address
 Date Started Feb. 2, 1944 Date Completed Feb 3, 1944
 Location: Sec. 27 T. 9S R. 12W ¼ sec.

Type of well Drilled Equipment used churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other:

Casing: 44 ft. to ft. Type 5 3/16 I.D. Size Merchant casing

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations None

Static Water level, for non-flowing well: 6 feet

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: No record feet at gal. per min.

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

.....

(over)

RECEIVED
JUL 15 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 9 S R. 12 W

County Beaverhead

WATER WELL LOG

| | | |
|--|--|---|
| | | X |
| | | |
| | | |
| | | |

Owner The Cross Ranch
Alice J. Cragholm Address Dillon, Montana
Driller Carl F. Hollensteiner Address Dillon, Montana
Date Started May 11, 1951 Date Completed May 12, 1951
Location: Sec. 127 T. 9S R. 12W $\frac{1}{4}$ sec.

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: surface ft. to 40 $\frac{1}{2}$ ft. Type 6" O.D. 10.5 lb. size galv. w.w. casing

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: 3 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 8 feet at 20 gal. per min.

How tested: bailer

Length of test 30 min.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

RECEIVED

JUL 15 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 9S R. 12 W

County Beaverhead

WATER WELL LOG

The Cross Ranch

Alice J. Cragholm

Dillon, Montana

Owner: Address:

Carl F. Hollensteiner

Dillon, Montana

Driller: Address:

Date Started: Nov. 23, 1953

Date Completed: Nov. 24, 1953

Location: Sec. 27 T. 9S R. 12 W 1/4 sec.

| | | | |
|--|--|---|--|
| | | X | |
| | | | |
| | | | |
| | | | |

Type of well: Drilled (Dug, driven, bored, or drilled) Equipment used: Churn (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other:

Casing: 35 1/2 ft. to 35 1/2 ft. Type: 8" O.D. galv Size: 10.5 lb water well

Casing: ft. to ft. Type: Size:

Casing: ft. to ft. Type: Size:

Perforated or Screened: Ft. None to ft. Ft. to ft.

Type of screen or perforations:

Static Water level, for non-flowing well: 6 feet

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: 15 feet at 30 gal. per min.

How tested: bailer

Length of test: 30 min

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

RECEIVED

JUL 15 1953

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 9S R. 12W

27

County Beaverhead

WATER WELL LOG

The Cross Ranch
Alice J. Cragholm

Dillon, Montana

| | | | |
|--|--|---|--|
| | | x | |
| | | | |
| | | | |
| | | | |

Owner..... Address.....

Driller Carl F. Hollensteiner..... Address Dillon, Montana

Date Started June 25, 1953..... Date Completed June 27, 1953

Location: Sec. 27 T. 9S R. 12W 1/4 sec.

Type of well..... Drilled..... Equipment used..... Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other:.....

Casing:..... ft. to 41 ft. Type 6" O.D. galv Size 10.5 w.w. casing

Casing:..... ft. to..... ft. Type..... Size.....

Casing:..... ft. to..... ft. Type..... Size.....

Perforated or Screened: Ft..... to ft..... Ft..... to ft.....

Type of screen or perforations..... None

Static Water level, for non-flowing well:..... 5..... feet.

Shut-in pressure, for flowing well:..... lb./sq. in. on:..... (date)

Pumping water level..... 15..... feet at..... 20..... gal. per min.

How tested:..... Bailer

Length of test..... 30 min.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)



(over)

9-12-29
JAN 15 1964
STATE ENGINEER

John Erb

SRANT STATE ENGINEER

Brhd

MONT.

Investigate Water

memorandum January 1965

25 in.

SW NW 29 9S 12W
NW SW 29 9S 12W

N/A

Electric pumps

For kind of construction & completion of the well, well, well, or other works for which use of groundwater is required

unknown

The depth of water table

unknown 30 ft. Apof.

Do you or may be available to type, size & depth of water table in the general vicinity of the well, well, well, or other works for which use of groundwater is required

6" wells

The estimated amount of water available for use

unknown

N/A

info. limited drilled previous to purchase

John Erb
Dec 30/1963

STATE OF MONTANA, 108701
County of Beaverhead

I hereby certify that the within instrument was filed in my office on the 30 day of Dec A. D. 1963 at 26 min past 5 o'clock, P. M. and recorded on page 2478 of Book 174 of Water Records of Beaverhead County, Montana.

Attest my hand and seal,
C. J. Sage
County Recorder

By _____ Deputy

Fee \$ _____

32302

GV Helenn Independent Record
File No.
DUPLICATE

T. 9^S R. 12^W
County. BEAVERHEAD


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER
OFFICE OF STATE ENGINEER

RECEIVED
AUG 5 1962

33
34

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Lee + Sora Christensen of Grant Mont.
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



IN LITTLE TOWN OF GRANT

1/4 Sec. T. R.
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based household and garden
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been January 1945 This well had been in continuous use since.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1,000 gallons per hr
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal foot pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater January 1947
- 8. The depth of water table 40 ft
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater dry well
- 10. The estimated amount of groundwater withdrawn each year 150,000 g. hours
- 11. The log of formations encountered in the drilling of each well if available 3.0 feet sand and gravel 2.0 ft soft shale
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Lee M Christensen
Signature of Owner Karah Christensen
Date July 13, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

521

107187

STATE OF MONTANA,
County of Beaverhead. ss.

I hereby certify that the within instrument
was filed in my office on the 18 day
of July A. D. 1963 at 2 min.
past 8:00 o'clock, A. M. and recorded on
page 439-40 of Book 151 of
Halter Hill Records of Beaverhead
County, Montana.

Attest my hand and seal

[Signature]
County Recorder

By _____ Deputy

Fee \$ 1.00

File No.

T. 9 R 12 324

DUPLICATE

County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECORDED
JAN 15 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

R.A. Wellborn, J.R. Wellborn,
1. W.R. Wellborn, D. A. Wellborn, of Grant
(Name of Appropriator) (Address) (Town)
County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 34 T. 9S R. 12W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Domestic and stock water.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. September 1952
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gal. per minute.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Not apply
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. September 1952
8. The depth of water table. 20 feet.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well 42 feet deep, 6-inch casing, electric motor used to withdraw water.
10. The estimated amount of groundwater withdrawn each year. Approximately 13,500,000 gal. per year.
11. The log of formations encountered in the drilling of each well if available. 5 feet of gravel, 37 feet of shale.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No further information available.

R. A. Wellborn, J. R. Wellborn, W. R. Wellborn, D. A. Wellborn
By
Signature of Owner R.A. Wellborn
Date Dec. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32516