

File No.

T. 25 R. 11

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

R JAN 7 1964
STATE ENGINEER


DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Cecil Roddy of Tart Benton
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 SW 1/4 Sec 26 T. 25 R. 11 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based household livestock, and irrigation (lawns & garden)
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been May, 1957 every day
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1.5 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof garden & lawn
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater May 20, 1957 - June 10, 1957

8. The depth of water table 5.0 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well - 6 in. - 7.0 feet

10. The estimated amount of groundwater withdrawn each year 260,000 gallons

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Cecil Roddy

Date Dec 30, 1967

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26301

County of

to be published in the following manner:

The following is a description of the land to be surveyed:

1. The land is situated in the County of Chouteau, State of Montana.

2. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

3. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

4. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

5. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.


6. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

7. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

8. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

9. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

10. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.



W. H. HART, Surveyor

has not been able to find the place to which the land is to be surveyed.

The following is a description of the land to be surveyed:

1. The land is situated in the County of Chouteau, State of Montana.

2. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

3. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

4. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

5. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

6. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

7. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

8. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

9. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

10. The land is bounded on the north by the land of the State of Montana, on the south by the land of the State of Montana, on the east by the land of the State of Montana, and on the west by the land of the State of Montana.

4846983

STATE OF MONTANA, T

COUNTY OF CHOUTEAU, M

Filed DEC 31 1900

at 8:00 o'clock a.m.

W. H. Hart

200

GW 3

File No.

DUPLICATE

T. 25 R. 11

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1964

STATE ENGINEER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Sept. 1957

Owner Cecil Roddy

Address Fort Benton, Montana


Contractor (if any)

Address of Contractor

Date Started Sept 10, 1957 Date Completed Sept 15, 1957

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring - gravity

flow - water at surface



N.W. 1/4 Sec 21, T. 25 R. 11 E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

300 gallons an hour

calculated by length of time to fill tanks

Signature of Owner Cecil Roddy

Date Dec 20, 1963

This form to be prepared by contractor (if any), otherwise by the owner.


Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

State of Montana
County of Chouteau
Clerk of Court
Address
Circuit Court
Address of Court
Date

vs



to

FILED
DEC 31 1963

at

by

346982
STATE OF MONTANA
COUNTY OF CHOUTEAU
DEC 31 1963
8:00 o'clock A.M.
County Clerk
Paid

GW 3

28

File No.

T. 25 R. 11

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1963

STATE ENGINEER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1900


Owner Noel Anderson & Sons

Address Fort Benton, Montana

Contractor (if any) none

Address of Contractor

Date Started 1900 Date Completed 1900



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. free flowing spring

through collection tile to pool

NW 1/4 NW Sec. 28 T25 R. 11

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

8' x 16' collection pool used to water

300 head of cattle in continuous use.

claim 5 gallons per minute appropriated

Signature of Owner by Noel Anderson & Sons
Robert M. Anderson

Date Dec. 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.


Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26478

Faint, mostly illegible text, possibly a letter or report, covering the left side of the page.



Faint text located below the grid, possibly a caption or a note.

Additional faint text located in the lower middle section of the page.

STATE OF MONTANA }
COUNTY OF CHOUTEAU }
APPROVED: _____
4/30/63
Clerk
BY _____
Deputy
\$ 200 Paid

File No.

DUPLICATE

T. 25 R. 11

County Chouteau

RECEIVED
DEC 23 1962

STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Harold A. Slingsby and Charlotte Slingsby, of Fort Benton, Montana
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 ENE 1/4

1/4 Sec. 28 T25. R. 11

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1917 and thereafter

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1917

8. The depth of water table 25 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

10. The estimated amount of groundwater withdrawn each year 547,500

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Withdrawal dependent upon use made of other wells and reservoirs. Total withdrawal in Sections 28, 29, 30 and 34 is 547,500 gallons.

Signature of Owner. Harold A. Slingsby

Date 12/13/62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Faint, mostly illegible text, possibly bleed-through from the reverse side of the page. Some words like "I hereby certify" and "in witness whereof" are faintly visible.

346471

STATE OF MONTANA
COUNTY OF CROFTON

NOV 19 1963

Filed _____ 19__
at 11:00 o'clock A. M.

George W. Harvey
CROFTON CLERK

By _____
\$ 2.00

GW 4

File No.

DUPLICATE

T. 25 R. 11
County Chouteau

28

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 23 1963

STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS


(Under Chapter 237, Montana Session Laws, 1961)

1. Harold A. Slingsby and Charlotte Slingsby, of Fort Benton, Montana

(Name of Appropriator) (Address) (Town)
Chouteau Montana

County of Chouteau State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 of NW 1/4 S 28 T 25 R 11

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1942 and thereafter

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 gallons a minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1942

8. The depth of water table 4 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

10. The estimated amount of groundwater withdrawn each year 547,500 gallons

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record other wells and reservoirs. Total withdrawal in sections 28, 29, 30 and 34 is 547,500 gallons. withdrawal dependent upon use made of

Signature of Owner Harold A. Slingsby
Charlotte Slingsby
Date 12/18/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1184



1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

1 2 3 4 5 6 7 8 9 10 11 12
 M
 N

346473

STATE OF MONTANA
 COUNTY OF GROUPEAU
 Filed DEC 19 1963
 at 11:00 o'clock A.
 By George W. Harvey Court Clerk
Lena M. Harris Deputy
 \$ 2.00 Paid

File No.

T. 25 R. 11

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 23 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Harold A. Slingsby and Charlotte Slingsby of Fort Benton, Montana
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 of SE 1/4
1/4 Sec. 29, T25, R. 11

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock and domestic use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 and thereafter

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 gallons per minue

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920

8. The depth of water table 30 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

10. The estimated amount of groundwater withdrawn each year 547,500

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Withdrawal dependent upon use made of other wells and reservoirs. Total withdrawal in Sections 28, 29, 30 and 34 is 547,500 gallons.

Signature of Owner Harold A. Slingsby
Charlotte Slingsby
Date 12/13/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

After the above returns are filed, there shall be no further action by the Commission...

...and the Commission shall have no further jurisdiction over the same...

...and the Commission shall have no further jurisdiction over the same...

...and the Commission shall have no further jurisdiction over the same...

...and the Commission shall have no further jurisdiction over the same...

...and the Commission shall have no further jurisdiction over the same...

...and the Commission shall have no further jurisdiction over the same...

346474

STATE OF MONTANA,)
 COUNTY OF CHEYENNE,) ss.
 Filed DEC 19 1933 19
 at 11:00 o'clock A. M.
 By George W. Harvey County Clerk
Anna M. Harvey Deputy
 Fee \$ 2.00 Paid

RECORDED
 INDEXED
 COUNTY OF CHEYENNE
 MONTANA
 DEC 19 1933

GW 4

File No.

DUPLICATE

T. 25 R. 11
County Chouteau


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 23 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Harold A. Slingsby and Charlotte Slingsby, of Fort Benton, Montana
(Name of Appropriator) (Address) (Town)
County of Chouteau State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: stock water



SW 1/4 of NW 1/4
1/4 Sec. 29 T. 25 R. 11

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based stock water
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 and thereafter
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well pump
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920
- 8. The depth of water table 15 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
- 10. The estimated amount of groundwater withdrawn each year 547,500
- 11. The log of formations encountered in the drilling of each well if available none
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record other wells and reservoirs. Total withdrawal in Sections 28, 29, 30 and 34 is 547,500 gallons. Withdrawal dependent upon use made of

Signature of Owner Harold A. Slingsby
Charlotte Slingsby
Date 12/13/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

346472

Admission stamp from
Department of the Interior
Bureau of Land Management
National Monument

Admission stamp from
Department of the Interior
Bureau of Land Management
National Monument

Admission stamp from
Department of the Interior
Bureau of Land Management
National Monument

346472

DEC 19 1963

11:00

A.

George W. Harvey
Diana M. Harris

2.00

File No.

MONTANA WATER RESOURCES BOARD

T. 25 R. 11-E

DUPLICATE

RECEIVED

County Choteau

LOG

JAN 18 1968

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

0	Top of Ground
8	(Elev. above sea level.....)
24	Sandy brown clay
32	Brown clay
32	Grey clay
74	Sandy grey shale
76 1/2	Hard shell
82	Grey shale
94	Firm grey shale
120	Sandy grey shale
121	Hard shell
140	Firm sandstone water - approx. 1/2 GPM
141	Hard shell
148	Sandy grey shale
160	Sandstone - water - approx. 1/2 GPM
166	Sandy brownish-grey shale
166	Show exact depth of bottom.

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Harold Slingsby Address Ft. Benton, Montana

Driller Hi-Line Drilling Service Address Harre, Montana

Date of Notice of appropriation of groundwater.....


Date well started 3-27-67 Date completed 4-7-67

Type of well Drilled Equipment used Cable tool rig
(Dug, driven, bored or drilled) (Churn drill, rotary or offer)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
9"	6 5/8" O.D. 13#/foot	2 feet above Ground level	166	1 1/2" x 4" Slotted	108	161



Static Water Level for non-flowing well 108 feet.

Shut-in Pressure for Flowing Well Not Appl.

Pumping Water Level 162 feet at 1 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Baker's pump

Length of Test 6 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) Hole reamed to 9" diameter. Casing installed to 166 ft. level & gravel packed from 166' back to 90'.

Section 22, T. 25, R. 11.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Bentonite & drilling mud placed above gravel pack. (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

46
Driller's License Number

Herbert Zries
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

42,764

File No.

MONTANA WATER RESOURCES BOARD
RECEIVED

T. 25 R. 12

DUPLICATE

DEC 10 1969

County Chouteau

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

- 0 to 2 Top of Ground (Elev. above sea level.....)
- 2 Soil
- 10 Dense gray clay
- 22 weathered shale (Claggett) Water—Approx 1/2 GPM High Sulfate
- 115 Claggett Shale (Bentonite Beds at 64, 94 and 111 ft. Levels)
- 116 Sandy Dark Gray Shale Chert Pebbles
- 122 Sandy Dark Gray Shale with imbedded ivory shell
- 142 Gray Sandstone (Eagle) Water - Approx. 1.6 GPM
- 149 Sandy Grey Shale
- 172 Brownish grey shale
- 175 Light Grey Shale
- 176 1/2 Hard shell
- 179 Grey shale
- 180 Dark Brown shale
- 198 Grey Shale
- 203 Brown Shale
- 204 Hard Shell
- 207 Brown Shale
- 209 Grey Shale
- 214 Brown Shale
- 220 Grey Shale
- 231 Light Brown Shale
- 237 Grey Shale
- 241 Brown shale
- 245 Coal - Water exceeding 20 GPM
- 250 Sandy Grey Shale
- 250
- 250
- 250

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner. Mr. Andrew Trunk Address. Geraldine, Montana

Driller. Hi-Line Drilling Service Address. Havre, Montana

Date of Notice of appropriation of groundwater.....


Date well started. Sept. 29, 1969 Date completed. 10/13/69

Type of well. Drilled Equipment used. Cable Tool Rig
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 1/2	6 5/8" OD PVC Plastic casing	0	240	No Perforations water coming thru bottom of casing at 240 ft. level No casing below 240 ft.		



Static Water Level for non-flowing well157.....feet.

Shut-in Pressure for Flowing Well Not Appl

Pumping Water Level.....180.....feet at.....14.....gal. per minute.

Discharge in gal. per min. of flowing well Not Appl.

How Tested Baler - s. submercible pump. Length of Test.....12 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff) casing installed

to 240 ft. level and cemented

to prevent sulfate water

at 22 ft. level from contaminating

water vein. Water vein left uncased. No casing

installed below 240 ft. (Continue on reverse side)

SW 1/4 Sec. 15 T. 25 R. 12
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

water vein. Water vein left uncased. No casing

installed below 240 ft. (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Pumping equipment consists of 1 HP=11 Stage Red Jacket

submercible pump (100ND-11BB-230 volt) and 189ft

of 1" galvanized pipe

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

46
Driller's License Number

s/ Herbert Fraier
Driller's Signature

45955

File No.


DUPLICATE

T. 25 R. 12 E 22
County Chouteau
RECEIVED
JAN 7 1964
STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Richard O. Miller, of Heraldine
(Name of Appropriator) (Address) (Town)
County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S E 1/4 Sec. 22 T. 25 R. 12 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Livestock Irrigating & House use
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1935 has been used continuously since that date
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 Gal per minute 600 per hr.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof About 10A Yard Garden & Shelterbelt R. Miller
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump S.E. 1/4 of 22


- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater about 1935 well was drilled 200' in 1956 it was drilled down to 297' to get
- 8. The depth of water table 297 feet Water level is 183' none water
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 4" casing depth 297 The water is drawn with electric pump it has 2" Pipe & pumps 6 Gal a minute
- 10. The estimated amount of groundwater withdrawn each year 800,000 Gal.
- 11. The log of formations encountered in the drilling of each well if available This well is Bottomed 40' in virgette Sand Stone Slate water level is at 183'
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. I have no reference in County record.

Signature of Owner Richard O. Miller
Date Dec 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



Faint, illegible text, possibly bleed-through from the reverse side of the page.

RECEIVED
has not been received by this office
Have been advised of this to work
as far as possible

Faint, illegible text, possibly bleed-through from the reverse side of the page.

346796
STATE OF MONTANA
COUNTY OF CHOUTEAU
Filed December 20 1963
at 8:00 o'clock
George W. Harvey
County Clerk
By: Harold M. Jewell
Deputy
200 Paid

T. 25 R. 12 26
County Chouteau

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

RECEIVED
1957

X			

Owner Albert E. Tonnes Address Geraldine
Driller W. W. Brown Address Fort Benton
Date Started June 1946 Date Completed July 1946
Location: Sec. 26 T. 25 R. 12 ¼ sec. SW ¼ of NW ¼

Type of well Drilled Equipment used _____
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: From top ft. to 286 ft. Type iron Size six inches

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 270 to ft. 286 Ft. _____ to ft. _____

Type of screen or perforations Outlet holes in casing

Static Water level, for non-flowing well: 77 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 274 feet at 9 gal. per min.

How tested: with pump jacks

Length of test 12 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

This well has three inch galvanized pipe inside casing with wood rods. It can be pumped day and night and cannot be pumped dry. It was drilled into the sandstone and the casing rests on the bottom of the hole. (over) It is pumped with a windmill or pump jacks.

316260

Water Well Log

~~Albert E. Tombs~~

~~-to-~~

~~The Public~~

Log of Well
Description of Material Drilled

Depth, feet
From To

STATE OF MONTANA
 COUNTY OF CHouteau
 Filed Aug. 5 1917
 at 10:00
 Halder M. Hansen
 County Clerk
 By Emma Harris Deputy
 Fee \$0.50

File No.....

T. 25N R. 12E 27

DUPLICATE

County Chouteau

STATE OF MONTANA DECEIVED ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER FEB 17 1965

Notice of Completion of Groundwater Appropriation by Means of Well STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground (Elev. above sea level.....) 42' Glacial till overburden 65 Soft grey shale 146 Alt. layers soft sandstone & grey shale 215 Grey shale with few thin layers coal 235 Alt. layers sandstone & grey shale 285 White talcy sandstone fairly coarse, produces abundant water 302 Hard slate & sandy shale Bottom

Owner Andrew Trunk Address Big Sandy, Mont. Driller Thatcher Drilling Address Stanford, Mont.


Date of Notice of Appropriation of Groundwater..... Date well started 2/4/54 Date Completed 2/4/64

Type of well Pump Equipment Used rotary (Churn, drill, rotary or other)

Water Use: Domestic [X] Municipal [] Other [] Irrigation [] Industrial [] Drainage [] Stock []

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



NW 1/4 NE Sec. 27 T. 25 R. 12

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 190 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 220 feet at 6 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested bailer Length of Test 1 1/2 hr. COMPRESSOR

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

85 Driller's License Number Edward Thatcher Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

38956

350121

February 16 65

2:30 P

George W. Harvey

David M. Jewell

200

File No.

DUPLICATE

T. 25 R. 12
Chouteau
County


RECEIVED
DEC 23 1963

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Clarence Brewer of Loma
(Name of Appropriator) (Address) (Town)
County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 NW 1/4 31 25 12
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
1943--Domestic and Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1943-- used year around

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
1 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Electric Pump
1 1/2" Inch Pipe

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
1943

8. The depth of water table
390 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Cased Well-- 5 inch casing-- 135 feet deep
Electric Pump-- 1 1/2" Pipe

10. The estimated amount of groundwater withdrawn each year
600,000 gals a year
none

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
None

Signature of Owner Clarence Brewer
Date December 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1111 81

2000
 N
 Sec 27
 L
 R
 S2
 T8

address in reverse - (1) notes
 placed on rear of book
 postage before to subscribers

If used for printing or other
 to appear on the book

The name of the printer
 of the book

A. The price of the book

B. The quantity of books

C. The name of the printer

D. The name of the publisher

346463

STATE OF MONTANA
 COUNTY OF DEWEEDE
 DEC 18 1963
 Filed _____ 19____
 at 4:00 P. M.
 George W. Harvey
 County Clerk
 James M. Harris
 2.00 Paid

RECEIVED

3 GW 2 Revised 1969
STATE PUBLISHING COMPANY

County CHAUTEAU 31

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.


Owner TIM BREWER
Address GERALDINE MONTANA
Date well started SEPT 18, 1969
completed SEPT 29, 1969
Type of well DRILLED
Equipment used CABLE TOOL RIG
Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other Garden/Lawn

For Administrator's Use
File 366246
March 10, 1972 2:15 pm
GW 1

*Describe
USE: if used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL EXCEEDING 1,000,000 GALLONS

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>8"</u>	<u>6 1/4 O.D. (190 WALL) PLASTIC CASING</u>	<u>6 FEET BELOW GROUND LEVEL</u>	<u>185</u>	<u>3/16"</u> <u>DRILLED</u>	<u>130</u>	<u>178</u>



Static water level 137 ft.*
Pumping water level 180 ft.*
at 8 minutes after pumping began.
measured 180 minutes after pumping began.

*Measured from ground level.
Well developed by BAREX PUMP
for 8 hours
Power ELECTRIC Pump 3/4 HP

Remarks: (Gravel packing, cementing, packers, type of shut-off)
HOLE REAMED TO 8" DIAMETER TO BOTTOM. PERFORATED PLASTIC CASING INSTALLED AND WELL GRAVEL PACKED FROM BOTTOM BACK TO 65 FT. DRILLING MUD AND FILL DIRT FILLED IN ABOVE GROUND.

Sub 25 Sec. 31
T. 25 N. R. 12 E.
S. W. 89

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Robert Davis HI-LINE DRILLING SERVICE
Driller's Address 1173 6TH ST. NW. PHONE 265-4210
WHE, MONTANA 59501 LICENSE NO. 46

Top of Ground (Elev. above sea level)	
From (Feet)	To (Feet)
<u>0 TO 2</u>	<u>SOIL</u>
<u>10</u>	<u>SANDY BROWN CLAY</u>
<u>34</u>	<u>YELLOWISH-BROWN CLAY</u>
<u>56</u>	<u>BROWN CLAY</u>
<u>68</u>	<u>GRAVELLY BROWNISH-GREY CLAY</u>
<u>86</u>	<u>GREY CLAY</u>
<u>89</u>	<u>SANDY GREY CLAY</u>
<u>123</u>	<u>GREY CLAY - SMALL PEBBLES DISPERSED THROUGH OUT</u>
<u>125</u>	<u>SANDY GREY CLAY</u>
<u>127</u>	<u>DRY SAND & GRAVEL</u>
<u>145</u>	<u>SHALEY BROWNISH-GREY SANDSTONE</u>
<u>146</u>	<u>HARD SANDSTONE</u>
<u>164</u>	<u>GREY SANDSTONE - WATER - APPROX. 6 GPM</u>
<u>165</u>	<u>SANDSTONE - (BEST COLORED)</u>
<u>175</u>	<u>GREY SANDSTONE - (WHITE SHALEY - WATER - APPROX. 2 GPM)</u>
<u>182</u>	<u>SANDY GREY SHALE</u>
<u>185</u>	<u>TOP OF TELEGRAPH FORMATION</u>

185 Show exact depth of bottom

50,033

366246

STATE OF MONTANA,) ss.
COUNTY OF CHOUTEAU,)

Filed Mar 10 1972

at 2:15 o'clock P.M.

By George W. Henry
County Clerk

By _____ Deputy

For \$ 20 Paid

File No.....

T. 25N R. 12E

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER
OFFICE OF STATE ENGINEER

RECEIVED
AUG 6 1963
STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

- Top of Ground
(Elev. above sea level.....)
- 0 top soil
 - 1 yellow clay
 - 6 sandy yellow clay
 - 36 grey sandy clay, trace of water
 - 38 grey shale, Claggett formation
 - 103 top of Bagle, light grey
 - 112 light tan sandy shale
 - 128 bentonite
 - 140 grey sandy shale, bentonite mix
 - 148 dark grey sandy shale
 - 158 light tan sandy shale
 - 198 hard shell
 - 200 brown sandy shale
 - 205 light grey sandstone
 - 222 light brown sandy shale
 - 227 sandstone, light grey
 - 238 light brown shale, sandy
 - 246 sandstone, light grey
 - 258 light tan shale, sandy
 - 262 light grey sandstone
 - 273 dark grey shale, traces of coal
 - 278 light tan sandy shale
 - 285 dark brown sandy shale
 - 291 light grey sandstone
 - 290 brown sandy shale
 - 308 light brown shale
 - 322 dark brown sandy shale
 - 328 sandstone, light brown, water
 - 333 white sandstone
 - 345 white sandstone

Owner **Jack Arnet** Address.....

Driller **Lloyd G. Hanberg** Address **Box Elder, Montana**

Date of Notice of Appropriation of Groundwater **July 15, 1963**


Date well started **July 15, 1963** Date Completed **July 22, 1963**

Type of well **drilled** Equipment Used **spudder**
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8"	19.89	0	slot	328	345



NE 1/4 Sec. 35 T. 25N R. 12E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well **295** feet.

Shut-in Pressure for Flowing Well **none**

Pumping Water Level **295** feet at **14** gal. per minute.

Discharge in gal. per min. of flowing well **none**

How Tested **bailer** Length of Test **4 hrs.**

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) **none**

State License #
Driller's License Number

Lloyd G. Hanberg
Driller's Signature
Lloyd G. Hanberg

This form to be prepared by driller, and three copies to be filed by the owner with County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

6272

#345061

STATE OF MONTANA,
COUNTY OF CHOUTEAU.

Mailed AUG 5 1963 19
4:30 P.M.
at _____ clock _____

By George W. James
County Clerk

By James M. Hamel Deputy
\$2.00 Paid

CHOUTEAU
County.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

RECEIVED
AUG 2

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 371566

6-29-73

GW 1 4:00 p.m.

Owner H. V. Darlington


Address Big Sandy, Montana

Contractor (if any) None

Address of Contractor None

Date Started 1971 Date Completed 1971

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Dugout developed spring with pipe and tank



2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity

3. Depth of water table 5 feet

4. Use of the water Stock water

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons a minute

6. If used for irrigation, give number of acres and description of land none

7. Estimate amount of water used each year year around

8. Months of year spring flows

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE. Elevation of spring, if known or estimated

Signature of Owner H. V. Darlington
Date June 28, 1973

371566

STATE OF MONTANA }
COUNTY OF DISTRICT } ss.

FILED JUN 29 1973 19

at Helena o'clock P
James E. Henry
County Blaine

By _____ Deputy

Fee \$ 2.00 Paid

T

4371300

STATE OF MONTANA
 COUNTY OF MONTANA
 Filed 29 1973
 at 9:00 o'clock AM
 by Joseph W. Hawley
 County Clerk
 Fee 2.00 Paid

File No.

T. 25 N R. 13 E

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1964


STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Otto Silvan of Big Sandy
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW1/4 Sec. 12 T25 R13 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based for home & livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1947 has been used every day

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gallons a minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal A windmill is used to bring water to surface

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater the well was dug around 1920 but was not used regularly

8. The depth of water table 135'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater the well is approx 230' deep with 6" casing

10. The estimated amount of groundwater withdrawn each year 35,000 galls

11. The log of formations encountered in the drilling of each well if available I do not know this as it was drilled around 1920 and I did not own the land at that time

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record any land sale or other record on record to bring to your attention if it is desired of course to have name

Signature of Owner Otto Silvan

Date Dec 23 63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26020

SECURITY No. 300 25 100 100 100 100

adverse statements in these
 books of case if possible. Each must
 indicate basis of information and

1. The title of communication and a description of the contents of the communication in the following words: ...
 2. The name of the person or persons who furnished the communication to the County Clerk ...
 3. The date of the communication ...
 4. The date of the communication ...

5. The date of the communication ...
 6. The date of the communication ...
 7. The date of the communication ...
 8. The date of the communication ...
 9. The date of the communication ...
 10. The date of the communication ...

11. The date of the communication ...
 12. The date of the communication ...
 13. The date of the communication ...
 14. The date of the communication ...
 15. The date of the communication ...

16. The date of the communication ...
 17. The date of the communication ...
 18. The date of the communication ...
 19. The date of the communication ...
 20. The date of the communication ...

346656

STATE OF MONTANA }
 COUNTY OF CHOUTEAU } 30

Filed: DEC 26 1963 12

at: 8:00 o'clock A M

George W. Houser
 County Clerk

By: _____ Deputy

Fee: 2.00 Paid

File No.

DUPLICATE

T. 25 R. 13

County Chouteau

RECEIVED
JAN 7 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Osterman Brothers, of Big Sandy
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE SE SW
1/4 Sec 25 T25 R63

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based stock watering
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1935 - ever since
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gals. per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof NO
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal NONE

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1934 - 1935 - even with ground and at times flows
- 8. The depth of water table ground level
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand dug 4 ft. w. 10 ft. deep
- 10. The estimated amount of groundwater withdrawn each year 40,000 gals.
- 11. The log of formations encountered in the drilling of each well if available not available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none


Signature of Owner Osterman Bros.
Henry Osterman
Date Dec. 26 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

County of _____ State of _____
have appropriated according to the provisions of the laws of Montana in effect on January 1, 1963 as follows:

- 1. The amount of money to be appropriated for the purpose of _____
- 2. The amount of money to be appropriated for the purpose of _____
- 3. The amount of money to be appropriated for the purpose of _____
- 4. The amount of money to be appropriated for the purpose of _____
- 5. The amount of money to be appropriated for the purpose of _____



Section 7111, R.S.M. 1947
 Indicate kind of appropriation and
 place of use, if possible, for each
 square representing 10 acres.

The date of appropriation and the amount of money to be appropriated for the purpose of _____
 shall be as follows: _____
 The date of appropriation and the amount of money to be appropriated for the purpose of _____
 shall be as follows: _____
 The date of appropriation and the amount of money to be appropriated for the purpose of _____
 shall be as follows: _____
 The date of appropriation and the amount of money to be appropriated for the purpose of _____
 shall be as follows: _____

346717

STATE OF MONTANA,
 COUNTY OF CHOUTEAU.
 Filed DEC 26 1963 19__
 at 4:45 o'clock P
George W. Harvey
 County Clerk
 By _____ Deputy
 Fee \$ _____ Paid

GW 3

File No.....

DUPLICATE

T. 25 R. 13

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1964

STATE ENGINEER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1947

Owner Albert Abel


Address Geraldine, Montana

Contractor (if any) None

Address of Contractor None

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Flowing spring



SW 1/4 SW 1/4 Sec. 30 T. 25 N. R. 13 E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
30 gallons per day

Signature of Owner *Albert Abel*

Date December 23, 1963

This form to be prepared by contractor (if any), otherwise by the owner.


Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

25954

... ..
... ..
... ..



... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

STATE OF MONTANA
COUNTY OF CHOUTEAU

Filed 1 23 1912
at 11:30 o'clock AM
George W. Lawrence
County Clerk
By James W. [unclear] Deputy
For \$ 2.00 Paid

GW 2
File No.

T. 25 R. 13 34
County... Chouteau

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS IN WATER
(Under Chapter 237, Montana Session Laws, 1961)

1. Osterman Brothers of Big Sandy
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N. W. 1/4 Sec. 34 T. 25 R. 13

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock watering - home

3. Date or approximate date of earliest 1930 use; and how continuous the use has been that time

4. The amount of groundwater 5 gals per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal None

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1935

8. The depth of water table spring that flows

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 10 feet

10. The estimated amount of groundwater withdrawn each year 2,628,000 gals

11. The log of formations encountered in the drilling of each well if available spring running out of gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act including reference to book and page of any county record. None

Signature of Owner Osterman Bros
by Henry Osterman
Date Dec. 26 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

to the State of Montana, County of Chouteau, for the purpose of recording the same.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.


and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.

and to the effect that the same shall be deemed to be a part of the public domain of the State of Montana, and shall be subject to the same laws and regulations as other public lands of the State of Montana.



WITNESSETH

That the above and foregoing is a true and correct copy of the original as the same appears in the records of the County Clerk of Chouteau County, Montana.

Subscribed and sworn to before me on this 26th day of December, 1963, at _____, Montana.

Notary Public for the State of Montana.

Filed _____ 1963

at _____ o'clock _____ P.M.

By _____
County Clerk

One _____ Paid _____

File No.

T. 25 R. 14E.

DUPLICATE

County... Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

RECEIVED

AUG 1 1973

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Date of Appropriation of Groundwater Over 16 years ago


Owner Henry Osterman Address Big Sandy

Contractor (if any) None

Address of contractor None

Date Started None Date Completed None

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. free flowing spring at ground level



nw 1/4, nw 1/4, sw 1/4s

..... 1/4 Sec. 4 T. 25 R. 14E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. 5 gals. per minute by use of a gallon can and a watch

371377

6-29-73

10:00 A.M.

Continuous use

Signature of Owner Henry Osterman

Date June 29, 1973

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

371377

STATE OF MONTANA, } ss.
COUNTY OF CHOUTEAU, }

Filed June 29 1973

at 10:00 o'clock A. M.

Serge W. Noway
County Clerk

By _____ Deputy

Fee \$ 2.00 Paid

File No.

T. 25 R. 14E

DUPLICATE

County Chouteau


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

RECEIVED
AUG 2 1973
MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Date of Appropriation of Groundwater: Over 16 years ago
Owner: Henry Osterman Address: Big Sandy
Contractor (if any): None
Address of Contractor: None
Date Started: None Date Completed: None



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. free flowing spring at ground level

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. 5 gals per minute for 100 to 150 gal
continuous use

NW 1/4, SW 1/4, NE 1/4
.....1/4..... Sec. 5 T. 25 R. 14E
Indicate point of appropriation and place of use, if possible.
371375
6-29-73
10:00 A.M.

Signature of Owner: Henry Osterman
Date: June 29, 1973

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

371375

STATE OF MONTANA, } ss.
COUNTY OF CHOUTEAU, }

Filed June 29 1923

at 10:00 o'clock A M.

George W. Harvey
County Clerk

By _____ Deputy

Fee \$ 2.00 Paid

File No.

RECEIVED

T. 25 N. 14 E.

DUPLICATE

AUG 2 1973

County: Cascade

MONTANA DEPARTMENT OF STATE OF MONTANA
RESOURCES AND CONSERVATION
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

371397
6729-73
#100 @ 4 n

Date of Appropriation of Groundwater: Over 16 years ago


Owner: Henry Osterman Address: Big Sandy

Contractor (if any): none

Address of Contractor: none

Date Started: none Date Completed: none

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes" Include depth to water when applicable. free flowing spring at ground level



NE 1/4, NE 1/4, SW 1/4
1/4 Sec. 6 T. 25 N. R. 14 E
Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. 7 gals per minute by use of a gallon can and a watch

continuous
Signature of Owner: Henry Osterman
Date: June 29, 1973

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

371397

STATE OF MONTANA, }
COUNTY OF CHOUTEAU, } ss.

Filed..... JUN 28 1973 19.....

at..... 1:00 o'clock P.M.....

.....
County Clerk

By..... Deputy

Fee \$..... Paid

File No.....

T. 25 R. 14E

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

RECEIVED

AUG 2 1973

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Date of Appropriation of Groundwater 1945


Owner Henry Osterman Address Big Sandy

Contractor (if any) none

Address of Contractor none

Date Started unknown Date Completed unknown
done during formation deep

Describe means of obtaining groundwater without a well "as by
sub-irrigation and other natural processes". Include depth to
water when applicable. free flowing spring
at ground level.



SE 1/4, NE 1/4, NE 1/4
1/4 Sec. 7 T. 25 R. 14E
Indicate point of appropriation
and place of use, if possible.

Quantity of water developed and used with explanation of method
used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. 2 gals.

per minute by use of a gallon
can and a watch

continuous use

Signature of Owner Henry Osterman

Date June 29, 1973

371376
6-29-73
10:00 AM

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

371376

STATE OF MONTANA, } ss.
COUNTY OF CHOUTEAU, }

Filed June 27 1923

at 10:00 o'clock 9 M.

Berg W. Hawley
County Clerk

By _____ Deputy

Fee \$ 2.00 Paid

File No.

T. 25 R. 14

DUPLICATE

County Chouteau
RECEIVED
JAN 7 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Henry Ostermann of Big Sandy
(Name of Appropriator) (Address)

County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SESWNE
1/4 Sec. 8 T25 R14

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based home use and stock watering

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1932 - since that time

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gals. per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof no

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal None

The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1931 - 1932

8. The depth of water table 28 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand dug - 4 ft wide 21 ft deep brick casing - pump

10. The estimated amount of groundwater withdrawn each year 26,500 gals

11. The log of formations encountered in the drilling of each well if available gumbo or clay - sand

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Henry Ostermann
Date Dec. 26 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26067

GW 3

File No.....

T. 25 R. 14

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 7 1964

STATE ENGINEER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1930


Owner Joseph & A. Muriel Silvan

Address Big Sandy Montana

Contractor (if any) none

Address of Contractor _____

Date Started Sept. 1963 Date Completed Sept. 1963



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable natural flow

at ground level
cemented hole with
pipe

NE 1/4 NE Sec. 9 T. 25 R. 14

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use 5 gal.

per minute. measured
in tank from pipe.
continuous use

Signature of Owner Joseph Silvan A. Muriel Silvan

Date December 26, 1963


This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

26218



... of the ... and ...

... level ...

... of the ...

#346892
STATE OF MONTANA
COUNTY OF CHOUTEAU

Filed DEC 30 1963

at 2:30 o'clock P.M.

George W. Harvey
County Clerk

... Deposited

200 Paid

File No.

DUPLICATE

T 25 R 14

County Chouteau

JAN 7 1964


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS

(Under Chapter 237, Montana Session Laws, 1961)

1. Matt Gasvoda & Sons, Inc., of Big Sandy
(Name of Appropriator) (Address) (Town)

County of Chouteau State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NE 1/4 Sec 25 R 14

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Livestock and Household

3. Date or approximate date of earliest beneficial use and how continuous the use has been 1928 - 1964 continuously since that time year around

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gals per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Windmill and pump with 1 1/2 inch pipe-- Electric Pump with 3/4 inch pipe

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1928

8. The depth of water table 26 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Cased Well with concret-- 4 ft in diameter-- 32 ft deep-- Windmill with pump 1 1/2 inch pipe-- electric pump with 3/4 inch pipe

10. The estimated amount of groundwater withdrawn each year 500,000 gals. per year

11. The log of formations encountered in the drilling of each well if available None Sand and gravel to 26 ft and blue clay and sandstone to bottom of well

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Matt Gasvoda, Proprietor
Date December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quaduplicate for the Appropriator.

26485

Name of Applicant (Address) (Town)

County of Chouteau

1. The location of the land is shown on the attached map.

2. The land is situated in the Township of ...

3. The land is situated in the Range of ...

4. The land is situated in the Section of ...

5. The land is situated in the ...

6. The land is situated in the ...

7. The land is situated in the ...

8. The land is situated in the ...

9. The land is situated in the ...

10. The land is situated in the ...

11. The land is situated in the ...

12. The land is situated in the ...

13. The land is situated in the ...

14. The land is situated in the ...

15. The land is situated in the ...


16. The land is situated in the ...

17. The land is situated in the ...

18. The land is situated in the ...

19. The land is situated in the ...

20. The land is situated in the ...



Map of ...

... of ...

H 347 193

DEC 31 1963

George W. ...

2.00 Paid