Declaration of Vested Groundwater Rights Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1981) 1. Charlie W. Oglesby (Name of Appropriator) County of Daniels Name of Appropriator County of Daniels Name of Appropriator County of Daniels Name of Appropriator 2. The beneficial use on which the claim is besed SEOCK. Seater domestic use 3. Date or appropriated groundwater shape CONTINUOUS. since 1941. and the use has continuous the use has been 1941. and the use has continuous the use has been 1941. and the use has continuous the use has been 1941. and the use has continuous use, if possible. Rach small square represents 10 8. The amount of groundwater claimed (in miner's inches or gallo per minute). 10 galloms per minute) 10. The means of withdrawing such water from the ground and it location of each well or other means of withdrawil Twoelect prisons, some for Stock sater and one. for downwater 1941. 8. The depth of water table. Total depth of well is 28 feet. Distance from HETELS surface to top of water. Ievel is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off groundwater The tell commences with a specifications of any off groundwater The tell commences with a specification of the well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. Signature of Owner Challe W. Oglewater. Signature of Owner Challe W. Oglewater.	•	<u> </u>			_35 N R 45 =
Declaration of Vested Groundwater Rights Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1981) (Rams of Appropriator) (Rams of Appropri	DUPLICATE			and the second s	unty Daniels
Declaration of Vested Groundwater Rights (Under Chapter 237, Montane Session Laws, 1981) 1. Charlie W. Ogleshy (Name of Appropriator) (Name of Appropriator) (State of Montane According to the Montane laws in effect prior to January 1, 1962, as follow N 2. The baneficial use on which the claim is based Stock water downstic. Use. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1941, and the use has continuous stones 1941, and the use has continuous the use has been applied and name of the owner there Intrigation, give the acreage and description of the law to which water has been applied and name of the owner there Intrigation, give the acreage and description of the law to which water has been applied and name of the owner there. If the amount of groundwater of continuous stones applied and name of the owner there. If the amount of groundwater of the use of intrinuous stones applied and name of the owner there. If the amount of groundwater of the use of intrinuous stones applied and name of the owner there. If the amount of groundwater of the water has been applied and name of the owner there.		AI	MINISTRA'	OR OF GROUND WATER CODE	BECEIVED
1. Charlie W. Oglesby (Name of Appropriator) County of Daniels have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follow N 2. The beneficial use on which the claim is based Stock. water domestic use. 3. Date or approximate date of earliest beneficial use; and how co tinuous the use has been. 1941, and the use has seen. 1941, and the use has seen in the use has been applied and name of the owner there Irrigation, of garden only. 5. If used for irrigation, give the acreage and description of the last to which water has been applied and name of the owner there Irrigation of garden only. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawil Two else Pumps, one for stock water and one for drawal of groundwater. 1941 8. The depth of water table. Total depth of well is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None			4 2	- プラー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	UU DEC 19 1962 —
County of		Declarat (Ur	ion of ider Chapter	Vested Groundwater R 237, Montana Session Laws, 1961)	STATE ENGINEER
County of Daniels. State of Montans have appropriated groundwater according to the Montans laws in effect prior to January 1, 1962, as follow N 2. The beneficial use on which the claim is based. SLOCK. Water. domestic use. 3. Date or approximate date of earliest beneficial use; and how ce tinuous the use has been. 1941, and the use has continuous. Since 1941. 4. The amount of groundwater claimed (in miner's inches or gallo per minute). 10. galloms. per. minute. 5. If used for irrigation, give the acreage and description of the last to which water has been applied and name of the owner there Irrigation of garden only. 6. The means of withdrawing such water from the ground and to location of each well or other means of withdrawil/Two-level pumps, OME for stock, water, and one for dometic uses, located at building size of appropriation in Wavillay of 30-35-45. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941. 8. The depth of water table. Total depth of well is 28 feet. Distance from REMERS surface to top of water level is 18 feet. 9. So far as it may be variable, the type, size and depth of each well or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole of foot by works for the withdrawal of groundwater. The well commences with a hole of foot by works for the withdrawal of groundwater withdrawn each year 10,950 gallons. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available No. log. available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None.	Charlia	M. Coloaber		Panilan	
County of Daniels State of Montans have appropriated groundwater according to the Montans laws in effect prior to January 1, 1962, as follow N 2. The beneficial use on which the claim is bised. SLOCK. Water downstic use. 3. Date or approximate date of earliest beneficial use; and how estimuous the use has been 1941, and the use has continuous since 1941. 4. The amount of groundwater claimed (in miner's inches or gallo per minute). 10. galloms per. minute 5. If used for irrigation, give the acreage and description of the law to which water has been applied and name of the owner there Irrigation of garden only. 6. The means of withdrawing such water from the ground and to location of each well or other means of withdrawil work electron in which water and one for domatic uses, located at building size of appropriation of the well, wells, or other works for withdrawal of groundwater. 1941. 8. The depth of water table. Total depth of well is 28 feet. Distance from REMERS surface to top of water level is 18 feet. 9. So far as it may be variable, the type, size and depth of each well or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole of foot by works for the withdrawal of groundwater. The well commences with a hole of foot well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available No. log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None.	(1	Name of Appropr	iator)	(Address)	(Town)
2. The beneficial use on which the claim is based.stock. water downestic use. 3. Date or approximate date of earliest beneficial use; and how co tinuous he use has been. 1941, and the use has continuous since 1941. 4. The amount of groundwater claimed (in miner's inches or gallo per minute). 10. gallons. per minute. 5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there Irrigation of garden only. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal? No. election of the well of groundwater. 1941. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941. 8. The depth of water table. Total depth of well is 28 feet. Distance from Makers surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole of the tile is useful or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole of the tile is the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formation of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None.	County of	Daniels		State of Montage	
2. The beneficial use on which the claim is based. SLOCK. Water. downstic. use. 3. Date or approximate date of earliest beneficial use; and how co tinuous the use has been. 1941. 4. The amount of groundwater claimed (in miner's inches or galloper minute). 10. gallons. per minute 5. If used for irrigation, give the acreage and description of the lant to which water has been applied and name of the owner there Irrigation. of garden. only. 5. If used for irrigation, give the acreage and description of the lant to which water has been applied and name of the owner there Irrigation. of garden. only. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawally the claim of the construction of the well. water and one for down the claim is based. SLOCK. Water and one for down the claim is the construction of the well. The construction of the well. The well is 28 feet. Distance from Making of 30-33-45. 8. The depth of water table. Total depth of well is 28 feet. Distance from Making of such withdrawal of groundwater. The well is 28 feet. Distance from Making of such with work in the fit the surface, then 10 feet of 12 lnch hole with wood currhing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year. 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay.	alleader			prior	- January by Lovey was LUMOW
3. Date or approximate date of earliest beneficial use; and how co tinuous the use has been. 1941, and the use has continuous since 1941. 4. The amount of groundwater claimed (in miner's inches or gallo per minute). 10 gallons. per minute. 5. If used for irrigation, give the acreage and description of the lant to which water has been applied and name of the owner there Irrigation of garden only. 5. If used for irrigation, give the acreage and description of the lant to which water has been applied and name of the owner there Irrigation of garden only. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two elections of each well or other means of withdrawal Two elections of the well. 1952 feet. 1952 feet. 1952 feet. 1953 feet. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941 8. The depth of water table. Total depth of well is 28 feet. Distance from Entire surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater. The well commences with a hole of foot by foot by 8 foot deep, containing water system; 18 feet of 10 inch the fit the surface. then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available. No. log available, but formations encountered consist of gravel and clay.			2.		
tinuous the use has been 1941, and the use has continuous since 1941. 4. The amount of groundwater claimed (in miner's inches or galloper minute) 10 gallons per minute 5. If used for irrigation, give the acreage and description of the lant to which water has been applied and name of the owner there Irrigation of garden only 11. The date of use, if possible. The means of withdrawing such water from the ground and the location of each well or stock water and one for dom tic use. 10csted at building site of appropriation of the construction of the well, wells, or other works for windrawal of groundwater 1941. 12. The depth of water table Total depth of well is 28 feet. Distance from surger surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of works foor the withdrawal of groundwater. The well commences with a hole 6 foot by foot by 8 foot deep, containing water system; 18 feet of 10 inch file in the surface, then 10 feet of 12 luch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered comsist of gravel and clay.					
continuous since 1941. 4. The amount of groundwater claimed (in miner's inches or gallo per minute). 10. gallons. per minute. 5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there Irrigation of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two electropss. One for stock water and one for domining water in ways of 30-33-45. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941 8. The depth of water table. Total depth of well is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of water for the withdrawal of groundwater. The well commences with a hole of feet by foot by a divided of groundwater. The well commences with a hole of feet by the life 28 feet. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None			3.		
4. The amount of groundwater claimed (in miner's inches or galloper minute). 10 gilons per minute 5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there Irrigation. of garden only. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawalTwo_elections. One for stock water and one for domining water water. In Indianal Street of approximately appear to the depth of water table. Total depth of well is 28 feet. Distance from the surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works for the withdrawal of groundwater. The well commences with a hole of foot by foot by 6 foot deep, containing water system; 18 feet of 1 inch fill in the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well in carrying out the policy of this act, include reference to book and page of any county record. None.	w [_ E	continuous since 1941.	
per minute). 10 gilons per minute 5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there Ivrigation of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and blace of use, if possible. Each small square represents 10 acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941. 8. The depth of water table. Total depth of the construction of the well, wells, or other works for withdrawal of groundwater. 1941. 8. The depth of water table. Total depth of well is 28 feet. Distance from HERES surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works or the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep, containing water system; 18 feet of 10 then the fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year. 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None.					
to which water has been applied and name of the owner there Irrigation of garden only Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal two electric use. 19.24 at huilding site of appropriation in NWNNiz of 30-35-45. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941 8. The depth of water table Total depth of well is 28 feet. Distance from NWNIZ surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works for the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep, containing water system; 18 feet of 10 inch file if the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None			4.		
to which water has been applied and name of the owner there Irrigation of garden only Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal two electric use. 19.24 at huilding site of appropriation in NWNNiz of 30-35-45. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1941 8. The depth of water table Total depth of well is 28 feet. Distance from NWNIZ surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works for the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep, containing water system; 18 feet of 10 inch file if the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None				***************************************	***************************************
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two. electric water. In water and one for domination of groundwater. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 8. The depth of water table. Total depth of well is 28 feet. Distance from Heren surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of two rest for the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep. Containing water system; 18 feet of 10 inch title fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None.		8	5.	to which water has been applied as	id name of the owner there
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two elections of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 8. The depth of water table. Total depth of well is 28 feet. Distance from Next surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works for the withdrawal of groundwater. The well commences with a hole of foot by coot deep; containing water system; 18 feet of 10 thich the fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log svalidie, but formations encountered consist of gravel and clay.	FNE1/ Sec 3	е т.35 r.45			
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two electives. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 8. The depth of water table. Total depth of well is 28 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any off works for the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep, containing water system; 18 feet of 10 inch the fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None	Indicate point of	f appropriation		· · · · · · · · · · · · · · · · · · ·	and the second s
pumps. One for stock water and one for dom tic use, located at hullding site of appro riator in Walkiz of 30-35-45. 7. The date of commencement and completion of the construction of the well, wells, or other works for wi drawal of groundwater. 1941 8. The depth of water table. Total depth of well is 28 feet. Distance from Nurre surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of tworks for the withdrawal of groundwater. The well commences with a hole 6 foot by foot by 8 foot deep, containing water system; 18 feet of 10 inch tile it the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None.	and place of us Each small squar	se, if possible.	6.		
7. The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater	acres.			pumps, one for stock was	ter and one for dom
8. The depth of water table. Total depth of well is 28 feet. Distance from Entres surface to top of water level is 18 feet. 9. So far as it may be available, the type, size and depth of each well or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole of foot by 8 foot deep, containing water system; 18 feet of 10 inch tile fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record. None	7. The date of	commencement a	nd completio	n of the construction of the well, w	ells, or other works for wi
9. So far as it may be available, the type, size and depth of each well or the general specifications of any of works for the withdrawal of groundwater. The well commences with a hole 6 foot by 8 foot deep, containing water system; 18 feet of 10 inch tile fit the surface, then 10 feet of 12 inch hole with wood curbing. Total depth well is 28 feet. Two electric pumps. 10. The estimated amount of groundwater withdrawn each year 10,950 gallons. 11. The log of formations encountered in the drilling of each well if available. No log available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record	drawal of gr	oundwater	1941		***************************************
11. The log of formations encountered in the drilling of each well if available. No. log. available, but formations encountered consist of gravel and clay. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record		top of wate	er level	is 18 feet. ize and depth of each well or the ger The well commences with ng water system: 18 feet	eral specifications of any oth
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record	surface to 9. So far as it works for the the surface	e, then 10	<u>feet of </u>	12 inch hole with wood co	urbing. Total depth
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record	surface to 9. So far as it works for th foot by 8 the surfac well is 28	e, then 10 feet. Two	feet of electri	12 inch hole with wood co	urbing. Total depth
Single of Charlie W Oglosby	9. So far as it works for the by 8 the surfac well is 28 10. The estimate 11. The log of f	e, then 10 feet. Two d amount of gro	feet of electrical conductor was attered in the	thdrawn each year 10,950 ga. drilling of each well if available naist of gravel and clay.	llons No log availie, but
	9. So far as it works for the the surfac well is 28 10. The estimate 11. The log of f format 12. Such other in	e, then 10 feet. Two d amount of gro ormations encoun ions encoun	electri endwater watered in the tered co	ithdrawn each year 10,950 gainst of gravel and clay. e as may be useful in carrying out to record None	llons No log available, but

located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

State of Montana, County of Daniels. State of Montana, County of Daniels. State of Montana, County Recorder.

हिंदी एक कर रंग ८ कुने उनेका निर्माण के जिल्ला हुने कि प्राप्त

各等後衛門一旦在衛者無以所行在於

The state of the s

Charles and a section of the

The second of th

end as graph of the form

The state of the state of the state of

shing Co., Helena, Montans—42262.

7. 35 N. R. 45 E.M.M.

DUPLICATE

JUN & 6 1973

County Daniels

STATE OF MONTANA

S. RESUURCES AND CO. ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237: Montana Session Laws, 1961)

e e Cay			Date of Appropriation of Groundwater June 22, 1973	
Ti	le - 178091		Owner Charlie W. Oglesby Address Peerless, Montar	
D4	te- June 22, 1973	7	Contractor (if any) None	
Tu	ine - 2:55 Am.		Address of Contractor	
eriori Albana	on on the second of the second		Date Started June 8, 1973 Date Completed June 15, 197	3
<u>ु</u> अ	N	1	Describe means of obtaining groundwater without a well; "as I sub-irrigation and other natural processes". Include depth	: '
			water when applicable. Dug out spring which flows	
	•	-	continuously	
		-		
18		- Ε		
		-		,
		-	Quantity of water developed and used with explanation of meth	_
		-	used to measure or estimate such amount. If use is intermitte	
	s	-	estimate approximate lengths of periods of use Rate of flow	,
	NE.14 Sec.30. T.35. R.45	-	is five quarts per minute by actual measure, Th	
* 2 *	Indicate point of appropriation and place of use, if possible.	a	spring is used for stock watering purposes durin	37
			the entire year.	•
				•••

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Signature of Owner Clarkia

Date June 22, 1973

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

State of Montana, County of Paniels. County Recorder. ALTERNATION OF STREET STREET STREET, STREET STREET

्राक्षात्र विकास स्थापना विकास स्थापना विकास स्थापना विकास स्थापना स्थापना स्थापना स्थापना स्थापना स्थापना स्थ स्थापना स्थापन

The same on the

The state of the s

THE WORKS TO FIRE AN AND AND THE CAN CONTRACTOR BUTTON STATE OF THE STATE OF THE

THE WALL WE WANTED

File No RECEIVED

T 35 N. R 45 E.M.M.

DUPLICATE

JUN 26 19/3

County Daniels

MONTANIA DEPARTMENT OF MATURITATE OF MONTANA
RESCURCES AND ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	DateJune 22, .1973	
	Signature of Owner Charlie W Oglas	ig
Consumation of the	the entire year.	12. 12.
and place of use, if possible.	spring is used for stock watering purposes	during
NiSE-1/4 Sec. 30. T.35. R.45. Indicate point of appropriation	is five quarts per minute by actual measur	c. The
5	estimate approximate lengths of periods of use Rate	of flow
	Quantity of water developed and used with explanation used to measure or estimate such amount. If use is in	termittent
W E		
	continuously	
5	water when applicableDug.out spring which fio	-443.0.
N A	Describe means of obtaining groundwater without a we sub-irrigation and other natural processes". Include	ll "as by depth to
internal to the state of the st	Date Started June 8, 1873 Date Completed June .1	1973.
Time - 255 p.m.	Address of Contractor	77.
Date - June 20, 1973 Time - 255 p.m.	Contractor (if any) None	33) 34
Jul 178090	OwnerCharlie W. Oglesby AddressPeerless, M	ontana.
	Date of Appropriation of Groundwater. June 22, 197	8

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

State of Montena, County of Daniels.

THE STATE OF THE S

我可以 禁 不敢 不敢

Deputy.

Scobey, Montana
November 6

Should be gwa fout OW. File No. DUPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE ENGINEER OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Sept. 1965 Owner Milton W. Fladager Address Peer less, Mort, Contractor (if any) .. Address of Contractor .. Date Started Date Completed 250 7. Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use NEWSE Sec. 3.). T35 R45 Indicate point of appropriation and place of use, if possible. Signature of Owner...

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

State of Montana. | SS | County of Daniels. | State of Montana. | SS | Gunty of Daniels. | State of Daniel

3	Approved Stock Form—State Put	blishing Co., Helena, Montana 42199
e No		7 35 RUL
PLICATE		County Aucrace
***	STATE OF MONTANA	County
	ADMINISTRATOR OF GROUNDWATER	CODE · U JAN & 1964
	OFFICE OF STATE ENGINEER	
		Signic ENGIN
Notice of	Completion of Groundwater Without Well.	-Appropriation
	(Under Chapter 237 Montana Session Laws	, 1961)
	Date of Appropriation of Groun	ndwater 1716
	Owne all M. Dick	
	Contractor (if any)	· · · · · · · · · · · · · · · · · · ·
	Address of Contractor	······
4	Data Started	Date Completed
, <u>, , , , , , , , , , , , , , , , , , </u>	Describe means of obtaining g sub-irrigation and other natu	roundwater without a well "as h ral processes". Include depth
	water when applicable per	about 2000 ft
*		. A NW comes S
	E 31 7.35-R. 45 F	
	Quantity of water developed a	nd used with explanation of methorsch amount. If use is intermitted
		집 등 하는데 이 등을 하게 되다 하지만 않다.
(0 BE 5	$d\Omega dx$	of periods of use 40.0
60.14 Sec.31		294.
Indicate point of a and place of use, if		
and have or neel it	POWNEDAY	
,		
	<u> </u>	***************************************
	Signature of Owner	Mr. D. L
	Signature of Owner	on grand
		ete / 21 31 /63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

THE PROPERTY. 164210 House of Completion of Executive State of Mornana, County of Danleis. 大学 のないのできる 一大学 はない Deputy. Filing Fee Paid \$2,00

The state of the s

As the Charles of the

Section 5. present states

No		CT 1 1965		$\nabla e_i \mathcal{L} = \mathcal{L}_{ij}$		35 j	化精动物 医动物性的	
PLICATE	Bille Butzerin	McDermott McNuity			C	ounty O	anielo	
	Coyle	Morton		STATE	OF MONT	ANA		
San Carlo	Darlinton	Sullivan			OF GROUN		CODE	
Top of (Groundickert	— <i>—</i>	O:	FFICE OF	STATE E	IGINEER		
	ve sea level		Notice of	Compl	etion o	f Grau	ndwat	er Or
			Approp					
sandy	clay		T 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1					
o sand	0		(Under Ch	apter 237,	Montana S	ession Law	s, 1961)	
1 grave	(,)	neton Il	dean		Peul	ear mo	ret.
6 clay			A			41.4	the second of the section of	24.42.42.4027
-7 cont s	lach	Driller	albert a	nollise	Address	med	ere d	He
13 clay		Data of	Notice of Appro		O	_ Su	1 2 -	. / -
40					. 14.4		7 1	
9 Cank		Date w	ell started a	4.23-6	Date Co	mpleted. 	4pf 2	-65
13 clay		Mrma of	well Sail	lef	Farrinm	ent Used.	rotar	9
5 Cool	. 0		driven, bored or	5	(Churn	, drill, rotar	y or	
6 sardy	Slay	drille	d) 39		other)			
o clay	-	Water	Use: Domestic	□ ° Mo	nicipal 🔲	. Other	_ Ir	rigation
3 parch	eley		Industrial		ainage 🔲	Stock		
4 cool	,	SSS In	dicate on the d	iagram the	character	and thick	ness of th	e diffor
denoted and	•		net with in dril					
6 Clay	100	Show d	epth at which v	ater is enc	ountered, th	ickness an	d character	
o's sand	00-	bearing	strata and heig	nt to which	ı water rise	s in the w	эц.	. ""
32 sand	y cray	Size of	Size and	From	Tó			
50 end		Drilled Hole	Weight of Casing	(Feet)	(Feet)		ERFORATION	
6 clay		-3-+	4 inch 1, 10	0	2650	Kind Size	From (Feet)	To (Feet)
6.4 Land ro	ch!	3810	January (1, 2)	"		state	260	26
3 Clay		241- H	11 26.					
84 rocks			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	1		İ	
		42 ho	1		2			
13 Clay		270						
14 rocks						9 //	=	
60 sanety G	N C	s	tatic Water Leve	l for non-fl	owing Well.	27	8	1
70 sand W		i i l	hut-in Pressure			0		
		: : 1						*********
		P	umping Water L	ير _{ه evel}	fee	t atع	gal.	per min
	-		ischarge in gal.	non min of	Marriage	<i>0</i>		
- w					-			 ! .
	9	15	low Tested	ump	Leng	th of Test	3-10	٠.
-		· · · · ·	emarks: (Grave	•				
.			tion of	f place of i	ise of groun	packers, dwater if	not at we	ll. and
_			other	similar pe	rtinent info	Fination,	including	number
					used for ir			
.,,	~/ ~ 5	سداد. ر	acres 1	rrigateu, II	usen for IL	r 18anton)		************
	N Sec 32. T3		*			•••••		
	te location of of use, if possi							
	square represent							************
	-		***************************************					
Show ex	act depth of bot	tom.			10	6		
					Driller	's 🌬 .8	Number	
						00 11	(.l.	
					,,,-	w		

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39639

September A M.

10:30 o'clock A M.

Carl Faanes County Recorder.

DRACE WOLTAVREBUIDD RETATE

1381 J 130

MeDermett ... spotiati

歴史 Enteration

(49% Las crods 1988)

TOWN OF THE

रिलाम्प्रेस्ट (१९६४) केल्स्स्मिट लाम्प्रेस्ट म्हल्ट्री हेल्ला

4.65	<u></u>	enggerma arrows a Sum - Sum - Edul	ahing Co., Helena, Montana—39089 (A.) T. 3.5 R. U.S.
DUPLICATE			County
3		STATE OF MONTANA	
	The state of the s	TRATOR OF GROUNDWATER COI	
43		FIGE OF STATE ENGINEER	DEC 30 1968
	Declaration	of Vested Groundwate	Rights TE ENGINEED
	(Under Ch	apter 237, Montana Session Laws, 19	61) STATE LINGINGER
į.	•		
1 Re	ene Plekett		Peerleg
County	(Name of Appropriator)	State of	(Town)
have app	propriated groundwater accor	ding to the Montana laws in effect]	prior to January 1, 1962, as follows:
	N		And the second of the second o
			claim is based
		tinnous the use has been 19	arliest beneficial use; and how con
,,	E I	(27.9)	and Asser not po mond)
			aimed (in miner's inches or gallon
	•	~	
		5. If used for irrigation, give the	acreage and description of the land
	8	to which water has been appl	ied and name of the owner thereo
33 1/ 5	Sec., 34. T353 R453		r irrigation
Indicate poi	int of appropriation		
and place			
Each small	of use, if possible. square represents 10		
Each small acres.	square represents 10	location of each well or other	means of withdrawalgravity
Each small acres.	square represents 10	location of each well or other	means of withdrawalgravity
Each small acres. Location. 900 21. 2	square represents 10 1660 ft. west and torth of south to of commencement and com	location of each well or other FIGH. Apit was due to Hater use. Pletion of the construction of the w	means of withdrawal gravity Client valor for with ell, wells, or other works for with
Each small acres. Location. 900 21. 2	square represents 10 1660 ft. west and torth of south to of commencement and com	location of each well or other	ell, wells, or other works for with
Each small acres. Location. 7. The dat drawal	1660 ft. west and torth of commencement and com of groundwater 211	location of each well or other Flow Api t was due to the way of the construction of the way in July 1968	means of withdrawal gravity Client valor for with ell, wells, or other works for with
Each small acres. Location. 7. The dat drawal 8. The dep	square represents 10 1660 ft. west and torth the of commencement and comfof groundwater	location of each well or other	means of withdrawal gravity
Each small acres. Location. 7. The dat drawal 8. The deposition of the deposition	square represents 10 1660 ft. west and torth the of commencement and comfof groundwater	location of each well or other many pletion of the construction of the way when the same well or the same we	means of withdrawal gravity Resp. R
Each small acres. Location: 7. The dat drawal 8. The deposition of the deposition	square represents 10 1660 ft. west and torth the of commencement and comfof groundwater	location of each well or other than the state of the construction of the water water than the state of the the state o	means of withdrawal gravitudes of any other works for with the general specifications of any other works.
Each small acres. Location: 7. The dat drawal 8. The deposition of the deposition	square represents 10 1660 ft. west and torth of counth te of commencement and com of groundwater	location of each well or other than the state of the construction of the water water than the state of the the state o	means of withdrawal gravity Resp. R
Each small acres. Location: 7. The dat drawal 8. The deposition of the deposition	square represents 10 1660 ft. west and torth of counth te of commencement and com of groundwater	location of each well or other than the state of the construction of the water water than the state of the the state o	means of withdrawal gravitudes of any other works for with the general specifications of any other works.
Each small acres. Location 7. The dat drawal 8. The dep 9. So far works i	square represents 10 1660 It. west and to the of commencement and com of groundwater	location of each well or other than the state of the construction of the water water than the state of the the state o	means of withdrawal gravitations of any other works for with the general specifications of any other works.
Each small acres. Location. 7. The dat drawal 8. The deprivation works in the deprivation of the control of	square represents 10 1660 ft. west and to the of commencement and com of groundwater	pletion of the construction of the water water water see the well or the water see and depth of each well or the water withdrawn each year. 500,000	means of withdrawal gravitations of any other works for with the general specifications of any other works for with the general specifications of any other works.
Each small acres. Location. 7. The dat drawal 8. The deprivation works in the deprivation of the control of	square represents 10 1660 It. west and of courth of country and composition of groundwater	location of each well or other than the the than the the than the	means of withdrawal gravitations of any other works for with the general specifications of any other works for with the general specifications of any other works.
Each small acres. Location. 7. The dat drawal 8. The deprivation works in the deprivation of the control of	square represents 10 1660 ft. west and to find the of commencement and com of groundwater	pletion of the construction of the water water goe. It is a suppletion of the construction of the water goe, size and depth of each well or the water grant by flow wa	means of withdrawal gravity. Resign of the works for with the general specifications of any other than the general specifications of the general specifications
Each small acres. Location 7. The dat drawal 8. The dep 9. So far works in the dep 10. The est 11. The location	square represents 10 1660 It. west and to the of commencement and com of groundwater	pletion of the construction of the water withdrawn each year \$00,000 in the drilling of each well if avail	means of withdrawal gravitations of any other works for with the general specifications of any other works for with the general specifications of any other works for with the general specifications of any other
Each small acres. Location. 7. The dat drawal 8. The degree works in the second sec	square represents 10 1660 It. west and of courth of country and composition of groundwater	pletion of the construction of the water water water water water water water withdrawn each year. \$00,000 in the drilling of each well if available water withdrawn of each well if available water withdrawn each year.	means of withdrawal gravity. Respectively. ell, wells, or other works for with the general specifications of any other states. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively.
Each small acres. Location. 7. The dat drawal 8. The degree works in the second sec	square represents 10 1660 It. west and of courth of country and composition of groundwater	pletion of the construction of the water water water see the well or the water water water withdrawn each year 500,000 in the drilling of each well if available nature as may be useful in carrying	means of withdrawal gravity. Respectively. ell, wells, or other works for with the general specifications of any other states. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively.
Each small acres. Location. 7. The dat drawal 8. The degree works in the second sec	square represents 10 1660 It. west and of courth of country and composition of groundwater	pletion of the construction of the water water water see the well or the water water water withdrawn each year 500,000 in the drilling of each well if available nature as may be useful in carrying	means of withdrawal gravity. Respectively. ell, wells, or other works for with the general specifications of any other states. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively. Respectively.
Each small acres. Location. 7. The dat drawal 8. The degree works in the second sec	square represents 10 1660 It. west and of courth of country and composition of groundwater	pletion of the construction of the water water water see the well or the water water water withdrawn each year 500,000 in the drilling of each well if available nature as may be useful in carrying	means of withdrawal gravitations of any other works for with the general specifications of any other developed. Agallons of mater per years able gravitations of the general specifications of the general specificatio
Each small acres. Location. 7. The dat drawal 8. The degree works in the second sec	square represents 10 1660 It. west and of courth of country and composition of groundwater	location of each well or other the state was seen as a seed of the construction of the water water the withdrawn each year scope of the water withdrawn each well if available on the drilling of each well in carrying ounty record the second of the second	means of withdrawal gravitations of any other works for with the general specifications of any other developed. Agallons of mater per years able gravitations of the general specifications of the general specificatio
Each small acres. Location 7. The dat drawal 8. The dep 9. So far works in the location of	ignare represents 10 1660 It. west and of counts the of commencement and common of groundwater	location of each well or other the state was seen as a seed of the construction of the water water the withdrawn each year scope of the water withdrawn each well if available on the drilling of each well in carrying ounty record the second of the second	means of withdrawal gravity Rest restrictions of any other works for with me general specifications of any other developed able resorded out the policy of this act, including
Each small acres. 100 21. 2 7. The dat drawal 8. The deposit of the second s	square represents 10 1660 It. west and of courts of country and complete of commencement and complete of groundwater	location of each well or other Refer 1982 Pletion of the construction of the w ype, size and depth of each well or the water ter withdrawn each year 500,000 in the drilling of each well if avail nature as may be useful in carrying ounty record. Signature of Owner	means of withdrawal gravity Resp. ell, wells, or other works for with ne general specifications of any other able Respect out the policy of this act, including of the county in which the well

gra S

163976 State of Montana, ss. County of Daniels. December A, D,

11:45 o'clock

Thurses County Recorder. Filing Fee Paid \$ 2.00 CARRIED STREET

不不被称 二的理學 恐者婦

GROUNDWATER INDEX

Page ___of___

County Daniele Twp. 35N Rge. 46E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
	Killenbeck Roy	6 W/2	159951	
11	Blanc, George	G, W.3	163962	
11	<u> </u>	4	163961	
12/	77	4	163960	
1/_	Halrenson Floor & Puth	H	163883	
12	Shrank, Arthur H.	G. W. 2	164628	
12	1) 7	E. Wiz	164627	
23	Shipstead, James A. Norman, Earl Shipstead James A.	14	164129	
34	Norman, Earl	14	163826	
35	Shipstond James A.	4	164130	
-	<u> </u>		 	
-	· · · · · · · · · · · · · · · · · · ·			
<u> </u>		 -	<u> </u>	
<u> </u>	 	 	-	
-	 	 	 	
-		 		
<u> </u>		 		
-		 	 	
-		 	 	
-		 		
-		 	 	
-		 	 	
-				
-		+		
-		 	 	
-		 	+	
<u> </u>				
-		-		
-				./

File No.

Approved Stock Form State Publishing Co.) Relens Montain 2199

DUPLICATE

County...

STATE OF MONTANA!

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

DECEIVED Dec 30 1963

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

		그는 아이들이 살아보는 그들은 그는 사람들이 되었다. 그는 그는 그는 그는 그를 모르는 그를 모르는 것이 없다.
		Date of Appropriation of Groundwater
		Owner George Blanc Address Four Buttes, Mont.
		Contractor (if any)
		Address of Contractor
		Date Started. June. 1959 Date Completed. Sept. 1958
N	· · · · · · · · · · · · · · · · · · ·	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
•		water when applicable Mater obtained from natural spring by portable pump. Hand dug reservoir 9 feet in dis- meter and 42 feet deep surbed with wood. This structure located immediately above point of issue of water.
#		그 한다면 한다면 하는 사람들이 되었다. 그 그 그 그 그는 그는 그는 그를 보고 있는 것은 것이 없는 것이다.
		Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
NW 5		estimate approximate lengths of periods of use Approximately
14. Sec. 4. T.55	1 R46E.	20,000 gallons used each summer for weed spraying
Indicate point of appro and place of use, if possi		and irrigating garden and lawn. Estimate of quantity
		used obtained from known capacity of tank used for
		hauling. Estimated normal flow of spring 12 gallons p er minute Signature of Owner.
		Date DEC 26 1963
		Date DEC 26 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

The state of the s	Transfer on January	9 300 B. F. C.	
Allikan Russia ada			3. 3.
The Association of the	100000	1	
1	163962	9-15-14-9	1400
		定则是为产类	
1			
, 🥍 🐫 Б.			
		o produce	
		en ⊠i A	
		16 A	
		S LOW	e in the
		616	
		الرب	
		4.5.4	
	Committee of the	ينجذر	
		2	
	. 42	2 A	
		A.C	
		Cr.	- P
	2. 25	₹7.44 	
	, j., j., j.,	(2 1	
		4 XX	13. 1
	- 0 S B	wa ka	
		€-,	
	- 1 to 1 to 1	po toom	
	El es er	eture romen	
	. O. 85	6	
			í , J. i
	Loc 570 187	- 100 (mg) 100 mg	
	· 曾军的	Cr year	
Stote of Monta	na.) 😌 🖭	40 150	
State of Montar County of Danie	18 \ SS.		1. 1.
	26th	da	y of
Filed this			
	December	A. D. 19	:63
		12 To	M
at 3	:35	o'clock	eIVI.,
011/	1 Chan	ece-	·
	E Col	unty Record	er.
		7/3	
		Dept	II.V.
		60%	
Filing Fee	Paid'S: 2700		
KIIIIK Lee		-	
		hame w	
		l-1-1	· ·
4 2	O . T	6 4 %	
·	t pri 😽	171	
		- Table 1.00	
	5m.	:32	
•			
	trum MS	\$	
	100 NO.	77	
	: [171	
2 1		C:T	

THE REPORT OF THE PARTY OF THE

The state of the s

THE OF THE BOOK OF THE PARTY OF

The second secon The second section of the second seco

the second of the second secon

The control of the co

w		Approved Stock Form—State Publishing Co., Helena, Montana42234
ile No		1 35 R U6
DUPLICATE		County
DUPLICATE	• • • • • • • • • • • • • • • • • • • •	STATE OF MONTANA
	and the second of the second o	RATOR OF GROUNDWATER GODE DECEIVE
• • • •	1,994	GE OF STATE ENGINEER LI DEC 30 1963
	<u>سے</u> ' م	그 그는 그는 그는 그는 그는 그는 그를 가는 것이 없는 것이 없는 것이 없다.
	Declaration of	Vested Groundwater Rights E ENGINEER
£.,	(Under Chap	ter 237, Montana Session Laws, 1961)
1. Georg	e Blanc	of Four Buttes (Town)
County of	(Name of Appropriator)	State of State
have appropr	iated groundwater according	to the Montana laws in effect prior to January 1, 1962, as follows
	N	
		2. The beneficial use on which the claim is based. Domestic and irrigation
		#1112B0most
		3. Date or approximate date of earliest beneficial use; and how continuous the use has been summer, 1952. Continuous use sines
		ous the use has been namer, 1952. Continuous use since
w	E	
		4. The amount of moundmater element (in miner's inches or col
•		4. The amount of groundwater claimed (in miner's inches or galler per minute) One galler if per minute
		5. If used for irrigation, give the acreage and description of the la
eswamen]	s	to which water has been applied and name of the owner the
1/ Sec	4 35N 46E	1/4 acre of lawn and garden located in SESWAWSW 5 4. T SSN R 48E. George Blanc owner.
		2
and place of use	of appropriation , if possible. Each	6. The means of withdrawing such water from the ground and the l
sman square re	presents 10 acres.	tion of each well or other means of withdrawal Electric press system on well. Located in SESWENSE, Sec. 4, T 5
		system on well. Located in SESMEMBER Sec. 4, T Si R 48E. Approximately 595 feet east and 1420 feet
		north of SW section corner.
7. The date	of commencement and comp	letion of the construction of the well, wells, or other works for w
drawal of	groundwater	152
	Donth to a	guifer 265 feet. Depth to static water level 175 fee
8. The depth	of water table	der de von sond - obert de benefit waren solde als - ob
9. So far as	it may be available, the typ	e, size and depth of each well or the general specifications of any
works for t	he withdrawal of groundwate	prilled well 280 feet desp. 8 inch steel casing.

***************************************	······································	

10. The estima	ted amount of groundwater	withdrawn each year. 420,000 gallons per year.
		We les swilled
	formations encountered in th	he drilling of each well if available " To

Signature of Owner Searce Blane
DEC 26 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

reference to book and page of any county record. None

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

State of Montana, County of Daniels, Ss.

Filed this 26th day of December A. D. 19.62

at 3:35 o'clock P. M. County Recorder.

Filing Fee Pald \$ 2.00. Deputy.

	Approved Stock Form—State Publishing Co., Helena, Montana—42234
ile No	T)2 R. U.V
UPLICATE	County
	TATE OF MONTANA
No.	ATOR OF GROUNDWATER CODE DEC 30 1969
2) OFFIC	E OF STATE ENGINEER
Declaration of	Vested Groundwater RightsTE ENGINEER
(Under Chant	er 237, Montana Session Laws, 1961)
(0-465	
1 George Blanc	of Four Buttes, Montana
(Name of Appropriator)	(Address) (Town)
County of Daniels	State of Montena
have appropriated groundwater according	to the Montana laws in effect prior to January 1, 1962, as follows:
N	Myestock water
	The beneficial use on which the claim is based. Livestock water
	 Date or approximate date of earliest beneficial use; and how continuous the use has been October, 1959. Continuous use since
V A E	
	t. The amount of groundwater claimed (in miner's inches or gallon per minute). 1/2 gallon per minute.
	per minute) 2/2 Razzott por
	If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
rsennsn}	No irrigation.
14 Sec. 4 T35N R 46E	
Indicate point of appropriation	
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the loc
	tion of each well or other means of withdrawal Electric pressur system on well located wwo many Sec. 4, T 558 R 465
	Approximately 785 feet east and 1750 feet north of
	the SW section corner.
	tion of the construction of the well, wells, or other works for wit
o min to day of the property and the property of the property	nifer 95 feet. Depth to static water level 80 feet
8. The depth of water table Depth and	ALICE DO 1880: DEPET NO SCRIEGO MORGO 2010E DO 1880
9. So far as it may be available, the type	, size and depth of each well or the general specifications of any oth
works for the withdrawal of groundwater	Bored well 100 feat deep. 4 inch steel casing.
10. The estimated amount of groundwater v	yithdrawn each year 210,000 gallons per year
•	•
and mild to be a	drilling of each well if available No log available

Signature of Owner, Date DEC 26 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1000 Table 1000

DEFRACES.

State of Montana, State of Montana, State of Daniels. State of Daniels. State of Daniels. State of Daniels. State of Montana, State of Mon 933MILLAIS ST

14'110		Approved Stock Form—State Publishing Co., Helena, Montana—41921
	No	т. 35 г. 46
OUP	PLICATE	County Daniels ATE OF MONTANA COUNTY DANIELS
d _a		MOD ON ODOTTNOTAMED CODE
		of STATE ENGINEER DEC 26 1963
	Dodoustin of	Vested Groundwater Rights ALE ENGINEE
r	Deciaration of	237, Montana Session Laws, 1961)
	(Onder Chapter	husband and wife as joint tenants wit
He	m Riner Halverson & Ruth Hal	right of survivorship
	(Name of Appropriator)	(Address) (Town)
	ounty of Daniels ave appropriated groundwater according to	State of Montana State of Montana laws in effect prior to January 1, 1962, as follows:
	N	
Γ	2.	The beneficial use on which the claim is based
-		livestock water.
-	3.	Date or approximate date of earliest beneficial use; and how continu
-		ous the use has been
w -	E	
-	4.	The amount of groundwater claimed (in miner's inches or gallor
ŀ·		per minute) 1.5 gallons per minute.
-	······································	
L	5.	If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
		No irrigation.
	.1/NW2 Sec. 11. T. 35 R.46.	
and.	icate point of appropriation place of use, if possible. Each ll square represents 10 acres. 6.	The means of withdrawing such water from the ground and the loca
Sina	if square represents to acres.	tion of each well or other means of withdrawal. Cylinder in t
		bottom of well with a hand lever to lift w Located 1,300 north and 580 west of the
	· ·	corner of the NW of Sec. 11, Twp. 35 N.
	mi - 3-4 - 6	49 6 8 8
7.		on of the construction of the well, wells, or other works for wit
7.		
	drawal of groundwaterOctober 19	58.
. 8.	The depth of water table	tely 23 feet doep.
. 8.	The depth of water table	tely 23 feet doep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing
.8.	The depth of water table	tely 23 feet doep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing
.8.	The depth of water table	tely 23 feet doep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing pips is 1% inch metal galvanized from the ace of the well.
8. 9.	The depth of water table Approxima So far as it may be available, the type, works for the withdrawal of groundwater 18 inches in diameter. The 4 inch cylinder to the surf	tely 23 feet deep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing pips is 12 inch metal galvanized from the ace of the well.
8. 9.	The depth of water table Approxima So far as it may be available, the type, works for the withdrawal of groundwater 18 inches in diameter. The 4 inch cylinder to the surf	tely 23 feet deep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing pips is 12 inch metal galvanized from the ace of the well.
8. 9.	The depth of water table	tely 23 feet doep. size and depth of each well or the general specifications of any oth The well is 25 feet doep with wood curbing pips is 12 inch metal galvanized from the ace of the well. chdrawn each year 250,000 gallons per year. drilling of each well if available None.
8. 9.	The depth of water table	tely 23 feet doep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing pips is 1% inch metal galvanized from the ace of the well. chdrawn each year 250,000 gallons per year.
8. 9. 10.	The depth of water table	tely 23 feet deep. size and depth of each well or the general specifications of any oth The well is 25 feet deep with wood curbing pipe is 13 inch metal galvanized from the acc of the well. chdrawn each year. 250,000 gallons por year. drilling of each well if available. None.
8. 9. 10.	The depth of water table	tely 23 feet deep. size and depth of each well or the general specifications of any other the well. is 25 fact deep with wood curbing pips is 12 inch metal galvanized from the acc of the well. chdrawn each year 250,000 gallons por year. drilling of each well if available None.
8. 9. 10. 11.	The depth of water table	size and depth of each well or the general specifications of any othe The well is 25 fact deep with wood curbing pips is 12 inch metal galvanized from the acc of the well. chdrawn each year 250,000 gallons por year. drilling of each well if available None.
8. 9. 10.	The depth of water table	tely 23 feet deep. size and depth of each well or the general specifications of any other the well is 25 feet deep with wood curbing pips is 1½ inch metal galvanized from the acc of the well. chdrawn each year 250,000 gallons por year. drilling of each well if available None.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

State of Montana County of Daniels 20th

De cember A. D. 163

at 11:45 a clock A. County Recorder.

County Recorder.

Deputy,

ر

۱.

OW 2	Approved Stock Form—State Publishing Co., Helena, Montana—41933
File No	T. 20 R. 46
DUPLICATE	County DAW 1545
er en	ADMINISTRATOR OF GROUND WATER 1912 V []
Top of Ground	Notice of Completion of Ground & 21994
(Elev. above sea level	Appropriation by Means of Wall INEER
	(Under Chapter 237, Montana Session Laws, 1961)
	Owner ARTHUR HSHRANK Address FOUR BUTTES
	Driller CARLSON Address MEdicine LAKE
	Date of Notice of Appropriation of Groundwater
	Date well started JUL Y 1958 Date Completed JULY 1958
	Type of well ARILLED Equipment Used ROTARY (dug, driven, bored or (Churn, drill, rotary or drilled) other)
	Water Use: Domestic ☑ Municipal ☐ Other ☐ Irrigation ☐ Industrial ☐ Drainage ☐ Stock ☑
1 2 4	El Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.
	Size of Size and From To PERFORATIONS Drilled Weight of (Feet) (Feet)
- 4	Hole Casing Kind From To Size (Feet)
<u>_</u>	6" STEEL 0 110 NONE 95 110
N N	Static Water Level for non-flowing Well
	Shut-in Pressure for Flowing Well Wax E
-3	Pamping Water Level 20 feet at 20 gal. per minute.
	Discharge in gal. per min. of flowing well. A. A. E. How Tested. B. A. L. E. A. Length of Test. O. A. E. H. O. L. R.
	Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of
SWIN WVE S	acres irrigated, if used for irrigation)
Indicate location of well	
place of use, if possible. E small square represents 10 ac	Each
Show exact depth of bottom.	
±	Driller's License Number
	Driller's Signature
This form to be prepared by driller, are in the county in which the well is located	nd three copies to be filed by the owner with the County Clerk and Recorder

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

The state of the state of

RYSOL, SEED F. 30 Y.

> State of Montana County of Daniels: \
> Filed this County Recorder. Filling-Fee Paid \$ 2.00 Deputy.

A participation of the AP
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of

Mines and Geology and Quadruplicate for the Appropriator.

#100 pp. 150 vils

	₩,				٠.
		. The	1.		
	1.0	· v	T1		
	-c acontona)	3 %	11:5	55	
State	of Montana, ty of Daniels.	38. (,,,,		_
		28th		day	
File	i this	.0.997		. D. 19_	64
	FARE	100 C	o'clo	k _A.	M.
at	11:5	22	10.016	: ممليح	
6	ente	<u> </u>	County	Recorde	r.
				1 .	
				Deput	у.
	Filing Fee Pal	18 2			
	Willing Fee x	- •			
	· ·		*		
		4			
:	EVEL 12	20			
	f. : 1 4				
	<u> </u>				
)		72.5	ı		
		, i .	ι		

gw.	Approved Stock Form—State Publishing Co., Helena, Montana—42234
File No	T 35 R 46
DUPLICATE	County Daniels
	STATE OF MONTANA
	DE OF STATE ENGINEER ODE DECEIVED
OFFI	<u> (۱۱)</u>
	Vested Groundwater Rights AN 6 1964
(Under Chapt	er 237, Montana Session Laws, 1961) STAIL ENGINEER
Comes a Stigations	I Seekey mont
(Name of Appropriator)	(Address) (Town)
County of Kanalla have appropriated groundwater according	State of to the Montana laws in effect prior to January 1, 1962, as follows:
N :	2. The beneficial use on which the claim is based domatic,
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930
W AS	me have
	4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2/2 944 444 444
s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
www.11d/_NG." Sec.23 TISM R.ULE	SW SW WED of Blu 23
Indicate point of appropriation and place of use, if possible. Each	games a Shipsterd, owner
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
	1 2376 ft whith of the NE corner
	etion of the construction of the well, wells, or other works for with-
22 820000000000000000000000000000000000	
8. The depth of water table	lt.
9. So far as it may be available, the type works for the withdrawal of groundwate	e, size and depth of each well or the general specifications of any other
10. The estimated	withdrawn each year 1,299,700 gals pass, you
11. The log of formations encountered in th	e drilling of each well if available.
reference to book and page of any coun	ture as may be useful in carrying out the policy of this act, including ty record.
	Signature of Owner famus a. Shipston Date 12/31/63
	Date 12/31/63
Three copies to be filed by the owner with th	e County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable	le, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder	Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the	a Appropriator.

And where conservation and an enterior

State of Montalia, Ssl
County of Daniels. Ssl
Filed this 31st day of December A. D. 10 63

St. 9:40 o'clock A. M.

County Recorder.

Filing Fee Paid \$ 2.00

.

	_
à T	19.

			 4.1 (177). 		1.00	+ 100 GE		
Annroved	Stock	Form-State	Publishing	Co	Helena.	Montan	a41921	l

	1,2	
5		

inii.					

DUPLICATE

Deniels County.....

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DEC 20 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

	Scobey
Earl Norman	- Company of the contract of t
(Name of Appropriator)	(Authors)
County of BANICIS	State of Montana ng to the Montana laws in effect prior to January 1, 1962, as follows:
nave appropriated groundwater accordi	ng to the montana laws in officer prior to suntain, 2, 2007, as 2020, as
. N	The state of the s
	2. The beneficial use on which the claim is based
	Agriculture use.
	A 75
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1921. Continuous use.
	ous the use has been
Ε	
	4. The amount of groundwater claimed (in miner's inches or gallon
	per minute) 1 gallon per minute.
	and the second of the second o
	If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
s	No irrigation
w¼ SE ₹ec 34 . T 35 R. 46	

dicate point of appropriation d place of use, if possible. Each	
nall square represents 10 acres.	6. The means of withdrawing such water from the ground and the local
	tion of each well or other means of withdrawal. Hand cylinar
	pump. Well is located in the SWISWISE of
	Sec. 34, Twp. 35 N., Rge. 46 E.M.M. 100 fee
	east & 100 feet north of the SW corner of t
7. The date of commencement and cor	npletion of the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells,
	5. 44.
The depth of water table14. feet	68
). So far as it may be available, the t	ype, size and depth of each well or the general specifications of any oth
works for the withdrawal of groundw	ater Drilled well. 12 inch tile curbing. 60 fee
deep.	
D. The estimated amount of groundwat	er withdrawn each year 5,000 gallons.
•	_
 The log of formations encountered in 	the drilling of each well if available

•	
9 Such other information of a similar	nature as may be useful in carrying out the policy of this act, includi
reference to book and page of any e	ounty record None.

Date December 13, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the ell is located.

Signature of Owner

> sate, otherwise the form will be returned. Please answer all questions. If not apple

Original to the County Clerk and Recording Property of the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate 10 11 propriator. 10719

A professional and a second se

State of Montana, County of Daniels.	
Filed this	17th day of
December	A. D. 19.63
at 4:00	o'clock P. M.
encion	County Recorder.
Filing Fee Paid \$	2.00 Deputy.

gv.		pproved Stock Form-State Pub!	ishing Co., Helena, Montana—42234
File No			T35 N R HE
DUPLICATE			County Daniels
 	STATE OF N		
**************************************	ADMINISTRATOR OF G		BORGEIVED
ريان ماني ان د	OFFICE OF STAT	E ENGINEER	JAN 6 1964
Decla	ration of Vestus	Groundwater	(P) (A)
	(Under Chapter 237, Mont	ana Session Laws, 1961	
· James a. Sh	instal		Suber
(Name of Ap	nannietos)	(Address)	(Toppe)
have appropriated groundw	ater according to the Mont	state of ana laws in effect price	or to January 1, 1962, as follows:
И			
	2. The benefit	cial use on which the cla	nim is based livestics
	3. Date or ap	proximate date of earli	est beneficial use; and how continu-
	ous the us	e has been 1722	continue
W 85	E	***************************************	***************************************
		nt of groundwater cla	imed (in miner's inches or gallons
		***************************************	7 7
<u>l</u>	to which	water has been applie	creage and description of the lande ed and name of the owner thereof
NEN5/NW ⁴ Sec. 35 T. 35N R. 4	16E	- mi	gation
Indicate point of appropria	tion		
and place of use, if possible. E small square represents 10 ac	res, 6. The mean		water from the ground and the loca
			of withdrawal from for
	flag.	NW corner of	1 sec 35
7. The date of commencem drawal of groundwater	ent and completion of the c	construction of the well	ll, wells, or other works for with
0 00 3 1 0	7/+	,	·····
8. The depth of water table	/		
So far as it may be ava works for the withdrawal	ilable, the type, size and de	epth of each well or the	e general specifications of any othe
dipth 23	<u> </u>		V
•••••••••••••••••••••••••••••••••••••••			
		7/1-0	
10. The estimated amount of	groundwater withdrawn en	M 14H 36,000	gais per year
11. The log of formations end	countered in the drilling of	each well if available	none avilable

			out the policy of this act, including
	***************************************		2 1
		St	fams A. Shipeters are 12/31/6/3
		Signature of Owner.2	12/21/1/2
		(), D	ate 12/3 / 5/3
mi		1. 1 10 1 4	

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

金田田田子 でんと 大田 一大田

noin reconnect to topical absolutely in the control of the control

State of Montana, Ss.

County of Daniels. Ss.

Filed this 31st day of

December A. D. 1963

at 9:440 o'clock A. M.

County Recorder.

niva tros Dais e 2.00

ling

ited.

u of 22006

GW2 File No1.5.9.9.5.1 DUPLICATE	ud/
File No159951	T. 35N R 46E
DUPLICATE	County Lancels
Top of Ground	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE VE 1
(Elev. above sea level)	Notice of Completion of Groundware 1962
0-13 0-13 - yellow clay	Appropriation by Means of Well
13.33 - Blue clay	(Under Chapter 237, Montana Session Laws, 1961)
33.40. sand rock 40-41 - Coal	or Bry Killerbeck Address Fran Better most
41-61-000	er Western Dilling Co Address Malins Lake Most
- 68% 81 - clay	- Participation
	of Notice of Appropriation of Groundwater 4-14-62
88-89- nind rock Date	well started 4-16-62 Date Completed 4-17-62
- 89 - 90 clary Type - 97 . wal sup wake (d	e of well dulld Equipment Used Natary ug, driven, bored or (Churn, drill, rotary of
- 97-98-clay d	rilled) other)
41-67 1 120-122 - Sandy Cla	er Use: Domestic Municipal Stock Irrigation I Industrial Prainage Other S
67-68 a 182-195 - candy	Indicate on the diagram (32 character and thickness of the different
683.81 126-140-clay stra	ta met with in drilling, such as soil, clay, shale, gravel, rock or sand,
146-147- MANON ON	er-bearing strata and height to which the water rises in the well.
88-89 150-158 sand 1 Size	Size and From To PERFORATIONS Weight of (Feet) (Feet) PERFORATIONS
89-96 Hole	Casing Kind From To
96-97 97-98	4" steel 0 1520 (Feet) (Feet)
_	9the proft
90-132 130-132 130-135 N	Static Water Level for non-flowing Wellfeet.
12 2.19	Shut-in Pressure for Flowing Well
	Pumping Water Level # 30 feet at /5 gal. per minute.
126.10	Discharge in gal, per min. of flowing well
144 E	
18-0	now rested.
19.8	Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any
	other similar pertinent information, including number of
	acres irrigated, if used for irrigation)
Indicate location of well and	" & from latton and of the comy a sealmen
place of use, if possible. Each small square represents 10 acres.	m - 1 with the lawing Coughing to shut off
 - 	
· · · · · · · · · · · · · · · · · · ·	everything above. water enters their gribottom
Show exact depth of bottom.	everything above. water enters though bottom of casing.
Show exact depth of bottom.	of Casing. Driller's License Number Loud H. Carlan

This form to be prepared Ly driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Date of Morioc of Appendipolation of Georgichica in Sp. 4 Loin Date Well station VIVE & LL Trice Completed Sec & L Janesia Henrik squi Tampioent Used Afrika (તેલુક તોજગ્લા, bored or તેલાં(ca) (Chien, diffit relativity) others **学**的。"被告。" an and a second second Moves Constitution of the Münlelpal 🗋 Distinase 🖺 Stock [] Crimiterini [] milo · 158.60 · 164.4 · 144.4 · 1 was fadicate on the character and the character and the carronal strain and with in drilling, such as soil, clay, shale, graced, usak or willing green with the stalled. cia Show depth as which water is encountered, thickniss undefiningency of Theorems, or season action of the sight or water tests of the state of the sight of bon. Bill Selection of the section of the sect rear on inches (3773) Rellie ii. M. (71-17) shetre Water Level for non-flowing Well.... 195 Sing in Example for Playing Wall Paraples Control of Love See See an A . How grewolf to inleading that, of the consult A STATE OF THE WAS TO grandwish got in appeal. decident (sin vol publication, committee, puckers, type of the sin dosest ettar sloviar pestaneni jafarinston, inclusivar maniser di cardingers and to add to to waterest, content 可以在海线工程。100年 600 or has a margar stry it. State of Montana, County of Daniels. Show exact dipth of bottom. day of Filed this Deline & Liferiage Number A. D. 19 62 May o'clock County Recorder. and the street of the off with a tree same. Deputy. and gracine only of relation Filing Fee Paid \$ Consideration of the state of the budgeted ាត្រាស់ សុខ នេះ នៅក្នុង<u>ទៅលេក</u>ហ៊ីនិងទេ

. Waste Schuldung (- black of the base of the second

GROUNDWATER INDEX

Page _	of
--------	----

County Danials

Twp. 35-N Rge. 175

Sec.	Name of Appropriates	Type of Form	County File No.	Remarks
5	Dahl Howard	6. W. 2	176420	
6	Wahl Eddie Ocean	4	163751	
6	11 11 11	4	163750	
6	Ostby Alfred J.	4	162472	
8	Freat Northern Railmay Se	4	157.291	
8	Shippman, Ray	6.1012	159973	
10	Davis, Tom W.	4	163855	
13	Lovang, Alving Woodrew		160227	
25	Montana State of	6. W.3	164228	
26	Lovang, Alvin	4	164222	
26	11 21	14	164223	
27	Murphy Chester N.	4	164 124	
34	SKOT NOGOSKI, Jed	4	163843	
		<u> </u>		
		ļ		
-		<u> </u>	-	
<u> </u>				
<u> </u>			 	
 				
-				
-				
-		·		
-				
-				
-		 	 	
-				
-				
· 		1	- 	
		-		
				
				1

77.42

RECEIVED

JAN 1 1 1972

DRILLER'S LOG

STATE OF MONTANA

JAN 1 1972

DRILLER'S LOG

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD TANA DEPARTMENT OF NATURAL Indicate the character, color, thickMONTANA WATER RESOURCES BOARD CONSERVATION (ness of strata such as soil, clay) sand,

	Chaptor 237	oloped afte Montana			as amend	ed)	Top of	Groun	1	(Blev. i	bove sea l	level) -	1. A. S.
his form	to be prep	ared by c	Iriller, an	d_three co	oles to be	filed	From (Feet)	To (Feet)				947375 (%) 2. V. Wallocko	
y the ow vhich the	vner with the	e County ated. last (Clerk and	Recorder i	in the cour by driller.	nty in		46		su Ol			4
	wer all ques	a referring to a				e the	19 1	09	1			entra en en en	
	be returned				-,		49	91	Als.	. 190	100		
Q	. ^	A 10		• •			61	G75	Mary 1	*/	James Same	algerie Villagere.	inake tyr January
Owner #	orand s	WahX	Г	For Admir	nistrator's U	se	91/2	11.50	101/10	<u> </u>	adalah dibertah Manjabat Kalifet		
A alabanaa	Fords B	11.	_	1. 10041	20		lea de	113	J 2 3	7-		as duck for	
-daress	greenag		1	1		45.5	1/2	116		4 16		7	ાં આ
*	************************************			Jan. 2,192	2 2:40	P.m	11/	120-	Le.	grell		fg	<u> </u>
	started Q	_							 	<u> </u>			
				W 1	••••••								
cor	mpleted $\mathcal{O}_{\mathcal{A}}$	J30-	- 7/										
	•		2						 				
Type of w	vell	ESLES	D ::	, driven, bored	or drilled)	••••••							
Equipmen	t used	Lan	,										
		1	- (C	hurn drill, rotar	y or other)	••••••	ļ	-					
Water Use	e: Domestic	Ø Mui	nicipal 📋	Stock [2	lrrigati	on 🔲			 				
		* •.	_ ^.		n. t. 4			<u> </u>					
inc	dustrial 🗍	Drainage	LI OH	ner []*	Garden/Lav	vn 📋							
*Describe		• • • • • • • • • • • • •		*************		******			ļ				
USE: If u	sed for irri	gation, inc	dustrial, c	rainage or	other. Ex	olain.		├	-				
srate	number of	acres and	location	or other da	ta (i.e. Lot,	Block		 	 				1
and	Addition)		***********] -
					10							and the second	
ESTIMATE	D ANNUAL	WITHDRAV	NAL	5,000	Jak								1
Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	P	ERFORATION	is			 			a same a se	1
سدة و		(F)	116	Kind Size	From (Feet)	To (Feet)					e e estado de]
9 To	4 cuch	0	11.6		l .	}		<u> </u>	 -				•
9.A.	10	94	¥	716 Slot	104	116		 	 				1
1		201	_	1	,	ļ		 					1
10	11 86.	frett	ree ,	4	l	}							1
20		unit	reary	1	ì	1	ļ		 				-
			,	1				·	 -				1
	N												1
	1			ic water lev									1
				ping water				<u> </u>	 -				-
	·]			sured 3.0				+	 				1
	1		_ beg	an.]
	~			easured from									4
w	1	1	Wel	1 developed	bours	· [4.34	··	┼	 -				-
w			Pou	er Let	ese Pump	1/2-H	P	+	 -				1
w				narks: (Grav									1
w				kers, type o	of shutoff) .]
w	8								-				-
	s Survey		pac	y			L	1	+			 .	
sw	lu SWu s	ec 5	pac	7				 	1				1
sw	!u SW u s	ec. 5 42 (E	pac	7					<u> </u>				}
SW.	.5N.R	. <i>4.7</i> .(E	pac R.J D	IACE OF I	ISE. IF PO	SSIBI F							
S.W.	LOCATION MALL SQUAF	V V OF WEL	Pac R.JS N N		JSE, IF PO	SSIBLE.							
S.W.	E LOCATION MALL SQUAR	V V OF WEL	Pac R.JS N N	ACRES.		SSIBLE.							
S.W.	E LOCATION	V V OF WEL	Pac R.JS N N			SSIBLE.							

16:02 and the shumber or acres and notation or other data (re-tor, Block ESTIMATED ANNUAL WITHDRAWAL St. c. P. St. c. P and Addition). ---10 6 E) (de. 30) 1/6 Sot 104 Strat PERFORATIONS 116 Fed.

176420

State of Montana, County of Daniels.

PHILLIPPIN CONTRACTOR

Filed this 7th day of January A. D. 1972

at 2:40 o'clock P. M. County Recorder.

2.00 Deputy.

Filing Fee Paid \$ 2.00

er Resources Division Ingineering Bureau Groundwater Section Sam W. Mitchell Building Helena, Montana 59601

Owner Howard Dahl Address Four Buttes Location T. Doc. No. 176420

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the enclosed form, the location of the well by township, range and section.

Thank you.

Sots 1, 2, 3, 4, 5, 6, 7, 8, 4 9 of north Down Butter Southwest glar of Section 5 township 35 Range 47 east.

VIET U LINE

MONTANA DEPARTMENT OF NATURAL HESOURCES AND CONSERVATION

49,710

Equipment used	
(Churn drill, rotary or other)	
Water Use: Domestic 💢 Municipal 🗀 Stock 🔼 Irrigation 🗆	
industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐	
*Describe	
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block	
and Addition).	
ESTIMATED ANNUAL WITHDRAWAL 98,000 gal	
Size of Size and From To PERFORATIONS Hole Of Cating	
Hole of Casting S 1/6 Size (Feet) Foot	
63 10 4 cm/ 8 116 31	
10 To 4 will 8 116 Stra (From (Food) 176 116 116 116 116 116 116 116 116 116	
43 to 10 10 14	
11.16.19 1110	
120 went week	
Static water levelft.*	
Pumping water levelft.*	
at	
_ began.	
*Measured from ground level. Well developed by	
for hours.	
Power, Pump, 2 HI	P
Remarks: (Gravel packing, cementing packers, type of shutoff)	
The state of the s	
521 4 5914 Sec 5	
$\begin{pmatrix} 7.35h & NR & 42E & E \\ \hline S & W \end{pmatrix}$	
INDICATE-LOCATION-OF-WELL AND PLACE OF USE, IF POSSIBLE.	
EACH SMALL SQUARE REPRESENTS 40 ACRES.	
Driller's Signature	
Driller's Signature Driller's Address	
Driller's Address	(12 4)
LICENSE NO.	19 Show exact depth of bottom

MAY 10 191%

RECEIVED ._ _ County.

ADMINISTRATOR OF GROUNDWATER, CODE
MONTANA WATER RESOURCES BOARD TANA DEPARTMENT OF NATURAL
MONTANA WATER RESOURCES BOARD TO SURCES AND CONSERVATION
NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

DRILLER'S LOG

ORIGINATE LOGINATION

DRILLER'S LOG

ORIGINATION

ORIGINATION

DRILLER'S LOG

ORIGINATION

ORIGINA

(Under Chapter 237 Montana Session	Laws, 1961, as amended)	Top.of	Ground	(Elev. above sea level)	: <u>*</u>
This form to be prepared by driller, a by the owner with the County Clerk an which the world be becaused by	nd Recorder in the county in	From (Feet)	To (Feet)		10
which the well is located, last copy to Please answer all questions. If not appli	·	-0-		A STATE OF THE STA	e de Nova La State
form may be returned.	caule, so state, otherwise the	2.4	~ ~	Control of the second	
		16/2	10-21	And the second	<u> </u>
Owner Francisco State			4		
(i) A	For Administrator's Use		11		
Address for the first for the	File /26420	حدث	4.	to the state of the state of	
		11:	775		
	Jon 2,1972 2:402m		ـــ ليه خياد		
Date well started 0-127-71	GW I				
	V • • • • • • • • • • • • • • • • • • •				
completed 131-7/	***************************************				
Type of well		 			_
Type of well	bug, driven, bored or drilled)				
Equipment used 1	me, maring worse or millions				
Equipment used	(Churn drill, rotary or other)				
Water Use: Domestic 🔯 Municipal [
mondipar E	_ Slock (% Illigation []			ļ	
Industrial 🔲 Drainage 🔲 C	other * Garden/Lawn *		 -		
		 	 		
*Describe					
USE: If used for irrigation, industrial,	drainage or other. Explain,		 	<u> </u>	T
state number of acres and location	or other data (i.e. Lot, Block		f		1
and Addition)]
	2]
ESTIMATED ANNUAL WITHDRAWAL 9	8,000 gal		↓ _		4
Size of Size and From To Drilled Weight (Feet) (Feet)	PERFORATIONS	=	 	 	4
Size of Size and From (Feet) Drilled Weight (Feet) (Feet)			 	<u> </u>	-
13 To Hunch 8 116	Kind From To Size (Feet) (Feet)	 	 	 	1
	1/16 state 104 116		 		7
14ft. 10 gf	716 554 104 1.6]
m "	1 1]
to 11 M Pitter	7 1 1		 _		4
20 unit she	<i>\$</i>		 	 	4
	1	ļ			┥
N N		=	 -	 	1
St.	atic water level2f	t.*			1
	umping water levelf			<u> </u>]
	gallons per minu				4
	easured 3.0minutes after pumpi	ng	<u> </u>		-
	egan.			 	4
	Measured from ground level.			 	
	ell developed by his factories.		+	 	4
p _i	ower, Pump	HP	+		
	emarks: (Gravel packing, cementia		1		7
· • • • • • • • • • • • • • • • • • • •	ackers, type of shutoff)				
and the same of th	•				
520 14 590 14 Sec. 5			4		4
7. 35h NR. 42E E			 	<u> </u>	4
s w/	***************************************		+		
INDICATE-LOCATION-OF-WELL AND	PLACE OF USE, IF POSSIBLE.	·		+	
EACH SMALL SQUARE REPRESENTS 40	ACRES.	 	+	 	4
Driller's Signature Driller's Address	The soul		+		
Uriller's Signature	Lange Lange Land Land Marie Land Land Land Land Land Land Land Land		†		7
Driller's Address 127 111	Take				7

Approved Stock Form—State Publish	ng Co.

1. 1. 1.	To Estima		
Take 1			4
	Ž.	10.1	
•	73	1	n
-		٧	/
	1.550	100	

File No..

DUPLICATE

T 35 R 47 County Daniels

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECEIVED

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STAIL ENGINEER

Eddie Oscar Wahl	of Four Buttes
(Name of Appropriator)	(Address) (Town)
County of Daniels	State of Montana
have appropriated groundwater according	to the Montana laws in effect prior to January 1, 1962, as follows:
N	and the second of the second o
	2. The beneficial use on which the claim is based. Well for domesti use and irrigation. Also agricultural use.
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
E	
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
s	 If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1/4 acre of garden irrigated.located 50 feet
21/SE2 Sec.6 T35 R47 adjeate point of appropriation	south of well in SEZSEZ of Sec. 6, Twp. 35 N. Rge. 47 E.M.M. Owner is Eddie Oscar Wahl.
nd place of use, if possible. Each nall square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Rigging 18t. pu
	located 540 feet north and 180 feet west of

SE corner of the SEL of Sec. 6, Twp. 35 N., Rge. 47 E.M.M.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Spring of 1942.

8. The depth of water table. Well is 86 feet deep with 45 feet of water.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well is cased with 14 inch tile to the bottom. 11 inch plastic pipe to bottom of well. Well is 86 feet deep.

10. The estimated amount of groundwater withdrawn each year 186,000 gallons per year.

11. The log of formations encountered in the drilling of each well if available. None available.

Signature of Owner Ellis ascas avah

Date December // 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

ss.	
	day of
Pitel this December	r A. D. 19 63
11:30	o'clock A.M.
energa.	County Recorder.
	Deputy.

$\widehat{}$		
	Approved Stock Form—State Publishing Co., Helena, Montana—41921	,\3
le No	T_35 R_47	
UPLICATE	County Daniels	٠,
	STATE OF MONTANA	
	ADMINISTRATOR OF GROUNDWATER CODE	m
	OFFICE OF STATE ENGINEER	נט
Dec	claration of Vested Groundater Rights TE ENGINEE (Under Chapter 237, Montana Session Laws, 1961)	
	(Under Chapter 237, Montana Session Laws, 1961)	R
Eddie Oscar Wal	Appropriator) (Address) Four Buttes (Town)	
have appropriated group	State of Montans. dwater according to the Montana laws in effect prior to January 1, 1962, as follows	 3:
N		
	2. The beneficial use on which the claim is base!	
	livestock water.	•••••
	3. Date or approximate of earliest beneficial use; and how cont	inu-
-	ous the use Mas been 1934. Continuous usa.	
· 		
	4. The amount of groundwater claimed (in miners inches or ga	llone
	per minute.	
	•	
	5. If used for irrection, give the acreage and description of the	ands
8	to which water as been applied and name of the owner the	ereog
TP 1 TO GO 6 TO SE	None.	
SE 1 Sec. 6 T35	B.47.	
ndicate point of approp	R.47. riation Each	
ndicate goint of approp	R.47. Priation Each 6. The means of withdrawing such water from the ground and the	
ndicate point of approp	R.47. riation Each Figures. 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal. Electric more inches. Acaded. 740. feet north & 480. feet	tor
indicate Boint of approp and place of use, if possible mail square represents 10	R.47. riation Each Each of each will or other means of withdrawal Electric more pulsack acated 740 feet north & 480 fee of e.s. Corner of the SE of Sec. 6. Two	tor 3
ndicate goint of approprint place of use, if possible mail square represents 10	R.47. riation Each Faces 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal. Electric morph jack ocated 740 feet north & 480 fee of . e. SE corner of the SE of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for	tor t w
indicate goint of appropriated place of use, if possible mail square represents 10	R.47. riation Each Each of each will or other means of withdrawal Electric more pulsack acated 740 feet north & 480 fee of e.s. Corner of the SE of Sec. 6. Two	tor two
indicate point of appropriate point of appropriate possible mail square represents 10 7. The date of commendrawal of groundwater	R.47. printion Each feach will or other means of withdrawal Electric maps of each will or other means of withdrawal Electric maps of each will or other means of withdrawal Electric maps of each corner of the SR of Sec. 6, Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for each spring of 1934.	tor t w 3
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal	riation Each Figures. 6. The means of withdrawing such water from the ground and the of each well or other means of withdrawal. Electric. more jack posted 740 feet north & 480 feet of e. SE corner of the SE2 of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for example of 1934. ble. Well is 74 feet deep with 45 feet of water.	ter twith-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be	riation Each Each Of each will or other means of withdrawal Electric more jack ocated 740 feet north & 480 fee of .e. Sk. corner of the Skk of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for spring of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type size and depth of the well or the general specifications of any	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdray bottom. Meta	riation Each Figures 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal Electric more jack ocated 740 feet north & 480 feet of .e. Sk. corner of the Skk of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for example of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater. Well is eased with wood, 14 inch diameter in galvanized pipe 12 inch from surface to cylinder in the galvanized pipe 12 inch from surface to cylinder in	with-
7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdray hotton. Meta	riation Each Figures. 6. The means of withdrawing such water from the ground and the the feach will or other means of withdrawal Electric me put jack ocated 740 feet north & 480 fee of the SE corner of the SE of Sec. 6, Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for extra Spring of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater. Well 12 comed with wood, 14 inch diameter. It galvanized pipe 12 inch from surface to cylinder in the	with-
ndicate Boint of approprint place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdray bottom. Meta	riation Each Figures 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal Electric more jack ocated 740 feet north & 480 feet of .e. Sk. corner of the Skk of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for example of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater. Well is eased with wood, 14 inch diameter in galvanized pipe 12 inch from surface to cylinder in the galvanized pipe 12 inch from surface to cylinder in	with-
ndicate Boint of appropriate appropriate point of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdraw bottom. Meta	riation Each The means of withdrawing such water from the ground and the the feach will or other means of withdrawal Electric mo pu jack pocated 740 feet north & 480 fee of the SE corner of the SE of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for Pr. Spring of 1934. ble. Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is resed with wood, 14 inch diameter it galvenized pipe 12 inch from surface to cylinder in the deep.	ter to to with-
ndicate goint of appropried and place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdraw bottom. Meta Well is 74 fe	riation Each Figure 6. The means of withdrawing such water from the ground and the teach will or other means of withdrawal Electric more jack potential feet north & 480 feet of the SEL of Sec. 6. Two Rge. 47 R.M.M. Comment and completion of the construction of the well, wells, or other works for example of 1934. The spring of 1934. The spring of 1934 feet deep with 45 feet of water. Eavailable, the type, size and depth of the well or the general specifications of any wal of groundwater well is resed with wood, 14 inch diameter is galvanized pipe 12 inch from surface to cylinder in the deep.	ter with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdraw bottom. Meta Well is 74 fe	riation Each Figures. 6. The means of withdrawing such water from the ground and the tender. 1. of each well or other means of withdrawal Electric more pulsack ocated 740 feet north & 480 feet of less of less of less of sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for example of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is resed with wood, 14 inch diameter is galvanized pipe 12 inch from surface to cylinder in the deep. cof groundwater withdrawn each year 186,000 gallons per year. encountered in the drilling of each well if available. None available.	ter t with-
7. The date of commendate and of groundwate 8. The depth of water tal 9. So far as it may be works for the withdray bottom. Meta Well is 74 fe	riation Each Figure 6. The means of withdrawing such water from the ground and the teach will or other means of withdrawal Electric more jack potential feet north & 480 feet of the SEL of Sec. 6. Two Rge. 47 R.M.M. Comment and completion of the construction of the well, wells, or other works for example of 1934. The spring of 1934. The spring of 1934 feet deep with 45 feet of water. Eavailable, the type, size and depth of the well or the general specifications of any wal of groundwater well is resed with wood, 14 inch diameter is galvanized pipe 12 inch from surface to cylinder in the deep.	ter t with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendrawal of groundwate 8. The depth of water tal 9. So far as it may be works for the withdraw bottom. Meta Well is 74 fe	riation Each Figures. 6. The means of withdrawing such water from the ground and the tender. 1. of each well or other means of withdrawal Electric more pulsack ocated 740 feet north & 480 feet of less of less of less of sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for example of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is resed with wood, 14 inch diameter is galvanized pipe 12 inch from surface to cylinder in the deep. cof groundwater withdrawn each year 186,000 gallons per year. encountered in the drilling of each well if available. None available.	ter t with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendate of groundwate square tales. 8. The depth of water tales works for the withdram bottom. Meta Well is 74 fee.	riation Each Gardes 6. The means of withdrawing such water from the ground and the the feach will or other means of withdrawal Electric mo put jack reach 740 feet north & 480 feet of the SE corner of the SE of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for spring of 1934. ble. Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is resed with wood, 14 inch diameter if galvenized pipe 12 inch from surface to cylinder in the deep. cof groundwater withdrawn each year 186,000 gallons per year. con of a similar nature as may be useful in carrying out the policy of this act, including of a similar nature as may be useful in carrying out the policy of this act, includence in the decep.	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendative of groundwate square represents 10 8. The depth of water tale works for the withdray bottom. Meta Well is 74 fee	riation Each G. The means of withdrawing such water from the ground and the feach will or other means of withdrawal Electric maps. Jack Located 240 feet north & 480 fee of Le SE corner of the SE of Sec. 6, Two Rge. 47 R.M.M. Cement and completion of the construction of the well, wells, or other works for Spring of 1934. Cement and completion of the construction of the well, wells, or other works for spring of 1934. Cement and completion of the construction of the well, wells, or other works for spring of 1934. Cement and completion of the construction of the well, wells, or other works for spring of 1934. Compared to the well is 74 feet deep with 45 feet of water. Available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is made with mood, 14 inch diameter in galvanized pipe 12 inch from surface to cylinder in the deep. Conference of the SE2 of Sec. 6, Two Rge 1934. Conference of the Sec. 1934. Conference of the Sec. 1934. Conference of the Sec. 1934. Confere	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendative of groundwate square represents 10 8. The depth of water tale works for the withdray bottom. Meta Well is 74 fee	riation Each Gardes 6. The means of withdrawing such water from the ground and the the feach will or other means of withdrawal Electric mo put jack reach 740 feet north & 480 feet of the SE corner of the SE of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for spring of 1934. ble. Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is resed with wood, 14 inch diameter if galvenized pipe 12 inch from surface to cylinder in the deep. cof groundwater withdrawn each year 186,000 gallons per year. con of a similar nature as may be useful in carrying out the policy of this act, including of a similar nature as may be useful in carrying out the policy of this act, includence in the decep.	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendative of groundwate square represents 10 8. The depth of water tale works for the withdray bottom. Meta Well is 74 fee	riation Each 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal Electric morph is a SE corner of the SEt of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for Spring of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is cased with wood, 14 inch diameter it galvanized pipe it inch from surface to cylinder in the deep. c of groundwater withdrawn each year 186,000 gallons per year. encountered in the drilling of each well if available. None available. on of a similar nature as may be useful in carrying out the policy of this act, includes of any county record. None.	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendative of groundwate square represents 10 8. The depth of water tale works for the withdray bottom. Meta Well is 74 fee	riation Each Thereas of withdrawing such water from the ground and the feach will or other means of withdrawal Electric morph. Jack Docated 740 feet north & 480 feet of Le SR corner of the SR of Sec. 6, Two Rge. 47 R.M.M. Comment and completion of the construction of the well, wells, or other works for er. Spring of 1934. Comment and completion of the construction of the well, wells, or other works for er. Spring of 1934. Comment and completion of the construction of the well, wells, or other works for er. Spring of 1934. Comment and completion of the construction of the well, wells, or other works for er. Spring of 1934. Comment and completion of the construction of the well, wells, or other works for example the well is 74 feet deep with 45 feet of water. Available, the type, size and depth of each well ar the general specifications of any wal of groundwater Well 1 to case with wood, 14 inch diameter it galvanized pipe 12 inch from surface to cylinder in the deep. Configuration of the well if available. None available. Configuration of a similar nature as may be useful in carrying out the policy of this act, included any county record. Signature of Owner Edding Oscillation and the construction of Owner Edding Oscillation and the construction of Owner Edding Oscillation and the construction of the well is available. Signature of Owner Edding Oscillation and the construction of the well is available.	with-
ndicate goint of appropriate place of use, if possible mail square represents 10 7. The date of commendative of groundwate square represents 10 8. The depth of water tale works for the withdray bottom. Meta Well is 74 fee	riation Each 6. The means of withdrawing such water from the ground and the of each will or other means of withdrawal Electric morph is a SE corner of the SEt of Sec. 6. Two Rge. 47 R.M.M. cement and completion of the construction of the well, wells, or other works for Spring of 1934. ble Well is 74 feet deep with 45 feet of water. available, the type, size and depth of the well or the general specifications of any wal of groundwater Well is cased with wood, 14 inch diameter it galvanized pipe it inch from surface to cylinder in the deep. c of groundwater withdrawn each year 186,000 gallons per year. encountered in the drilling of each well if available. None available. on of a similar nature as may be useful in carrying out the policy of this act, includes of any county record. None.	with-

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

State of Montana, Ss.
County of Daniels. Ss.
Filed this December A. D. 1963

at 1:30 Courty Recorder.

2.1

Dept

क्षेत्रक प्रतासकेन रहा गर्भा के संस्था हुन्हें अवस्था राज्य

ile No	······································					T.35 N. R. 47 E
UPLICATE		•				County Daniels
		· 😲		gt	PATE OF MONTANA	
	*		ADMIN		TOR OF GROUNDWATER CO	DE DECEIVED
		2		OFFIC	E OF STATE ENGINEER	DECEIVE D JUN 24 1963
		_ 83				JUN 24 1963
					Vested Groundwate	
D A A		* 1	(Under C	Chapter	237, Montana Session Laws, 19	STATE ENGINEER
	•			1		
Alfre	d.J.	Ostby.		<u>, </u>	of Box 55	Four Buttes, Montan
	(Name	of Appi	copriator))	(Address)	(Town)
have appro-	priated	groundy	ater acc	ording	State of Mi	prior to January 1, 1962, as follows
	N	G			.4	
		7		9	The handicial use on which the	claim is basedon
		-				at house.
		<u> </u>				
				3.		arliest beneficial use; and how con
			-		tinuous the use has been	1942. Used continuou
· - - - - - - - - - 	++	++	E		***************************************	
 	 -			A	The amount of groundwater of	laimed (in miner's inches or gallor
	_		_ _	T ,		per minute
				E	Trugad for invication wire the	acreage and description of the land
L	8	_ <u></u> -		υ.	to which water has been appl	lied and name of the owner there
	-					
of					=	
	6 Т.	.35NRL	<u> </u> -7E		=	ide of house.
NW.14.SW. Sec indicate point	of an	propriati	on		=	
NW 1/4 SW 1/2 Sec indicate point and place of Each small squ	of ap	propriati f possib	on le.	6.	The means of withdrawing st	uch water from the ground and the
NW 1/4 SW 1/2 Sec indicate point and place of Each small squ	of ap	propriati f possib	on le.	6.	The means of withdrawing st	nch water from the ground and the
NW 1/4 SW 1/2 Sec indicate point and place of Each small squ	of ap	propriati f possib	on le.	6.	The means of withdrawing st location of each well or other .Withdrawn.by.electr	nch water from the ground and the means of withdrawal
NW-14 SW-2 Sec ndicate point nd place of Sach small squ acres.	of ap use, i uare rep	propriati f possib presents	on le. 10		The means of withdrawing st location of each well or other Withdram by electr Southeast corner of	nch water from the ground and the means of withdrawal ic pump. Well is near house.
NH 1/2 Swd. Sec indicate point and place of each small squares.	of ap use, i nare rep	propriati f possib presents nencemen	on le. 10	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electron Southeast corner of on of the construction of the ways.	nch water from the ground and the means of withdrawal
NH 1/2 Swd. Sec indicate point and place of each small squares.	of ap use, i nare rep	propriati f possib presents nencemen	on le. 10	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electron Southeast corner of on of the construction of the withdraw June, 1941.	nch water from the ground and the means of withdrawal
N. 1/2 Suc. Secondicate point and place of Each small squeres. 7. The date of drawal of	of apuse, in use report of committee ground	propriati f possib presents nencemen	on le. 10 at and co Commen	mpletio	The means of withdrawing su location of each well or other Withdrawn by electre Southeast corner of on of the construction of the warilling June, 1941.	means of withdrawal
N. 1/2 Swill Sec andicate point and place of Each small squeres. 7. The date of drawal of	of ap use, i nare rep of comm ground	propriati f possib presents nencemen water	on le. 10 tt and co Commen	mpletio c.e.d. c oxima	The means of withdrawing st location of each well or other. Withdrawn by electre Southeast corner of on of the construction of the warrilling June, 1941.	means of withdrawal
N. 1/2 Swill Secondicate point and place of Each small squeres. 7. The date of drawal of	of apuse, i	propriatif possib presents nencemen water	on le. 10 tt and co Commen	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons Southeast corner of on of the construction of the waterilling June, 1941.	nch water from the ground and to means of withdrawal. ic. pump. Well is near house. vell, wells, or other works for with a completed same period. The general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the general specifications of any other water is given by the gi
N. 1/2 Swill Secondicate point and place of Each small squares. 7. The date of drawal of	of apuse, in the second of committee of was it may the wife	propriati f possib presents mencemen water ter table be avail	on le. 10 tt and co Common Appr able, the of grou	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons Southeast corner of on of the construction of the waterilling June, 1941. The means of withdrawing so location of each water size and depth of each well or the Gasad with 18" tile	means of withdrawal and to means of withdrawal and to pump. Well is near house. vell, wells, or other works for with a completed same period. Thearing material and the general specifications of any other specifications of any other specifications.
N. 1/2 Swill Sec indicate point and place of Each small squares. 7. The date of drawal of 8. The depth 9. So far as works for	of ap use, i uare report common ground of wa it may the with all of the control o	propriati f possib presents mencemen water ter table be avail hdrawal	on le. 10 at and co Common Appr able, the of group	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons of the construction of the waterilling June, 1941. The means of withdrawing so location of each well or the construction of the waterilling June, 1941.	means of withdrawal and to means of withdrawal and to pump. Well is near house. vell, wells, or other works for with a completed same period. Thearing material and the general specifications of any other specifications of any other specifications.
N. 1/2 Swill Sec indicate point and place of Each small squares. 7. The date of drawal of 8. The depth 9. So far as works for	of ap use, i uare report common ground of wa it may the with all of the control o	propriati f possib presents mencemen water ter table be avail hdrawal	on le. 10 at and co Common Appr able, the of group	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons of the construction of the waterilling June, 1941. The means of withdrawing so location of each well or the construction of the waterilling June, 1941.	means of withdrawal and the means of the works for with a completed same period. The aring material and the general specifications of any other material and the means of the means
N. 1/2 Swill Sec indicate point and place of Each small squares. 7. The date of drawal of 8. The depth 9. So far as works for	of ap use, i uare report common ground of wa it may the with all of the control o	propriati f possib presents mencemen water ter table be avail hdrawal	on le. 10 at and co Common Appr able, the of group	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons of the construction of the waterilling June, 1941. The means of withdrawing so location of each well or the construction of the waterilling June, 1941.	means of withdrawal and the means of the works for with a completed same period. The aring material and the general specifications of any other material and the means of the means
N. 1/2 Such shad place of bach small squares. 7. The date of drawal of 8. The depth 9. So far as works for with a	of ap use, i uare reported from ground of was it may the with else in the same and	propriatif possiboresents nencemenwater ter table be avail hirawal actric.	on le. 10 at and co Gommon Appr able, the of group pump. Om wel	mpletio	The means of withdrawing st location of each well or other	means of withdrawal
N. 1/2 Swill Sec indicate point and place of Each small squeres. 7. The date of drawal of 8. The depth 9. So far as works for with a to pure.	of ap use, i uare reported from ground of was it may the with the with the was at a dark at a da	propriati f possib presents mencemen water ter table be avail hdrawal ictric	on le. 10 at and co Common Apprable, the of groun pump.	mpletio	The means of withdrawing so location of each well or other. Withdrawn by electrons of the construction of the wardilling June, 1941. Attempt 50 feet of water size and depth of each well or the cased with 18" tile cased with 18" tile cased with 18" tile cased with 18".	nch water from the ground and the means of withdrawal
NW 1/2 Swill Sec indicate point and place of Sach small squeres. 7. The date of drawal of Sec indicate should be seen to	of ap use, i uare reported from ground of was it may the with the with the was at a dark at a da	propriati f possib presents mencemen water ter table be avail hdrawal nctric ier fr	on le. 10 at and co Common Apprable, the of groun well groundw	mpletic c.e.dc. Oxims type, a dwater 	The means of withdrawing so location of each well or other. Withdrawn by electrons southeast corner of on of the construction of the widrilling June, 1941. Heately 50 feet of water size and depth of each well or the cased with 18" tile cased wit	means of withdrawal
NW 1/2 Swill Sec indicate point and place of Sach small squeres. 7. The date of drawal of Sec indicate should be seen to	of ap use, i uare reported from ground of was it may the with the with the was at a dark at a da	propriati f possib presents mencemen water ter table be avail hdrawal nctric ier fr	on le. 10 at and co Common Apprable, the of groun well groundw	mpletic c.e.dc. Oxims type, a dwater 	The means of withdrawing so location of each well or other. Withdrawn by electrons southeast corner of on of the construction of the widrilling June, 1941. Heately 50 feet of water size and depth of each well or the cased with 18" tile cased wit	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit Completed same period. rbearing material the general specifications of any oth 60! deep. Pumped
NW 1/2 Sec Indicate point and place of Each small squares. 7. The date of drawal of 8. The depth 9. So far as works for with a to pur	of ap use, i uare reported from ground of was it may the with the with the was at a dark at a da	propriati f possib presents mencemen water ter table be avail hdrawal nctric ier fr	on le. 10 at and co Common Apprable, the of groun well groundw	mpletic c.e.dc. Oxims type, a dwater 	The means of withdrawing so location of each well or other. Withdrawn by electrons southeast corner of on of the construction of the widrilling June, 1941. Heately 50 feet of water size and depth of each well or the cased with 18" tile cased wit	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit completed same period. rbearing material. the general specifications of any oth 60! deep. Pumped war, 12 plastic hose use
NW 1/2 Switch Secondicate point and place of Each small squares. 7. The date of drawal of Switch Sw	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing so location of each well or other. Withdrawn by electre Southeast corner of on of the construction of the widrilling June, 1941. Stelly 50 feet of water size and depth of each well or the cased with 18" tile cation pump size unknow withdrawn each year. 350, and death well if available of each well if av	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit Completed same period. repearing material. the general specifications of any oth 60! deep. Pumped war, 12 plastic hose use 000 gallone per year. table No log kept.
NW 1/2 Switch Secondicate point and place of Sach small squeres. 7. The date of drawal of 8. The depth 9. So far as works for with a 10. Pure 10. The estimation of 11. The log of 12. Such other 12. Such other 12. Such other 15.	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing so location of each well or other. Withdrawn by electre Southeast corner of on of the construction of the widrilling June, 1941. Stelly 50 feet of water size and depth of each well or the cased with 18" tile cation pump size unknow withdrawn each year. 350, and death well if available of each well if av	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit Completed same period. rbearing material. the general specifications of any oth 60! deep. Pumped war, 12 plastic hose use 000 gallone per year. lable No log kept.
NW 1/2 Switch Secondicate point and place of Each small squares. 7. The date of drawal of Switch Sw	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing so location of each well or other. Withdrawn by electre Southeast corner of on of the construction of the widrilling June, 1941. Stelly 50 feet of water size and depth of each well or the cased with 18" tile cation pump size unknow withdrawn each year. 350, and death well if available of each well if av	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit Completed same period. rbearing material. the general specifications of any oth 60! deep. Pumped war, 12 plastic hose use 000 gallone per year. lable No log kept.
NW 1/2 Swell Sec Indicate point and place of Each small squares. 7. The date of drawal of	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing st location of each well or other Withdrawn by slectre Southeast corner of on of the construction of the water line June, 1941. Attely 50 feet of water size and depth of each well or tr. Cased with 1811 tile ction pump size unknow withdrawn each year	means of withdrawal and the means of withdrawal are pump. Well is near house. vell, wells, or other works for with a completed same period. The general specifications of any other are plastic hose use. One gellone per year. Table No log kept.
NW 1/2 Switch Secondicate point and place of Each small squares. 7. The date of drawal of Switch Sw	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing st location of each well or other Withdrawn by slectre Southeast corner of on of the construction of the water line June, 1941. Attely 50 feet of water size and depth of each well or tr. Cased with 1811 tile ction pump size unknow withdrawn each year	means of withdrawal and the means of withdrawal are pump. Well is near house. vell, wells, or other works for with a completed same period. The general specifications of any other are plastic hose use. One gellone per year. Table No log kept.
NW 1/2 Switch Secondicate point and place of Each small squares. 7. The date of drawal of Switch Sw	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing st location of each well or other Withdrawn by slectre Southeast corner of on of the construction of the water line June, 1941. Attely 50 feet of water size and depth of each well or tr. Cased with 1811 tile ction pump size unknow withdrawn each year	means of withdrawal and the means of withdrawal are pump. Well is near house. vell, wells, or other works for with a completed same period. The general specifications of any other are plastic hose use. One gellone per year. Table No log kept.
NW 1/2 Switch Secondicate point and place of Sach small squeres. 7. The date of drawal of 8. The depth 9. So far as works for with a 10. Pure 10. The estimation of 11. The log of 12. Such other 12. Such other 12. Such other 15.	of ap use, i nare reported from the with the with the water and from the formation of the manner information of the manner	propriatif possiboresents mencementer table be availablicated for free free free free free free free	on le. 10 It and co Common Apprable, the of groun well groundw	mpletic ced comments type, and water water water water water water the comments of the comment	The means of withdrawing st location of each well or other Withdrawn by slectre Southeast corner of on of the construction of the water line June, 1941. Attely 50 feet of water size and depth of each well or tr. Cased with 1811 tile ction pump size unknow withdrawn each year	means of withdrawal ic pump. Well is near house. vell, wells, or other works for wit Completed same period. repearing material. the general specifications of any oth 60! deep. Pumped war, 12 plastic hose use 000 gallone per year. table No log kept.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

I;©© 162472

State of Montana, County of Daniels. ss.
Filed this 20th
June County Recorder.

建筑 经验的		
and the same	1.14	٠.
gr-Gw a		į,
	255	٠.

DUPLICATE

County Qan

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE ENGINEER

Declaration of Vested Groundwater Rights TATE ENCINEER

lounty of	(Name of A	Railwa ppropriate	y Comy or)	eary of 175 E. 4th St. St. Paul Minnesots (Address) (Town) State of Montans
ave approp	priated grou	ndwater a	ccording	to the Montana laws in effect prior to January 1, 1962, as follows:
*2	N			
o o*1			2,	The beneficial use on which the claim is based. Bailroad purposes
				Date or approximate date of earliest beneficial use; and how continuous the use has been. Well No. 1 - August 1936 Well No. 2 - August 10, 1956
			B	Both wells have been used continuously,
			4.	The amount of groundwater claimed (in miner's inches or gallons per minute) Well Ho. 1 - 14
				Well No. 2 - 23 GPM
	8		5.	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
4. M. 2 Sec.	.8 T 35N I	473 .		
ate noint	of appropri	iation		***************************************
•	use, if pos		6.	The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
e rever	at Four ! ese side :	for loc	ation completion	at Four Buttes; and two wells at Feerless. of 2 wells at Peerless)
e rever The date of	ese side	for loc ment and Well No. Well No.	completic	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with look dome in August 1936. ugust 1, 1956 - August 10, 1956
e rever The date of drawal of	ge side of commercer groundwater.	for loc ment and Well No. Well No.	completic 1 - W 1 2 - A No. 1 -	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with fork dome in August 1936. ugust 1, 1956 - August 10, 1956 Static level 33! Well No. 2 - Static level 32!
E rever The date of date of date of depth So far as invoks for	f commercer groundwater. of water ta	for loc ment and o Well No. Well No. ble Well l vailable, the	e type, and water	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with ork dome in August 1936. Usuat 1, 1956 - August 10, 1956 Static level 33' Well No. 2 - Static level 32' size and depth of each well or the general specifications of any other Well No. 1 - 18" drilled well - 50' deep
E rever The date of date of date of depth So far as invoks for	f commercer groundwater. of water ta	for loc ment and o Well No. Well No. ble Well l vailable, the	e type, and water	at Four Buttes; and two wells at Feerles.
E rever The date of drawal of The depth So far as in works for	of water ta it may be av the withdray	for loc nent and o Well No Well No ble Well ! railable, th val of grou	e type, sundwater	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with ork dome in August 1936. ugust 1, 1956 - August 10, 1956 Static level 33' Well No. 2 - Static level 32' size and depth of each well or the general specifications of any other. Well No. 1 - 18" drilled well - 50' deep
E rever The date of Irawal of The depth So far as in Well No.	of water ta it may be aver the withdray	for loc nent and o Well No. Well No. ble Well ! railable, the val of ground	completic. 1 - W 2 - A No. 1 - e type, andwater mll - 1	of 2 wells at Peerless) of the construction of the well, wells, or other works for with lork done in August 1936. Static level 33' Well No. 2 - Static level 32' size and depth of each well or the general specifications of any other well No. 1 - 18" drilled well - 50' deep 12' deep - cased to 106!
E rever The date of irawal of The depth So far as if works for Well No.	of water ta it may be av the withdrav ated amount f formations	for loc nent and o Well No. Well No. ble Well ! railable, th val of ground of ground encounteresttached	completic. 1 - W 1 - W 2 - A No. 1 - e type, sundwates all - 1 water w ed in the log st	of 2 wells at Peerless) of the construction of the well, wells, or other works for with lork done in August 1936. Static level 33' Well No. 2 - Static level 32' size and depth of each well or the general specifications of any other well No. 1 - 18" drilled well - 50' deep 12' deep - cased to 106! well No. 2 - 100,000 gallons well No. 2 - 100,000 gallons ed drilling of each well if available well No. 1 - NA
E rever The date of trawal of The depth So far as in works for Well No.	of water ta it may be av the withdrav ated amount f formations	for loc nent and o Well No. Well No. ble Well ! railable, th val of ground of ground encounteresttached	completic. 1 - W 1 - W 2 - A No. 1 - e type, sundwates all - 1 water w ed in the log st	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with lork done in August 1936. Static level 33' Well No. 2 - Static level 32' size and depth of each well or the general specifications of any other well No. 1 - 18" drilled well - 50' deep 12' deep - cased to 106'. well No. 2 - 100,000 gallons well No. 2 - 100,000 gallons et drilling of each well if available well No. 1 - NA
The date of the depth to far as it works for the log of	of water ta it may be av the withdrav ated amount f formations 2 - See	for loc ment and of Well No. Well No. ble Well l callable, the val of ground of ground encounter attached	completic. 1 - W 1.2 - A No. 1 - e type, andwater undwater water w ed in the log sh	of 2 wells at Peerless) of the construction of the well, wells, or other works for with ork dome in August 1936. Usust 1, 1956 - August 10, 1956 Static level 33' Well No. 2 - Static level 32' Size and depth of each well or the general specifications of any othe Well No. 1 - 18" drilled well - 50' deep 12' deep - cased to 106! ithdrawn each year Well No. 1 - 200,000 gallons Well No. 2 - 100,000 gallons e drilling of each well if available well. No. 1 - N/A
E rever The date of irawal of The depth So far as if works for Well No. The estimate The log of Well No.	of water ta it may be av the withdrav ated amount f formations 2 - See	for loc ment and of Well No. Well No. ble Well l callable, the val of ground of ground encounter attached	completic. 1 - W 1.2 - A No. 1 - e type, andwater undwater water w ed in the log sh	of 2 wells at Peerless) on of the construction of the well, wells, or other works for with look done in August 1936. Static level 33! Well No. 2 - Static level 32! Size and depth of each well or the general specifications of any other well No. 1 - 18" drilled well - 50' deep 12! deep - cased to 106! Well No. 2 - 100,000 gallons Well No. 2 - 100,000 gallons e drilling of each well if available well No. 1 - NA seet.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Sec. 1. B. Constitution between the second sections of the second 16 35 45 *3 52 000

The state of the proof of the p

- พระสุนของเลืองสลุ่นๆ ให้เหตุกร์ที่กา

is and other aromatics in a will into before as may be perfect in any our charge prince of

The state of the s

The second secon

.

Two Wells at Peerless

- March 1937
- 7. H/A
- I/A 8.
- 6" drilled well 148' deepcased to 105' 200,000 gallons

gg gjas uggu nag i ndagnig di

THE METTO AN JOHN CONTROL poster according to the color of the color of the The figure of the second of th No. Of the transfer of the letter

Committee of

- 10.
- 11. Ses attached log sheet.
- ell No. 2 (This well is capped Wall No. 3 (Depot)

 No. 2 (This well is capped this time) 3. October 1956

 23 1888

- May 8, 1953 May 23, 1953 Static water level 84' 6" drilled well 130' deep -cased 94' 100,000 gallons
- 10. 100,000 gallons
 11. See attached log sheet.

- mar grande

and the second of the second o بالمرفقة إلى المنافق المنافقة


- Jakin o


and the second of the second o

- October 10, 195#
- r 23**, 19**5 8. Static water L
- 9. 6" drilled well
- deep c
- 20. 150,000

 $\langle \cdot \rangle$

The above are answers to questions on other wide. Questions 1,2,5 46 are w





State of Montana, } County of Daniels. } ss. Filed this 12 December County Recorder. Filing Fee Paid \$ 2.00

GW2: C	Marie of formation		35 [↓] R 47	
File No.	market		unty Daniel	TATION OF THE RESIDENCE OF THE PARTY OF THE
	ADMINIST		TANA DEC	EIVEM
Top of Ground (Elev. above sea level	Notice (of Completion of	- I Groundwaler	ENCINEED
(Eley, above sea level	Appro	priation by Me	ans of Well	CHOINCER
	7	pter 237, Montana	AND A STATE OF THE PARTY OF	1)
	Owner Kay Shif	pan Addr	ess	
10-35 brown clay	Driller Western O	(1)		
= 35-42 blue clay	Date of Notice of Appr			
42 - 48 sand water 4	gel min Date well started 4-	12-62 Date	Completed	14-62
	Type of well	Equipm	ent Used /Vo	Ny
	(dug, driven, bored drilled)	or (Chu	rn, drill, rotary or er)	
	Water Use: Domestic Industrial			Irrigation 🔲
	 Indicate on the di	agram the characte	r and thickness of	the different
	strata met with in dri etc. Show depth at whi			
-	water-bearing strata as	nd height to which	the water rises in	the well.
- .	Size Size and of Weight of	From To (Feet)	PERFORA	TIONS
	Drilled Casing Hole		Kind From	
48_ 105 lan ely	Hole	0 /07'9	Size (Fee	
48_ 165 Man ely	Hole	0 /07'9	Size (Fee	
105-115 sand son 115-120 blue clay	Hole	0 /07'9	Size (Fee	
105-115 sand son 115-120 flax Clay	Hole 5" 1. D. puft		Size (Fee	
105-115 sand son 115-120 blue Clay	Hole 5" 1. D. puft	o /07'9	Size (Fee	
M. Land	Static Water Lev	el for non-flowing for Flowing Well.	Size (Fee	feet,
M. Land	Static Water Lev	el for non-flowing	Size (Fee	feet,
M. Land	Static Water Lev Shut-in Pressure Pumping Water in Discharge in gal,	el for non-flowing for Flowing Well Level Level per min. of flowing	Well 30	feet,
N X	Static Water Lev Shut-in Pressure Pumping Water in Discharge in gal,	rel for non-flowing for Flowing Well Level	Well 30	feet,
N X	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested.	pel for non-flowing for Flowing Well Level	Well 36 Well 36 Well at 5 g g well	feet, feet, al. per minute.
N X	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested.	per for non-flowing well Level Level Level Level per min. of flowing le packing, cementif place of use of gressimilar pertinent is	Well 3/	feet, feet, al. per minute. fi shutoff, locativell, and any ing number of
W S	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested.	per for non-flowing for Flowing Well Level	Well 30 Well 30 Well at 5 g g well mgth of Test years, type or pundwater if not an information, including irrigation) and an information are irrigation.	feet, feet, al. per minute. for shutoff, locativell, and any ing number of stel
NW 1/4 Sec. 5 T.3 Indicate location of v	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested. Remarks: (Grave tion of other acres in gal) 5 R 47 EMPM Many Many Many Many Many Many Many Man	per min. of flowing the per min. of flowing the packing, cementify place of use of gressimilar pertinent is irrigated, if used for the packing the pac	Well 36 Well 36 Well at 5 g well	feet, feet, al. per minute. for shutoff, locativell, and any ing number of stel
NW 1/4 Sec. 8 T.3	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested. Remarks: (Grave tion or other 5. R. 47 EMPN well and ole. Each Andrea	per min. of flowing the per min. of flowing the per min. of flowing the place of use of gressimilar pertinent is irrigated, if used to the state of	Well 36 Well 36 Well at 5 g well mgth of Test / 10 mg, packers, type of the properties of the prop	feet, feet, al. per minute. fi shutoff, locativell, and any ing number of steel
NW 1/4 Sec. 8 T.3 Indicate location of v place of use, if possib small square represents	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested. Remarks: (Grave tion or other 5. R. 47 EMPN well and ole. Each Andrea	per for non-flowing for Flowing Well Level / S. Level	Well 30 Well 30 Well 30 Well 30 g well at 5 g g well angth of Test / 20 ang, packers, type of pundwater if not an another include a principle of the second of the s	feet, feet, al. per minute. for shutoff, locativell, and any ing number of stel the
NW 1/4 Sec. 5 T.3 Indicate location of v place of use, if possib	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested. Remarks: (Grave tion or other 5. R. 47 EMPN well and ole. Each Andrea	per for non-flowing for Flowing Well Level / S. Level	Well 30 Well 30 Well 30 Well 30 g well at 5 g g well angth of Test / 20 ang, packers, type of pundwater if not an another include a principle of the second of the s	feet, feet, al. per minute. for shutoff, locativell, and any ing number of stel the
NW 1/4 Sec. 8 T.3 Indicate location of v place of use, if possib small square represents	Static Water Lev Shut-in Pressure Pumping Water Discharge in gal, How Tested. Remarks: (Grave tion or other 5. R. 47 EMPN well and ole. Each Andrea	per for non-flowing for Flowing Well Level / L	Well 36 Well 36 Well at 5 g well mgth of Test / 10 mg, packers, type of the properties of the prop	feet, feet, al. per minute. for shutoff, locativell, and any ing number of stel that off

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located. \cdot

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator. 808

Other [] Safetime [] ्रात्ता है। से स्टब्स्टर स्थान त्यार तथा होते होता है। स्थान स्थान स्थान स्थान स्थान स्थान स्थान स्थान स्थान स 159973 he coducer consisted dudther which be altroj noblem of Band grow to her is independent to some to comit to ा अनेता । अवस्था १० काल्यमित्रमान्त्री, विम्नियान्त्रीय अपने प्रतिहास A. Marida to sept predesignation of spring per of the eff. I. をいまれているとうとうこう · 養養等官養養者以為其所以為於 and the leader of the annealought providing the second of the other hology and the copies to be filter to be owner with the County Clark god Reogradi ni sashrashawahili ibaha od nigisal besada a anteed To grading liest principles verlage varieti visitadi. DATE OF THE PROPERTY OF THE PR enveryld abliet N.C. 16-28 springed-state and high heal) lithistic P. C. S. C. herate of the meter of wheth of the - Section & post cover the Just How building Wall TA MERCHAN ST Cl Essuial Tollies) Truessen State of Montana, I County of Daniels ta segreta 10:10 we will profit with a market s agai greed, gando pila as sciente s vergification or accidentation del test programs 電差犯二日本 29000000

	Approved Stock Form—State Publishing Co., Helena, Montana—41921.
le No	T 35 R 47
TPLICATE	County Daniels
	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER DECE VE
inger Stories in Albania	DEC 80 (203
Declar	ation of Vested Groundwater Rights TATE ENGINE (Under Chapter 237, Montana Session Laws, 1961)
Tom W. Davis	, of
(Name of Approximation County of Danielle	ropriator) (Address) (Texas) State of Montages
	er according to the Montana laws in effect prior to January 1, 1962, as follows:
• N	2. The beneficial use on which the claim is based Well for domestic use and livestock water.
	3. Date or approximate date of earliest beneficial use; and how continu
	ous the use has been Approximately 1925. Continuuse until 1958. Use has been intermittent since then.
	4. The amount of groundwater claimed (in miner's inches or gallor
	per minute) 10 gallons per minute.
s	5. If used for irrigation, give the acreage and description of the lam to which water has been applied and name of the owner there No irrigation.
NN1/NWk Sec. 10 T. 35. R.47	
ndicate point of appropriation	n
ndicate point of appropriation of place of use, if possible. Earmall square represents 10 acres. The date of commencements.	on the second completion of the construction of the well, well, works for with the second completion of the construction of the well, well, well, or other works for with the second completion of the construction of the well, well, well, or other works for with the construction of the construction of the construction of the well, well, well, or other works for with the construction of the construction of the construction of the well, w
ndicate point of appropriation of place of use, if possible. Earmall square represents 10 acres. 7. The date of commencement drawal of groundwater	to the second of withdrawing such water from the ground and the location of each well or other means of withdrawal Cylinder with gas engine located about 645 south as east of the Mr corner of the contract of the well, wells, or other works for with Approximately 1925.
ndicate point of appropriation of place of use, if possible. Earmall square represents 10 acres. 7. The date of commencement drawal of groundwater	tion of each well or other means of withdrawal Cylinder with gas engine legated about 645 south as east of the W corner of 10. Twp. 33 47 E.K.M. at and completion of the construction of the well, wells, or other works for with Approximately 1925. Well is 65 deep with 8 of water.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	to the means of withdrawing such water from the ground and the loss of the means of withdrawal. Cylinder worth gas engine logaced about 645' south a cast of the means of withdrawal. Twp. 3) 47 E.K.M. It and completion of the construction of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8' casing.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	the s. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Cylinder with gas engine located about 645 south at east of the M corner of the well, the second of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Well is 65' deep with 8' of water. Well is 65' deep with 8' casing.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	the s. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Cylinder with gas engine located about 645 south at east of the M corner of the well, the second of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Well is 65' deep with 8' of water. Well is 65' deep with 8' casing.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the loss tion of each well or other means of withdrawal. Cylinder worth gas engine located characters of the Research of the Research of the Research of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8' casing.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Cylinder with gas engine located about 645 south at east of the Riccorner extraction of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8' casing.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Cylinder with gas engine legisted about 645 south and the location of the Research of the Research of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8" casing. Troundwater withdrawn each year 600,000 gallons per year: a similar nature as may be useful in carrying out the policy of this act, include a similar nature as may be useful in carrying out the policy of this act, include
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the lost tion of each well or other means of withdrawal Cylinder with gas engine logaced angule 645 south and completion of the RE country 10, Twp. 35 47 E.K.M. It and completion of the construction of the well, wells, or other works for with Approximately 1925. Well is 65 deep with 8 of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8 casing. Troundwater withdrawn each year. 600,000 gailous per year: untered in the drilling of each well if available. None.
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Cylinder with gas engine legisted about 645 south and the location of the Research of the Research of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8" casing. Troundwater withdrawn each year 600,000 gallons per year: a similar nature as may be useful in carrying out the policy of this act, include a similar nature as may be useful in carrying out the policy of this act, include
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Cylinder pure with gas engine located and 645 south at east of the EV corner of 10. Twp. 35 47 E.K.M. It and completion of the construction of the well, wells, or other works for with Approximately 1925. Well is 65 daep with 8 of water. In the type, size and depth of each well or the general specifications of any other groundwater. Drilled well with 8 casing. Troundwater withdrawn each year 600,000 gallons per year. The size of the EV corner of the well, wells, or other works for with a groundwater withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specifications of any other withdrawn each year for the general specification of any other withdrawn each year for the general specification of any other withdrawn each year for the general specification of any other withdrawn each year for the general specification of the general
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the loss tion of each well or other means of withdrawal Cylinder with gas engine legated thank 645 south a east of the Extra corner of the construction of the well, wells, or other works for wit Approximately 1925. Well is 65' deep with 8' of water. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any oth groundwater withdrawn each year 600,000 gallons per year. The material in the drilling of each well if available. None. Signature of Owner and What are included a similar nature as may be useful in carrying out the policy of this act, included a similar nature as may be useful in carrying out the policy of this act, include of any county record. Signature of Owner and What are included and wall with a similar nature as may be useful in carrying out the policy of this act, included a similar nature as may be useful in carrying out the policy of this act, included a similar nature as may be useful in carrying out the policy of this act, included the construction of owner and water and wall with a similar nature as may be useful in carrying out the policy of this act, included the construction of owner and water and the construction of owner and water and the construction of owner and water and the loss of the construction of the construct
ndicate point of appropriation of place of use, if possible. Each mall square represents 10 acres. 7. The date of commencement drawal of groundwater	6. The means of withdrawing such water from the ground and the loss tion of each well or other means of withdrawal Cylinder with gas engine legated thank 645 south at east of the my corner et 10. Twp. 35 47 E.K.M. It and completion of the construction of the well, wells, or other works for with Approximately 1925. Well is 65' deep with 8' of water. Able, the type, size and depth of each well or the general specifications of any oth groundwater withdrawn each well with 8' casing. Troundwater withdrawn each year 600,000 gallons par year. a similar nature as may be useful in carrying out the policy of this act, includ of any county record. Signature of Owner and any are part of Owne

County of Daniels. | ss.

Filed this 1 day of 1

Filing Fee Paid \$ 2.00

で、 神経の風神医療・丁できばれい記念の

File No DUPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Alum & Woodrow Love Thess Scoboy, Momtain Contractor (if any) ...dor Address of Contractor Scobey, Montana Date Started Oct ... Date Completed SJ. Describe means of obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth, water when applicable Matural prices 15. Quantity of water developed and used with explanation of used to measure or estimate such amount. If use is initial calimate approximate lengths of periods of use No estimate SUSUSE WIW So _ T**##**// R#7# Indicate point of appropriation and place of use, if possible. Signature of Owner This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not appropriate, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

		1147		100
	1.		4	
				÷.,
	1 C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			·
	131	5.7		-
	4 6	11.5		3.50
	ان کا کی		1.001	
		PACT VALLE	1.15	,
		3		ie.
	i.	100		
	3. 4. 6.	5.0	the will be	
		100		
State of M		and the same	1 1 1	
County of 1	Daniels. \ 55.	*****		
	31st			
Filed this.	7180		day c	f :
	The State State		/^	$j^{2} \sim i$
	Decembe	T	A. D. 19 63	-
The first of the second		. "		
ät	4,04	5	:cl: _ P	Ι.
	2000	بسيعد يترموم		
~ ~~				_
		County	Recorder.	
		A 3 C		
				_
			Deputy.	
Filing	Fee Paid \$	2.00		
Lumg	T. C. T. 1011 60-			
	•			

THE REPORT OF THE PARTY OF THE

•

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Lalae Owner Lalae Address telegrae, Moenta Contractor (if any) Handy Base. Address of Contractor Escalety, Moentana Date Started Bat 1962. Date Completed Cot 1962 Describe means of obtaining groundwater without a well "as be sub-irrigation and other natural processes" Include depth to water when applicable. Medicate Investics Superint April 1864. Quantity of water developed and used with explanation of methods are such amount. If use is intermitted to measure or estimate such amount. If use is intermitted in the superint of t	ile No	л. 35.W r. 4/1/Е
ADMINISTRATOR OF GROUNDWATER CODE JAN 6 1864 Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Light Andrews Release, Moenta Contractor (if any) Managy Raca. Address of Contractor Geobey, Moenta and Owner States and other natural processes. Include depth water when applicable Asturat America Sugard water when applicable Asturat America Sugard Accord from Lobbs. Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. Ils. Wag of Educations and place of use, if possible. Sum and them as George Survey and Water developed Survey Su	UPLICATE	County Daniel
ADMINISTRATOR OF GROUNDWATER CODE STAIL ENGINEER Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Late A NA Address Heleman, Mounts Contractor (if any) Handy Bare. Address of Contractor Ecology, Mounts and Describe means of obtaining groundwater without a well "as is sub-irrigation and other natural processes". Include depth water when applicable. Melunal processes. Include depth water wate		
Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Late Owner Late Contractor (if any) Handy Rane Address Helema, Montana Date Started Ret 1962 Date Completed Oct 1962 Describe means of obtaining groundwater without a well "as a sub-irrigation and other natural processes". Include depth water when applicable. Natural fractions from holds. Quantity of water developed and used with explanation of methods and the measure or estimate such amount. If use is intermitte estimate approximate lengths of periods of use lie way of the latest point of appropriation and place of use, if possible. Summar turns lesse. Summar turns lesse.		2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Light ANA Owner Light ANA Owner Light ANA Owner Light ANA Address the Lema Montain Contractor (if any) Hacady Base. Address of Contractor Scabey Montain Date Started At 1962 Date Completed Oct 1962 Describe means of obtaining groundwater without a well "as a sub-irrigation and other natural processes" Include depth water when applicable Matural Processes" Include depth water when applicable Matural Processes. Unquart for water developed and used with explanation of methods water of water developed and used with explanation of methods of measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure of use of use is intermitted to measure of use	CC.	CFFICE OF STATE ENGINEER 1804
Without Well (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Owner Lales Address Melecute Contractor (if any) Meanly Rase. Address of Contractor Ecology Montana Date Started At 1962 Date Completed Oct 1962 Describe means of obtaining groundwater without a well "as the sub-irrigation and other natural processes". Include depth water when applicable Matural Processes. Include depth water when applicable Matural Processes. Under the sub-irrigation and other natural processes. Under the sub-irrigation and other natural processes. Under the sub-irrigation and other natural processes. Under the water when applicable Matural Processes. Under the sub-irrigation and other natural processes. Under the sub-irrigation of water developed and used with explanation of methods of measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount. If use is intermitted to measure or estimate such amount.		SIA LENGINGE
Date of Appropriation of Groundwater Will And Address Helema, Mount. Contractor (if any) Handy Base Address of Contractor Ecobey, Mountame Date Started Address of Contractor Ecobey, Mountame Date Started Address of Obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth water when applicable Melunal Investes. Sugard water when applicable Melunal Investes. Sugard Animal France Cally Quantity of water developed and used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. Me. Water of the started provided and place of use, if possible. Summura tame Machine.	Notice (of Completion of Groundwater Appropriation
Date of Appropriation of Groundwater Owner Light ANA Owner Light ANA Owner Light ANA Contractor (if any) Handy Ran. Address of Contractor Lobey Montana Date Started Rat 1762 Date Completed Rat 1762 Describe means of obtaining groundwater without a well "as t sub-irrigation and other natural processes". Include depth water when applicable Matural Processes. Include Matural Processes. Inc		Without Well
Date of Appropriation of Groundwater Owner. Listin. Address Helema, Ministr. Contractor (if any) Handy Ras. Address of Contractor Lobey, Montana Date Started Rat. 176.2. Date Completed Oct. 176.2. Describe means of obtaining groundwater without a well "as t sub-irrigation and other natural processes". Include depth water when applicable Matural Processes. Include depth water when applicable Matural Processes. Include depth water when applicable Matural Processes. Cattle Anients from hole. Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermitte estimate approximate lengths of periods of use. Me. Way of Estimating Immunity Issue in termitte stimate approximate lengths of periods of use. Me. Way of Estimating Immunity Issue is intermitted. Summura time Uses:		(Hnder Chanter 237 Montana Session Laws 1961)
Owner State Address Hebens, Monta. Contractor (if any) Handy Base. Address of Contractor Scobey, Montana Date Started Ret. 126.2. Date Completed Oct. 126.2. Describe means of obtaining groundwater without a well "as to sub-irrigation and other natural processes". Include depth water when applicable. Maturat Anucessas. Quantity of water developed and used with explanation of methods and to measure or estimate such amount. If use is intermitted to measure of use of use intermitted and place of use, if possible. Summar time used.	and the second s	
Owner State Address Hebens, Monta. Contractor (if any) Handy Base. Address of Contractor Scobey, Montana Date Started Ret. 126.2. Date Completed Oct. 126.2. Describe means of obtaining groundwater without a well "as to sub-irrigation and other natural processes". Include depth water when applicable. Maturat Anucessas. Quantity of water developed and used with explanation of methods and to measure or estimate such amount. If use is intermitted to measure of use of use intermitted and place of use, if possible. Summar time used.		
Contractor (if any) Haraly Bra. Address of Contractor Ecobey Montana Date Started At 1962 Date Completed Oct 1962 Describe means of obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth water when applicable Natural Investes. Bug and a feat to interacent ground water Cattle Oxionis from hole. Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and part of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of methods.		Now, TANA
Date Started At 1962 Date Completed. Oct 1962 Describe means of obtaining groundwater without a well "as to sub-irrigation and other natural processes". Include depth water when applicable Meturat Brusesses. Rugard Learner from the water when applicable Meturat Brusesses. Rugard Learner from the water developed and used with explanation of methods to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. Me. way of the started point of appropriation and place of use, if possible. Summar times Use:	•	Owner 5/alia Address Helema, Meint.
Date Started At 1962 Date Completed. Oct 1962 Describe means of obtaining groundwater without a well "as to sub-irrigation and other natural processes". Include depth water when applicable. Meturat Brusesses. Rugari Land Water Cattle described water when applicable Meturat Brusesses. Rugari Land Water Cattle described water developed and used with explanation of methods to measure or estimate such amount. If use is intermitted to measure of use the water developed and part of writers developed and part of writers developed and used with explanation of methods to measure or estimate such amount. If use is intermitted to measure of use, if possible. Summarian times use:		Contractor (if any)
Describe means of obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth water when applicable Matural fracests. Sugar Land water when applicable Matural fracests. Sugar Land water Cattle describe from hold. Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermitted estimate approximate lengths of periods of use. No water developed and place of use, if possible. Summar time serious of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermitted estimate approximate lengths of periods of use. No water developed and place of use, if possible.	•	
Describe means of obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth water when applicable Natural Annual Sugar Sugar Sub-irrigation and other natural processes". Include depth water when applicable Natural Annual Sugar S		
Sub-irrigation and other natural processes". Include depth water when applicable Natural Processes. Quagast a feet to intercept ground water Cattle decimb from hole. Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and place of use, if possible. See 1/240 Sec 1/240 R476 Estimating amount of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of use. No water developed and used with explanation of method used to measure or estimate such amount. If use is intermittee estimate approximate lengths of use water developed and used with explanation of use. No water developed and used with explanation of use water developed and used wi		Date Started &t 1962 Date Completed Oct 1962
Sub-irrigation and other natural processes. Include depth water when applicable Natural Processes. Quantity of water developed and used with explanation of methods used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No water developed and place of use, if possible. Summus time 1650.	и	Describe means of obtaining groundwater without a well "as I
Quantity of water developed and used with explanation of methods and used to measure or estimate such amount. If use is intermitted to measure of estimate such amount. If use is intermitted to measure of use appropriation and place of use, if possible. Summer time amount of water developed and used with explanation of methods are used to measure or estimate such amount. If use is intermitted as a such amount of water developed and used with explanation of methods are used to measure or estimate such amount. If use is intermitted as a such amount of water developed and used with explanation of methods are used to measure or estimate such amount. If use is intermitted as a such amount of water developed and used with explanation of methods are used to measure or estimate such amount. If use is intermitted as a such amount of used with explanation of methods are used to measure or estimate such amount. If use is intermitted as a such amount of used to measure or estimate approximate lengths of used to measure or estimate approximate		sub-irrigation and other natural processes". Include depth
Quantity of water developed and used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. W. W. W. W. L.		
Quantity of water developed and used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of a stimulation and place of use, if possible. Sum must time used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of use		a feet to intercept ground water Cattle
Quantity of water developed and used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of a stimulation and place of use, if possible. Sum must time used with explanation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of meth used to measure or estimate such amount. If use is intermittee estimate approximate lengths of periods of use. No. way of the stimulation of use		drink from hole
used to measure or estimate such amount. If use is intermitte sestimate approximate lengths of periods of use	v	
used to measure or estimate such amount. If use is intermitte sestimate approximate lengths of periods of use		
used to measure or estimate such amount. If use is intermitte sestimate approximate lengths of periods of use		
used to measure or estimate such amount. If use is intermitte sestimate approximate lengths of periods of use		Quantity of water developed and used with explanation of meth
Indicate point of appropriation and place of use, if possible. Sum mer time use.		used to measure or estimate such amount. If use is intermitte
Indicate point of appropriation and place of use, if possible. Sum mer time use.	<u> </u>	estimate approximate lengths of periods of use 10 way
Indicate point of appropriation and place of use, if possible. 5m.m.x. tione like.	SE 1/SW Sec.15	والمستبد والمستبد والمستبد والمستبد والمستبد
and place of use, if possible. Summer lime 45c.	•	of appropriation
Signature of Owner Class Secretary	and place of use,	if possible. Summer lime 450
Signature of Owner Claric Levous		
Signature of Owner Clarin Levery	٠.	
Signature of Owner Clean Leven	•	
		Signature of Owner Alexan Level

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.