File No.

DUPLICATE


County Falloa .....

#### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE DECEMBE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER

Frances Logar (Name of Appropriator)	;	, of <u>Saker</u> , Mont ana (Address) (Town)
County of Fallon		
appropriated groundwater accord	ling to	the Montana laws in effect prior to January 1, 1962, as follows:
	2.	The beneficial use on which the claim is based
		Residence Well
	3.	Date or approximate date of earliest beneficial use; and how continuous the use has been April 1960 steady
Ε		
	4.	The amount of groundw ter claimed (in miner's inches or gallor per minute).
s	5.	If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
.14 MM. Sec. 14. T. 2 R. 61		
icate point of appropriation place of use, if possible. Each ill square represents 10 acres.	6.	The means of withdrawing such water from the ground and the local
		tion of each well r other means of withdrawal.
		on of the construction of the well, wells, or other works for with
April 20 to	Apr	11. 29, 1960
The depth of water table  So far as it may be available, the		ii. 29, 1960.  size and depth of each well or the general specifications of any other
The depth of water table  So far as it may be available, the		ii. 29, 1960.  size and depth of each well or the general specifications of any other
The depth of water table  So far as it may be available, the works for the withdrawal of groundw	263 type, s	ii. 29, 1960  size and depth of each well or the general specifications of any other Rotary Drill/ed has Casing
The depth of water table  So far as it may be available, the works for the withdrawal of groundw	263. type, s	ii. 29, 1960  size and depth of each well or the general specifications of any other Rotary Drill/ed has Casing
The depth of water table.  So far as it may be available, the works for the withdrawal of groundw	26.3. type, stater	ii. 29, 1960  size and depth of each well or the general specifications of any other Rotary Drill/ed has Casing
April 20 to The depth of water table So far as it may be available, the works for the withdrawal of groundwater The estimated amount of groundwater	263! type, seater	inize and depth of each well or the general specifications of any other specifications
The depth of water table  So far as it may be available, the works for the withdrawal of groundward.  The estimated amount of groundward.  The log of formations encountered in	2831 type, stater er with	inize and depth of each well or the general specifications of any other and depth of each well or the general specifications of any other and a control of the casing and the case of the
The depth of water table  So far as it may be available, the works for the withdrawal of groundward.  The estimated amount of groundward.  The log of formations encountered in	2831 type, stater er with	inize and depth of each well or the general specifications of any other Rotary Drill/ed has Casing  hadrawn each year 10,000 g.
The depth of water table  So far as it may be available, the works for the withdrawal of groundwater table.  The estimated amount of groundwater the log of formations encountered in	2831 type, stater er with	in 1.29, 1960  Rotary Drill/ed has Casing  Casing  Including of each well if available  e as may be useful in carrying out the policy of this act, including record
April 20 to The depth of water table  So far as it may be available, the works for the withdrawal of groundwate.  The estimated amount of groundwate.  The log of formations encountered in Such other information of a similar.	2831 type, seater er with	inize and depth of each well or the general specifications of any other Rotary Drill/ed has Casing  hadraws each year 10,000 g.  Irilling of each well if available eas may be useful in earrying out the policy of this act, including
The depth of water table.  So far as it may be available, the works for the withdrawal of groundwate.  The estimated amount of groundwate.  The log of formations encountered in Such other information of a similar reference to book and page of any content of the similar reference to book and	2831 type, seater er with	inize and depth of each well or the general specifications of any other Rotary Drill/ed has Casing  hadrawn each year 10,000 g.  Irilling of each well if available has may be useful in carrying out the policy of this act, including record.
The depth of water table.  So far as it may be available, the works for the withdrawal of groundwate.  The estimated amount of groundwate.  The log of formations encountered in Such other information of a similar reference to book and page of any content of the similar reference to book and the similar	2831 type, seater er with	ize and depth of each well or the general specifications of any other Rotary Drilled to Casing  Indraw each year 10,000 g.  Irilling of each well if available the as may be useful in carrying out the policy of this act, including record.  Signature of Owner 2202 Fance 2 Lega.
The depth of water table.  So far as it may be available, the works for the withdrawal of groundwate.  The estimated amount of groundwate.  The log of formations encountered in Such other information of a similar reference to book and page of any content of the similar reference to book and the similar	2831 type, seater er with	inize and depth of each well or the general specifications of any other Rotary Drill/ed has Casing  hadrawn each year 10,000 g.  Irilling of each well if available eas may be useful in carrying out the policy of this act, including record.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.



Approved S	tock	Form5-ate	בתותפווכני	Ca.	Heista.	Mentana

File No..

DUPLICATE

T. 2 R 61

County Fallon

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

NOV 27 1963

### Declaration of Vested Groundwater RightSTATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)


(Name of Appropriator)		, of Baut, Montana (Town)	<del></del>
ounty of Fallon		Masham	
ive appropriated groundwater according	g to	the Montana laws in effect prior to January I, 1962, as fol	lows:
×			
	2. '	The beneficial use on which the claim is based	
		dwelling weil	
	2 1	Date or approximate date of earliest beneficial use; and how	anntiri
		ous the use has been Sept. 192	
		ous the use has been a second	
Ε			•••••
	1	The amount of groundwater claimed (in miner's inches or	galio
		per minute) ZiPI	
	,		
	_		
	5.	If used for irrigation, give the acreage and description of the which water has been applied and name of the owner	ne land there
\$		to which water has been opposed and ham of the owner.	
1/4 NBSec. 14 T. 2 R. 61			
icate point of appropriation			*******
place of use, if possible. Each	6	The means of withdrawing such water from the ground and	the Inc
ll square represents 10 acres.		tion of each well or other means of withdrawal	
		tion of each well of other means of withdrawat	
drawal of groundwater	oletio	hand auso  n of the construction of the well, wells or other works for	or wit
The depth of water table 21.	oletion	hand busp n of the construction of the well, wells or other works for	or wit
The depth of water table 218.  So far as it may be available, the type works for the withdrawal of groundwat	oletion	hand busp n of the construction of the well, wells or other works for	or with
The depth of water table 218.  So far as it may be available, the type works for the withdrawal of groundwat	pletion	n of the construction of the well, wells or other works for	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwater.	pletion	n of the construction of the well, wells or other works for	or wit
The depth of water table 21.  So far as it may be available, the type works for the withdrawal of groundwat	pe, si	n of the construction of the well, wells or other works for	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwat	pe, si	n of the construction of the well, wells or other works for	or wit
The depth of water table 21!  So far as it may be available, the type works for the withdrawal of groundwate.  The estimated amount of groundwater.	oletion oe, si er	n of the construction of the well, wells or other works for ize and depth of each well or the general specifications of an advance each year 1000 gal.	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwate.  The estimated amount of groundwater.  The log of formations encountered in the state of	oletion pe, si er with	hand busp  n of the construction of the well, wells or other works for the general specifications of an adrawn each year  1000 gal.	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwate.  The estimated amount of groundwater.  The log of formations encountered in the state of	oe, si er with	n of the construction of the well, wells or other works for size and depth of each well or the general specifications of an adrawn each year 1000 gal.	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwate.  The estimated amount of groundwater.  The log of formations encountered in the state of	oe, si er with	hand busp  n of the construction of the well, wells or other works for the general specifications of an adrawn each year  1000 gal.	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the state of	oe, si er with	n of the construction of the well, wells or other works for size and depth of each well or the general specifications of an adrawn each year 1000 gal.	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the state of	with	n of the construction of the well, wells or other works for size and depth of each well or the general specifications of an adrawn each year 1000 gal.  rilling of each well if available	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the state of	with	hand outp	or wit
The depth of water table 211.  So far as it may be available, the type works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in the state of	with	n of the construction of the well, wells or other works for size and depth of each well or the general specifications of an adrawn each year 1000 gal.  rilling of each well if available	neludi

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

136613.



Indicate Iccation of well and place of use, if possible. Each small square represents 40

acres.

tion).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Show exact depth of bottom.

260

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

ers, type of shutoff).....

—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addi-

> Mesle A. Banke Driller's Signature.

...(Continue on reverse side)

FALLON COUNTY BAKER MONTANA

Filed for Record

NOVIZ 1930

Jec. 27.00

_	•
• 1	. •••

Approved Stock Form-State Publishing Co., Helena, Montana-38496 3

File No.....

T 2 R 6/


DUPLICATE

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

	Frank 15	1 P.	c of Baker
<b>.</b> •	(Name of Appropriator		(Address) (Town)
	COULTY Comments	rding	State of January 1, 1962, as follows:
_	N .		
		2. '	The beneficial use on which claim is based to the
			Date or approximate date of earliest beneficial use; and how continuous the use has been
	•		1955 Continuous
		4.	The amount of groundwater claimed (in miner's inches or gallons per minute)
	S	5.	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
	15E se 23 72 R.6/		
d	icate point of appropriation place of use, if possible.		
te Id	h small square represents 10	ti.	The means of withdrawing such water from the ground and the
	es.		
ere	s.		
•	The date of commencement and comparable drawal of groundwater 194.	oletion	of the construction of the well, wells, or other works for with
•	The date of commencement and comparable of groundwater.	oletion	of the construction of the well, wells, or other works for with
	The date of commencement and commencement and groundwater.  1999.  The depth of water table	pe, siz	of the construction of the well, wells, or other works for with-
	The date of commencement and commencement and groundwater.  1999.  The depth of water table	pe, siz	of the construction of the well, wells, or other works for with-
	The date of commencement and complete drawal of groundwater. 1999.  The depth of water table. 20  So far as it may be available, the tyworks for the withdrawal of groundwater.	pe, siz	of the construction of the well, wells, or other works for with-
	The date of commencement and complete drawal of groundwater.  194.  The depth of water table.  So far as it may be available, the ty works for the withdrawal of grounds.	pe, sizvater	of the construction of the well, wells, or other works for with-
	The date of commencement and complete drawal of groundwater.  194.  The depth of water table.  So far as it may be available, the ty works for the withdrawal of grounds.	pe, sizvater	of the construction of the well, wells, or other works for with-
	The date of commencement and complete drawal of groundwater.  194.  The depth of water table.  So far as it may be available, the ty works for the withdrawal of grounds.	pe, sirvater	of the construction of the well, wells, or other works for with-  ze and depth of each well or the general specifications of any other  125 ft  herawn each year. 1,500,000 gcl. ?
	The date of commencement and going drawal of groundwater.  The depth of water table.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in	pe, sizvater.	of the construction of the well, wells, or other works for with- ze and depth of each well or the general specifications of any other  125 ff  herawn each year. 1.500,000 gc. 2.  drilling of each well if available.
	The date of commencement and going drawal of groundwater	pe, sizvater.	of the construction of the well, wells, or other works for with- ze and depth of each well or the general specifications of any other  125 ff  herawn each year. 1.500,000 gc. 2.  drilling of each well if available.
	The date of commencement and going drawal of groundwater.  The depth of water table.  So far as it may be available, the ty works for the withdrawal of groundwater.  The estimated amount of groundwater.  The log of formations encountered in	pe, sizvater	of the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other was a specification of the construction of the co
	The date of commencement and complete drawal of groundwater	pe, sixvater	of the construction of the well, wells, or other works for with- ze and depth of each well or the general specifications of any other  125  herawn each year. 1.500,000 gel.  drilling of each well if available.  as may be useful in carrying out the policy of this act, including second.
). ).	The date of commencement and complete drawal of groundwater. 1949.  The depth of water table. 20  So far as it may be available, the ty works for the withdrawal of grounds.  The estimated amount of groundwater.  The log of formations encountered in selection of a similar in reference to book and page of any contents.	pe, sixvater	of the construction of the well, wells, or other works for with- ze and depth of each well or the general specifications of any other  125  herawn each year. 1.500,000 gel.  drilling of each well if available.  as may be useful in carrying out the policy of this act, including second.
7. 3. ).	The date of commencement and complete drawal of groundwater. 1949.  The depth of water table. 20  So far as it may be available, the ty works for the withdrawal of grounds.  The estimated amount of groundwater.  The log of formations encountered in selection of a similar in reference to book and page of any contents.	pe, sixvater	of the construction of the well, wells, or other works for with- ze and depth of each well or the general specifications of any other  125  herawn each year. 1.500,000 gel.  drilling of each well if available.  as may be useful in carrying out the policy of this act, including second.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Apprepriator.



Please answer all questions. If not applicable, so state, otherwise the form will be

Driller's Signature.

_	-
7	
I	.≪
$\sim$	
•	-
_	

File No.					T	R cr	
QUADR'	UPLICATE	ing the second of the second o			County	<u>a Maria</u>	
	rog	V 1 1 1070	ST ADMINIST LA	TATE OF M	ONTANA CAWORIO	ER CODE	
	Top of Ground	T . 101 0	STATE WA	TER CONS	ERVATION	BOARD	
	(Elev. above sea level)	No	tice of Co	mpletio	n of Gr	oundwat	er
	The part of the	1	Appropriat				
7/	Tout survey, onle	(IIndo	DEVELOPI r Chapter 237 I		JANUARY	•	Los
- 7	144 3000 de - 1000		· <del>-</del>				_
5-			EN SIZ				
-	att had a set of the	Driller 1	100 / 100 M	mily A	ddress	a const	المكريم
177	I The your many street	Date of Noti	ce of appropriati	ion of groun	dwater		******************
1	Lower Color of Talk	Date well sta	irted	<u>- 75 г</u>	ate complete	a/2-20	-70
107	The second of the second	Type of well	2011/81	Eq.	nipment used	Ro Tor.	مزم
712	They wast on sound	Water use:	ug, driven, bored o Domestic	or drilled) [Y Munici]	. (0	hurn drill, rota Stock []	ry or other)
700			Industrial	☐ Drains	ge 🗆	Other 🗌	
714	211 1/2 2 11/6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	met with in	on the diagram drilling, such as	soil, clay, s	hale, gravel,	rock or sand,	etc. Show
735	Comment of the other supplies to	depth at whi strata and he	ch water is encoring to which the	untered, thic le water rise	kness and ches in the well.	aracter of wa	ter-bearing
150	They we promise	Size of Driffed	Size and Weight	From T		PERFORATION	B
	And the second of the second	Eloio	of Custng		Ey Sine	From (Feet)	To (Feet)
- 64		74	Trade				4 1
<b>⊢</b> ∵:	The second of the second of	- 2	11/6				
-	1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 St.					
-	May say by shale						
7.	THE FOREST		N	Statio	Water Leve	l for non-flo	wing well
	11 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				Waser zeve	13	feet.
-					Pressure for	_	
-					water Le		
	Dec. No. 70376	*	X		rge in gal. p		
	FRed for moord			}			***************************************
	12 01 Movemb	rel		B .	of Test	7	
	ما المال		5	_	s:: (Gravel p		
-		MEV. SERON	23 T.21/R.L		e of shutoff)	-	
-		Indicate loc	ation of well a , if possible. Ea	rd		*********	
-		small squar	re represents	40			:
		***************************************			****	:	
					(Co		
		numb	ed for irrigation er of acres and l	ı, industrial location or o	, drainage o ther data (i.e	r other. Exp e.: Lot, Block	plain, state and Addi-
-		tion).					
-		*************					
270	Show exact depth of bottom.		·	***************************************	·		: ·
	A. L	ina ba ba dilad b	one the common mitte	• • • • • • • • • • • • • • • • • • •	11	/ <sub>2</sub>	
County C	to be prepared by driller, and three copilerk and Recorder in the county in which	the well is loca	ted, tissue copy to	be D	riller's Licen	se Number	
	by driller.	a généa atlawa	rice the form will	ha	Jan Jan Barrell	1 Jan 190	- de
Please ar returned.	nawer all questions. If not applicable, s	o state, otherw	TOE THE TOLIN MILL	D	riller's Signa	ture.	1
						11 17	140

**₹**30 }

FALLON COUNTY BAKER, MONTANA

Filed for Record Nov 12 1970

Deputy

Lec: \$2.00

File	No

DUPLICATE

Approved Stock Form	- State Publishur	Co., Helena	Montana—4	ಯಾಗಿ 🗢	,#40
	Т	2	R 61	<u>/</u>	
			_	_	

L		
County Fellow	· <b></b> -	

### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

ĽУ	
	ECEIVEM
	2021 V = []]
$\Box$	
	1560 47 <b>1963</b> —


### Declaration of Vested Groundwater Rights LENGINEER

	ord	, of	Kaker
(Name of Appropriator)	Tree-francisco	(Address)	(Town)
ounty of Fallow		State of 2720	w.
ave appropriated groundwater accordi	ing to the 1	Contana laws in effect pri	or to January 1, 1962, as follows:
N			
	2. The bea	neficial use on which the c	laim is based
		· nestre	aim is based took water
	3. Date of	r approximate date of ear	liest beneficial use; and how continu
			03_
ξ.			
ا ا ا		***************************************	
	4. The ar	ncunt of groundwater cla	nimed (in miner's inches or gallons
	per mi	nute) 60 ·	
		1 6 · · · · · · · · · · · · · · · · · ·	
s	o. If used to whi	ich water has been appli	acreage and description of the landed and name of the owner thereof
45Wscc 27 T. 2 R60			
			****
cate point of appropriation place of use, if possible. Each			
I square represents 10 acres.		=	water from the ground and the loca
	tion of	each well or other means	of withdrawal
			wy
The date of commencement and com	pletion of th	ne construction of the we	il. wells, or other works for with
drawal of groundwater / 903			
The depth of water table / 2 O	ype, size and	depth of each well or th	e general specifications of any othe
The depth of water table 130	ype, size and	depth of each well or th	e general specifications of any othe
The depth of water table 1 2 4	ype, size and	depth of each well or th	e general specifications of any othe
The depth of water table 1 2 4	ype, size and	depth of each well or th	e general specifications of any othe
The depth of water table 1 2 4 So far as it may be available, the ty	ype, size and	l depth of each well or th	e general specifications of any other
drawal of groundwater 7 2 3  The depth of water table 1 3 4  So far as it may be available, the tyworks for the withdrawal of groundwater	ype, size and ater	depth of each well or th	e general specifications of any othe
drawal of groundwater 7 2 3  The depth of water table 7 2 3  So far as it may be available, the tyworks for the withdrawal of groundwater  The estimated amount of groundwater	ype, size and ater 3 cm	each year 270	e general specifications of any othe
drawal of groundwater 7 2 3  The depth of water table 7 2 3  So far as it may be available, the tyworks for the withdrawal of groundwater  The estimated amount of groundwater	ype, size and ater 3 cm	each year 270	e general specifications of any othe
The depth of water table	ype, size and ater 3 cm	each year 270	e general specifications of any other
The depth of water table	ype, size and ater 3 cm	each year 270	e general specifications of any other
The depth of water table	ype, size and ater  ype, size and ater  withdrawn  the drilling of the drillin	each year 270 of each well if available	e general specifications of any other  / 30
The depth of water table	ype, size and ater  ype, size and ater  withdrawn  the drilling of the drillin	each year 270 of each well if available	e general specifications of any other  (30 )
The depth of water table	ype, size and ater  ype, size and ater  withdrawn  the drilling of the drillin	each years 270 of each well if available.	e general specifications of any other  130 upp
The depth of water table	ype, size and ater  ype, size and ater  withdrawn  the drilling of the drillin	each years 270 of each well if available.	e general specifications of any othe

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 13204




GW 2	STATE WATER	Approved Stock Form—State Po	tblishing Co., Helena, Montana—393i
File No		SOMETIVATION BOARD	T 2 R 6/ 2'
DUPLI	CATE AUG	1 9 1965	County
200		STATE OF M	
	THE PARTY OF	ADMINISTRATOR OF GI	
	Top of Ground		<del></del>
	(Elev. above sea level	Notice of Completion	
L	Tables	Appropriation by	<del></del>
	* =	(Under Chapter 237, Monts	una Session Laws, 1961)
L		Owner Julia Land	Hess ( 1 -1 ) -1
-	3-16 and stall	Driller 7/ Add Add Add	ldress
_	16-21 in we have	Date of Notice of Appropriation of Grow	adwater
-	11. 13 3 350	Date well started Da	
-	The town	Type of well Ed	uipment Used
<b>-</b>		(dug, driven, bored or (	Churn, drill, rotary or ,
	- N-46 A	Water Use: Domestic Municipal	,
L	46-10 pur state	Industrial Drainage	
	71-110 Selenthas	Indicate on the diagram the chara	
	100-112 de lacont	strata met with in drilling, such as soil, Show depth at which water is encountered	
-	100-11-	bearing strata and height to which wate	r rises in the well.
-	113-440 Metal	Size of Size and From To Defind Weight of (Fost) (Fost)	
+		Elolo Cathug	Kind From To
	7.	431	Re-/110 140
		128	Toley
	×	Static Water Level for non-flowing	Well 45feet.
L		1	
<u> </u>		· }	<del></del>
į.			
1		Pumping Water Level	feet at. / gal. per minute.
<b>—</b>		Discharge in gal, per min. of flowin	ng well
	W		ng well
-	w ×	Discharge in gal, per min. of flowing	Length of Test
-  -  -	w ×	Discharge in gal. per min. of flowing  How Tested  Remarks: (Gravel packing, cemen tion of place of use of	Length of Test / interpretation of the state of the shutoff, local groundwater if not at well, and any
-  -  -  -	*	Discharge in gal. per min. of flowing  How Tested  Remarks: (Gravel packing, cemen tion of place of use of	Length of Test / i
	*	Discharge in gal. per min. of flowing  How Tested	Length of Test
	NEY SUBJECT 27T ZIR	Discharge in gal. per min. of flowing  How Tested	Length of Test
	NEVISURE 27T Z	Discharge in gal. per min. of flowing  How Tested	Length of Test
	NEY SUBJECT 27T ZIR	Discharge in gal. per min. of flowing How Tested	Length of Testting, packers, type of shutoff, loca- groundwater if not at well, and any information, including number of
	NEVASUBEC. 27T. Zer. Indicate location of well place of use, if possible. E small square represents 10 ac	Discharge in gal. per min. of flowing How Tested	Length of Test
	NEVISURE 27T RAIN Indicate location of well place of use, if possible. E small square represents 10 ac.  Show exact depth of bottom.	Discharge in gal. per min. of flowing How Tested Remarks: (Gravel packing, cemention of place of use of other similar pertinent acres irrigated, if used for the similar pertinent acres irrigated.	Length of Test. / descripting, packers, type of shutoff, local groundwater if not at well, and any information, including number of or irrigation)
1 •	NEVISURE 27T RAIN Indicate location of well place of use, if possible. E small square represents 10 ac.  Show exact depth of bottom.	Discharge in gal. per min. of flowing How Tested Remarks: (Gravel packing, cemention of place of use of other similar pertinent acres irrigated, if used for the similar pertinent acres irrigated.	Length of Test.  Length of Test.  ting, packers, type of shutoff, loca- groundwater if not at well, and any information, including number of or irrigation)  filler's License Number
	NEVISURE 27T RAIN Indicate location of well place of use, if possible. E small square represents 10 ac.  Show exact depth of bottom.	Discharge in gal. per min. of flowing How Tested Remarks: (Gravel packing, cemention of place of use of other similar pertinent acres irrigated, if used for the same of the s	Length of Test. / descripting, packers, type of shutoff, local groundwater if not at well, and any information, including number of or irrigation)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



G'		Approved Sto.k Form-State Publishi	ng Cu., Helena, Mornana 12234 🚓 🍃
File No.			2 R61
DUPLICATE		c	ounty Fallow
	ADMINISTRATOR	OF MONTANA OF GROUNDWATER CODE STATE ENGINEER	DECEIVED DEC 27 1963
De		red Groundwater R Montana Session Laws, 1961)	ights ate enginee
1 Feelie a	Strangford	, of	Baker
County of Full	of Appropriator) undwater according to the	(Address)  State of	(Town) o January 1, 1962, as follows:

			:		.;	2.	The beneficial use on which the claim is based.
:	:	×	:	•	;		
						3.	Date or approximate date of earliest beneficial use; and how continuous the use has been 19.52
	:		<del>- :</del> -			F	
						<b>4</b> .	The amount of groundwater claimed (in miner's inches or gallons per minute)
<u>:</u>			<u>:</u>		-	5.	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

		4.	The amount of groundwater claimed (in miner's inches or gallons per minute)
		5.	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
E 41 W Sec 34 72	R6/		
Indicate point of appround place of use, if possible	priation e. Each	s	The means of withdrawing such water from the ground and the loca-
mall square represents 1	U acres.	υ,	tion of each well or other means of withdrawal
			Tump
drawal of groundwate			<u> </u>
8. The depth of water ta 9. So far as it may be	ble /43	ype, s	
8. The depth of water ta 9. So far as it may be	available, the wal of groundwa	ype, s	ize and depth of each well or the general specifications of any other
<ul><li>8. The depth of water ta</li><li>9. So far as it may be works for the withdra</li></ul>	available, the wal of groundwa	ype, s	ize and depth of each well or the general specifications of any other
8. The depth of water ta  9. So far as it may be works for the withdra	available, the wal of groundware	ype, s	ize and depth of each well or the general specifications of any other
8. The depth of water ta  9. So far as it may be works for the withdra  10. The estimated amount	available, the wal of groundwate	ype, sater	ize and depth of each well or the general specifications of any other
8. The depth of water ta  9. So far as it may be works for the withdra  10. The estimated amount	available, the wal of groundwate	ype, sater	ize and depth of each well or the general specifications of any other

Signature of Owner Date Dec 13, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

FILED

#4:25 O'clock \_\_P\_M.

DEC 2 3 1963

The first transfer

Decay Clock & Recorder

	I. 3/1		r. <i>6//</i>	_
	County_	tal	lon	
MONTANA BUREAU OF MINE Butte, Monta		EOLOGY	en e	
C. KNIPFER	LOG	573	Enker	
er A Kouleka		Address_	Epelet	more
Her Henry Bush		Address_	Eintealer	ku.

Date Started July 3 Date Completed 6
Location: Sec. 35 T. 2N R. 6/E 1 sec. S. W
Type of well Equipment used (Ghum, artis, rotar), staer)
water use: Domestic Municipal Stock X Irrigation
Industrial Drainage Other
Casing: 1 ft. to/f/ ft. Type stuf pife Size 4'
Casing:ft. toft. TypeSize
Casing:ft. toft. TypeSize
Rerforated or Screened: Ft. 42 to ft Ft. to ft.
Type of screen or perforations rand ful-
Static Water level, for non-flowing well:feet.
Shut-in pressure, for flowing well: lb./sq. in. on:
( <b>Particular</b>
Pumping water level // 2 feet at 6 gal. per min.
How tested: 2 have
length of test
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(cver)

Owner\_

Log of Well

Deptl	n, feet	
From 1	To	Description of Material Drilled
10	2.6	sandy stale
20	40	first rand rack
40	70-	dock shile
70	80	here stale
80	85-	liget skal:
85	110	rendy still
110	120	bluestate
120	125	legit state
125	146	gran skele
146	145	light state
145	150	Landy shelf
150	180	21 ster rans
	· · · · · · · · · · · · · · · · · · ·	
	-	
	· · · · · · · · · · · · · · · · · · ·	= 6
		FILED 6.4501.00k. M AUG281951 Court K. & Predictor 1 Deput
		2 00 E E C C
	· ·	
<u> </u>	<u> </u>	Deput M

i

35
----

		and the	33
		<b>T</b> 3	R G(
		7	ellon-
		•	11.001-
MONTAN A RI	IREAU OF MENES AN	D GEOLOGY	
MONTANA BI STATE ENGINEER	Butte, Montana	0202001	
36	liese y		$\sim 1$
Owner C-LCa	1 1 miles	LU Address	Baker Illout
	71 11		· ·
Date Started.	121 457	Date Compl	eted 1450 6,196
Location: Sec. 3.6	T 2 R6-/	1/2 sec. 5 E	
		•	
ype of well (Dug, driven, bored, or dr	Equipment use	chura c	aril, rotary, other)
	icipal Sto		( <del>_</del>
, ————————————————————————————————————	<u></u>		
Industrial Dra			
Casing: Luface It. to 230	it. Type of teach	Size #	en •
Casing: -765 ft. to -500	it. Type Steel	Size. 2	in
Casin -:ft_ to	.ft. Type	Size	
Perforated or Screened: Ft. 374  Type of screen or perforations			
Type of screen or perforations	thouse are	zim car	ung 3/ mch
Static Water level, for non-flowing well:			
Shut-in pressure, for flowing well:	Chucked in so in a	on:	
			(date)
Pumping water level	feet at	gal.	per min
low tested:		**********	
ength of test			***************************************
Remarks: (Gravel packing, cementing, pac			
of Ill of the state of the stat		V2.	
Will flatte 3/2	far the	flas	/' a.f.
Well flaws 5/2 2 mch Casing lap packet and topy	ded inside	4 in. w	ith lead
packet and topo	I unch ine	i mg	
7	•	1	·

(over)

Log of Well

Depth, feet From To	Description of Material Drilled
. !	
wafer 22/1	Vand & Fravel
2 4 192	Sandy chale
it adall	coalt ( flow about y gal P. M. black
JE 20015	Tour about y gal 1. M. Stack
200ft 390ft	Sandy skale
390St boots	Water Sand.
<u> </u>	
4.	
;	
:	
1	
	<u> </u>
:	1
!	
	1 1 2
	1328 1338 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	0.00 N 10 0 0.00 N 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

County FALLON Twp. 21 Rge. 60 =


Sec.	<b>)</b>	Type of Form	County File No.	Remarks
6	SiPMA, JAKE	GW4	139249	
		ļ		
		-		
	-	-	<del>                                     </del>	
		-	4	
		-		
		<del> </del>		
	<del> </del>	<del> </del>		
		<del> </del>	<del> </del>	
		+	<del>-</del>	
		+		
-				
-	-	+	<del></del>	<del> </del>
-		+	<del></del>	
	<del></del>	+		
-		+	-	
-	+	<del> </del>	+	
-		<del></del>	+	
-	+	<del> </del>	+	<del> </del>
-		+	+	
-		+	-	<del> </del>
-		+	+	
		+	+	+
		+	+	+
		+		+
		+	-	<del> </del>
		<del></del>	+	1
Ц			-	+

File	No
	4.01

T2N	R	6 <b>2</b> E
County	Fa	llon

DUPLICATE

#### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



7	JAKE SEPMA		, of	PA KER
	(Name of Appropriator)		(Address)	(Town)
County of	Fallon	•	State of Hontana	1 1000 as follows
have appro	priated groundwater accord	ng t	o the Montana laws in effect prior to January	1, 1902, as 10110WS:
	N	_		
		2.	The beneficial use on which the claim is based	
			Stock watering	
		3.	Date or approximate date of earliest beneficial	use; and how continu-
			ous the use has been 1958 and in contin	
	E			
	x			
		4.	The amount of groundwater claimed (in min	
			per minute) 10 gallons per minute	
· · · · · · · · · · · · · · · · · · ·				
		5.	If used for irrigation, give the acreage and d to which water has been applied and name	escription of the lands
	s		not for irregation	
E14. SW-1Ser	6 T. 28 R. 62E			
adicate poin	t of appropriation			
nd place of u	se, if possible. Each represents 10 acres.	6.	The means of withdrawing such water from the	ne ground and the loca-
man square	represents to acres.	٠.	tion of each well or other means of withdrawal	_
				···· саттимес. Б <b>амб</b> ·····
			and windmill	******
				*****
			on of the construction of the well, wells, or	other works for with-
drawal of	groundwater. Well w	<b>க</b> 41	on of the construction of the well, wells, or	other works for with-
drawal of	groundwater. Well w	<b>க</b> 41	on of the construction of the well, wells, or	other works for with-
drawal of	groundwater Well w	day:	on of the construction of the well, wells, or	other works for with- in production
drawal of	groundwater Well within a few of water table 50 i	day:	on of the construction of the well, wells, or rilled in swimer of 1958 and placed and been producing since then.	other works for with- in production
drawal of8. The depth 9. So far as	groundwater Well within a few of water table 50 is it may be available, the t	day: day:	on of the construction of the well, wells, or rilled in summer of 1958 and placed and been producing since then.	other works for with- in production
drawal of  8. The depth  9. So far as works for	i groundwater Well within a few of water table 50 is it may be available, the the withdrawal of groundwing steel casing, 6 inch	day: day: dest. ype, ater	on of the construction of the well, wells, or rilled in summer of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general specific brilled well to depth of 160 feet, diameter to bottom. Equiped with a	other works for with- in production eifications of any other cased with
drawal of	i groundwater Well within a few of water table 50 is it may be available, the table withdrawal of groundward for groundward fo	day: day: leet. ype, ater. in	on of the construction of the well, wells, or rilled in summer of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general specific brilled well to depth of 160 feet, diameter to bottom. Equiped with a	other works for with- in production cifications of any other cased with
drawal of	groundwater well we within a few of water table 50 is it may be available, the to the withdrawal of groundwisteel casing, 6 inchesith windwill for possible with the windwill for possible windwill for possible windwill for the windwill for the windwill for the windwill for	day: day: lest. ype, ater a in	and windmill  on of the construction of the well, wells, or rilled in swimer of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general speculated well to depth of 160 feet, diameter to bottom. Equiped with a	other works for with- in production cifications of any other cased with
drawal of  8. The depth  9. So far as works for	groundwater Well within a few within a few so water table 50 is it may be available, the the withdrawal of groundwateel casing, 6 inch with windwill for possible	day: day: leet. ype, ater in in	and windmill  on of the construction of the well, wells, or rilled in sugmer of 1958 and placed a and been producing since then.  from surface  size and depth of each well or the general spending will to depth of 150 feet, diameter to bottom. Equiped with a	other works for with- in production  cifications of any other cased with
drawal of  8. The depth  9. So far as works for	i groundwater well within a few within a few so water table 50 is it may be available, the the withdrawal of groundwater with windwill for positive with the windwill for positive with the windwill for positive with windwill for positive with the	lest. ype, ater in ner	and windmill.  on of the construction of the well, wells, or rilled in sugmer of 1958 and placed and been producing since then.  from surface.  size and depth of each well or the general spendilled well to depth of 160 feet.  diameter to bottom. Equiped with a surface with a surface.	other works for with- in production cifications of any other cased with cylinder pump
drawal of	i groundwater well within a few within a few so water table 50 is it may be available, the the withdrawal of groundwater with windwill for positive with the windwill for positive with the windwill for positive with windwill for positive with the	lest. ype, ater in ner	on of the construction of the well, wells, or rilled in sugar of 1958 and placed a and been producing since then.  from surface.  size and depth of each well or the general specified well to depth of 160 feet, diameter to bottom. Equiped with a thdrawn each year 400,000 gallons per drilling of each well if available none available non	other works for with- in production eifications of any other cased with eylinder pump
drawal of	i groundwater well within a few within a few so water table 50 is it may be available, the the withdrawal of groundwater with windwill for positive with the windwill for positive with the windwill for positive with windwill for positive with the	lest. ype, ater in ner	and windmill  on of the construction of the well, wells, or  rilled in sugar of 1958 and placed a and been producing since then.  from surface  size and depth of each well or the general spec Drilled well to depth of 160 feet, diameter to bottom. Equiped with a	other works for with- in production eifications of any other cased with eylinder pump
drawal of  3. The depth  9. So far as works for	i groundwater well within a few within a few so water table 50 is it may be available, the the withdrawal of groundwater with windwill for positive with the windwill for positive with the windwill for positive with windwill for positive with the	lest. ype, ater in ner	on of the construction of the well, wells, or rilled in sugar of 1958 and placed a and been producing since then.  from surface.  size and depth of each well or the general specified well to depth of 160 feet, diameter to bottom. Equiped with a thdrawn each year 400,000 gallons per drilling of each well if available none available non	other works for with- in production  cifications of any other cased with cylinder pump
drawal of  3. The depth  9. So far as works for	igroundwater well within a few of water table 50 is it may be available, the the withdrawal of groundwater with windwill for positive with the windwill will be a second with the windwill be a second with the windw	leet. ype, ater in r wit	and windmill.  on of the construction of the well, wells, or rilled in sugar of 1958 and placed and been producing since then.  from surface.  size and depth of each well or the general spen Drilled well to depth of 160 feet, diameter to bottom. Equiped with a thdrawn each year 400,000 gallons per drilling of each well if available none available none available none available seed to the construction of each well if available none availa	other works for with- in production  cifications of any other cased with cylinder pump
drawal of  3. The depth  9. So far as works for	i groundwater well within a few in of water table within a few it may be available, the the withdrawal of groundwater with windwill for position of a similar er information of a similar	leet. ype, ater in in r with	and windmill  on of the construction of the well, wells, or  rilled in sugar of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general specard will to depth of 150 feet, diameter to bottom. Equiped with a  thdrawn each year 400,000 gallons per  drilling of each well if available none available as may be useful in carrying out the policy	other works for with- in production  cifications of any other cased with cylinder pump
drawal of  3. The depth  3. So far as works for  4. The log o	i groundwater well within a few in of water table within a few it may be available, the the withdrawal of groundwater with windwill for position of a similar er information of a similar	leet. ype, ater in in r with	and windmill.  on of the construction of the well, wells, or rilled in sugar of 1958 and placed and been producing since then.  from surface.  size and depth of each well or the general spen Drilled well to depth of 160 feet, diameter to bottom. Equiped with a thdrawn each year 400,000 gallons per drilling of each well if available none available none available none available seed to the construction of each well if available none availa	other works for with- in production  cifications of any other cased with cylinder pump
drawal of  3. The depth  9. So far as works for	i groundwater well within a few in of water table within a few it may be available, the the withdrawal of groundwater with windwill for position of a similar er information of a similar	leet. ype, ater in in r with	and windmill  on of the construction of the well, wells, or  rilled in sugar of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general specare of 150 feet.  diameter to bottom. Equiped with a chiameter to bottom. Equiped with a depth of a chiameter to bottom. In the case of the construction of each well if available none available are as may be useful in carrying out the policy record.	other works for with- in production  eifications of any other cased with eylinder pump
drawal of	i groundwater well within a few in of water table within a few it may be available, the the withdrawal of groundwater with windwill for position of a similar er information of a similar	leet. ype, ater in in r with	and windmill  on of the construction of the well, wells, or  rilled in sugar of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general specard will to depth of 150 feet.  diameter to bottom. Equiped with a  thdrawn each year 400,000 gallons per  drilling of each well if available none available record	other works for with- in production  cifications of any other cased with cylinder pump
drawal of  8. The depth  9. So far as works for  0. The estim  1. The log o	i groundwater well within a few in of water table within a few it may be available, the the withdrawal of groundwater with windwill for position of a similar er information of a similar	leet. ype, ater in in r with	and windmill  on of the construction of the well, wells, or  rilled in sugner of 1958 and placed and been producing since then.  from surface  size and depth of each well or the general spec  Drilled well to depth of 150 feet,  diameter to bottom. Equiped with a  thdrawn each year 400,000 gallons per  drilling of each well if available none available re as may be useful in carrying out the policy  record	other works for with- in production  cifications of any other cased with cylinder pump

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

