

¥.


34

. GW 3

File No_____

rhe No.....

DUPLICATE



STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater WANC 15
	Owner Raphary Ray Broshaddress Baker, MONT
	Contractor (if any) Baker Cenent Products
	Address of Contractor Baker Mant
	Date Started UNNe 10, 1862 Date Completed Clave 11, 1862
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable Spring developed by
	Perforated Grangeburg Tile, 35 Feet From
W	tedrack formation
W	
	Quantity of water developed and used with explanation of meth-
8	od used to measure or estimate such amount. If use is intermit-
NW4 Sec 23 TSN RS8	tent estimate approximate lengths of periods of use
Indicate point of appropriation	390,000 gala yearly, und deily
and place of use, if possible.	390,000 gala yearly, unddily
	Signature of Owner Rebel Bushi
	Signature of Owner Refet Bushin
	· · · · · · · · · · · · · · · · · · ·


This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

13 1 92 6




File No.....

DUPLICATE.

T 5NR 58 E

County Fallon

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation William Well GINEER

(Under Chapter 237 Montana Session Laws, 1961)


	Date of Appropriation of Groundwater
	Owner Rolphan Ray Braski Address Baken MONT
	Contractor (if any) Baker Coment Products
	Address of Contractor Baker MONT
	Date Started Completed June 11 162
Я	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable Spring developed Som
	coal vein approximately freet
7	Tile with eppraximately to feet plastic
	pipe To bring Water To Touk
	Quantity of water developed and used with explanation of meth-
8	od used to measure or estimate such amount. If use is intermit-
W 4 Sec. 24 TSN R58	tent estimate approximate lengths of periods of use
ndicate point of appropriation	788, 400 gellen, Sily usage
and place of use, if possible.	
	Signature of Owner. Ralph Bushi
	Date My 7 /763

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



~ 77	

Approved	Stock	Form-State	Publishing	Co.,	Helena.	Montana-13496	-£_	

т	R.	<u> </u>	8	
County	FA	LL	ON	······

DUPLICATE

File No.....

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights DEC 20 1863 (Under Chapter 237, Montana Session Laws, 1961)

1. HERBERT F. STRAUB OF RTE WILLARD
Name of Appropriator)
(Address) TOWN)

County of FALLON State of MONTANA have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

				 •				•
				İ				
			,	 		·		
W		:		 	:	,	•	
				 		,	·	
			. ——	 		·	`	
				 	-			
	(

NE SE SELLET S RS8

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

٠,	The	henoficial	1150 /	an which	+h	alaim	:	basad	range	
		Ta. is					•••			

- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used far irrigation.

- 8. The depth of water table ... Il feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.

10. The estimated amount of groundwater withdrawn each year.

- II. The log of formations encountered in the drilling of each well if available met known


Signature of Owner Lechech F. Strandon 12, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

. : " = "



File No.

T	5N	R	58 Z	 	
Cot	intv	Fa	llon		

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)


	Date of Appropriation of Groundwater June 1961
	Owner Julius A. Bruski Address Willard, Mentana
	Contractor (if any) L.W. Hors & Sens
	Address of Contractor Buker, Montana
	Date Started June 15,1961 Date Completed J ne 22, 1961
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
w	water when applicable. Depth slopes about loffet to 6 feet in depth, 150 feet in length. Contractor dug a ditch, put in a plastic pipe (Am), covered it with sceria, filled in with dirt and water runs from plastic pipe into tank, free floring Plows about 14 Gallons per minute.
NW 1/4 NE 1 Sec. 28 T 5 N R 588	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
Indicate point of appropriation and place of use, if possible.	taken show a flow of about 1th Gallens per minute, constantly and which has continued since the spring was developed
	Signature of Owner Milius a Brussa. Date Jan 9, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



T	5. X.	R.	581	š
Cou	inty		llon	

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

(Name of Appropriator	Of Box 960, Miles City (Address) (Town)
County of Custer	State of Sontana
have appropriated groundwater ac lows:	cording to the Montana laws in effect prior to January 1, 1962, as for
<u>А, , , , , , , , , , , , , , , , , , , </u>	2. The beneficial use on which the claim is based
<u> </u>	
	 Date or approximate date of earliest beneficial use; and how continuous the use has been 8/30/44 - continuous
E	
	4. The amount of groundwater claimed (in miner's inches or gallo per minute) 3 gal/min.
s	If used for irrigation, give the acreage and description of t lands to which water has been applied and name of the own
NW 1/4 NW Sec 29 T SN R 588	thereof
ndicate point of appropriation nd place of use, if possible.	
ach small square represents 10	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
eres.	Windmill - WWkWWk of Sec. 19
The date of commencement and co	empletion of the construction of the well, wells, or other works for wit
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of	ompletion of the construction of the well, wells, or other works for wite mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of	ompletion of the construction of the well, wells, or other works for wite mpleted 8/30/44 ype, size and depth of each well or the general specifications of an
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of	ompletion of the construction of the well, wells, or other works for wite mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled well 115! deep.	ompletion of the construction of the well, wells, or other works for wite mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled well 115! deep. The estimated amount of groundw	ompletion of the construction of the well, wells, or other works for witer mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater 201 tower & 81 head, standard 4n casing.
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled wil 115! deep. The estimated amount of groundw	ompletion of the construction of the well, wells, or other works for with mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater 20' tower & 8' head, standard 4" casing.
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled well 115! deep. The estimated amount of groundw The log of formations encountered Vater in 5! of and Such other information of a similar	ompletion of the construction of the well, wells, or other works for with mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater 20' tower & 8' head, standard 4" casing.
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled well 115! deep. The estimated amount of groundw The log of formations encountered Vater in 5! of and Such other information of a similar	ompletion of the construction of the well, wells, or other works for with mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater 20! tower & 8! head, standard 4n casing. atter withdrawn each year in the drilling of each well if available and. The nature as may be useful in carrying out the policy of this act, including the case of the construction of the well, wells, or other works for with mpleted 8/30/44.
The depth of water table 115! So far as it may be available, the tother works for the withdrawal of Drilled well 115! deep. The estimated amount of groundw The log of formations encountered Vater in 5! of and Such other information of a similar	ompletion of the construction of the well, wells, or other works for wit mpleted 8/30/44 ype, size and depth of each well or the general specifications of an groundwater 20! tower & 8! head, standard 4" casing. atter withdrawn each year 1,500,000 gal. in the drilling of each well if available and.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator. 5222

FILED

at 11.10 Cloud A.M.

OCT 2 1963

RR STEVENS

County Clerk & Decurar

Dea Astronomy

Denuty

:

.

	ar Kircu	
3T	•	

Approved	Stock	Form-State	Publishing	Co.,	Helena,	Mentana -38496

333

File	No.
T. IIG	J \ U

T 2 R 28

County

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rig (Under Chapter 237, Montana Session Laws, 1961)

STAIL ENGINEER

1	•	Pe	ard:				s 00		· · · · •	of 12 Wabasha	Saker
	Cor	unt	y of				ppropri			(Address) State of Montana	(Town)
	hav	ve i	appr	opria	ted	grou	ndwater	accordi	ng	to the Montana laws in effect price	or to January 1, 1962, as follows
		æ	-3	<i>i</i> —	T	:	· !		2.	The beneficial use on which the cla	
		:	;			:				House as and stock wa	cer.
		!			-	-\		1	2.	Date or approximate date of earli	
			-		- !			-		tinuous the use has been soll ever since for some p	
'		!	!	į		1		- L			
		-	-	-				-	4.	The amount of groundwater claim per minute)Atoui.3gallo	. –
			-		-	- -		-			
			<u>:</u>	:	<u> </u>	<u>: </u>		ل	5 .	If used for irrigation, give the acre to which water has been applied	eage and description of the land and name of the owner thereo
										lot used for irricati	-m
	1/4.	· • • • • • • • • • • • • • • • • • • •	. Sec	:-3/	. T	5 i	ે કુંજ				

Indicate point of appropriation and place of use, if possible, Each small square represents 10 acres.

ն .	The means of withdrawing such water from the ground and the	he
	location of each well or other means of withdrawal	
	Pump and windmill.	

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Completed in 1926.

8. The depth of water table 180 ft. to water.

So far as it may be available, the type, size and depth of each well or the general spe works for the withdrawal of groundwater. Zell. depth 270 ft. in. Cas. windmill height in ft. town.	es
The estimated amount of anomaloustan withdrawn each year ESTS PO 1990	

11.	The log of formations encountered in the drilling of each well if available
	1225 12 545 44 1247

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. no Quincy record.

Signature of Owner. Judy U. Carlin

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

FILED

at 1:30 O'clock A ...M.

NOV 2 1 1963

Country Sterk & Recorder

Lephi/

(**ما** س ومهم

-

j : 3

.

STATE PUBLISHING COMPANY

ŀ

150 - RESE County 132on

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

LICENSE NO. 47

	\PPROPRI	ATION	BY ME	EANS OF V		:K					s found and ises in well.	
(Under C	hapter 237	Montana	Session	laws, 1961, a	as am e nc	ded)	Top of	Ground	!	(Elev. abov	e sea level)	
by the own	er with the	County	Clerk an	nd three copi d Recorder in	the cou	nty in	From (Feet)	Te (Feet)				
which the Please answ	ver all ques	· -		31	1	nv C						
form may b	be returned.						F	70	<u> </u>	dy	- iluatio	1
Owner 1	endy	Carl	00	For Adminis	strator's L	Jse	1 1 2	ے ۔	Cr-	d		
Address		el		File 1366/								
************				Nov. 9/19%	2 1:3	59.00	 					
Date well s	itarted 🕰	ch1	. 72	GW 1	• • • • • • • • • • • • • • • • • • • •							
com	pleted	24 4	- 72									
Type of we	<u>ر ک</u> اا	iled		k, driven, bored or	Adu A							
Equipment	used	star	4	Dum drill, rotary o	united)							
Water Use:	Domestic	∪ Mu	7 micipal [Stock 🕱	Irrigati	ion []						
Indu	ıstrial 🔲	Drainage	01	her □* Ga	arden/Lav	wn 🗌	! !					
*Describe				***************************************	*********							
USE: If use state i	ed for irrig	ation, in	dustrial, location	drainage or o or other data	other. Ex (i.e. Lot,	xplain, Block						
and A	Addition)	••···••·······························	·-••									
ESTIMATED	ANNJAL V	VITHDRA	WAL			<u></u>						
Size of Drilled	Size sed Weight	F:om (Fort)	To (Feet)	PER	FORATION	`S						1
Hole	of Casing			Kind Size	From (Feet)	To (Feet)]
. 3,	5"			inille								
6 4		C	200	2 *	140	200						-
1	present			4 2300		3-,9					,	1
				4 Rome		!						
	<u> </u>	: 7	Stat	ric water level	1	70 ft.						}
				nping water le								·
			mea	sured . 6.0 mi								1
w		:		pan. easured from	around 1	evel						┨
		x	We	il developed b	سعت و							1
				2 h		 НР	,					1
			Ren	harks: (Gravel kars, type of s	packing,	, cementing,						-
REN	SEL Se	رچ3ا			-							
T5	N R	55 E										}
				LACE OF USE	, IF POS	SSIBLE.						
EACH SMA		-		2								1
Driller's Sig			_	Market Control								i
Driller's Ad	ldress .	عد الصب										·

Show exact depth of bottom

FALLON CHUNTY
BAKEN, NO MANA
Filed for Record

1.35 Archock CM

NOV 9 197.2

County Clerk

		File	No	
--	--	------	----	--

1	K. S.
Country	Fellon

DUPLICATE

County Fellon

STATE OF MONTANA ADMINISTRATUR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

ECEIVE D

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

(Name of Appropriator)	of Box 960, Hiles City (Address) (Town)
ounty of Guster	
ave appropriated groundwater ac	cording to the Montana laws in effect prior to January 1, 1962, as fol-
ws:	
N	2. The beneficial use on which the claim is based
X	Livestock water
	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has beenAugust 1944cont august
E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 3 sel/min.
	5. If used for irrigation, give the acreage and description of the
S	lands to which water has been applied and name of the owner
	thereof
4.NW., Sec. 33 T., 50. R. 588	
ate point of appropriation	
place of use, if possible.	6. The means of withdrawing such water from the ground and the
place of use, if possible. small square represents 10	location of each well or other means of withdrawal
small square represents 10 . he date of commencement and co	location of each well or other means of withdrawal Windmill - MPANA of Sec. 33 mpletion of the construction of the well, wells, or other works for with-
small square represents 10 he date of commencement and corawal of groundwater	location of each well or other means of withdrawal Windmill - Elith of Sec. 33 mpletion of the construction of the well, wells, or other works for with- leted Accust 1944
small square represents 10 he date of commencement and convaval of groundwater	mpletion of the construction of the well, wells, or other works for with leted Accust 1944.
small square represents 10 he date of commencement and corawal of groundwater	location of each well or other means of withdrawal Windmill - Elith of Sec. 33 mpletion of the construction of the well, wells, or other works for with- leted Accust 1944
small square represents 10 he date of commencement and corawal of groundwater	windmill - Mainth of Sec. 33 mpletion of the construction of the well, wells, or other works for with- lated August 1944. ype, size and depth of each well or the general specifications of any groundwater
small square represents 10 he date of commencement and considerate of groundwater	windmill - Mainth of Sec. 33 mpletion of the construction of the well, wells, or other works for with- lated August 1944. ype, size and depth of each well or the general specifications of any groundwater
small square represents 10 he date of commencement and corawal of groundwater Company he depth of water table 138: he far as it may be available, the tenter works for the withdrawal of Drilled well, 138: deep	location of each well or other means of withdrawal Windmill - Helffet of Sec. 33 mpletion of the construction of the well, wells, or other works for with- leted August 1944 ype, size and depth of each well or the general specifications of any groundwater Standard As casing. 201 tower & St. head.
small square represents 10 he date of commencement and convaval of groundwater Company he depth of water table 138: he far as it may be available, the type of the works for the withdrawal of Drilled well, 138: deep	windmill - Mainth of Sec. 33 mpletion of the construction of the well, wells, or other works for with- lated August 1944. ype, size and depth of each well or the general specifications of any groundwater
small square represents 10 the date of commencement and convaval of groundwater	windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with-lated August 1944. ype, size and depth of each well or the general specifications of any groundwater Standard Arcasing. 201 towar & 8: head.
small square represents 10 the date of commencement and convaval of groundwater	windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with-leted August 1944. ype, size and depth of each well or the general specifications of any groundwater Standard Arcasing. 201 towar & 8: head. ater withdrawn each year 1.500,000 gal. in the drilling of each well if available
small square represents 10 the date of commencement and contained of groundwater	windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with-lated August 1944. ype, size and depth of each well or the general specifications of any groundwater Standard Arcasing. 201 towar & 8: head.
small square represents 10 the date of commencement and convaval of groundwater	windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with-leted August 1944. ype, size and depth of each well or the general specifications of any groundwater Standard Arcasing. 201 towar & 8: head. ater withdrawn each year 1.500,000 gal. in the drilling of each well if available
small square represents 10 the date of commencement and convaval of groundwater the depth of water table of far as it may be available, the teler works for the withdrawal of Drilled well, 138. deep the estimated amount of groundwine log of formations encountered in the convergence of the conv	windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with-leted August 1944. ype, size and depth of each well or the general specifications of any groundwater Standard Arcasing. 201 towar & 8: head. ater withdrawn each year 1.500,000 gal. in the drilling of each well if available
small square represents 10 the date of commencement and consider and of groundwater	location of each well or other means of withdrawal Windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with- lated August 1944 ype, size and depth of each well or the general specifications of any groundwater , Standard 4° casing. 20¹ tower 5.5: head. ater withdrawn each year 1,500,000 gal. in the drilling of each well if available Ret Available nature as may be useful in carrying out the policy of this act, including
small square represents 10 the date of commencement and consider and of groundwater	location of each well or other means of withdrawal Windmill - British of Sec. 33 mpletion of the construction of the well, wells, or other works for with- lated August 1944 ype, size and depth of each well or the general specifications of any groundwater , Standard 4° casing. 20¹ tower 5.5: head. ater withdrawn each year 1,500,000 gal. in the drilling of each well if available Ret Available nature as may be useful in carrying out the policy of this act, including

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

13 (3 60

FILED

at 11.10 O'clock A M

OCT 2 1963

R 2 STEVEN

Genus Security

County Clerk & Security

Deputy

.

.

N R 58Z

File No.

DUPLICATE

County.

Pallon

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)


5	Ĩ.	βĺ	Ī	F	Ē	N	9	ŧ	N	F	۲	Q

(Name of Annean-i-t)	· · · · · · · · · · · · · · · · · · ·	of	Willard
(Name of Appropriator) County of Fallon		(Address)	(Town)
have appropriated groundwater acclows:	cordir	State of	prior to January 1, 1962, as fol-
N The state of the	2.	The beneficial use on which the	claim is based
x	3.	Date or approximate date of earli tinuous the use has been continual use ever	est beneficial use; and how con- June 1947 and has been in since
	4.	The amount of groundwater claim per minute)	ned (in miner's inches or gallons
\$	5.	If used for irrigation, give the lands to which water has been a	acreage and description of the
•		thereof	
SS.4364 Sec. 34 T.5N R. 58E			**************************************
ndicate point of appropriation nd place of use, if possible.	e	The means of withdrawing such	water from the ground and the
lach small square represents 10 cres.	u.	location of each well or other me	eans of withdrawal
The date of commencement and codrawal of groundwater	1947		
The depth of water table 80 fe	et fi	rom surface ize and depth of each well or the	e general specifications of any
The depth of water table 80 fe So far as it may be available, the ty other works for the withdrawal of Bearing Sand, Gased vi	1947 ot fi ype, s groun th 6	rom surface ize and depth of each well or the depth of t	e general specifications of any
The depth of water table 80 for So far as it may be available, the tyother works for the withdrawal of Bearing Sand, Cased with the estimated amount of groundw	ype, s groun th 6	ize and depth of each well or the dwater Drilled, 125 feet described. Casing withdrawn each year 350,000	e general specifications of any sep, 30 foot of water
The depth of water table 80 fe So far as it may be available, the trother works for the withdrawal of Bearing Sand, Cased Mi	ype, s groun th 6	ize and depth of each well or the dwater Drilled, 125 feet described. Casing withdrawn each year 350,000	e general specifications of any sep, 30 foot of water
The depth of water table 80 for So far as it may be available, the tyother works for the withdrawal of Bearing Sand, Cased with the estimated amount of groundw	ype, s grour th 6	ize and depth of each well or the dwater Drilled, 125 feet described. Casing withdrawn each year 350,000	e general specifications of any sep, 30 foot of water
The depth of water table 80 fe So far as it may be available, the ty other works for the withdrawal of Bearing Send, feeed with The estimated amount of groundw The log of formations encountered	ype, s grour th 6	rom surface ize and depth of each well or the depth of the last o	general specifications of any seep, 30 foot of water gallons per year none available t the policy of this act, including
The depth of water table 80 fe So far as it may be available, the tother works for the withdrawal of Bearing Send, flased vi The estimated amount of groundw The log of formations encountered Such other information of a similar reference to book and page of any	ype, s grour th 6	rom surface ize and depth of each well or the depth of the last o	general specifications of any seep, 30 foot of water gallons per year none available t the policy of this act, including
The depth of water table 80 fe So far as it may be available, the tother works for the withdrawal of Bearing Send, flased vi The estimated amount of groundw The log of formations encountered Such other information of a similar reference to book and page of any	ype, s grount the	ize and depth of each well or the dwater Drilled, 125 feet descring withdrawn each year 350,000 e drilling of each well if available are as may be useful in carrying out y record.	general specifications of any seep, 30 foot of water gallons per year none available t the policy of this act, including

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.




	71

GT .	
File No	T. 51 R. 58E
DUPLICATE	County Fallon
ADMINISTR OFF Declaration	STATE OF MONTANA AATOR OF GROUNDWATER CODE ICE OF STATE ENGINEER of Vested Groundwater Rights
(Under Chap	ter 237. Montana Session Laws, 1961) STATE ENGINEER
. Indian t December	
(Name of Appropriator)	of Willard (Town)
County of Fallon have appropriated groundwater accord lows:	State of Hontana laws in effect prior to January 1, 1962, as fol-
N N	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how con-
*	tinuous the use has been
W E	
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
	Paradis Series
s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner
SE 4 NG-Sec. 34 T.5N R. 58	thereof
Indicate point of appropriation	
and place of use, if possible.	6. The means of withdrawing such water from the ground and the
Each small square represents 10 acres.	location of each well or other means of withdrawal 110! Deep with 30 of Water - Water removed by pressure pump.
	located 80° North and West of Farm Residence
drawal of groundwater	letion of the construction of the well, wells, or other works for with-
8. The depth of water table107 fac	et from surface
	size and depth of each well or the general specifications of any
other works for the withdrawal of gro	undwater 110f deep, Srilled Well, cased with is
rock.	et 116° and the water bearing sand is just above the
·	
	withdrawn each year 175,000 gsllons per year
11. The log of formations encountered in t	he drilling of each well if availablenot evalable
reference to book and page of any cour	ture as may be useful in carrying out the policy of this act, including nty record.
	Signature of Owner Audio La Strush
	Signature of Owner Audical a Strusho

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



DUPLICATE

T 5 R 58

County Fallow

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

DEC 2 0 1963

STAIL CHUINCER

Notice of Completion of Groundwater Appropriation Wilhout Well

OFFICE OF STATE ENGINEER


(Under Cha	apter 237 Montana Session Laws, 1961)
SW-NE NETH Sec.35. T.5. R.58 Indicate point of appropriation and place of use, if possible.	Date of Appropriation of Groundwater 12-5-58 Owner HEBERT STAR BAddress NILLAND MENT. Contractor (if any) LEONARD HOWE Address of Contractor BAKER MONTANA Date Started 1-35-58 Date Completed 12-5-58 Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable a ditch was say at 6 and tile lade in and perfected paper Approved Lade to Cisterin for house Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use The Approved Lade Secretary Lade Secretary Completions Signature of Owner Heibert 9. Straub Deta 11-16-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



County FALLON Twp. SN Rge. 59E

Sec.	Name of Appropriator Schweigert, Jake	Type of Form	County File No. 1393/4	Remarks
2	BUBLITZ, VERN	6w2	12573	
2	Schurigert, JAKE	CW4	139316	
3	", ",	Gua	12587	
4	BECKTOLO, JOHN F.	GW4	139450	
6	MOSERIP, W.G.	6W3	139315	
6	OPP, Richard & Shirley		138957	
8	ROST, ROD	6-62	13447	
8	FOST. RAY	664	139193	
9	Schweigert, Take	664	139311	
10	BUBLITZ VERN	662	12574	
10	HUBER ChRISTIAN	6w4	139097	
1/	BERTOLD JOLN	Gw4	139453	· - · · · · · · · · · · · · · · · · · ·
ىخىر	FOST, RAY	664	139194	
15	SCHWEIGERT, JAKE	6W2	12588	
15	(1) c.	GW4	139310	
18	HANSON, HARRY F.	6W4	139129	
20	FOST, RAY	644	139195	
22	BERTOLD, JOHN F.	GW4	139456	
23	11	GWY	139453	
24	REROSTROM, ROBERT	644	139556	
24	,,	6W4	139555	
24	tt • f	CWY	139557	
26	BEACH, DELANE	6W3	137922	
26		GW3	139426	
28	Losing John	664	139078	
32	Sikokskit Soms	GW4	139510	
35	IKEACH, DELANE	6w3	137923	
35	" "	[GW4	137920	
35	12 11	GW4	137921	
29	Sikoski + Sons	6 w 4	139509	
-	+	 		
	 			

File No..

County

Pallon

T 5N R 59e

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DE0 30 1963

Declaration of Vested Groundwater Rights ATE ENGINEER


(Under Chapter 237, Montana Session Laws, 1961)

Jaka Schweigert	- <i>P</i>	Baicer
(Name of Appropriator)	, of (Address)	(Town)
ounty of Fallon	•	
ive appropriated groundwater according	g to the Montana laws in effect prior to	January 1, 1962, as follows:
N	2. The beneficial use on which the claim is	based LIVESTOCK WATERIN
	Drilled in 1946 and	
	The state of the s	eneficial use; and how continual
ε		
	4. The amount of groundwater claimed per minute)	
	per minute)	
*	5. If used for irrigation, give the acreage to which water has been applied an	ge and description of the land d name of the owner there
59E	not for irregati	01
4 SE Sec. 1 T.5N R. A.		
ate point of appropriation lace of use, if possible. Each		
- 40	6. The means of withdrawing such water	
The date of commencement and compared the state of the st	tion of each well or other means of wit Cylindar many and windwill pletion of the construction of the well, we will was drilled and completed in their since then.	ells, or other works for wit
The date of commencement and compared the drawal of groundwater this was been used for stock water	Orlindar many and windwill pletion of the construction of the well, w	ells, or other works for wit
The date of commencement and commencemen	pletion of the construction of the well, we rell was drilled and completed in wring since then. pet from surface pe, size and depth of each well or the gentler Drilled to a depth of 130 feet	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inch
The date of commencement and complete drawal of groundwater this was been used for stock rate. The depth of water table 27 is so far as it may be available, the tyworks for the withdrawal of groundwaters as a stock rate of groundwaters.	pletion of the construction of the well, we will was drilled and completed in wring since then.	ells, or other works for with fall of 1948 and has eral specifications of any other and cased with 6 inch and program with a
The date of commencement and complete drawal of groundwater this was been used for stock rate. The depth of water table 20 22. So far as it may be available, the tyworks for the withdrawal of groundwaters at the bottom.	pletion of the construction of the well, we rell was drilled and completed in wring since then. The size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inches and program with a
The date of commencement and complete drawal of groundwater this was been used for stock water. The depth of water table 27.13 So far as it may be available, the tyworks for the withdrawal of groundwater steel casing to the bottom administration.	pletion of the construction of the well, we sell was drilled and completed in wring since then. pet from surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inch and progress with a
The date of commencement and commencemen	pletion of the construction of the well, we rell was drilled and completed in wring since then. The size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump withdrawn each year 180,000 gallon	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inch and progress with a
The date of commencement and commencemen	pletion of the construction of the well, we sell was drilled and completed in wring since then. pet from surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inch and progress with a second progr
The date of commencement and complete drawal of groundwater this was been used for stock rate. The depth of water table 20 22 So far as it may be available, the tyworks for the withdrawal of groundwater that bottom admits 11 The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the state of the state of the log of formations encountered in the log of formations encountered in the log of formations encountered in the log of the state of the log of formations encountered in the log of t	pletion of the construction of the well, well was drilled and completed in wring since then. pet from surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump withdrawn each year 180,000 gallouthe drilling of each well if available non-	ells, or other works for with fall of 1948 and has eral specifications of any other and cased with 6 inch and present with a second specification of any other and present with a second specification of any other and present with a second specification of any other and present with a second specification of any other second specification of any other second specifications of any other second specifi
The date of commencement and complete drawal of groundwater this was been used for stock rate. The depth of water table 20.22 So far as it may be available, the tyworks for the withdrawal of groundwater that bottom admits 11 The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the state of groundwater.	pletion of the construction of the well, well was drilled and completed in wring since then. pet from surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump withdrawn each year 180,000 gallouthe drilling of each well if available non-	ells, or other works for wit fall of 1948 and has eral specifications of any other and cased with 6 inch and program with a second specification of any other and program with a second specification.
The date of commencement and complete drawal of groundwater this was been used for stock rate. The depth of water table 20 fee. So far as it may be available, the ty works for the withdrawal of groundwater steel casing to the bottom adapt? The estimated amount of groundwater. The log of formations encountered in the log of formations enco	pletion of the construction of the well, we rell was drilled and completed in wring since then. The surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump withdrawn each year 180,000 gallow the drilling of each well if available none that the drilling of each well if available none that the drilling of each well in carrying out the try record	ells, or other works for with fall of 1948 and has eral specifications of any other and cased with 6 inch and program with a second specification of any other and program with a second specification of any other and program with a second specification of any other and program with a second specification of any other and program with a second specification of this act, including the policy of this act, including
drawal of groundwater been used for stock rate The depth of water table So far as it may be available, the ty works for the withdrawal of groundwate steel casing to the bottom industia The estimated amount of groundwater The log of formations encountered in the log of formations encountered in the log of the property of the log of t	pletion of the construction of the well, we rell was drilled and completed in aring since then. The surface pe, size and depth of each well or the genter Drilled to a depth of 136 feet and fitted with a cylinder pump withdrawn each year 180,000 gallouthe drilling of each well if available non-cature as may be useful in carrying out the true of the construction of the construction of the well in carrying out the true as may be useful in carrying out the construction of the construction of the well in carrying out the construction of the well, we will be constructed in the carrying out the construction of the construction of the well in carrying out the construction of the	ells, or other works for with fall of 1948 and has eral specifications of any other, and eased with 6 inch and process with a
The date of commencement and complete drawal of groundwater this was been used for stock water. The depth of water table 80.23 So far as it may be available, the ty works for the withdrawal of groundwater that casing to the bottom windwall? The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the reference to book and page of any countered.	pletion of the construction of the well, we rell was drilled and completed in wring since then. The surface pe, size and depth of each well or the genter Drilled to a depth of 130 feet and fitted with a cylinder pump withdrawn each year 180,000 gallouted the drilling of each well if available none that the drilling of each well in carrying out that the drilling of each well in carrying out the triple of the construction of the well in carrying out the drilling of each well in carrying out the triple of the construction of the well, we will be a supplied to the drilling of each well in carrying out the carrying	ells, or other works for with fall of 1948 and has eral specifications of any other, and eased with 6 inch and present with a
The date of commencement and complete drawal of groundwater this was been used for stock water. The depth of water table 80.23 So far as it may be available, the ty works for the withdrawal of groundwater that casing to the bottom windwall? The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the reference to book and page of any countered.	pletion of the construction of the well, we rell was drilled and completed in aring since then. The surface pe, size and depth of each well or the genter Drilled to a depth of 136 feet and fitted with a cylinder pump withdrawn each year 180,000 gallouthe drilling of each well if available non-cature as may be useful in carrying out the true of the construction of the construction of the well in carrying out the true as may be useful in carrying out the construction of the construction of the well in carrying out the construction of the well, we will be constructed in the carrying out the construction of the construction of the well in carrying out the construction of the	eral specifications of any other and cased with 6 inch and program with a manufacture of this act, including policy of this act, including

Three copies to be filed by the owner with the County Clerk and Becorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Luplicate to the State Engineer. Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



GW 1		ئى 4 ئە	Approved	Stock For	m—State Publish			_
File No.	1 - 6	, , , , , , , , , , , , , , , , , , ,			Т	$\frac{5N}{R}$	59	= 2
DUPLIC	ATE				Cou	nty 7	allor	1
	LOG		ADMINISTE	-	OF MONT		CODE	
	Top of Ground				STATE E		adu)	
-	(Elev. above sea level	, Not	ice of C	amo	etion o	of Grou	ındwat	er
-	(Ziter, above sea teret	•	Appropri	_ •	_			
0,21	Top soul				FTER JAN			
=			(Under Chap	ter 237,	Montana S	Session Lav	rs, 1961)	
2	yellow clay	Owner U2	on Be	bel	Addre	ss Ba	ben .	********
107	send + Oper ateck		Pask	_	J Addre	^	ker	
			•		_			
101	2. A		ce of appropri					_
150	Jones		red may					8-71
-	a fi	Type of well	ug, driven, bore	led or dri	Equipm	ent used	n drill rote	ary or other)
150	Clay	Water use:			Municipal [rigation [
456	U				Drainage [_	ner 📋	
		met with in	on the diagra drilling, such	as soil,	clay, shale,	gravel, roo	k or sand,	, etc. Show
		strata and he	ch water is en eight to which	the wa	ed, thicknes ter rises in t	is and chara the well.	icter of wa	iter-bearing
		Size of	Size and	From	To	-	ERFORATION	(S
		Drilled Hole	of Casing	(Feet)	(Feet)	Kind Stre	From (Feet)	To (Feet)
_		_					(1.1.1.1)	
_		53	4"			1 .01		,
-		J 1	وتعالمة والأوا	0	136	aures	120	156
-			y was					
<u> </u>	Doc. No. 125 23				· ·			
	Filed for record	<u></u>	<u>, , , , , , , , , , , , , , , , , , , </u>	—	Static Wat	er Level		owing well 25 feet.
	this 23th day of Jelman, A.D. 1972, at 2:10	-	,		Shut-ir. Pre:	ssure for F1	•	
	o'clock_PM.				Pumping V	Vater Level	1	≨feet
		*		- ■		g		
-					Discharge i	n gal. per	min. of fl	lowing well
-					How Tested	Bail		
-)	Length of T		2 her	
-		212	5					ating, pack-
		NE AMee.			ers, type of			
		place of use,		Each	***************************************			
		small squar acres.	e represents	40		******		
		**************		· · · · · · · · · · · · · · · · · · ·				·
_			al for implement					·
-			d for irrigat er of acres an					
-		uon).						
16						***********		
	Show exact depth of bottom.						***************************************	**************************************
						14	7	
County C	n to be prepared by driller, and three copi lerk and Recorder in the county in which				Driller	's License	Number	
	by driller.				0.	Plu	1.	
Please at returned.	nswer all questions. If not applicable, se) state, otherwi	se une form w	ill be	Driller	's Signatur	e.	
							49,	947

FALLON COUNTY
BAKER MONTANA
Filed for Record
FEB 28 1972

County Clerk


Lee: 62.00 Deputy.

Approved Stock Form-State Publishing Co., Helena, Montana-41921

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater Rights

(Under Chapter 927 Very Company 1927 Very Chapter 927 Very Company 1927 Very C


(Under Chapter 237, Montana Session Laws, 1961)

Jake Schweigert	, of Baker
(Name of Appropriator)	(Address) (Town)
County of Fallon	State of Hontana
have appropriated groundwater accord	ing to the Montana laws in effect prior to January 1, 1962, as follows:
N N	2. The beneficial use on which the claim is based
	LICESTOCK WATERING
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1915 and in continual use since
F	
	4. The amount of groundwater claimed (in miner's inches or gallon per minute) 10 gallons per minute
	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo not for irregation
twc(2)	100 101 11108341011
ndicate point of appropriation	
nd place of use, if possible. Each mall square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca
	tion of each well or other means of withdrawal Cylinder pump and windrill
	since then et from suriace
9. So far as it may be available, the ty	ype, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwastesl casing to the b	tter Drilled to a depth of 130 feet, cased with 6 inch ottom and fitted with a cylinder pump with power from a
0. The estimated amount of groundwate	r withdrawn each year 180,000 gallons per year
1. The log of formations encountered in	the drilling of each well if available none available
9. Such other information of a similar	nature as may be useful in carrying out the policy of this act, includin
reference to book and page of any cou	inty record
	· · · · · · · · · · · · · · · · · · ·
	Signature of Owner Jake John Ugan December 20, 1963
	Date December 20, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



DRILLER'S LOG

Indicate the character, color, thick-

depth at which water is found and

height to which water rises in well.

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

(Under Chapter 237 Montana Session	Laws, 1961, as amended)	Top of	Ground	(Elev. above sea level)	
This form to be prepared by driller, a by the owner with the County Clerk ar	Free (Feel)	To (Feet)	\$2 *** 64 *** 1		
which the well is located, last copy to Please answer all questions. If not appli	be retained by driller.	-0-	<i></i>	Top seil	
form may be returned.		F	acody Clay		
owner to be Schereiget		8		gravel	
2.1.	For Administrator's Use	11	97	21.	
Owner Jake Schwegert For Administrator's Use Address Baker File 12582 Mai 2,123					
mont	4.5gm	92	.115	land	
Date well started Jame 28:20	GW 1	11.5	130	Clay	
completed June 30-70					
Type of well Dailed					
Rit	ug, driven, bored or drilled)				
Equipment used Rolary	Citurn drill, rotary or other)				
Water Use: Domestic Municipal	Stock 🕅 Irrigation 🗌				
Industrial 🗍 Drainage 🗍 O	ther 📑 Garden/Lawn 🗍			د هود دست مستدر شده دست مستو بستو بستو دست مستو بستو دست مستو بستو دستو دستو دستو دستو دستو دستو دستو د	
*Describe					
USE: If used for irrigation, industrial,	drainage or other. Explain.				
state number of acres and location				**	
and Addition),				رسه باها الحدد الله عاله بالله الله الله الله الله الله الله	
ESTIMATED ANNUAL WITHDRAWAL					
Size of Size and From To Drilled Weight (Feet) (Feet)	PERFORATIONS				
4"	Kind From To Size (Feet) (Feet)		-		
6" steel 1 120	1 slot 92 115				
11 sbe	12 0				
11.200	10 mg			ات شکے اٹنیا شیاہ بڑائی اٹنان اٹنیا ڈیٹا جات بائی شیار سند بیٹے پہلے ہیں۔ سے	
Perft	1'20-7				
N					
Sta	tic water level 46 ft.* mping water level 98 ft.*				
at					
bed	asured				
	easured from ground level.				
for	hours.				
1 . 1	wer Pump HP marks: (Gravel packing, cementing,				
	ckers, type of shutoff)				
$5U_{V_{A}}$ $\frac{1}{N}$ Sec. $\frac{3}{5}$					
13NR3.9E	**************************************				
INDICATE LOCATION OF WELL AND F					
EACH SMALL SQUARE REPRESENTS 40	ACRES.				
Driller's Signature	token				
Driller's Address Boken	***************************************				
Mont	LICENSE NO. 147		20	Show exact depth of bottom	
<i>F</i>					

FALLON COUNTY
BAKER MONTANA

Filed for Record

Lee: \$2.00

File No.

T 51 R 598

DUPLICATE

County Fallon

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

1. JOHN F. ECHTOLD (Name of Appropriator)	, of
County of Fallen	
N	
	2. The beneficial use on which the claim is based Sidvestock watering and household
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been No. 1 drilled 1947: No. 2 in 1953
Ψ Ε	and No. 3 in 1947 and all in continued use since except as set forth below.
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) No. 1 not producing at present; did do 7 GPM but now goes dry after 7 min; No. 2 producing 5 GPM and
1 23	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not for irregation
24 1/4 SE Sec. 4 T. 51 R. 598	
Indicate point of appropriation	
and place of use, if possible. Each	
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. In. 1 not equiped for production at present; so 2 has submergeble pump & Blac. Mater: No. 3 not equiped for production now.
drawal of groundwater These well	s were drilled and completed and placed in production forth in No. 3 above
8. The depth of water table. All about	t & Lest from surface
works for the withdrawal of groundw: Steel casing: No. 2 De 111ed t	ype, size and depth of each well or the general specifications of any other are: No. 1 drilled to depth of 160 feet and cased with 4 inch steel casing; 5 feet and cased with 4 inch steel casing;
10. The estimated amount of groundwate and holding as reserve wells.	r withdrawn each year No. 1.2.3 not being produced at present No. 2 producing about 750,000 gallons per year
11. The log of formations encountered in	the drilling of each well if available none available
and the second s	
reference to book and page of any con	old about one-half mile may. About two days later our
	Signature of Owner John J. Electrical
	Date Dec 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



í

|

		and the same of	
T. 5n	R	59E	

DUPLICATE

File No....

DEC 30 1963

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)


	Date of Appropriation of Groundwater
	Owner W.G. Foscrip Address Lakeland, Fla.
	Contractor (if any) unknown
	Address of Contractor
	Date Started 1925 Date Completed 1925
×	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable. This is a natural spring, running
 	out of the hill side with rocks placed on three
	sides thereof and the water running out the fourth
w	side. The water runs down into the creek below
	and is held in natural basins from which stock dring
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
S SVI - TV - TV - TOT	tent estimate approximate lengths of periods of use
E 1/4 SW Sec 6 T 5N R 59E	tent estimate approximate lengths of periods of use
indicate point of appropriation and place of use, if possible.	Spring flows the year around about 5 gallons
	per minute
	Signature of Owner Lake Schweiger
	as Agent for W.G./ Moscrip
	Date Dec 20, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



File No.

DUPLICATE

T 5 R 59
County Sallow

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER


DECELYLD

Declaration	of Veste	ed Groundwate	er Rights	5F0 IN 1900
(Under (Chapter 237, M	Iontana Session Laws. 1	961) S T	ALE ENGINEE
1. Sichard & Shaley (Name of Appropriate	(Cap	, of Laker (Address)	<u> </u>	(Town)
County of Fallon have appropriated groundwater accord		State of	set -	
N	J			
*	3. Date o	neficial use on which the	arliest beneficial	use; and how continu-
,		use has been		
	per mi	nount of groundwater o		
\$	5. If use	l for irrigation, give the	e acreage and dollied and name	of the owner thereof
£ 4 N £ Sec. 6 T. 5 R. 5 9	********		*************************	
ndicate point of appropriation			**************************************	***************************************
nd place of use, if possible. Each mall square represents 10 acres.	tion of	eans of withdrawing suc each well or oit er mean	s of withdrawal	
	**********	und w		
7. The date of commencement and codrawal of groundwater		ne construction of the		
	***	******	mer: acid. amameda.;:: 550	
3. The depth of water table	***		<u></u>	
9. So far as it may be available, the				
works for the withdrawal of ground	water J. Z.	and and and and and and and and an arrangement and an arrangement and an arrangement and arrangement and arrangement and arrangement and arrangement a		
	4 h 4 V 4 A 7 V V W W W W W W W W W W W W W W W W W			
O. The estimated amount of groundwa	ter withdrawn	each year		
1. The log of formations encountered i				
.,				
and the second s				
2. Such other information of a similar reference to book and page of any o	r nature as ma	y be useful in carrying	out the policy	
		Simon of O	12.1	o / 63
		Signature of Owner	nuna	a popular
			Date 12/1	0/63

Three copies to be riled by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



St. 3 1972

County Pallor 8

STATE OF MONTANA

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

CE OE COMPLETION OF GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER

GROUNDWATER depth at which water is found and height to which water rises in well.

DRILLER'S LOG

Developed after January 1, 1962			
(Under Chapter 237 Montana Session Laws, 1961, as amended)	Tap of	Ground	(Elev. above sea level)
This form to be prepared by driller, and three copies to be filed	From (Feet)	To (Feet)	
by the owner with the County Clerk and Recorder in the county in which the well is located, last topy to be retained by driller.	2	1	TOParil
Please answer all questions. If not applicable, so state, otherwise the		· -	
form may be returned.		23	candy clay
\circ . \circ .			0
Owner Roat For Administrator's Use	35	75	Clue Sand
Address Garilland File 13447	75	20	- loy
Address File			
mt Cat 17 972-30= m			
Date well started 1172 GW			
completed _ rely 5 - 1172			
Type of well	; -		· · · · · · · · · · · · · · · · · · ·
(Dug, driven, bored or drilled)			
Equipment used (Churn drill: rotary or other)			داده هنگ هندا هندا شدن شدن بود، های هنده هنده شدن شین باشد بیشد هنده سند در بدند.
Water Use: Domestic ☑ Municipal ☐ Stock ☐ Irrigation ☐			
Tradition of the state of the s			
Industrial 🔲 Drainage 📋 Other 📑 Garden/Lawn 🔲			
	-		
*Describe			
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block			
and Addition).		+	
ESTIMATED ANNUAL WITHDRAWAI			
Size of Size and From To Drilled Weight (Fost) (Fost) Holb of Casing			
Kind From To			·
1.0		+	
52 4 0 80 1 1.00 75 80			
y hole 12 3			
por			
4 Rows			
N			
Static water level 2.5 ft.			
Pumping water level			
measured Lo.minutes after pumping			
began.			
*Measured from ground level.	11		
Well developed by for	· ——-		
Power Pump HP	,,——— +		
Remarks: (Gravel packing, cementing,			
packers, type of shutoff)			
See 1 April 22 8			
5 w 1. April Sec. 8 T. 5 IN R. 59 III			
\$ \ \times \			
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.			
EACH SMALL SQUARE REPRESENTS 40 ACRES.			
Driller's Signature			
Driller's Signature		-	
Driller's Address 54			
and the second of the second o		80'	
LICENSE NO. 47		:0	_ Show exact depth of bottom


FALLON COUNTY.
BAKER. MONTANA
Filed for Record
SEP 18 1972

Lea Office County Clerk

Approved Stock Form-State Publishing Co., Helena, Montana 17734
75 R 59
A see the second
County Fallon


DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE



	OF	FICE OF STATE ENGINEER	UU DEC 27 1963
	Declaration (Under Ch	of Vested Groundwater apter 237, Montana Session Laws, 196	Rights ALE ENGINEER
1	Raymond Fos (Name of Appropriator) County of Fallon have appropriated groundwater according	, of (Address)	Willard ontand
b	have appropriated groundwater accordi	ng to the Montana laws in effect pri	or to January 1, 1962, as follows:
		2. The beneficial use on which the cl	aim is based.
	E	3. Date or approximate date of earl ous the use has been	iest beneficial use; and how continu- n 1948
		4. The amount of groundwater claper minute) 5 9 a 11	simed (in miner's inches or gallons on per minute
			acreage and description of the lands
	14 Sec. 8 T 5 R 57		
and	licate point of appropriation I place of use, if possible. Each all square represents 10 acres.		water from the ground and the loca- of withdrawal.
7.	drawal of groundwater	pletion of the construction of the 7e	ll, wells, or other works for with-
8.	The depth of water table 3	0 feet	
9.	So far as it may be available, the ty works for the withdrawal of groundwa	pe, size and depth of each well or the ter Size Cosin	general specifications of any other
10.	The estimated amount of groundwater	withdrawn each year 500	0,000 gallon
11.	The log of formations encountered in	the drilling of each well if available.	unknown
12.	Such other information of a similar neference to book and page of any cou		out the policy of this act, including
		Signature of Owner	Paymond Fort the Dec 23, 1963
en e	and the same of th		•
I'bi	ree copies to be filed by the owner with t	ne county Clerk and Recorder of the	county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.



Approved Stock Form—State Publishing Co., Helena, Montana—1921 4 33

File No...

G -

T -98 R 598

DUPLICATE

County Fallon


STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

٥	पु ोचु गुज	·]]
	DE0 30 1 963	ر!'

	Jake Schweiger	<u> </u>	, of Bairar-
	(Name of Approp	riator)	(Address) (Town)
ounty of	Pallon		State of Kontana
ive appro	-	according to the	Montana laws in effect prior to January 1, 1962, as follows:
: ;	N : : : :	2. The	beneficial use on which the claim is based.
			LIVESTOCK WATERING
			or approximate date of earliest beneficial use; and how continue the use has been 1938 and in continual use since the
		E	
.,		per v	amount of groundwater claimed (in miner's inches or gallon ninute) 10 gallons per sinute
		 5. I i us	ed for irrigation, give the acreage and description of the land
*****	S		hich water has been applied and name of the owner thereo
•	e. 9 T.5N R. 595		
cate poin	t of appropriation se, if possible. Each	**********	
	represents 10 acres.	6. The	means of withdrawing such water from the ground and the loca
ii square	•	tion (
The date	e of commencement a	tion of	the construction of the well, wells, or other works for with drilled and completed in the year 1938 and
The date	e of commencement a f groundwater has been used	tion of many this well was infor stock was	the construction of the well, wells, or other works for with drilled and completed in the year 1938 and
The date drawal of The depth	e of commencement a groundwater has been used of water table it may be available,	tion of this well was in for stock was the type, size an	the construction of the well, wells, or other works for with drilled and completed in the year 1938 and tering ever since
The date drawal of The depth So far as works for inch s	e of commencement a groundwater has been used of water table it may be available, the withdrawal of grotest casing to be	tion of this wall was for stock was the type, size an oundwater Drill stock and equi	the construction of the well, wells, or other works for with a drilled and completed in the year 1938 and tering ever since. In depth of each well or the general specifications of any or lead well to a depth of 180 feet; cased with subsergable pump powered with 22 horse
The date drawal of the depth So far as works for inch s	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groter.	tion of this well we in for stock we see the type, size an oundwater Drill stock and equi	the construction of the well, wells, or other works for with a drilled and completed in the year 1938 and tering ever since. In depth of each well or the general specifications of any or led well to a depth of 180 feet; cased with subsergable pump powered with 2 horse
The date drawal of The depth So far as works for inch a selection.	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groter.	tion of this well was in for stock was the type, size an oundwater Drill stock and equi	the construction of the well, wells, or other works for with similar drilled and completed in the year 1938 and tering ever since well or the general specifications of any or led well to a dapth of 180 feet; cased with submergable pump powered with a 22 hors
The date drawal of The depth So far as works for inch s	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groundsteel casing to be soter.	tion of this well was in for stock was the type, size an oundwater Drill stock and equipment of the drilling red in the drilling	the construction of the well, wells, or other works for with a drilled and completed in the year 1938 and tering ever since and depth of each well or the general specifications of any or like well to a dapth of 180 feet; cased with a 22 horses are with a 22 horses of each well if available not available
The date drawal of The depth So far as works for inch s	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groundstated amount of groundated amount of groundstated amo	tion of this well we in for stock was the type, size an oundwater Drill stock and equipment of the transport of the type, size and equipment of type, size and equipme	the construction of the well, wells, or other works for with a drilled and completed in the year 1938 and tering ever since with the general specifications of any or had depth of each well or the general specifications of any or had well to a dapth of 180 feet; cased with a 22 horse of each well if available not available
The date drawal of The depth So far as works for inch so else.	e of commencement as groundwater has been used of water table it may be available, the withdrawal of groundstated amount of grounds formations encounted	tion of this well we in for stock we is for st	the construction of the well, wells, or other works for with a drilled and empleted in the year 1938 and tering ever since with the general specifications of any or had depth of each well or the general specifications of any or had well to a dapth of 180 feet; cased with a 22 horse of each well if available not available
The date drawal of The depth So far as works for inch so also. The estimate the log of the log of the log of the reference the date of the reference the date of the date of the reference the reference the date of the reference	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groundsteel casing to be a sit to book and page of a sit to book and page of a sit or information of a	tion of this well we in for stock was the type, size an oundwater Drill stock and equipment of the drilling milar nature as many county record	the construction of the well, wells, or other works for with a drilled and empleted in the year 1938 and tering ever since with a depth of each well or the general specifications of any or led well to a depth of 180 feet; cased with a 22 horse of each well if available not available and available and available and available
The date drawal of The depth So far as works for inch such the log of Such other reference	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groundsteel casing to be a second of formations encounted to book and page of a second of the seco	tion of this well we in for stock was the type, size an oundwater Drill stock and equipment of the drilling milar nature as many county record	the construction of the well, wells, or other works for with a drilled and empleted in the year 1938 and tering ever since wife and depth of each well or the general specifications of any or lad well to a dapth of 180 feet; cased with a lambergable peop powered with a 22 horse of each well if available not available and available and available
The date drawal of The depth So far as works for inch so like. The estimate the log of the log of the state of the reference of the date of the date of the log of the log of the log of the reference of the log of the reference of the log of	e of commencement a groundwater has been used of water table it may be available, the withdrawal of groundsteel casing to be a second of formations encounted to book and page of a second of the seco	tion of this well we in for stock was the type, size an oundwater Drill stock and equipment of the drilling milar nature as many county record	the construction of the well, wells, or other works for with a drilled and completed in the year 1938 and tering ever since with a depth of each well or the general specifications of any or led well to a depth of 180 feet; cased with a 22 horself with subsergable pump powered with a 22 horself each well if available not available and each year 730,000 gailons per year of each well if available not available

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 14-328



STATE PUBLISHING COMPANY

County FALION 18

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

Indicate	: the ch	naracter,	color,	thick-
ness of	strate-su	ich äs soi	I, clay,	sand,
gravel,	shaley s	andstone,	, etc.	Show
depth	at which	water is	s found	d and
height	to which	water r	ises in	well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of	Ground	d Œer.	above sea level)	
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in	From (Fest)	To (Feet)			
which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the	17	4-	LOAMY	Clav	
form may be returned.	11	10	n	171	
0 11+	4	Id	DIONT	TOTAL	
Owner Vern Bublitz For Administrator's Use	19	12	CFA	rown Con	-
Address BAKER, Mont File 12574	La	7.3	0 /	11.	
Address 6 17.7. C.15	73	17	PANGY	CIAY	
Feb 21 1922 215 pm	10	49	12/11/5	treate of	<u> </u>
Date well started April 26,1971 GW 1			UMY-	3 M Ma	
completed April 27,197					
Type of well Bored					
Equipment used Bucket Type Doring machine (Chura drill, rotary other)					
Water Use: Domestic Manuscipal Stock Marie Irrigation					
Industrial Drainage Other * Garden/Lawn					
*Describe					
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block			 		
and Addition).					
ESTIMATED ANNUAL WITHDRAWAL 25,000 gAl.					
Size of Size and From To Drilled Weight (Foot) FERFORATIONS	-				
Hole of Castry Kind From To	-				
Q Q Str Str Zeet) (Feet)					
St. 13.			}		
= 20 3 60 - 12					
33 0					
Co 2 2					
4 6					
N (1)	=				
Static water level					
Pumping water levelft.					
atgallons per minute measured 30 minutes after pumping	,				
began.					
Measured from ground level.					
Weil developed by DAI.//179	-				
for hours. Power Pump HF	P(
for hours. Power Pump HF Remarks: (Gravel packing, cementing,					
for hours. Power Pump HF Remarks: (Gravel packing, cementing, packers, type of shutoff)					
for hours. Power Pump HF Remarks: (Gravel packing, cementing, packers, type of shutoff)					
forhours. Power					
for hours. Power Pump HF Remarks: (Gravel packing, cementing, packers, type of shutoff) Nhi Is Annis Sec. IC Gravel packed					
for hours. Power Pump HF Remarks: (Gravel packing, cementing, packers, type of shutoff) Nh. Sec. /C T. S. N. R. S. / E S. INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.					
for hours. Power Pump HF Remarks: (Gravel packing, cementing packers, type of shutoff) Nh Sec /C T. S N R S / E INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.					
for hours. Power Pump HF Remarks: (Gravel packing, cementing packers, type of shutoff) Nh Sec /C T. S N R S / E INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.					
for hours. Power Pump HF Remarks: (Gravel packing, cementing, packers, type of shutoff) N. L. L. Sec. IC T. S. N. R. S. E INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature AND ON MILL ON MI					
for hours. Power Pump HF Remarks: (Gravel packing, cementing packers, type of shutoff) Nh Sec /C T. S N R S / E INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.					-

FALLON COUNTY BAKER MONTANA

Filed for Record

Deputy

Sel: \$2.00

File No.

DUPLICATE

T 5 R 59


STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

	willerd
Charles Filler	Car de Floria Montana
(Name of Appropriato	or) (Address) (Town)
inty of Lon	State of Markena
re appropriated groundwater accor	rding to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based
	Luectock
<u> </u>	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been.
E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute)
	per minute) /2 gol. per Frein.
	5. If used for irrigation, give the acreage and description of the lands
S	to which water has been applied and name of the owner thereof
_	1: 10
Sec. 10 T. 5 R. 59	Not oplieble
te point of appropriation lace of use, if possible. Each	
square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
	tion of each well or other means of withdrawal
	Empereindiel
The date of commencement and a	
irawal of groundwater	completion of the construction of the well, wells, or other works for with-
lrawal of groundwater	completion of the construction of the well, wells, or other works for with-
lrawal of groundwater	completion of the construction of the well, wells, or other works for with-
The depth of water table	completion of the construction of the well, wells, or other works for with-
The depth of water table	completion of the construction of the well, wells, or other works for with-
The depth of water table	completion of the construction of the well, wells, or other works for with-
The depth of water table	completion of the construction of the well, wells, or other works for with-
rawal of groundwater The depth of water table The depth of grounds The withdrawal of grounds	ecompletion of the construction of the well, wells, or other works for with-
rawal of groundwater The depth of water table	completion of the construction of the well, wells, or other works for with-
The depth of water table of far as it may be available, the works for the withdrawal of ground The estimated amount of groundware	ecompletion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other water 20 Jack
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway.	exampletion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other liwater ("Casi / 20" Logs in the drilling of each well if available
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundways are the leg of formations encountered	exampletion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other liwater ("Casi / 20" Legs in the drilling of each well if available
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundways The log of formations encountered	exampletion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other liwater ("Casi / 20" Legs in the drilling of each well if available
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundward the leg of formations encountered Such other information of a similar	exampletion of the construction of the well, wells, or other works for with- 196 100 120 120 120 120 120 120 12
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway The leg of formations encountered Such other information of a similar reference to book and page of any	exampletion of the construction of the well, wells, or other works for with- 1976 100 120 120 120 120 120 120 12
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway The leg of formations encountered Such other information of a similar reference to book and page of any	completion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other lwater 66 20 100 100 100 100 100 100
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway The leg of formations encountered Such other information of a similar reference to book and page of any	exampletion of the construction of the well, wells, or other works for with- 100
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway The leg of formations encountered Such other information of a similar reference to book and page of any	exampletion of the construction of the well, wells, or other works for with- 100
The depth of water table So far as it may be available, the works for the withdrawal of ground The estimated amount of groundway The leg of formations encountered Such other information of a similar reference to book and page of any	completion of the construction of the well, wells, or other works for with- 196 100 type, size and depth of each well or the general specifications of any other lwater 66 20 100 100 100 100 100 100

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 11290



File No.

County

5W R 598

Fallon

DUPLICATE

STATE OF MONTAMA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

(Name of A		. , ot
PALLO		(Address) (Town)
country of		State of 1000 as follows
ave appropriated grands	water according	to the Montana laws in effect prior to January 1, 1962, as follows:
N		
	;	2. The beneficial use on which the claim is based
	,	Livestock Watering
		3. Date or approximate date of earliest beneficial use; and how contin
*	1	ous the use has been Drilled this well in May 1961
		and has been in continuouss use since them
	E	
		4. The amount of groundwater claimed (in miner's inches or gallo
	'	per minute) 8 gallons per minute
	5	5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there
		not for irregation
! 1/4 Sec. 11 T. 57 R.	594	
icate point of appropria	ation	
l place of use, if possible. I ill square represents 10 a		6. The means of withdrawing such water from the ground and the lo
or or annual to a		tion of each well or other means of withdrawal Gylinder press
		with purp jack and gas engine
drawal of groundwater		
The depth of water table		from swrface
The depth of water table So far as it may be ava	ailable, the type,	from swrface size and depth of each well or the general specifications of any other swall is drilled to a depth of 265 feet and each with a cylinder plan with gas engine for power
The depth of water table So far as it may be available for the withdrawal	ailable, the type,	, size and depth of each well or the general specifications of any of
The depth of water table So far as it may be available for the withdrawal	ailable, the type,	, size and depth of each well or the general specifications of any of
The depth of water table So far as it may be ava works for the withdrawal	nilable, the type, of groundwater casting and	size and depth of each well or the general specifications of any other well is drilled to a depth of 265 feet and each with a cylinder pass with sas sagine for power
The depth of water table So far as it may be avaworks for the withdrawal	ailable, the type, of groundwater casting and f groundwater w	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and co fitted with a cylinder plan with gas engine for power withdrawn each year 180,000 grllom per year drilling of each well if available none available
The depth of water table So far as it may be ava works for the withdrawal The estimated amount of The log of formations en	ailable, the type, of groundwater casting and f groundwater w	size and depth of each well or the general specifications of any other well is drilled to a depth of 265 feet and earlied with a cylinder plan with gas engine for power withdrawn each year 180,000 grlloma per year drilling of each well if available none available
The depth of water table So far as it may be available for the withdrawal The estimated amount of	allable, the type, of groundwater to groundwater we decountered in the	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and co fitted with a cylinder plan with gas engine for power withdrawn each year 180,000 grllom per year drilling of each well if available none available
The depth of water table So far as it may be ava works for the withdrawal The estimated amount of The log of formations en	ailable, the type, l of groundwater l casting and i groundwater w acountered in the	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and co fitted with a cylinder plus with sas segme for power withdrawn each year 180,000 grlloma per year drilling of each well if available none available
The depth of water table So far as it may be avaworks for the withdrawal The estimated amount of The log of formations en	ailable, the type, l of groundwater l casting and i groundwater w acountered in the	size and depth of each well or the general specifications of any of this will is drilled to a depth of 255 feet and each with a cylinder pass with gas eagine for posser withdrawn each year 180,000 grlloma per year drilling of each well if available none available ure as may be useful in carrying out the policy of this act, including record
The depth of water table So far as it may be avaworks for the withdrawal The estimated amount of The log of formations en Such other information of reference to book and par	ailable, the type, of groundwater we accountered in the	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and each well is cylinder plane with see segme for power withdrawn each year 180,000 grlloma per year drilling of each well if available none available ure as may be useful in carrying out the policy of this act, includy record
The depth of water table So far as it may be ava works for the withdrawal The estimated amount of The log of formations en Such other information of reference to book and par	ailable, the type, of groundwater we accountered in the	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and each well is cylinder plane with see segme for power withdrawn each year 180,000 grlloma per year drilling of each well if available none available ure as may be useful in carrying out the policy of this act, includy record
The depth of water table So far as it may be ava works for the withdrawal The estimated amount of The log of formations en Such other information of reference to book and par	ailable, the type, of groundwater we accountered in the	size and depth of each well or the general specifications of any of this well is drilled to a depth of 265 feet and each well is cylinder plane with see segme for power withdrawn each year 180,000 grlloma per year drilling of each well if available none available ure as may be useful in carrying out the policy of this act, includy record
The depth of water table So far as it may be avaworks for the withdrawal The estimated amount of The log of formations en Such other information of reference to book and par	ailable, the type, of groundwater we accountered in the	size and depth of each well or the general specifications of any of this will is drilled to a depth of 255 feet and each with a cylinder pass with gas eagine for posser withdrawn each year 180,000 grlloma per year drilling of each well if available none available ure as may be useful in carrying out the policy of this act, including record

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the west is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



S

	A STATE OF THE PARTY OF THE PAR
	Co., Helena, Montana Casa Santana Casa Santa
F MONTANA	
F GROUNDWATER CODE	الأام المالية المالية
ATE ENGINEER	

?

File No		T 0 R 37
	STATE OF MONTANA STRATOR OF GROUNDWATER COD PICE OF STATE ENGINEER	County Fallon Diship UEC 27 1963
	of Vested Groundwater capter 237, Montana Session Laws, 1961	Kignis
1. Raymond For (Name of Appropriator) County of Fallon have appropriated groundwater according	State of (Address) State of Me	niana
Sec. 15 T. 5 R. 59 Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	3. Date or approximate date of earli ous the use has been 4. The amount of groundwater ciaper minute) 5. If used for irrigation, give the a to which water has been applied to the means of withdrawing such that the control of each well or other means of the control of each well or	iest beneficial use; and how continu- ct 1961 imed (in miner's inches or gallons creage and description of the lands and name of the owner thereof
7. The date of commencement and comdrawal of groundwater	apletion of the construction of the well	ll, wells, or other works for with-
S. The depth of water tableSo far as it may be available, the tyworks for be withdrawal of groundwater	ype, size and depth of each well or the	

10. The estimated amount of groundwater withdrawn each year

200,000 gellon


11. The log of formations encountered in the drilling of each well if avrilable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

> Signature of Owner / aum Dec 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.



34573 County 9 4 LL 4 15

height to which water rises in well.

STATE OF MONTANA STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD. ADMINISTRATOR OF GROUNDWATER CODE Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Showdepth at which water is found and

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.
Please answer all questions. If not applicable, so state, otherwise the form may be returned.

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of	Ground	(Elev. above sea level)
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in	From (Foot)	To (Feet)	
which the well is located, last copy to be retained by driller.	0	62	SANOY CLAY
Please answer all questions. If not applicable, so state, otherwise the form may be returned.	42	28	CLAY
01. 8.0 =	78		
Owner Jake Schereiget For Administrator's Use			SAMDY CLAY
Address Cale mort File 12538 Mar 1, 12	-32	LZO.	SAND W. 74 COAL
S.E. J. R BAICH 2 miles 4250 m	120	125	CLAY
Data well started Del 18-1279GW 1			
completed Oct 31 - 1970			
Type of well (Dug, driven, bored or drilled)			
Equipment used The (Churn drill, rotary or other)			الله الله الله الله الله الله الله الله
Water Use: Domestic ☐ Municipal ☐ Stock ☑ Irrigation ☐			
A			
Industrial Drainage Other • Garden/Lawn			
*Describe			
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block			الأخلافة النابة الثانية الثانية وبنائه والنابة ويشهد ويستم ويسانه ولنتهم ويشاه والنابة والمنابة والمنابة والمنابة
and Addition).			
ESTIMATED ANNUAL WITHDRAWAL			
Size of Size and From To PERFORATIONS Street Of Size and From To PERFORATIONS			
Hole of Casting Kind From To Size (Fest) (Fest)			
6 4 0 123 \$ 5107 95			
57 and 1/0m3 18 125			
4 2 ous			
Pays 1'ppart			
Static water level 98 ft.*			ه است الحد الحد الحد الحد الحد الحد الحد الحد
Pumping water levelft.* at			
nieasured Siminutes after pumping			
began. *Measured from ground level.			
Well developed by Bail for hours.			
Power Pump HP			
Remarks: (Gravel packing, cementing, packers, type of shutoff)			
•			
E2 Sec. 15 1. 5 N. R. 57 E	·		
5	,		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40, ACR.			
Diller's Signature of States			
Driller's Address Go Ku Voort			
Driller's Address			
1327 364 LICENSE NO. 147	1.	2.	Show exact depth of bottom

FALLON COUNTY RAKER, MONTANA

Filed for Record
MAR 1 1'9 7 2

Lu: \$ 7.00 Deputy

Approved Stock Form-State Publishing Co., Heiena, Montann-41921

File No.


DUPLICATE

T 5N R 598

County

Fallon

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater Rights ATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

L		a Scinre				, o f					3akı		
			ropriator)				(Addres	s)			('	rown)	
C nty of	f	Pall:	20			State of			atana				£-11
have app	ropriated g	groundwate	er accordin	ig to	the Mo	ntana law	s in effec	t prio	r to Ja	muar	7 1, 19	62, as	топожа:
	· · · · · ·			9	The ben	eficial use	on which	the cla	im is h	ased			
						sstock.							
				3.		approxim							
						use has be		-					ntimel


			-,	ŧ.		ount of g							
7			-,		-	ite) 10	_	_					
1				_							•		
<u> </u>	5	<u> </u>		5.	to which	for irriga h water l	as been	applie	d and	name	of the	he own	er thereo
. upl	a		AB				.nowlo		_				
• •	Sec.15 T5											****	****
idicate po id place of	oint of ap fuse, if pos	prepriatio sible. Eac	n k				_				_	_	
	e represent			6.		uns of wit							
						ach well o							
								_					
 The dep So far works f 	pth of water	r tabl be availa	ble, the ty	. f⊋ pe, s ter	on suri	depth of a	each well	or : `	gener:	al spe	cificat	ions of	any othe
S	teal casi	ng,equ	iped viti	1.8.	ıs. quuq	ki winda	ill for	with	dranca	l ef	icate	r	

0. The est	timated amo	ount of g	roundwater	wit	idrawn e	ach year	180,00	لعج	lons	per	year .		
l. The log	g of formati	ions encou	intered in t	he d	rilling of	cach wel				1 3 87	ai le b	lo	
			a similar n		_		l in carry		ut the	polic	y of t	his act,	, includir
	ther inform ce to book :			nty	recoru								
					recoru				· · · · · · · · · · · · · · · · · · ·				
							re of Ow		j. Je	 را منعر	A some		Ļ

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



File No...

DUPLICATE

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights


STATE ENGINEER

	(Under Chapter	237, Montana Session Laws, 1961)
1.	(Name of Appropriator) County of FALLON	of Willard (Address) (Town) State of Montana
h	have appropriated groundwater according to	the Montana laws in effect prior to January 1, 1962, as follows:
	N (45 2.	The beneficial use on which the claim is based Hous Ehold Business- School - YARD + GARDSN
.,,		Date or approximate date of earliest beneficial use; and how continuous the use has been JAN./ - 1960
•	1	The amount of groundwater claimed (in miner's inches or gallons per minute) TWENTY GALLONS PER MIN
	5. Sec. Sec. 1.5 R59E	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof CNE HALF ACRE GARDEN Y Y ARD N-E CANCR SEC. 18 - 5-59
ind and	ndicate point of appropriation	The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
7.	drawal of groundwater STARTED	SUBMERSIBLE PUMP NEAR House n of the construction of the well, wells, or other works for with- DRILLING NOV. 1-1959
8.	·	DRED SIXTY FEET WATER SAND
	9. So far as it may be available, the type, si works for the withdrawal of groundwater	ze and depth of each well or the general specifications of any other 6 00 FT, 4 in CASING - 570 FT. 2 IN.
10.	0. The estimated amount of groundwater with	rilling of each well if available NoT Avai LABLE
11.		
12.	reference to book and page of any county r AMOUNTS FOUND ABOVE	as may be useful in carrying out the policy of this act, including ecord No. CTHER. WATER SE USABLE
		Signature of Owner Harry 7. Harren. Date Dec. 16, 1963
"I' ha w	throng garage to be file by the awar with the Ca	unty Clerk and Preparder of the county in which the well is located

Three copies to be file by the owner with the County Clerk and Recorder of the county in

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 11314



Ġ,	Approved Stock Form—State Publishing Co., Helena, Montana—1224
File I	$_{\text{T}}$ $_{\text{S}}$ $_{\text{R}}$ $_{\text{S}}$ $_{\text{Q}}$ $_{\text{C}}$
DUP	County Fallon
	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE DEC 27 1963
	Declaration of Vested Groundwater Rights ALE ENGINEER
	(Under Chapter 237, Montana Session Laws, 1961)
1	Raymond Fost, of Willard (Name of Appropriator) (Address) (Town) ounty of Fallon State of Montand
Co	(Name of Appropriator) (Address) (Town) county of Fallon State of MonTana
ha	we appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:
_	N 2 The beneficial use on which the claim is based
	2. The beneficial use on which the claim is based.
-	3. Date or approximate date of earliest beneficial use; and how continu-
-	ous the use has been Nov 1961
" -	
1-	4. The amount of groundwater claimed (in miner's inches or gallons
<u> </u>	per minute) 5 92/104 per minuTe
K	5. If used for irrigation, give the acreage and description of the lands
	to which water has been applied and name of the owner thereof
SW	14 20 Sec. T 5 R 59
	cate point of appropriation place of use, if possible. Each
	i square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
	pump-jack
_	
7.	The date of commencement and completion of the construction of the well, wells, or other works for with-drawal of groundwater.
8.	The depth of water table 30 feet
9.	So far as it may be available, the type, size and depth of each well or the general specifications of any other
	works for the withdrawal of groundwater Cemen + aurbing 18", 80 feet
10.	The estimated amount of groundwater withdrawn each year 200,000 g = 1/0~
11.	The estimated amount of groundwater withdrawn each year 200,000 gallon. The log of formations encountered in the drilling of each well if available.
12.	Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
	received to rook and page of any country record.
	Q nn -
	Signature of Owner Aaymond Joseph
	Signature of Owner Saymond Food Date Dec 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

