

1581

DATE: Dec - 31, 1983  
AMOUNT: 12.04  
BY: [Signature]  
COUNTY CLERK & RECORDER  
FEE \$ 2.00

File No. \_\_\_\_\_

T. S. R. 2

DUPLICATE

County Golden

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
OCT 23 1953


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, William J. ... of ... (Name of Appropriator) of ... (Address) (Town)

County of Golden State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household  
use 2 well water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Feb 1918  
continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 4 gal - 5 gal

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
not used for irrigating

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  
1st hand pump  
2nd hand pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater  
1897  
1915

8. The depth of water table 18 to 20

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
2 inch pipe

10. The estimated amount of groundwater withdrawn each year 1st pump 1625 gal. 2nd pump 3000

11. The log of formations encountered in the drilling of each well if available  
rocky and sandy ground

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner \_\_\_\_\_

Date 10/23/53

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

667

# 746

State of Montana ss.  
County of Gallatin

Filed Oct. 25, 1963

at 9:20 o'clock A. M.

EARL WALTON

COUNTY CLERK & RECORDER

By John T. Morrow  
DEPUTY

Fee \$2.00 Pd.

File No. \_\_\_\_\_

T. S. R. \_\_\_\_\_

DUPLICATE


County \_\_\_\_\_

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
NOV 20 1963

Declaration of Vested Groundwater Rights STATE ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

I, William J. ... of ... (Name of Appropriator) of ... (Address) ... (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



3/4 SE 1/4 Sec. 6 T. 15 R. 5 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based ...

3. Date or approximate date of earliest beneficial use; and how continuous the use has been ...

4. The amount of groundwater claimed (in miner's inches or gallons per minute) ...

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof ...

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ...

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater ...

8. The depth of water table ...

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater ...

10. The estimated amount of groundwater withdrawn each year ...

11. The log of formations encountered in the drilling of each well if available ...

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record ...

Signature of Owner \_\_\_\_\_

Date \_\_\_\_\_

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state. otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

770

State of Montana }  
County of Gallatin } ss.  
Filed NOV. 19 1963  
at 9.55 o'clock A.M.  
and 13/16/63  
COUNTY CLERK & RECORDER  
By [Signature]  
DEPUTY  
Fee \$ 2.50

T. 1 South R. 4 East  
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water well log

STATE ENGINEER

	6	

Owner Harry Page Address Manhattan  
Driller Harry Lee Pyburn Address Bozeman  
Date Started 1938 Date Completed 1938  
Location: Sec. 6 T. 12 R. 4 East sec. 12 1/4 of 34

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 33 ft. to \_\_\_\_\_ ft. Type Black steel Size 6 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: from 6 to 20 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 15 feet at \_\_\_\_\_ gal. per min.

How tested: Pumped by driller

Length of test 45 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



Form No. 18  
S-60

I. South R. 4 East  
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log

STATE ENGINEER

X		

Owner Harry Proge Address Manhattan

Driller Unknown Address -

Date Started June 1895 Date Completed -

Location: Sec. 6 T. 150 R. 4 East  $\frac{1}{4}$  sec. SE  $\frac{1}{4}$  S  $\frac{1}{4}$  '14

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other -

Casing: 35 ft. to - ft. Type galvanized Size 6 inch

Casing: - ft. to - ft. Type - Size -

Casing: - ft. to - ft. Type - Size -

Perforated or screened: Ft. - to ft. -. Ft. - to ft. -

Type of screen or perforations -

Static water level, for non-flowing well: 7 to 76 feet feet.

Shut-in pressure, for flowing well: - lb./sq. in. on: - (date)

Pumping water level average 15 feet at - gal. per min.

How tested: -

Length of test -

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)






Form No. 18  
8-60

T. 1 South R. 4 East <sup>6</sup>

County Madison

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana



STATE ENGINEER

Water well log


Owner Harry Jones Address Madison

Driller Bob Taylor Address Bozeman

Date Started 1756 Date Completed 1756

Location: Sec. 6 T. 1S R. 4E  $\frac{1}{4}$  sec. 54

Type of well drill Equipment used drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 35 ft. to \_\_\_\_\_ ft. Type 6 inch Size 6 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 7-17 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 26 feet at \_\_\_\_\_ gal. per min.

How tested:  Pump by drill

Length of test 45 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)



File No. \_\_\_\_\_

T. 13 R 4E

DUPLICATE

County Gallatin

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 26 1963

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Walter L. Solving Sales, of Manhattan  
(Name of Appropriator) (Address) (Town)

County of Gallatin State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 4 S 15. 4 E  
NW 1/4 Sec. 18 T. 12 N. R. 4 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based LIVESTOCK  
& DOMESTIC WATER

3. Date or approximate date of earliest beneficial use, and how continuous the use has been 1870 - hand dug well  
1901 - drill well

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 2 acres for garden  
& lawn

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC  
PUMP & PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1870 1901

8. The depth of water table hand dug well 20ft drill well 30ft

9. So far as it may be available, the type, size, and depth of each well or the general specifications of any other works for the withdrawal of groundwater 1870 well - open  
1901 well has 4" pipe

10. The estimated amount of groundwater withdrawn each year 40,000 gallons

11. The log of formations encountered in the drilling of each well if available gravel layer

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record 710712

Signature of Owner Walter L. Solving  
Solving Sales

Date 12/23/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

12126

1006

State of Montana  
County of Gallatin  
Filed Dec 23 1963  
3 14 o'clock P M.  
Earl Walton  
NOTARY PUBLIC & RECORDER  
[Signature]  
79rd

File No. \_\_\_\_\_

T. \_\_\_\_\_ R. \_\_\_\_\_

DUPLICATE

County \_\_\_\_\_

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 27 1963

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

I, William E. Dean, of East Calzada  
(Name of Appropriator) (Address) (Town)

County of Beaumont State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



4 1/4 Sec. 7 T. 1 R. 7

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Stock water, yard, garden irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been April 1952 - present - until June 1963
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1/4 acre yard garden  
1/4 acre in 2 lots in East Calzada  
William E. Dean
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Started March 1962, completed April

8. The depth of water table 12'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" well 37' deep

10. The estimated amount of groundwater withdrawn each year 200,000

11. The log of formations encountered in the drilling of each well if available None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None available

Signature of Owner William E. Dean

Date Dec 20 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

101

State of Ill.  
County of Jackson

File: 100-26 1052

at 100-5 Jackson, Ill.

[Signature]  
COUNTY CLERK & RECORDER

By \_\_\_\_\_

Fee \$ 20.00 Deputy

Form No. 18  
8-60

I. 15 R. 4 E

County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water well log


Owner John Morgan Address Manhattan R1

Driller Unknown Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 7 T. 15 R. 4 E  $\frac{1}{2}$  sec. 6 E

Type of well Drilled (Dug, driven, or drilled) Equipment used Drill (Churn, mill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 25 ft. to 46 ft. Type Galvanized Size 4 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 5-20 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level average feet at \_\_\_\_\_ gal. per min.

How tested: Not known

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)





T. 15 S. 4 E

County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water well log


Owner John Kroger Address Manhattan, RI

Driller Unknown Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 7 T. 15 S. R. 4 E  $\frac{1}{4}$  sec. NE

Type of well Drilled (Dug, driven, or drilled) Equipment used Drill (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 35 ft. to 40 ft. Type galvanized Size 4 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 5 - 20 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level average 15 feet at \_\_\_\_\_ gal. per min.

How tested: not known

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Log of Well

Depth	feet	Description of Material Drilled
From	To	
		<i>left side gravel out of way</i>
		<div style="display: flex; justify-content: space-between;"> <div data-bbox="664 1787 705 2208" style="writing-mode: vertical-rl; transform: rotate(180deg);">                 END                  11:27                  1/17/57                  J. J. ...             </div> <div data-bbox="725 1787 1011 2208">                 BY: <i>J. J. ...</i>                  DATE: <i>11:27 1/17/57</i>                  LOCATION: <i>...</i> </div> </div>

*2046*

Form No. 18  
8-60

7

T. 15 R. 4E  
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log


STATE ENGINEER

Owner John Weeden Address Monte Vista  
Driller Bob Van Dyke Address Bozeman  
Date Started 1954 May Date Completed June  
Location: Sec. 7 T. 15 R. 4E  $\frac{1}{4}$  sec. 1 NE

Type of well drilled Equipment used drill  
(Dug, driven, bored, or drilled) (Churn, grill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other potato wash house

Casing: 45 ft. to \_\_\_\_\_ ft. Type steel Size 6 in

Casing: 45 ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 10 feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

# 732

Gallatin County, )  
State of Montana. ) ss

Filed Aug 15 1961

at 4:35 o'clock P. M.

Carl Martin  
COUNTY CLERK & RECORDER

By Frank J. McQuinn  
DEPUTY

5 7 00 PM

Form No. 18  
8-60

9

T. 1.5 R. 4E  
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

STATE ENGINEER

Water Well Log


Owner John Weidner Address Manhattan  
Driller Bert Alan Lyken Address Bozeman  
Date Started 1944 Date Completed 1944  
Location: Sec. 7 T. 15 R. 4E  $\frac{1}{4}$  sec. NE

Type of well drilled Equipment used drill  
(Jug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 50 ft. to \_\_\_\_\_ ft. Type Steel Size 6 in

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (data)

Pumping water level 10 feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)

# 7 34

Gallatin County, )  
State of Montana. ) SS

Filed Dec 15, 1951

at 4:37 o'clock P. M.

Clerk & Recorder

By [Signature]  
DEPUTY

Fee \$ 7.00





2323

State of Montana  
County of Gallatin  
Date: Oct. 22 19 70  
Time: 1:30 o'clock P.M.  
By: Carl L. Stucky  
County Clerk  
By: Betty Rose Griggs  
Deputy  
Fee: 200.00 pd

File No. \_\_\_\_\_

T. 15 R. 4 E

DUPLICATE

County Polk

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

JAN 15 1963

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

*Act 116*

*Alvin B. Brown*, of *Box 336 Belgrade*  
(Name of Appropriator) (Address) (Town)

County of *Polk* State of *Montana*

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



*NN 1/4 NE Sec. 9 T. 15 R. 4 E*

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based *Household Livestock*
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been *1920*
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) *30 gpm*
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *None*
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal *Electric driven pump*

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *1920*

8. The depth of water table *40 ft.*

9. So far as it may be available, the type, size and depth of each well, or the general specifications of any other works for the withdrawal of groundwater *43 ft deep dip well*  
*Electric*

10. The estimated amount of groundwater withdrawn each year *36 gpm*

11. The log of formations encountered in the drilling of each well if available *Not Applicable*

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record *Not Applicable*

Signature of Owner *Alvin B. Brown*

Date *Jan 31 1963*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

35825

1511

City of ...  
County of ...

to: Rec-31

10.53 ... G.  
Walter

By: [Signature]

Date: 7<sup>th</sup>

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Dale Henderson  
Address Bozeman, Montana  
Date well started July 6 1972  
completed July 10 1972

For Administrator's Use	
File	<u>3107</u>
Date	<u>August 3, 1972 11:00 a.m.</u>
GW	<u>1</u>

Type of well Drilled  
(Dug, driven, bored or drilled)


Equipment used Cable tool  
(Cable drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe \_\_\_\_\_  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind	From (Feet)	To (Feet)
<u>7"</u>	<u>6 5/8 OD 19 lb</u>	<u>1ft 6" above</u>	<u>30ft</u>	<u>None</u>		



Static water level 10ft 6" ft.  
Pumping water level 15 ft.  
at 60 gallons per minute,  
measured 30 minutes after pumping began.  
\*Measured from ground level.  
Well developed by bailer & pump  
for 3hrs hours.  
Power gas Pump 3 HP  
Remarks: (Gravel packing, cementing, packers, type of shutoff)

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
<u>0</u>	<u>1</u>	<u>soil</u>
<u>1</u>	<u>5</u>	<u>gravel</u>
<u>5</u>	<u>8</u>	<u>gravel &amp; sand</u>
<u>8</u>	<u>11</u>	<u>gravel</u>
<u>11</u>	<u>15</u>	<u>gravel</u>
<u>15</u>	<u>18</u>	<u>water &amp; gravel</u>
<u>18</u>	<u>20</u>	<u>sand &amp; rock</u>
<u>20</u>	<u>24</u>	<u>sand silt &amp; rock</u>
<u>24</u>	<u>28</u>	<u>gravel sand &amp; some water</u>
<u>28</u>	<u>32</u>	<u>gravel &amp; water</u>

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Harold A. Hulbert  
Driller's Address Rt One Bozeman, Montana  
Hulbert drilling LICENSE NO. 47

31ft 6" Show exact depth of bottom

3107

State of Illinois  
County of Stark  
Filed Aug 3, 1972  
at 4<sup>00</sup> o'clock P.M.  
Carl A. Stuck  
Recorder  
By Alta M. Whitman  
Deputy  
Fee \$ 2<sup>00</sup> pd

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Al Harrison  
Address Route #1,  
Bozeman  
Montana  
Date well started July 19,  
completed July 20, 1971

For Administrator's Use	
File	<u>2993</u>
	<u>August 18, 1971</u>
	<u>305117</u>
GW 1	

Type of well drilled (Dug, driven, bored or drilled)


Equipment used Cable tool (Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn


\*Describe  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6"</u>	<u>6" I.D., 250 Wall 17'</u>	<u>+1</u>	<u>36.7'</u>			



Static water level 5 ft.\*  
Pumping water level 10 ft.\*  
at 40 gallons per minute,  
measured 10 minutes after pumping  
began.  
\*Measured from ground level.  
Well developed by driller  
for 3 hours.  
Power          Pump          HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)



INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Herbert A. Potts

Driller's Address Potts Drilling and Developing

Route #1, Bozeman, Montana LICENSE NO. 150

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
<u>1</u>	<u>10</u>	<u>Coarse Gravel</u>
<u>10</u>	<u>18</u>	<u>Sand and Gravel</u>
<u>18</u>	<u>31</u>	<u>Dirty sand and Gravel</u>
<u>31</u>	<u>37</u>	<u>Sand and Gravel</u>
<u>5</u>	<u>feet</u>	<u>Static water level</u>

Show exact depth of bottom

28874

#2993

State of Montana | ss.  
County of Gallatin

Filed August 18, 1971

at 3:05 o'clock P.M.

Carl L. Stucky

County Clerk & Recorder

By David A. Bridges

Deputy

Fee \$ 2.00 pd.

File No. \_\_\_\_\_

STATE WATER CONSERVATION BOARD

T 15 R 4E

DUPLICATE

MAY 2 1966


County Gallatin

LOG

Billie \_\_\_\_\_ McDermott \_\_\_\_\_ STATE OF MONTANA  
 Butzer \_\_\_\_\_ McNulty \_\_\_\_\_ ADMINISTRATOR OF GROUNDWATER CODE  
 Coyne \_\_\_\_\_ Morton \_\_\_\_\_ OFFICE OF STATE ENGINEER  
 Darrin \_\_\_\_\_ Sullivan \_\_\_\_\_  
 Dieker \_\_\_\_\_

**Notice of Completion of Groundwater Appropriation by Means of Well**  
 DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)



Owner E. J. Smart Address Belgrade Mont.  
 Driller Potts Drilling Address Bozeman Mont.  
 Date of Notice of appropriation of groundwater \_\_\_\_\_  
 Date well started 4-7-66 Date completed 4-12-66  
 Type of well Drilled Equipment used Cable tools  
 (Dug, Driven, bored or drilled) (Churn drill, rotary or other)  
 Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" ID 18.97	0	45			



Static Water Level for non-flowing well \_\_\_\_\_ feet.  
 Shut-in Pressure for Flowing Well \_\_\_\_\_  
 Pumping Water Level \_\_\_\_\_ feet  
 at \_\_\_\_\_ gal. per minute.  
 Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested Pump  
 Length of Test 2 hrs  
 Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

NE Cor. 1/4 Sec. 9 T15 R4E  
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)  
**USE**—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

46

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.  
 Please answer all questions. If not applicable, so state, otherwise the form will be returned.

150  
 Driller's License Number  
Herbert A. Potts  
 Driller's Signature




#1991

State of Montana }  
County of Gallatin } ss.  
Filed April 29, 1966  
at 9:40 o'clock a. M.  
Carl L. Stucky  
County Clerk & Recorder  
By Levell A. Maffey  
Deputy  
Fee \$ 2.00 pd.

T. 14 R. 4E  
County Goldman

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water well log



Owner James T. Bryson Address Be Grade  
Driller Unknown Address \_\_\_\_\_  
Date Started \_\_\_\_\_ Date Completed Before 1900  
Location: Sec. 10 T. 14 R. 4E sec. 16 1E

Type of well Drilled (Dug, driven, or drilled) Equipment used Drill (Churn, grill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 1 ft. to 70 ft. Type Steel Size 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Screen

Static water level, for non-flowing well: 20 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 16 feet at 6 gal. per min.

How tested: Electric Pump

Length of test hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

feet Log  
0 - 1/2 - Black loam  
1/2 - 70 - sand & gravel

Gallatin County, } ss.  
State of Montana. }  
Filed Dec 19 1961  
at 5:43 o'clock P.M.  
W. J. O'Clock  
COUNTY CLERK & RECORDER  
By W. J. O'Clock  
DEPUTY  
Fee \$ 1.00

# 422

File No. \_\_\_\_\_

T. 15 R. 4E

DUPLICATE

County \_\_\_\_\_

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 15 1962


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, J. H. Griswold & Myrtle A. Griswold of Route 1, Bozeman  
(Name of Appropriator) (Address) (Town)

County of Gallatin State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



E1E1  
1/4 Sec. 10 T. 1 R. 4E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock and household use, irrigation for garden

3. Date or approximate date of earliest beneficial use; and how continuous the use has been about 1900, continuous ever since, year round

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Yard and garden, about one half acre

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal drilled well with electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater about 1900

8. The depth of water table from 10 feet in summer to 50 feet in winter

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled well, 5 inch casing, 26 feet deep

10. The estimated amount of groundwater withdrawn each year sufficient for household, 40 head of stock in winter, irrigation of yard and garden in summer.

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner J. H. Griswold  
Date December 9, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

# 579

State of Montana )  
County of Lewis & Clark ) ss.  
Filed January 14, 1963  
at 3:30 o'clock P. M.  
EARL WALTON  
COUNTY CLERK & RECORDER  
By John T. Morrow  
Fee \$ 2.00 Pd. DEPUTY

File No. \_\_\_\_\_

JUN 13 1966

T 1S R 4E

10

DUPLICATE

BE \_\_\_\_\_  
E \_\_\_\_\_  
C \_\_\_\_\_  
D \_\_\_\_\_  
D \_\_\_\_\_

County Gallatin

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level \_\_\_\_\_)  
0' to 60' Gravel  
60' to 73' Gravel in Clay  
73' Fine Gravel

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Willis D. Griswold Address Belgrade, Mont.

Driller Melvin D. Jones Address Bozeman, Mont.

Date of Notice of appropriation of groundwater none


Date well started Nov. 10, 1965 Date completed Nov. 15, 1965

Type of well Drilled Equipment used Churn Drill  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5"	5 5/8" 17 lb.	0'	73'	none		



Static Water Level for non-flowing well 20 feet.

Shut-in Pressure for Flowing Well none

Pumping Water Level 73 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well none

How Tested Surp

Length of Test one hour

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

1/4 Sec. 10, T. 1S R. 4E  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

17  
Driller's License Number  
Melvin E. Jones  
Driller's Signature

#2007

State of Montana } ss.  
County of Gallatin }  
Filed June 10, 1966  
at 3:00 o'clock P. M.  
Carl L. Stucky  
County Clerk & Recorder  
By Frank G. Harwell  
Deputy  
Fee \$ 2.00

RECEIVED

County Gallatin

10

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

304 2 1372

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

MONTANA DEPARTMENT OF NATURAL  
RESOURCES AND CONSERVATION

Indicate the character, color, thick-  
ness of strata such as soil, clay, sand,  
gravel, shale, sandstone, etc. Show  
depth at which water is found and  
height to which water rises in well.

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed  
by the owner with the County Clerk and Recorder in the county in  
which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the  
form may be returned.

Owner Terle Bryson

Address Belgrade, Montana

Date well started April 20, 1972

completed April 24, 1972

Type of well drilled

Equipment used cable tool

Water Use: Domestic  Municipal  Stock  Irrigation


Industrial  Drainage  Other  Garden/Lawn

\*Describe

USE: If used for irrigation, industrial, drainage or other Explain,  
state number of acres and location or other data (i.e. Lot, Block  
and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 17#	-5'	79 ft.			



N6 1/4 Sec. 10  
T. 1 R. 4 E  
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Hubert A. Potts

Driller's Address Potts Drilling and Development

Route 1, Bozeman, Montana

LICENSE NO. 130

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	7	Topsoils
7	52	Interblended lenses of soil, round sand & gravels
52	79	Static water level
79	85	Dirty Sand & Gravels

85 ft. Show exact depth of bottom

50,502



# 3080

State of Montana }  
County of Gallatin }  
Filed May 24, 1972  
at 4:30 o'clock P.M.  
Carl L. Stucky  
County Clerk & Recorder  
By Paul W. Bridges  
Deputy  
Fee \$ 2.00

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD  
**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**  
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Arthur and Anita Jones  
Address 511 East Center  
Bozeman, Montana  
Date well started May 10, 1971  
completed May 14, 1971


For Administrator's Use  
File 2787  
July 30, 1971  
4:50 P.M.  
GW 1

Type of well drilled (Dug, driven, bored or drilled)  
Equipment used Cable Tool (Cable drill, rotary or other)  
Water Use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other \* Garden/Lawn

\*Describe \_\_\_\_\_  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 17'	41	90' 3"			



Static water level \_\_\_\_\_ ft.\*  
Pumping water level 62 ft.\*  
at \_\_\_\_\_ gallons per minute,  
measured 50 minutes after pumping  
began.  
\*Measured from ground level.  
Well developed by \_\_\_\_\_  
for 2 hours.  
Power \_\_\_\_\_ Pump \_\_\_\_\_ HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)

S.E. 1/4 S.E. 1/4 Sec. 10  
T. 1 N. R. 4 E. S. 5

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Herbert A. Potts

Driller's Address Potts Drilling and Developing

Route 1, Bozeman, Montana LICENSE NO. 150

County Gallatin 10

**DRILLER'S LOG**

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level) \_\_\_\_\_

From (Feet)	To (Feet)	
0	3	topsoils
3	34	coarse overburden
34	100	static water level
34	70	dirty sand and gravel
70	91	sand and coarse gravels

Show exact depth of bottom

48926

~~#298~~  
#2987

State of Montana | ss.  
County of Gallatin |

Filed July 30, 1971  
at 4:50 o'clock P.M.

Carl L. Stucky

County Clerk & Recorder

By Lucy C. Bridges  
Deputy

Fee \$ 2.00

File No. \_\_\_\_\_

T. E. R. 10  
County GALLATIN

DUPLICATE

LOG

MAY 21 1971

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater  
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Thomas H. & Phyllis Jean LANGEL Route 1, Belgrade, Mont.

Owner TOM LANGEL Address ~~MARLBOROUGH MONT 59714~~

Driller VAN DYKEN DRILLING CO. Address BOZEMAN, MONT.


Date of Notice of appropriation of groundwater NONE

Date well started 2/18/70 Date completed 2/27/70

Type of well Drilld Equipment used Cable tools.  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Doc. No. 2973  
Filed for record  
this 21 day of May  
A. D. 19 71 at 10:00  
o'clock A.M.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8" O.D. 17# per ft. Tested.	0	79'6"	none		



SE 1/4 NE 1/4 Sec. 10 T. 15 R. 4E  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 62' feet.  
Shut-in Pressure for Flowing Well none  
Pumping Water Level 69 feet  
at 15 gal. per minute.  
Discharge in gal. per min. of flowing well none  
How Tested Bailer  
Length of Test 2 Hrs.  
Remarks: (Gravel packing, cementing, packers, type of shutoff) Drill cuttings and mud shutoff outside of casing.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

LICENSE NO. 1

Driller's License Number

*Bob Maudslayer*  
Driller's Signature.

48501

State of Montana }  
County of Gallatin } ss.

Filed May 21, 1977  
at 10:00 o'clock A.M.

Carl E. Stucky  
County Clerk & Recorder

By \_\_\_\_\_  
Deputy

Fee \$ \_\_\_\_\_

File No. \_\_\_\_\_

T 1 S R 4 5

DUPLICATE

County Flathead

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
SEP 17 1963  
STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Carl Bacon Address Belgrade

Driller Harold Hulbert Address R. I. Engeman, Mont


Date of Notice of Appropriation of Groundwater \_\_\_\_\_

Date well started July 1, 1963 Date Completed July 3, 1963


Type of well Drilled Equipment Used Churn  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8" OD 17 lb.	0	42	none		



Section T 1 S R 4 5  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 22 feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 27 feet at 28 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested Bailer Length of Test 2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) \_\_\_\_\_

none

47  
Driller's License Number

Harold B. Hulbert  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

5702

701 -

State of Montana  
County of Gallatin  
Filed Sept 16 1963  
at 14-5 o'clock P. M.  
Carl Wallan  
COUNTY CLERK & RECORDER  
By [Signature]  
DEPUTY  
Fee \$ 2.00

File No. \_\_\_\_\_

Section Eleven  
T One S R Four E

DUPLICATE

County Gallatin

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Curtis R. Bartz and Constance S. Bartz Address Route 1 Belgrade, Montana

Driller Harold Hulbert Address Route One, Fozema,

Date of Notice of appropriation of groundwater \_\_\_\_\_

Date well started July 5, 1965 Date completed July 10, 1965

Type of well Drilled Equipment used Churn  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground  
(Elev. above sea level \_\_\_\_\_)

0-2 solid rock  
2-20 clay rock  
20-25 clay & rock  
25-30 rock  
30-35 clay & gravel  
35-41 clay & rock  
41-43 gravel & water  
43-47 clay rock  
47-52 sand & water  
52-53 clay  
53-54 sand & water  
54-55 sand & water  
55-56 clay & rock  
56-58 sand & water  
58-65 sand & water  
65-67 clay  
67-69 clay rock  
69-70 rock  
70-73 gravel sand & water  
73-76 clay  
76-79 sand & water  
79-83 clay  
83-85 sand & water  
85-87 gravel & water  
87 BOTTOM OF WELL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	19 lb 6 5/8 O.S.	3 above	67	None		

Doc. No. #3068  
Filed for record  
this 27th day of April  
A. D. 19 72, at 2:00  
o'clock P.M.



Static Water Level for non-flowing well \_\_\_\_\_ feet.  
Shut-in Pressure for Flowing Well \_\_\_\_\_ feet.  
Pumping Water Level \_\_\_\_\_ feet  
at \_\_\_\_\_ gal. per minute.  
Discharge in gal. per min. of flowing well \_\_\_\_\_  
How Tested gifer  
Length of Test 2 hrs  
Remarks: (Gravel packing, cementing, pack-  
ers, type of shutoff) \_\_\_\_\_

71 S. 1. SE Sec. 11 T. 18 R. 4 E  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).  
(Continue on reverse side)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number \_\_\_\_\_  
Harold F. Hulbert  
Driller's Signature

50,292



# 3068

State of Montana  
County of Gallatin

ss.

Filed April 27 1972

at 3:00 o'clock P.M.

Carl L. Slucky

County Clerk & Recorder

Paul G. Johnson

Deputy

Filed 1972

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Ruth E. Hodis  
Address Belgrade, Montana  
Date well started July 9, 1971  
completed July 15, 1971

For Administrator's Use	
File	<u>3017</u>
	<u>November 11, 1971</u>
	<u>1:30 PM</u>
GW 1	

Type of well Drilled  
(Dug, driven, bored or drilled)


Equipment used Churn Drill  
(Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6"</u>	<u>6 5/8</u> <u>O.D.</u> <u>17 1/2"</u>	<u>1' above</u> <u>ground</u>	<u>63 1/2'</u>			



SE 1/4 SE 1/4 Sec. 11  
T. 15 N. R. 2 E.  
S. 37

INDICATE LOCATION OF WELL AND PL. TE OF USE, IF POSSIBLE.  
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Milton E. Jones  
Driller's Address 2103 Bridger Drive  
Bozeman, Montana 59715 LICENSE NO. 17

County Gallatin  
DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level) \_\_\_\_\_

From (Feet)	To (Feet)	
<u>0</u>	<u>2</u>	<u>Top Soil</u>
<u>2</u>	<u>55</u>	<u>Sand &amp; Gravel</u>
<u>14</u>		<u>Static water level</u>
<u>55</u>	<u>60</u>	<u>Sand with Clay</u>
<u>60</u>	<u>64 1/2</u>	<u>Sand &amp; fine gravel</u>

64 1/2' Show exact depth of bottom

49377

3017

State of Montana  
County of Gallatin ss.  
Filed Nov 11 1971  
at 1:30 o'clock P.M.  
Carl S. Stucky  
County Clerk & Recorder  
By Alta M. Ferguson  
Deputy  
Fee \$ 2.00 ad.

File No. \_\_\_\_\_

T. 13 R. 4E  
County Yellowstone

DUPLICATE

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater  
Appropriation by Means of Well  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner VINCENT H. + RUTH E. Hodis Address Rt 1 Bozeman

Driller Harold Hulbert Address Rt 1 Bozeman

Date of Notice of appropriation of groundwater \_\_\_\_\_

Date well started April 8 1970 Date completed April 16 - 1970

Type of well drilled Equipment used Cable tool  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.


Top of Ground  
(Elev. above sea level \_\_\_\_\_)

0-3 soil  
3-5 soil - Rock  
5-30 gravel  
30-35 clay & gravel  
35-40 sand  
40-50 gravel - Rock  
50-60 gravel - Rock  
60-65 clay Rock  
65-66 sand & water  
66-72 clay & sand  
72-73 sand & water  
73-78 sand & clay  
78-81 sand gravel & water  
80 - Bottom of well

Doc. No. 2278  
Filed for record  
this 5 day of May  
A. D. 19 70 at Bozeman  
o'clock 9

Show exact depth of bottom.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8"	2 above	79			
	O. D.					none



Section T. 13 R. 4E  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 57 feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 64 feet at 48 gal gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested ailer - Pump

Length of Test 1 hr - 2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

Continue on reverse side)

USE—? used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

TRAILER COURT - Camp ground  
for IRRIGATION

47  
Driller's License Number

Harold B. Hulbert  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

16426

#2278

State of Montana )  
County of Gallatin ) ss.  
Filed May 8 19 70  
at 12:20 o'clock P.M.  
Carl L. Stucky  
County Clerk & Recorder  
By Paul B. Ylke  
Deputy  
Fee \$ 2.00

File No. \_\_\_\_\_

T 18 R 4E

DUPLICATE

County Gallatin

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater  
Appropriation by Means of Well  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Top of Ground  
(Elev. above sea level \_\_\_\_\_)

0-2 soil  
2-25 Gravel rock & sand  
25-28 sand  
28-30 silt  
30-42 clay rock  
42-64 clay & sand  
64-65 sand & water  
65-67 sand water very little  
67-69 clay sand  
69-74 clay & gravel  
74-76 clay & rock  
76-77 sand gravel & water  
79-81 gravel sand & water  
79 1/2 feet bottom

Owner VALENT H. & RUTH E. HODGINS Address RT 1, Bozeman

Driller Harold Hubert Address RT 1, Bozeman

Date of Notice of appropriation of groundwater \_\_\_\_\_


Date well started \_\_\_\_\_ Date completed Dec 9, 1970

Type of well Drilled Equipment used Churn Drill  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
9"	2 1/2"	145'				



Static Water Level for non-flowing well 56 1/2 feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 60 1/2 feet  
at 100 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested Fall & Spring

Length of Test 5 days

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

SE 1/4 Sec. 11 T 18 R 4E  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

TRAILER COURT + CAMPGROUND  
+ IRRIGATION

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, issue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

47  
Driller's License Number

Harold Hubert  
Driller's Signature

46425

# 7777

State of Montana } ss.  
County of Gallatin }  
Filed May 8, 19 70  
at 13:15 o'clock P.M.  
Carl L. Sturba  
County Clerk & Recorder  
Frank A. Wagner  
Deputy  
Fee \$ 2.00

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

MAY 5 1972

County Yellowstone

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner HODIS VINCENT H & RUTH E

Address Rt 7 BELGRADE MT

Date well started Feb 9, 1972  
completed Feb 29, 1972

For Administrator's Use	
File #	<u>3071</u>
Date	<u>May 4, 1972 8:30am</u>
GW	<u>1</u>


Type of well Drilled  
(Dug, driven, bored or drilled)  
Equipment used Cable Tool  
(Chain drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe TRAILER COURT  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	5 5/8 OD 19 Lb	2 above	88 1/2 feet	NONE		



Static water level 48 ft.\*  
Pumping water level 52 ft.\*  
at 48 gallons per minute,  
measured 30 minutes after pumping  
began.  
\*Measured from ground level.  
Well developed by bailer pump  
for 2hr bailer, 1hr 45min pump  
Power 230 volt pump 3/4 sub HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	1ft	6" soil
1ft	6	Gravel sand
16	24	Gravel & water
24	50	sand
50	55	sand & small gravel
55	70	sand gravel & little water
70	80	sand & little water
80	85	water & sand (bailed by)
85	90	sand & small gravel
90	92	water

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Hubert J. Gillin  
Driller's Address 26 One Foxman, Montana  
Hubert Gillin LICENSE NO. 47

89ft 6 in  
Show exact depth of bottom

5724



#3071

State of Montana  
County of Gallatin ss.  
Filed May 4 19 72  
at 8:30 o'clock AM.  
Carl L. Stucky  
County Clerk & Recorder  
By David P. [Signature]  
Deputy  
Fee \$ 7.00

File No. ....

T. W R. U E.

DUPLICATE

County Gallatin

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER  
OFFICE OF STATE ENGINEER

APR 17 1963

# Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Ray Mortensen Address Bigman  
Driller Harold Hulbut Address B.I. Bigman, Mont

Date of Notice of Appropriation of Groundwater .....

Date well started Mar 6, 1963 Date Completed Mar 14, 1963

Type of well Drilled Equipment Used Churn  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Top of Ground, (Elev. above sea level .....) 0-1 Top Soil

1-30' Rock gravel

30-45 Rock gravel

45-55 Rock Clay

55-60 Clay

60-62 gravel & water

62-65 Clay

65-67 Sand

67-70 Clay

70-75 Clay Rock & water


75-82 Clay

82-85 Clay

85-87 water & gravel

Bottom of well

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8" OD 14 lbs.	0	83	None		



Section 11 T. 28 R. 4E  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well..... 55 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 65 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Boiler Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Driller's License Number 47

Driller's Signature Harold B. Hulbut

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Handwritten notes at the top left of the page.

Vertical handwritten notes on the left side, including "10-15-19" and "10-16-19".

Vertical handwritten notes on the left side, including "10-17-19" and "10-18-19".

Vertical handwritten notes in the center-left area, including "10-19-19" and "10-20-19".

Official stamp and signature area containing the date "April 16", the name "Earl W. Miller", and the title "COUNTY CLERK & REGISTER".

Vertical handwritten notes on the right side of the page.

County LeFlore 12

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner C. W. YACKLIN  
Address 16-1/2 N. 11<sup>th</sup> AVE  
BOZEMAN, MONT  
Date well started 22 MAY 1973  
completed MAY 29 1973

For Administrator's Use	
File	<u>3150</u>
	<u>June 21, 1973</u>
GW I	<u>3150</u>

Type of well drilled  
(Dug, driven, bored or drilled)


Equipment used cable tool  
(Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe \_\_\_\_\_  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	19 lb 5 5/8" 0.	old well	35	HOPE		



Static water level 60 ft.\*  
Pumping water level 66 ft.\*  
at 32 gallons per minute,  
measured 30 minutes after pumping  
began.  
\*Measured from ground level.  
Well developed by cable tool pump  
for 2 hours.  
Power 115 volt 1/2 HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Albert D. ...  
Driller's Address to be ...  
Albert Dri LICENSE NO. ...

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	18	well
18	67	clay
67	71	clay some water
71	72	clay
72	77	clay some water
77	80	clay some water
80	85	clay
85	87	water little sand

37ft Show exact depth of bottom