

17N-38E county GALFIELD

### DRILLER'S LOG

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

# ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD Gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well,

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of	Ground	(Elev. above sea level)
This form to be prepared by driller, and three copies to be filed by the <b>owner</b> with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.	From (Feet)	To (Feet)	
Please answer all questions. If not applicable, so state, otherwise the	-1-	35	TO THE STATE OF TH
form may be returned.	45	47	
Upany Twestock	47	20	philip
Owner Ah) UThave For Administrator's Use	42	62	
Address Jarda N File 867 - 136408	200	09	60-0
4:45PM	87	2.27	skile.
MONT MAY 19, 1971	227	222	- Carille
اررت سمز مو	377	250	A
	26	3/1/2	Olego
completed 5 - 11-71	340	352	spil
Type of well difficat (Dug, driven, bored or drilled)	367	400	shele.
Type of well CLA (Dug, driven, bored or drilled)	1115	4150	skele
Equipment used 12078+V	7	75	
Equipment used	1 - M	1	
Water Use: Domestic  Municipal  Stock  Irrigation			
Industrial   Drainage   Other   * Garden/Lawn			
middsitiat [] Diamage [] Office [] Garden/Lawn []			the state of the
*Describe			377.02
USE: If used for irrigation, industrial, drainage or other. Explain,			
state number of acres and location or other data (i.e. Lot, Block			
and Addition).		ļ	
ESTIMATED ANNUAL WITHDRAWAL		<del> </del>	
	<u> </u>		
Size of Size and From To Drilled Weight (Feet) (Feet) PERFORATIONS			
Kind From To Size (Feet) (Feet)		<del> </del>	
10 Mz 432 STOTTER 304 430	,		
W. V3: 304 430			
	<b> </b>	├	<del> </del>
		<del> </del>	
N	<b>=</b>	<del> </del>	
Static water level 232 ft.	.* <del> </del>	<del> </del>	
Pumping water level 274 ft.	*		
atgallons per minut measured /2gallons after pumpin	e,[	<del> </del>	
measured Aminutes after pumpin began.	9	<del></del>	
*Measured from ground level.			
Well developed by		Ţ :	
for		<del></del>	
Remarks: (Gravel packing, cementing		1	
s packers, type of shutoff)		1	
5N4 NE 4 Sec. 35			<del>  </del>
T. /7 ()R 38 (E)	···	+	<del> </del>
<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u> v			
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.			
EACH SMALL SQUARE REPRESENTS 40 ACRES.		+	<del> </del>
Driller's Signature Alane Mulling Service		1	
A D			<u> </u>
Driller's Address			<u> </u>
Mont LICENSE NO. 29			Show exact depth of bottom
LICENSE NO.			•

-	Section .	_	.*			
_		_	٠	٠.,		
	*	. ,		m		
	,	AD1247	4.		10	۰
	-114	0310				

### DRILLER'S LOG

STATE OF MONT		DRILLER'S LOG				
MONTANA WATER RESOU	RCES BOARD	ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show				
NOTICE OF COMPLETION O APPROPRIATION BY ME		depth at which water is found and height to which water rises in well.				
Developed after Januar		neighi	to which water rises in well.			
(Under Chapter 237 Montana Session		Top of Ground	(Elev. above sea level)			
This form to be prepared by driller, are by the owner with the County Clerk and which the well is located, last copy to be	Recorder in the county in	From To (Feet)				
Please answer all questions. If not applic form maybe returned.	able, so state, otherwise the	75 75	side san san			
ellhang questo		4760	skile			
OWNER AL) WThave	For Administrator's Use	67 80	ande			
Address Jordan	ile	80 82	Coal			
MONT		927 729	arek			
Date well started 5-5-7/	SW 1	258 264	25			
completed 5-11-71		340355	sport			
15.11		352400 40C415	said			
(Di	g, driven, bored or drilled)	415 430	shele			
	Churn drill, rotary or other)					
Water Use: Domestic Municipal [	l Stock Ø Irrigation □					
Industrial Drainage D Q	er ☐" Garden/Lawn ☐					
*Describe						
USE: If used for irrigation, industrial, state number of acres and location	crofrage or other. Explain, as other data (i.e. Lot, Block					
and Addition)						
ESTIMATED ANNUAL WITHDRAWAL	***************************************					
Size of Size and From To Drilled Weight (Feet) (Feet) Hole of Casing	PERFORATIONS					
6- 4 1 113-	Vind From To Sicr (Feet) (Feet)					
1010. 1 43	11/2 304 430					
N						
Sta	tic water level 230 ft.					
Pui	mping water level 2.744ft,* gallons per minute asured 12					
	asured /::: <del>miniti</del> es after pumping gan.	} <del>-</del>				
We We	easured from ground level. Il developed by					
	wer Pump 12 Hi					
Re	marks: (Gravel packing, cementing	,				
,	kers, type of shutoff)					
SW 4 \$ 54 Sec. 35 T 47 N R 38 E						
INDICATE LOCATION OF WELL AND I	NACE OF USE IS BORORE	<del></del>				
EACH SMALL SQUARE REPRESENTS 40	ACRES.		<del></del>			
Driller's Signaturollcane Mac	lling Service					
Driller's Address Jacks	<i>r</i>		<u> </u>			
many	HOTHER NO. 19		Show exact depth of bottom			

SLATE OF MOUPANA }
Gunty of Gardeld

Filed in the office of the County Clark and leonider of Garfield County, State of Month.

η, .) Σχ., ,

RECEIVED

gravel, shale, sandstone, etc. Show depth at which water is found and

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

JUN 1 0 1971 Indicate the character, color, thickness of strata such as soil, clay, sand,

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

A	PPKOPKI/ Deve	Address and a		1, 1962	AA ETT			height	to which water rises in w	eli.
(Under C	hapter 237		<u>_</u>	[	as amende	ed)	Top of	Ground	(Elev. above sca level)	
This form t	er with the	County (	Clerk and	Recorder i	n the count	filed ty in	From (Feel)	To (Feet)		
which the v								7.5	that a sent	- A - 11 - 12 - 12 - 12 - 12 - 12 - 12 -
form may b	e returned.	ions. If n	or applica	Die, so stat		e l	# 55 615	47	28 28	
Aller A	6 10	The ALL	-	<del></del>	<u>r</u> o	which.		1 m 195	Comment	
Opiner	<b>~</b>		-		nistrator's Us	se Jak	6.9	7019	Attacks.	
Address ::::	مر محک شخم ویم	9 50	Fi	le 31/3	6408		77	27	Comment.	
110	11 7		1	5-19-	71 44	5 FM.	77	22	in minimum	
Date well s	tarted	معد دس <sub>ان</sub> م				1 '	25%		real .	
com	pleted	~ 11°	2/				340	332	State	
Type of we	ar cole A	1100	į.					115	ينام و من و براور ومن	
Type of We		-44	(Dug	, driven, bored	or drilled)			1213		
Equipment	used	r.e.l.2	<u> </u>	wen deil rotan		•••••				
Water Use:	Domestic	☐ Mur	nicipal 🗀	Stock 💽	Irrigatio					
Indu	ustrial 🔲	Drainage	☐ Oth	ner 🗆*	Garden/Law	/n 📋				
*Describe										
USE: If use	ed for irrig	ation, inc	lustrial, d	rainage or	other. Ex	nlain.				<del></del> -
state	number of	acres and	location o	or other dat	a (i.e. Lot,	Block		<u> </u>		
and A	Addition)			· · · · · · · · · · · · · · · · · · ·		*******				
ESTIMATED	ANNUAL V	WITHUBAN	WAL					<del> </del> -	<u> </u>	
	Size and			<del></del>						
Size of Drilled Hole	Weight of Cusing	From (Feet)	To (Feet)		FRFORATION:					
him .	more for	1	432	Kind Size	From (Feet)	To (Feet)				
	10 100		7 - 0 - 1	SITTE	in all	430				
	ļ ¦			413				<del></del>		
					<u> </u>					
•	]			}		}				
	<u> </u>			}			ļ	<del> </del> -		
	N				. وم ود					
			Stati	c water lev	el 🚣 💆	ft.*				
		<u>.j</u> l			gallons p			<b></b> -	<del> </del>	
			mea	sured L.L	minutes afte	פר טיייטן er pu				
w			beg							
	.		"/V\E		n ground le I by			<del> </del> -		
i	}	1		i developed		,	·	<del> </del> -		
					Pump	HF	· <u></u>			
					rel packing,		·		<u> </u>	
	S		paci	kers, type o	f shutoff)			<del> </del> -		
5W1/	NE. 14 Se	c. ₹5				·	<u> </u>			
T1.2	7 <u>N</u> R	38 E			••• `•••••					
	S LOCATION	V	٠	LACE OF U	ISE, IF POS	SSIBLE.				
	ALL SQUARE							<del> </del>		
Driller's Si	gnature	and the second	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	ا د المدار الموادر والموجعة	J. J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					
Driller's A	ddress				·····		<u> </u>	<del></del>	<u> </u>	
	7	11/200	1	LICENSE	NO	9			Show exact depth of b	mottc

4.8586

GROUNDWATER INDEX

Page 10f 1

County 4 Arfield Twp. 1771 Rge. 39 E

	<del></del> -		<del></del>	County	
Se	ec.	Name of Appropriator	Type of Form	File No.	Remarks
	9	Kirky marie	443	125025	
	0	Flarthugh bark	484	124331	
	6	Kirly marice	11973	125025	Lee Lee galone
	1/0	Kirly marie	1943	125024	Lee Sec. 17 Celow
	17	Kirlly marie	£813	125024 -	
	8	Kirly Loven Oack	4914	124899	
2	8	Ince bacter	4982	133131	
4	0	Kirlin Boren Jack	4913	125027	
ئ	/_	Lieby Loren Jack	<i>49</i> 43	125027	See Sie 30 aleones
				1	
L					
L					
-:[					
Γ					
F					
Γ					
Γ					
Γ					
Γ					
Γ					
- [			,		
Ī					
Ī					
.					
1					
		.			<del></del>
				<del></del>	
}	<u> </u>				
•			<del></del>	_	
	<del></del>		<del> </del>		

T 17 N R 39 E

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

ODE DECEIVED

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Owner Manie July Address John Med Contractor (if any)
Indicate point of appropriation and place of use, if possible.	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
	Signature of Owner Marie Firsty  Date 12/25/63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

125025

STATE OF MONTANA }
County of Garfield

Fired in the office of the County Clerk and Recorder of Garfield County, State of Montana, this 30 day of Aller

A. D. 1063 or 144 piclock A

County Class and Hoodes

Foe Poll # 2.00

FILE CLES

ı İ	•	Approved Stock Form-State Pub	olishing Co., Helena, Montana—41921
File No	•••		T 17 % 39 E
DUPLICATE			County Garfield
	, s	TATE OF MONTANA	
		ATOR OF GROUNDWATER COI E OF STATE ENGINEER	DECEIVED
	·		MOA YO BOD -
De	aclaration of	Vested Groundwater er 237, Montana Session Laws, 196	Righte ENGINEER
Cu lin	(Under Chapte	er 251, Montana Session Laws, 150	
1 Carl H	whough	, of	London
County of Jane	of Approximator)	(Address)	(Town)
have appropriated grou	undwater according t	to the Montana laws in effect pri	or to January 1, 1962, as follows
N	·· <b>-</b>		It has
	2.	. The beneficial use on which the c	•
	3.	ous the use has been	ligst heneficial use; and how continu-
w	E		
			aimed (in miner's inches or gallons
<b>X</b>		per minute) / 0,00	O
	5	. If used for irrigation, give the	acreage and description of the lands ed and name of the owner thereof
s	- 91		
E. 1/4 Sec. / O. T. / )		•••••••••••••••••••••••••••••••••••••••	
Indicate point of approand place of use, if possib	ole. Each	The means of withdrawing such	water from the ground and the loca-
small square represents :	10 acres.		of withdrawal
			-a mic
7. The date of comme	telegrap Erro turmone	•	
drawal of groundwa	iter 714Vi	P	ell, wells, or other works for with-
8. The depth of water t	$z_{able} = 70$	.,,	
9. So far as it may be	available, the type,	size and depth of each well or the	nc general specifications of any other
	awal of groundwater		Mary
***************************************			
***************************************	***************************************		
10. The estimated amoun	nt of groundwater w	ithdrawn each year 10014	000,
***************************************			
12. Such other informat	ion of a similar natu	are as may be useful in carrying	out the policy of this act, including
			<i>f</i> 1
		<b>a.</b> . <b>a.</b>	Work
		Signature of Owner.	
		I	Date 2001, 14663

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124331

STATE OF MONUMA County of Curiloid

Fixed in the classes of the County Clock and Recorder of Carboll County, Photo of Montana,

Charles E. Sanghan

Dopuis

Foo Foid & Q.O.O.

m Cal

1.		
GI	w	1

File No ..

County...

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

		and the second s
		Date of Appropriation of Groundwater.
	<i>V</i> 5 ←	Owner Marie Judy Address Sala Mol.
		Contractor (if any)
	Tur	
	Little 1	Address of Contractor
	/~	Date Started ping. Date Completed helmed
- 1		Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
•	X	
		water when applicable Returned
		was to street
		V /
w	17	
	<b> </b>	
		Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	16	estimate approximate lengths of periods of use.
	Indicate point of appropriation	be men det
	Indicate point of appropriation and place of use, if possible.	afte time
		Signature of Owner Marie Territy  Date 12/29/62
		Date 12/2/1/3
		138.00

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

STATE OF MONTANA County of Carfield

Filed in the office of the County Clerk and Recorder of Garfield County. State of Montana, this 30 day of

A D. 19.63 at 9:4130 clock A

County Cleft and Mooder

Pee Post 8 200

ceiff

21. IF FURNITED

·GW <sub>©</sub>	Approved Stock Form-State Publishing Co., Helena, Montana-42234
File No	T /7 R 37 12
DUPLICATE	County Hasfuld
	STATE OF MONTANA  STRATOR OF GROUNDWATER CODE  DEC 30 1963
	of Vested Groundwater Rights ENGINEES
(Under Cl	hapter 237, Montana Session Laws, 1961)
. P. Claster	of Jordan Montan
(Fame of Appropriator)	(Address) (Town)
have appropriated groundwater accord	State of State of January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how continu-
\\\\\\\\\\\\	ous the use has been 20 years
W E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 2 gul ps. mi.
	<ol><li>If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof</li></ol>
11 0 10 00 020	
Indicate point of appropriation	
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing "h water from the ground and the location of each well or other means of withdrawal
	Chestricty + Wind will
7. The date of commencement and co	empletion of the construction of the well, wells, or other works for with
	signally 20 year old
8. The depth of water table	<u> </u>
9. So far as it may be available, the	type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundy	water
10. The estimated amount of groundwa	ter withdrawn each year 1,2 mg can gelse
	in the drilling of each well if available
11. The log of formations encountered i	in the drilling of each well it available
······································	
•	· · · · · · · · · · · · · · · · · · ·
12. Such other information of a similar reference to book and page of any of	r nature as may be useful in carrying out the policy of this act, including county record
	0 0
	Signature of Owner
	Date 12/26/63
	O D C Club and December of the common in which the well in land a

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124399

STATE OF MONTANA
County of Carfield

A D. 19 6 3 019 20 0 clock A.

County Clerk and hagoring

Hoo Pold & R. CC

INDEXED TO CCC

	151	13	
	. P. 1	160	~
~	``	A)	Κ.
	162	: 4	"
٠.	173	•	200
	40	0	•

_	<b>)</b>		· <b>·</b>	33:3:		and T	Otata Dicking	. Co Pol	fantaun 44000	$\bigcirc 28$
GW 2			9.	C3C3,4,63,i	_ Approved S	tock Form-		g Co., Helena, N		
File No	**********************		TANA WATER RES		D					1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
DUPLICA	ate	R	ECE	VED	-			ty GA	rfic	<i>Id</i>
200/5	Top of Groun	LOG	DEC 4	1960	ADMINISTR.	ATOR O			A F A	
_/-		shale	**************************************	Noti	ce of Co	elamo	tion o	f Grou	ndwate	∍r
45.	45 day	leton	hela		ppropria	ation	by Me		Well	
50.	-90 lo	chre	hale	(Under	Chapter 237				100	ed)
90-	105 Th			wner Ca	,,,e,S	ne))	Addra	Jorg	ניו מי	Mont
120	-120 Db -132 Do		west -		rle Dr				· .	
		, ,	•		e of appropris				-	
-		*			rted					
-										
				_	و ( ارسرات ng, driven, bore				_	
			V	Vater usc:	Domesti Industrie		unicipal [ Prainage [		ek 🗷 Irr er 🗌	igation [
-			m	et with in	on the diagram drilling, such	as soil, c	lay, shale,	gravel, rock	k or sand,	etc. Show
			d st	depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.						
_			=	Size of Drilled	Size and Weight	From (Feet)	To (Feet)		RFORATION:	
-			4	Hole In line.	of Casing	j	132	Size Size	From (Feet)	To (Feet)
- 1			-	,	galorens	·		1/13-	80	132
	,									,
-		·				,				
- 1						-	1	1		
			`	<del></del>	N .	¬	tatic Wa	ter Level i	_	wing wen
-								ssure for Fl		
<b> </b> -			_			J ₽	umping 's	Water Level ンュー g	al. per mi	feet nute.
	ł		٧			1 -		in gal. per		
							Jan Manta			
-	1						Length of	1	Rix :	
-	1				S			(Gravel paci		
	I				28 T/7N F ation of wel	622		f shutoff)		
_			1	place of use small squa	, if possible. re represent	Each		•••••••		***************************************
	t ·		1	acres.						*******************
-										***************
-					*********************		***************	(Cont	inue on re	verse side

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Show exact depth of bottom.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

male Do Driller's Signature.

44,820

13313/

STATE OF MONTANA County of Garfield

Filed in the office of the Count, Clerk co. order of Garfield County, State of Monteas,

Paid 8-2000

上海在沙漠 中美艺工业等

है कि है जिल्ला कर है जिल्ला है जिल्ला के लिए हैं जिल्ला है जिल्ला है जिल्ला है जिल्ला है जिल्ला है जिल्ला है

School of the Course of Mell

recombinately to activities of the collection

THATE WALLE CONSTRUCTABLED BOARD CODE

No	<u></u>		T./7 "R. 39 B
PLICATE	OF:	STATE OF MONTANA TRATOR OF GROUNDWATE FICE OF STATE ENGINEER	STATE ENGINEER
Notice o	of Complet	ion of Groundwate Without Well	er Appropriation
	(Under Ch	apter 237 Montana Session La	ws, 1961)
		water when applicable	groundwater without a well "as lutural processes". Include depth
		E	
			and used with explanation of methes such amount. If use is intermitte
1/4 Sec. 30	m/7 p79	estimate approximate length	s of periods of use
	I de fere Divide fer	here here	meaning the fla

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Signature of Owner....

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

125027

# STATE OF MONTANA County of Gardeld

Filed in the otice of the County Clerk and Recorder of Garfield County, State of Montana, this 20 day of 10

A. D. 19 6 3 at 91 1/6 clock A

County Clerk and accorder

Pee Pold # 2-00

SIME FROMERES

manufacture Constitution of the Constitution o

GROUNDWATER INDEX

Page \_\_/of\_\_/

County <u>Yar'ild</u> Twp. 1771 Rge. 406.

	·		County	
ec.	Name of Appropriator	Type of Form	File No.	Remarks
2	Quan Boud	4814	124737	
//	Dagge Bout	4984	124931 -	
20	Ozalaza Ollano	4814	125132 -	
	Schmidt Sheadore	4914	1251.33	
2/4 32	Blukm Welter	GW4	12/837-	
<u> 200</u>	1	well los	12/02/	attached to 124731
Ц	Assec, Boyd	- hell log	<del> </del>	allowed to 124 131
		<del></del>	<del></del>	
			<del> </del>	
			<del> </del>	<del> </del>
	<b>_</b>		<b>-</b>	
			<del> </del>	
			<u> </u>	
	<del></del>		<del> </del>	<del> </del>
_				<del> </del>
			<del></del>	<del></del>
	<del></del>			
		<del></del>	<del></del>	
<u> </u>	<del></del>		<del></del>	
<b>}</b>		<del>\</del>		
<u> </u>				}
			1	
-		<del></del>	<del>-  </del>	+
-			<del></del>	_
-	<del></del>			
	·			
	<del>-  </del>	<del></del>		<del></del>

g	A Comment	Approved Stock Form-State Pub	Ishing Co., Helena, Montana—41921 3. 1 T
File No			T 17 R 40"
DUPLICA		ATE OF MONTANA	
	OFFICE	TOR OF GROUNDWATER COL	DEC 23 1963
	Declaration of '(Under Chapter	Vested Groundwater 237, Montana Session Laws, 196	Rights ALL ENGINEER
1	Soyl Com	, of (Address)	goden
County	(Name of Appropriator)		
nave a	ppropriated groundwater according v	o the montaina laws in crees pro-	1.0
•	2.	The beneficial use on which the cl	aim is based
	3.		tiest beneficial use; and how continu-
w	E		
	4.	The amount of groundwater claper minute)	aimed (in miner's inches or gallons
		•••••••••••••••••••••••••••••••••••••••	
	s 5.	If used for irrigation, give the to which water has been appli	acreage and description of the lands ed and name of the owner thereof
/4/Sto/4	Sec. Z. T. /7R40	***************************************	
and place	point of appropriation e of use, if possible. Each uare represents 10 acres. 6.		water from the ground and the loca- of withdrawal. Ai and smill
drav	ne date of commencement and complet	1950	ell, wells, or other works for with-
	depth of water table		
9. So :	far as it may be available, the type,	size and depth of each well or the	he general specifications of any other
	ks for the withdrawal of groundwater.	150'	
10. The	e estimated amount of groundwater wi	ithdrawn each year 525	,600
11. The	e log of formations encountered in the	drilling of each well if available.	not available
refe	ch other information of a similar naturence to book and page of any county	record	
•			
		Signature of Owner,	Box 16 seco
		u	Date DEG 16 166

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124737

County of Garfield

Flied in the office of the County Clerk and Recorder of Carfield County, State of Montand, this day of Allies

A D. 19 6 3 ct // 350 clock ft M. M. County Cierk and Recorder

Pod Polit Red ....

AND THE REAL PROPERTY.

ile No.			Approved Stock Form—State Publishing Co., Helena, Montana—41921 a. 3  T. / R. #
OUPLICATE	••••		County la fiel
	OFF	TRAT	TE OF MONTANA OR OF GROUNDWATER CODE OF STATE ENGINEER
			Vested Groundwater Rights DEC 23 1963 - 237, Montana Session Laws, 1961) SIALE ENGINER
<i>a</i> 0	_		OTATE ENGINEE
1. (Name	of Appropriator)		(Address) (Town)
County of have appropriated gr	oundwater according	g to	State of the Montana laws in effect prior to January 1, 1962, as follows:
N		2.	The beneficial use on which the claim is based.
		3.	Date or approximate date of earliest beneficial use; and how continuous the use has been
w l	E		
			The amount of groundwater claimed (in miner's inches or gallor per minute)
2 wells		5.	If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner there
SE 1/4 Sec. // T./	7 R40		
Indicate point of app and place of use, if poss small squ <sup>tor</sup> represents	sible. Each	6.	The means of withdrawing such water from the ground and the loc
			tion of each well or other means of withdrawal.
7. The date of com- drawal of grounds	mencement and com	pletic	on of the construction of the well, wells, or other works for wit
O Mb double of water	- +-blo /8		+ 65'
			ize and depth of each well or the general specifications of any oth
works for the with	drawal of groundwa	ter	20' + 245
			10-19-2
10. The estimated amo	ount of groundwater	r witl	hdrawn each year 1,057,200
11. The log of format	ions encountered in	the d دائے	Irilling of each well if available log available
Topo	w 80' n	л)e	is not available
12 Such other inform	nation of a similar and page of any co	<del>որլալ</del> unty	this may be useful in thereting out the policy of this act, including
***************************************			
			Signature of Owner
			DEC 10 mos

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124731

STATE OF MONTANA County of Garfield

Filed in the of No of the County Clerk and Records of Gofford County, Status Montana, this day of Section Montana.


A. D. 196 3 ct// 25 o'clock A. M.

Clashes & Saugher

County Clerk and Reforder

F- Pold 2.00

MOKKES AND STREET



### WATER WELL LOG

# STATE ENGINEER

Boyd Isacc	Jordan, Montana
Driller Merle Drane	Jordan, Montana
Date Started July 9, 1961	Date Completed July 12, 1961
Location: Sec. 11 T. 17N R LOE 14	sec. SE
Type of well	Rotary (Churn drill, rotary, other)
Water use: Domestic Municipal Stock	
Industrial Drainage Cther:	
Casing:ft. toftftft.	Size li inch
Casing:ft. toft. Type	Size
• • • • • • • • • • • • • • • • • • • •	Size
Perforated or Screened: Ft. 165 to ft. 245 Ft.	to ft
Type of screen or perforationsslots	
Static Water level, for non-flowing well:	feet.
Shut-in pressure, for flowing well:lb./sq. in. on:	(date)
Pumping water levelfeet at	
How tested: bailer	
Length of test	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth	
	·
(over)	

Log of Well

		Log of Well
Dep	h, feet	
From	То	Description of Material Drilled
	1	
<u>c</u>	25	clay
	1	
25	90	shale
	i	
90	95	brown sand
95	99	rock
	1 _	
99	160	•hale
		**************************************
160	162	rock
162	215	shale
102	215	PINATO
215	2և5	sand
	<del></del>	
	1	
	1	
	<del>-!</del>	
	<del></del>	
	İ	
	<u> </u>	
	1	
	1	
	1	
	1	
	<del></del>	

GW.		

DUPLICATE

County Garifiel

### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

# Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

	n /	aron	bren		of Copagen Montano
	(Naga	e of Ap	propriator)		(Address) (Town)
County of have approx		Jan	Greld		State of Mentana laws in effect prior to January 1, 1962, as follows:
have approl	priated g	roundwa	iter according	to	o the Montana laws in effect prior to January 1, 1962, as follows:
1	N				
				2.	The beneficial use on which the claim is based.
	-: <del> </del> -	<del> </del>			is used for ligestock & houseld
				_	1
				3.	Date or approximate date of earliest beneficial use; and how continu-
		;;			ous the use has been July 1, 1153
	112	<u>\</u>	E		
				4.	The amount of groundwater claimed (in miner's inches or gallons
·					per minute) 3 gellens per minute
				5.	If used for irrigation, give the acreage and description of the lands
<u> </u>				٠.	to which water has been applied and name of the owner thereof
	45				***************************************
Se	cì	R			June 2
dicate poin					
d place of u	se, if pos	sible. E	ach	ß	The means of withdrawing such water from the ground and the loca-
an eduare	гергевеці	s to sci	res.	٠.	tion of each well or other means of withdrawal
					not be duck well by built include by winder and any
. The dat	te of com	menceme water	ent and compl	eti	ion of the construction of the well, wells, or other works for with-
. The depti	h of wate s it may	r table be avai	90 fr	- e.	ion of the construction of the well, wells, or other works for with 1, 1, 5, 8 completed July 1, 1, 2, 5, 8 size and depth of each well or the general specifications of any other
. The depti	h of wate s it may	r table be avai	90 fr	- e.	ion of the construction of the well, wells, or other works for with 1, 1958 completed July 1 1958
. The depti	h of wate s it may	r table be avai	90 fr	- e.	ion of the construction of the well, wells, or other works for with 1, 1958 completed July 1 1958
. The depti	h of wate s it may	r table be avai	90 fr	- e.	ion of the construction of the well, wells, or other works for with 1, 1958 completed July 1 1958
. The depth.	h of wates it may the with	be avai	go ff	e,	size and depth of each well or the general specifications of any other
. The depth. So far as works for	h of waters it may be the with	be avaidrawal	groundwater	e,	size and depth of each well or the general specifications of any other
. The depth. So far as works for	h of waters it may be the with	be avaidrawal	groundwater	e,	size and depth of each well or the general specifications of any other
. The depth. So far as works for	h of waters it may be the with	be avaidrawal	groundwater	e,	size and depth of each well or the general specifications of any other
. The depth. So far as works for	h of waters it may be the with	be avaidrawal	groundwater	e,	size and depth of each well or the general specifications of any other
The depth. So far as works for	h of water s it may r the with here in the with here.	be avaidrawal of the count of t	lable, the typof groundwater groundwater ountered in the	e, or will	size and depth of each well or the general specifications of any other thdrawn each year 20,000 gallans pur year drilling of each well if available 30 feet of sand year as may be useful in carrying out the policy of this act, including
The depth. So far as works for	h of water s it may r the with here in the with here.	be avaidrawal of the count of t	lable, the typof groundwater groundwater ountered in the	e, or will	size and depth of each well or the general specifications of any other thdrawn each year 20,000 gallans pur year drilling of each well if available 30 feet of sand year as may be useful in carrying out the policy of this act, including
3. The depth 3. So far as works for	h of water is it may refer the with his and among the mater are informated to book	be avaidrawal of the count of t	lable, the typof groundwater groundwater ountered in the	e, or with	size and depth of each well or the general specifications of any other works for with the state of the state of the specifications of the state of t
3. The depth 3. So far as works for 3. The estin 4. The log of 4. Such oth reference	h of water is it may refer the with his and among the mater are informated to book	be avaidrawal of the count of t	groundwater ountered in the	e, or with	size and depth of each well or the general specifications of any other thdrawn each year 21, 100 gallans put year 21, 100 gallans put year 21, 100 gallans put year year year year year year year year
3. The depth 3. So far as works for	h of water is it may refer the with his and among the mater are informated to book	be avaidrawal of the count of t	groundwater ountered in the	e, or with	size and depth of each well or the general specifications of any other works for with the state of the state of the specifications of the state of t

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

2-M LET 475 y 125132 ě, STATE OF MONTANA County of Garfield Filed in the office of the County Clerk and Recorder of Garfield County, State of Montana this day of Market A. D. 19 at /// State of Montana this A. D. 19 at /// State of Montana this Market する オル かいろうちゃ オ からろうかん The state of the s 8281 1. 1858 May have

The service of the se

the state to the test of the state of the state of

<b>k</b>	Approved Stock Form-State Publishing Co., Helena, Montana-42234
ile No	Approved Stock Form—State Publishing Co., Helena, Montana—4223
	2 and of 2
UPLICATE	County
	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER
_	OFFICE OF STATE ENGINEER  OFFICE OF STATE ENGINEER  Declaration of Vested Groundwater Rights JAN 6 1964
- D	
	(Under Chapter 237, Montana Session Laws, 1961) STATE LINGINEER
1. / ( ) 1.5	of Appropriator)  (Address)  (Town)  State of )   1   1   1   1   1   1   1   1   1
(Name	of Appropriator) (Address) (Town)
County of	State of 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
nave appropriated Rio	oundwater according to the montana naws in effect prior to sandary 1, 1502, as follows:
N	,
	2. The beneficial use on which the claim is based.
	3. Date or approximate date of earliest beneficial use; and how continu-
-	ous the use has been December 1949
	ε
1.	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	5. If used for irrigation, give the acreage and description of the lands
\s	to which water has been applied and name of the owner thereof
26 1	7 40
Nuly Sec T	R. T.
indicate point of appr	
ind place of use, if possib mall square represents	
-	tion of each well or other means of withdrawal
	Lot of each wei of other means of windingwal
7. The date of comme	nencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwa	vater 4 9
***************************************	
8. The depth of water	table 6/22 The Classic
0 C	
9. So far as it may b	be available, the type, size and depth of each well or the general specifications of any other
9. So far as it may b works for the withda	rawal of groundwater
9. So far as it may b works for the withd:	rawal of groundwater
9. So far as it may b works for the withdo	rawal of groundwater.
9. So far as it may b works for the withdo	de available, the type, size and depth of each well or the general specifications of any other drawal of groundwater.
works for the withdr	drawal of groundwater
works for the withdr	unt of groundwater withdrawn each year
works for the withdr	unt of groundwater withdrawn each year / / / / / / / / / / / / / / / / / / /
works for the withdr	unt of groundwater withdrawn each year
works for the withdr	unt of groundwater withdrawn each year / / / / / / / / / / / / / / / / / / /
works for the withdr	unt of groundwater withdrawn each year / / / / / / / / / / / / / / / / / / /
works for the withdress of the withdress	unt of groundwater withdrawn each year for each well if available for each well if available for each well in carrying out the policy of this act
works for the withdress of the withdress	unt of groundwater withdrawn each year / / / / / / / / / / / / / / / / / / /
works for the withdress of the withdress	unt of groundwater withdrawn each year for each well if available for each well if available for each well in carrying out the policy of this act
works for the withdress of the withdress	unt of groundwater withdrawn each year.  ons encountered in the drilling of each well if available.  ation of a similar nature as may be useful in carrying out the policy of this act.
works for the withdress of the withdress	unt of groundwater withdrawn each year.  ons encountered in the drilling of each well if available.  ation of a similar nature as may be useful in carrying out the policy of this act.
works for the withdress of the withdress	unt of groundwater withdrawn each year for each well if available for each well if available for each well in carrying out the policy of this act

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

125133

STATE OF MONTANA County of Carfield

Piled in the office of the County Clerk and Recorder of Garfield County, State of Montana, this day of

A. D. 19 6 3 or 11 3 order A

County Clark and Recorder

Pee Pold & 2.00

FILED CCB

<u></u>	Control !
ile No	Breight of the Con
TIPI.TCATE	Ca City

hing Co., Helena, Montana—38687 T 16: 17 R 40 E.

County Carfield

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

D)ECEIVED) ne 4 1901

(Name of Appropriator)  County of Gearfield State of Montans Gearfield State of Montans (Address) (Town)  Rearfield State of Montans (Montans (Address) (Town)  Rearfield State of Montans (Montans (Address) (Town) (Town)  Rearfield State of Montans (Montans (Montans (Address) (Town) (To	(Name	<b>Fig. Bluhm</b>	of Cohagen,
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows    Comparison	/~101116	e of Appropriator)	(Address) (Town)
2. The beneficial use on which the claim is based. Well 1:  stockwater; Well 2: Stockwater; Well 3: June, 1961, Well 3: June, 1961, Well 3: June, 1961, Well 3: June, 1961, Well 3: June, 1962, Well 2: June, 1961, Well 3: June, 1962, Well 3: June, 1963, Well 3: June, 1964, Well 3: June,	County of	Garfield	d State of Nontana
2. The beneficial use on which the claim is based Well 1s. stockwaters, Well 2s. Stockwaters, Well 3s. Stockwaters, Well 2s. Stockwa	nave appropriated	groundwater acco	brumg to the Montana laws in effect prior to January 1, 1902, as 10110ws
Stockwater; Well 2: Stockwater; Well 3: Stockwater  3. Date or approximate date of earliest beneficial use; and how timous the use has been. Jell. 1: April, 1959; Well 2: June, 1961; Well 3: June, 1964.  4. The amount of groundwater claimed (in miner's inches or gal per minute) Well 1: 10 gallons per minute; Well 2: general per minute; Well 3: Locations per minute	N		
3. Date or approximate date of earliest beneficial use; and how tinuous the use has been. Zell. 1: April, 1959; Zell 2: June, 1961; Zell 3: June, 1964.  4. The amount of groundwater claimed (in miner's inches or gal per minute) Well 1: 10 gallons per minute; Well 2: 9 gallons			2. The beneficial use on which the claim is based Well 1:
tinuous the use has been Tell 1: April 1: 1959; "ell 2: June, 1961; well 3: June, 1961.  4. The amount of groundwater claimed (in miner's inches or gal per minute). Well 1: 10 gallons per minute: Well 2: 9 gallons per minute: Well 2: 9 gallons per minute: Well 2: 9 gallons per minute: Well 3: h gallons per minute: Well 2: 9 gallons per minute: Well 3: h gallons pe			stockwater; Well 2: Stockwater; Well 3: Stockwater
tinuous the use has been Tell 1: April 1: 1959; "ell 2: June, 1961; well 3: June, 1961.  4. The amount of groundwater claimed (in miner's inches or gal per minute). Well 1: 10 gallons per minute: Well 2: 9 gallons per minute: Well 2: 9 gallons per minute: Well 2: 9 gallons per minute: Well 3: h gallons per minute: Well 2: 9 gallons per minute: Well 3: h gallons pe	-		3. Date or approximate date of earliest heneficial uses and how con
June, 1961; Well 1: June, 1961.  4. The amount of groundwater claimed (in miner's inches or gal per minute). Well 1: Sec 3-16-10  Well 1: Sec 3-16-10  Well 2: Sec 32-17-10  elikis-Sec-1-16010 R  edicate point of appropriation and place of use, if possible, lach small square represents 10  cres.  10. The date of commencement and completion of the mantruction of the well, wells or other means of withdraw: Well 3: Leatric pump, Well 3: Electric pump.  7. The date of commencement and completion of the mantruction of the well, wells, or other works for y drawal of groundwater. Well 1: April 1: 1959; Well 2: June 12: 1961; Well 3: June, 1968.  8. The depth of water table Well 1: comes in at 190 feet; Well 2: 200 feet; Well 3: Locating, 12 pipe at young sylinder; Well 2: 25 feet deep, h inch cashing and l inch pipe on pump.  9. So far as it may be available, the type, size and depth of each well or the general specifications of any cworks for the withdrawal of groundwater. Well 1: 12: 195 feet deep, h inch cashing and l inch pipe on pump.  1. The log of formations encountered in the drilling of each well if available. Well 1: 0. to 20 ft. to 20 to 160 ft. blue shale; 160 to 130 ft. sand; 190 ft. to 195 the less well; 1: 0. to 20 ft. to 20 to 160 ft. blue shale; 160 to 150 rock; 165 to 175 blue shale; 170 to 20 ft. to 20 to 150 ft. blue shale; 160 to 150 to 150 ft. sand; 150 to 150 ft. blue shale; 160 to 150 to 155 rock; 165 to 175 blue shale; 170 to 20 ft. to 20 ft. to 20 to 150 ft. blue shale; 150 to 20 ft. to 20 ft. to 20 ft. sand; 11 located Shale; 170 to 20 ft. sand; 11 located Shale; 180 to 20 coated Schiller  1. The log of the informations of a similar nature as may be useful in carrying out the policy of this act, inch reference to book and page of any county record.  1. The log of the first page of any county record.  1. The log of the first page of any county record.  1. The log of the first page of any county record.  2. Such other information of a similar nature as may be useful in carrying out the policy o			tinuous the use has been Jell 1: April, 1959: "Jell 2:
4. The amount of groundwater claimed (in miner's inches or gal per minute). Well 1: Sec 8-16-10 Well 2: Sec 32-17-10 Well 2: Sec 32-17-10 Well 2: Sec 32-17-10 Well 2: Sec 32-17-10 Well 3: Management of appropriation and place of use, if possible ach small square represents 10 ores.  ### Home  ####   Home  ###### Home  ###### Home  ########### Home  ###################################		<u> </u>	June, 1961; Well 3: June, 1961.
per minute). Well 1: 10 callons per minutes Well 2: 9 gallons per minutes Well 3: 1 gallons per minutes yell 2: 2 gallons per minutes yell 3: 1 gallons per minutes yell 3: 1 gallons per minutes yell 3: 1 gallons per minutes yell 2: 2 gallons per minutes yell 3: 1 yellons yellons per minutes yell 2: 2 gallons per minutes yellons per minutes yell 2: 2 gallons per minutes yellons ye			***************************************
Well 1: Sec 8-16-10 Well 2: Sec 2-17-10 Reliates see h-16-10 Reliates see he with drawn each year see he			4. The amount of groundwater claimed (in miner's inches or gallon
Well 1: Sec 8-16-10 Well 2: Sec 32-17-10 Well 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 2: Sec 32-17-10 Well 3: Sec 1-16-10 R Mell 3: Mell 3: Sec 1-16-10 R Mell 3: Mell	-		per minute) Well 1: 10 gallons per minute: Well 2:
Well 2: Sec 32-17-10  clivis Sec 1-16Tho. R.  dicate point of appropriation and place of use, if possible lack small square represents 10  fores.  6. The means of withdrawing such water from the ground and location of each well or other means of withdrawi. Well 1s.  Flectric pump.  7. The date of commencement and completion of the sanstruction of the well, wells, or other works for y drawal of groundwater. Well 1s. April h. 1959.  8. The depth of water table. Well 1s comes in at 190 feets. Well 2s 290 feets. Well 3s June, 1958.  9. So far as it may be available, the type, size and capth of each well or the general specifications of any cworks for the withdrawal of groundwater. Well 1s 195 feet deep, h. inch. casing, 11 pipe at pump. Cylinders Well 2s 35 feet deep, h. inch. casing, 1 inch. pipe on pump.  10. The estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  1. The log of formations encountered in the drilling of each well if available. Well 1s. 0. to 20 ft, sands 150 to 150 ft. sands 150 to 155 feet. 275 blue shales 160 to 190 ft. sands 150 ft. 175 blue shales 177 rocks 177 ro			y gallons per minute: Well 3: h gallons per minute.
Well 2: Sec 32-17-10  Mell/3: Sec 1-16Tho. R.  Indicate point of appropriation and place of use, if possible.  Indicate point of appropriation and place of use, if possible.  Indicate small square represents 10  Indicate point of appropriation and place of use, if possible.  Indicate point of each well or other means of withdraw: Well 1s.  Indicate pump.  Indicate			5. If used-for-irrigation, give the acreage and description of the land
Well 2: Sec 32-17-10 R colidate point of appropriation and place of use, if possible tach small square represents 10 cores.  6. The means of withdrawing such water from the ground and location of each well or other means of withdraw?	7ell 1: Sec 8-16	ارن	to which water has been applied and name of the owner therec
adicate point of appropriation and place of use, if possible.  ach small square represents 10  6. The means of withdrawing such water from the ground and location of each well or other means of withdrawi. Well 1s.  Plactric pump.  7. The date of commencement and completion of the senstruction of the well, wells, or other works for y drawal of groundwater. Well 1s. April 1s. 1959.  8. The depth of water table Well 1s comes in at 190 feets Well 2s 290 feets Well 3s June, 195  9. So far as it may be available, the type, size and depth of each well or the general specifications of any covers for the withdrawal of groundwater. Well 1s 195 feet deep, h inch casing, 1s pipe at pump cylinders well 2s. 25 feet deep, h inch casing, 1 inch pipe on pumps Well 3s 270 feet deep, h inch cashing and 1 inch pipe on pumps Well 3s 270 feet deep, h inch cashing and 1 inch pipe on pumps Well 3s 270 feet deep, h inch cashing and 1 inch pipe on pumps Well 1s 2s 0 to 20 ft, set to 100 ft, blue shales 160 to 190 ft, sand; 190 ft, to 195 shales Well 2s 0 to 20 ft, top 20 to 100 ft, blue shales 160 to 190 ft, sand; 190 ft, to 195 shales 2h0 to 212 ft, rocks 292 2b2 to 290 ft, shales 290 to 322 sand; 322 to 325 ft. Well 3s not available.  2. Such other information of a similar nature as may be useful in carrying out the policy of this act, inch reference to book and page of any county record. Well 1s located Shales Section 1s, Twp 16Ns, Rge 10Ns.			
of place of use, if possible.  ach small square represents 10  fores.  6. The means of withdrawing such water from the ground and location of each well or other means of withdraw: Well_1s_  pump_\$ mindmill; Well 2: Electric pump; Well_3:  Electric pump.  7. The date of commencement and completion of the monstruction of the well, wells, or other works for y drawal of groundwater Well_1s_April h; 1959;  8. The depth of water table Well 1: comes in at 190 feet; Well 2: 290 feet; Well_3:			119315
Docation of each well or other means of withdraw: 3011.1.  Dump & windmill; Well 2: Electric pump; Well 3:  Electric pump.  The date of commencement and completion of the sentration of the well, wells, or other works for y drawal of groundwater 3ell 1: April 1: 1959.  The depth of water table Well 1: comes in at 190 feet; Well 2: 290 feet; Well 3: June, 196  So far as it may be available, the type, size and each of each well or the general specifications of any cworks for the withdrawal of groundwater. Hell 1: 195 feet deep, h inch casing, 1 pipe at pump cylinder; Well 2: 325 feet deep, h inch casing, 1 inch pipe on pump.  On the estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, as to 160 ft, shale; 160 to 190 ft, send; 190 ft, to 195 shale; Well 2: 0 to 20 ft, to 20 to 160 ft, shale; 160 to 155 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 112 shale; 210 to 212 ft rock; 222 212 to 290 ft, shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, inch reference to book and page of any county record. Well 1: located SEASWA Section 6, Tap. Rige 105.; Well 2: located FWHWA Sec 32, Two 17N., Rige 105.; Bell 3: located SEASWA Section 1, Twp 16N., Rige 105.	dicate point of ap	propriation if possible	
Docation of each well or other means of withdraw: 3011.1.  Dump & windmill; Well 2: Electric pump; Well 3:  Electric pump.  The date of commencement and completion of the sentration of the well, wells, or other works for y drawal of groundwater Sell 1: April 1: 1959.  The depth of water table Well 1: comes in at 190 feet; Well 2: 290 feet; Well 3: June, 196  So far as it may be available, the type, size and each of each well or the general specifications of any oweks for the withdrawal of groundwater. Hell 1: 195 feet deep, h inch casing, 1 pipe at pump cylinder; Well 2: 325 feet deep, h inch casing, 1 inch pipe on pump.  270 feet deep, h inch cashing and 1 inch pipe on pump.  O. The estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  1. The log of formations encountered in the drilling of each well if available. Well 1: Q to 20 ft, a 20 to 160 ft, shale; 160 to 190 ft, send; 190 ft, to 195 shale; Well 2: 0 to 20 ft, to 20 to 160 ft, blue shale; 160 to 155 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to shale; 210 to 212 ft rock; 222 212 to 290 ft, shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  2. Such other information of a similar nature as may be useful in carrying out the policy of this act, inch reference to book and page of any county record. Well 1: located SEASS Section 8, Tap. Rige 105.; Well 2: located FullWell Sec 32, Two 17N., Rige 105.; Bell 3: located SEASS Section 1, Twp 16N., Rige 105.	ach small square re	presents 10	6. The means of withdrawing such water from the ground and th
The date of commencement and completion of the construction of the well, wells, or other works for a drawal of groundwater. Tell 1: April 1: 1959. Well 2: June 12. 1961; Well 3: June, 1968.  8. The depth of water table. Well 1: comes in at 190 feet; Well 2: 290 feet; Well 3: June, 1969.  9. So far as it may be available, the type, size and depth of each well or the general specifications of any cowing for the withdrawal of groundwater. Well 1: 195 feet deep, h. inch. casing, 12 pipe at pump cylinder; Well 2: 25 feet deep, h. inch. casing, 1 inch pipe on pump; Well 3: 270 feet deep, h. inch. cashing and h. inch. pipe on pump.  10. The estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  11. The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, as 20 to 160 ft, shale; 160 to 190 ft, send; 190 ft to 195 shale; Well 2: 0 to 20 ft top 20 to 160 ft, shale; 160 to 190 ft, send; 190 ft to 195 blue shale; Well 2: 0 to 20 ft top 20 to 160 ft blue chale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 ft shale; 2h0 to 2h2 ft rock; 222 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, incherefrence to book and page of any county record. Well 1: located SK45M2 Section 8, Tup. Reg. 105.; Well 2: located NAMW2 Sec 32; Two 17N., Reg. 105.; Bell 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 2: located SE45M2 Section 1, Tup. Reg. 105.; Well 3: located SE45M2 Section 1, Tup. Reg. 105.; Well 2: located SE45M2 Section 1, Tup. Reg. 105.; Well 2: located SE45M2 Section 1, Tup. Reg. 105.	res		location of each well or other means of withdraws
7. The date of commencement and completion of the monstruction of the well, wells, or other works for a drawal of groundwater. Tell 1: April 1: 1959. Well 2: June 12. 1961; Well 3: June, 196  8. The depth of water table. Well 1: comes in at 190 feet; Well 2: 290 feet; Well 3:  Comes in at 250 feet.  9. So far as it may be available, the type, size and capth of each well or the general specifications of any cours for the withdrawal of groundwater. Hell 1: 195 feet deep, h inch casing, 12 pipe at the pump cylinder; Well 2: 195 feet deep, h inch casing, 1 inch pipe on pump.  10. The estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  11. The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, as 20 to 160 ft, shale; 160 to 190 ft, sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top 20 to 160 ft, shale; 160 to 190 ft send; 190 ft to 195 shale; Well 2: 0 to 20 ft top 20 to 160 ft, blue shale; 160 to 195 rock; 165 to 175 blue shale; 175 to 177 rock; 177 ft shale; 2h0 to 2h2 ft rock; 222 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclu reference to book and page of any county record. Well 1: located Skitch Section 6. Tap. Reg 10E.; Well 2: located Skitch Section 6. Tap. Reg 10E.; Well 2: located Skitch Section 6. Tap. Section 1. Tap 16N., Reg 10N.			Florivia com
8. The depth of water table Well 1: comes in at 190 feet; Well 2: 290 feet; Well 3:  comes 1 at 250 feet.  9. So far as it may be available, the type, size and depth of each well or the general specifications of any owners for the withdrawal of groundwater. Well 1: 195 feet deep, h inch casing, 12 pipe at to pump cylinder; Vell 2: 325 feet deep, h inch casing, 1 inch pipe on pump.  270 feet deep, h inch cashing and 1 inch pipe on pump.  10. The estimated amount of groundwater withdrawn each year. The three well water 300 head of cattle the year round.  11. The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, see 20 to 160 ft, shale; 160 to 190 ft, sand; 190 ft, to 195 shale; Well 2: 0 to 20 ft top 20 to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 ft shale; 200 to 202 ft, rock; 222 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclure reference to book and page of any county record. Well 1: located SEASM2 Section 8. Two fige 105.; Well 2: located FWHMA Sec 32. Two 17N., Res 105.; Well 3: located SEASM2 Section 8. Two Res 105.; Well 2: located FWHMA Sec 32. Two 17N., Res 105.; Well 3: located SEASM2 Section 1. Two 16N., Res 105.			The second second second second
10. The estimated amount of groundwater withdrawn each year That here well water 300 head of cattle the year round.  11. The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, as 20 to 160 ft, chale; 160 to 190 ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top 2: 0 to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177. It shale; 240 to 242 ft rock; 232 242 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclured reference to book and page of any county record. Well 1: located Shale; Section 6, Two Rige MOD.; Well 2: located Swalls Section 8, Two Rige MOD.; Well 2: located Swalls Section 8, Two 17N., Rige MOD.; Well 3: located Scales.	3. The depth of wa	ter table Well 1	comes in at 190 feet; Well 2: 290 feet; Well 3:
O. The estimated amount of groundwater withdrawn each year The three well water 300 head of cattle the year round.  1. The log of formation countered in the drilling of each well if available. Well 1: 0 to 20 ft, a 20 to 160 ft, shale; 160 to 190 ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top 2: 0 to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177. It shale; 210 to 212 ft rock; 222 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclure reference to book and page of any county record. Well 1: located SEANY Section 6. Two. Rige 105.; Well 2: located SWANY Section 6. Two. Section 1, Two 16N., Rige 10N.,	3. The depth of wa 9. So far as it may works for the wi 9 pump cylinders	ter table Well 1 be available, the thdrawal of ground	t comes in at 190 feet; Well 2: 290 feet; Well 3:  comes in at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet desp, h inch casing, 12 pipe atts set deep, h inch casing, 12 pipe atts
cattle the year round.  11. The log of formations encountered in the drilling of each well if available. Well 1: 0 to 20 ft, so 100 ft, shale; 160 to 190 ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft ton 2: 20 to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 ft shale; 210 to 212 ft rock; 222 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclured reference to book and page of any county record.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclured such as the such as the same of	3. The depth of wa  9. So far as it may works for the with pump cylinder;  270 feet dee	ter table Well 1. be available, the thdrawal of ground Well 2: 325 for p. h inch cash	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes in at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, h inch casing, 12 pipe atts set deep, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.
20 to 160 ft, shale; 160 to 190 ft sand; 190 ft to 195 shale; Well 2s 0 to 20 ft top 20 to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177. Ft shale; 200 to 202 ft rock; 292 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclured reference to book and page of any county record. Well 1: located SEASSY Section 8, Two Rige 100.; Well 2: located SWANWS Sec 32. Two 17N., Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Rige 100.; Well 3: located SEASSY Section 1. Right 1.	3. The depth of wa  9. So far as it may works for the wit  10 pump cylinder;  270 feet dee	ter table Well 1. be available, the thdrawal of ground Well 2: 325 feep, h inch cash	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet desp, h inch casing, li pipe atts est deep, h inch casing, linch pipe on pump; Well 3: ing and 1 inch pipe on pump.
to 160 ft blue shale; 160 to 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 the shale; 200 to 212 ft rock; 222 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft. Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclusing holds; Well 2: located find well 1: located Shall 3: located find well 1: located Shall 3: located find well 3: located Shall 3: located Sh	3. The depth of wa  9. So far as it may works for the with pump cylinder;  270 feet dee	be available, the thdrawal of ground is well 2: 325 from h inch cash:	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, is inch casing, 12 pipe atts set deep, is inch casing, 1 inch pipe on pump; Well 3: ing and 1 inch pipe on pump.
ft shale; 2h0 to 2h2 ft rock; 292 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft.  Well 3: not available.  12. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclure reference to book and page of any county record.  Well 1: located SEASW2 Section 6. Two.  Rige hOE.; Well 2: located SWANW2 Sec 32. Two 17N., Rige hOE.; Bell 3: located SEASW2  Section h. Two 16N., Rige hOR.	3. The depth of wa  3. So far as it may works for the wir pump cylinder;  270 feet dec  0. The estimated an cattle the	be available, the thdrawal of ground was the lineh cash.  Lean to groundwayear round, stions encountered	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes in at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Hell 1: 195 feet deep, i inch casing, 12 pipe atts set deep, i inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of the casing of each well if available. Well 1: 0 to 20 ft. sen
2. Such other information of a similar nature as may be useful in carrying out the policy of this act, inclured reference to book and page of any county record. Well 1: located SEANY Section 6. Two. Rge LOE.; Well 2: located EMANNA Sec 32. Two 17N., Rge LOE.; Well 3: located SEANY Section 1. Two LON., Rge LOE.	3. The depth of wa  3. So far as it may works for the wire pump cylinder;  270 feet dec  4. The log of forms  5 to 150 ft. cha	be available, the thdrawal of ground well 2: 325 feep, h inch cash	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes in at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Hell 1: 195 feet deep, i inch casing, 12 pipe atts set deep, i inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of in the drilling of each well if available, Well 1: 0 to 20 ft, san ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top soi
reference to book and page of any county record. Well 1: located SELSW Section 8, Two Rige hore; Well 2: located EWHIWE Sec 32, Two 17N., Rge hore; Well 3: located SELEST Section h, Two 16N., Rge hor.	3. The depth of wa 9. So far as it may works for the with the cylinder; 270 feet dee 0. The estimated an cattle the 1. The log of the shale; 210 ft blue 1. Shale; 210 ft shale; 210 ft	be available, the thdrawal of ground vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered als; 160 to 190 echalo; 160 to 22 ch2 ft rock; 2	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes in at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, h inch casing, 12 pipe atts set deep, h inch casing, 1 inch pipe on pump. Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year The three well water 300 head of in the drilling of each well if available, Well 1: 0 to 20 ft, san ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top soi 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to
Section 4, Two 16M., Rge 40R.	3. The depth of wa 9. So far as it may works for the wit to pump cylinder; 270 feet dee 0. The estimated an cattle the 1. The log of the shale; 200 ft. Shale; 200 ft. Swell 3: not available and a swell 3: not available and a shale; 200 ft.	be available, the thdrawal of ground vell 2: 325 for p. h inch cash the p. h inch cash th	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, h inch casing, 12 pipe atts set deep, h inch casing, 1 inch pipe on pump; Well 3: ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of in the drilling of each well if available. Well 1: 0 to 20 ft, can ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top roi 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh
32 34 3 0 Och BOO	3. The depth of wa  3. So far as it may works for the with pump cylinder;  270 feet dee  3. The estimated an cattle the  1. The log of forms to 160 ft. sha  3. to 160 ft. sha  3. to 160 ft. sha  4. Such other information and to 2. Such other information and to 150 ft.	be available, the thdrawal of ground is well 2: 325 f. ep. h inch cash:  mount of groundwayear round.  ations encountered ale; 160 to 190 ehalo; 160 to 191 ehalo; 21	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, h inch casing, 1 pipe atts set deep, h inch casing, 1 inch pipe on pump. Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of the send; 190 ft. to 195 shale; Well 1: 0 to 20 ft, san ft. send; 190 ft. to 195 shale; Well 2: 0 to 20 ft top soi 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft shale; nature as may be useful in carrying out the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the state of the send; and the policy of this act, including the send; and the policy of this act, including the send; and the policy of this act, including the send; and the policy of this act, including the send; and the send; and the policy of this act, including the send; and
to the state of th	3. The depth of wa 9. So far as it may works for the with the continuous continuous 270 feet dee cattle the cattle cattle the cattle	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 212 ft rock; 2 ilable.  nation of a similar and page of any cash of a similar and	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any other dwater. Well 1: 195 feet desp, h inch casing, 12 pipe atta- set desp, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of  in the drilling of each well if available. Well 1: 0 to 20 ft, san  ft sand; 100 ft to 195 shale; Well 2: 0 to 20 ft top soi  165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to  22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh  nature as may be useful in carrying out the policy of this act, including county record.  Well 1: located Sharm's Section 8, Two 16  1862 Sec 32; Two 178, Rec 105, Well 3: located Sharm's
	3. The depth of wa 9. So far as it may works for the with the continuous continuous 270 feet dee cattle the cattle cattle the cattle	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 212 ft rock; 2 ilable.  nation of a similar and page of any cash of a similar and	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any other dwater. Well 1: 195 feet desp, h inch casing, 12 pipe atta- set desp, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of  in the drilling of each well if available. Well 1: 0 to 20 ft, san  ft sand; 100 ft to 195 shale; Well 2: 0 to 20 ft top soi  165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to  22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh  nature as may be useful in carrying out the policy of this act, including county record.  Well 1: located Sharm's Section 8, Two 16  1862 Sec 32; Two 178, Rec 105, Well 3: located Sharm's
Signature of Owner.	3. The depth of wa 9. So far as it may works for the with the continuous continuous 270 feet dee cattle the cattle cattle the cattle	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 212 ft rock; 2 ilable.  nation of a similar and page of any cash of a similar and	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Bell 1: 195 feet deep, h inch casing, 12 pipe attaget deep, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year The three well water 300 head of the sand; 190 ft to 195 shale; Well 1: 0 to 20 ft top 201 165 rock; 165 to 175 blue shale; Well 2: 0 to 20 ft top 201 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh nature as may be useful in carrying out the policy of this act, includic county record. Well 1: located SEASW Section 8. Two 160 OK.
Date	3. The depth of wa 9. So far as it may works for the with the continuous continuous 270 feet dee cattle the cattle cattle the cattle	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 212 ft rock; 2 ilable.  nation of a similar and page of any cash of a similar and	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any other dwater. Well 1: 195 feet desp, h inch casing, 12 pipe atta- set desp, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of  in the drilling of each well if available. Well 1: 0 to 20 ft, san  ft sand; 100 ft to 195 shale; Well 2: 0 to 20 ft top soi  165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to  22 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh  nature as may be useful in carrying out the policy of this act, including county record.  Well 1: located Sharm's Section 8, Two 16  1862 Sec 32; Two 178, Rec 105, Well 3: located Sharm's
	3. The depth of wa 9. So far as it may works for the with the continuous continuous 270 feet dee cattle the cattle cattle the cattle	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 212 ft rock; 2 ilable.  nation of a similar and page of any cash of a similar and	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Well 1: 195 feet deep, h inch casing, 12 pipe atts set deep, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year The three well water 300 head of the sand; 190 ft to 195 shale; Well 1: 0 to 20 ft, san ft sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top roi 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 20 212 to 290 ft shale; 290 to 322 sand; 322 to 325 ft shale; well 1: located SEASSE Section 8, Two 168 of the Sec 32; Two 17N., Rec 10E.; Well 3: located SEASSE OR.
Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the wo	3. The depth of wa 9. So far as it may works for the wit pump cylinder; 270 feet dee 0. The estimated an cattle the 1. The log of the shale; 2h0 for the shale; 2h0 for reference to book Rge h0E.; Well Section h, T	be available, the thdrawal of ground vell 2: 325 for p. h inch cash the p. h inch cash th	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Hell 1: 195 feet desp, h inch casing, 12 pipe attaget desp, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of the send; 190 ft to 195 shale; Well 1: 0 to 20 ft top soi 1.65 rock; 165 to 175 blue shale; Well 2: 0 to 20 ft top soi 1.65 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft shale; and the policy of this act, includic county record.  Signature of Owner Well 3: located SEANER  Date.
	3. The depth of wa  9. So far as it may works for the with the continuated an eattle the continuated and cattle the cattle the continuated and cattle the cattle the cattle the cattle	be available, the thdrawal of ground vell 2: 325 for p. h inch cash the p. h inch cash th	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes to at 250 feet.  type, size and depth of each well or the general specifications of any oth dwater. Hell 1: 195 feet desp, h inch casing, 12 pipe attaget desp, h inch casing, 1 inch pipe on pump; Well 3:  ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of the send; 190 ft to 195 shale; Well 1: 0 to 20 ft top soi 1.65 rock; 165 to 175 blue shale; Well 2: 0 to 20 ft top soi 1.65 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft shale; and the policy of this act, includic county record.  Signature of Owner Well 3: located SEANER  Date.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.	3. The depth of wa  9. So far as it may works for the with the control of the con	be available, the thdrawal of ground 1 Vell 2: 325 feep, h inch cash:  mount of groundwayear round, stions encountered ales 160 to 190 ehalo: 160 to 20 ehalo: 160 to 190 ehalo: 160 ehalo: 1	comes in at 190 feet; Well 2: 290 feet; Well 3:  comes at 250 feet.  type, size and depth of each well or the general specifications of any other dwater. Well 1: 195 feet desp, h inch casing, 12 pipe atta- set desp, h inch casing, 1 inch pipe on pump; Well 3: ing and 1 inch pipe on pump.  ater withdrawn each year. The three well water 300 head of in the drilling of each well if available. Well 1: 0 to 20 ft, san if sand; 190 ft to 195 shale; Well 2: 0 to 20 ft top soi 165 rock; 165 to 175 blue shale; 175 to 177 rock; 177 to 22 2h2 to 290 ft shale; 290 to 322 sand; 322 to 325 ft sh nature as may be useful in carrying out the policy of this act, including the sample of the second second second sell 1: located Shall section 6, Two 16 ilwa Sec 32. Two 17N., Rec 10E.; Well 3: located Shall OR.  Signature of Owner Well 3: located Shall  Date  With the County Clerk and Recorder of the county in which the well

Page \_\_\_/of\_\_/ GROUNDWATER INDEX County <u>Sarfield</u> Twp. 179 Rge. 416. County File No. Type of Form Remarks Name of Appropriator 484 4944 4914 4914

File No	DEC 1 1965	T. 17 R. H/F
	McDermott	County the should
Coy!e	Morton	STATE OF MONTANA
Darlinton Dickert	Sullivan ADMINIST	RATUR OF GROUNDWATER CODE
	OFFI	CE OF STATE ENGINEER
	Poolavation of	Vested Groundwater Rights
	(Under wasp	ter 237, Montana Session Laws, 1961)
	6.	The second control of the second control of
(N	ame of Appropriator)	(Address) (Town)
	San San San San San San San San San San	and the second s
have appropriated	groundwater according	to the Montana laws in effect prior to danuary 1, 1962, as follows:
<u> </u>		2. The beneficial use on which the claim is based
		2. The beneficial use on which the claim is based.
		3. Date or approximate date of earliest beneficial use; and how contin
	7	Out the tas rect.
w	E	
		4. The amount of groundwater claimed (in miner's inches or gallo
		per minute)
		5. If used for irrigation, give the acreage and description of the lan
.5	•	te which water has been applied and name of the owner there
		***************************************
S.W.4. Sec. 9.	T. 17 R.4/C	***************************************
SW4 Sec. 9. Indicate point of	appropriation	
Indicate point of and place of use, if p	appropriation cossible. Each	6. The means of withdrawing such water from the ground and the lo
Indicate point of	appropriation cossible. Each	tion of each well or other means of withdrawal
Indicate point of and place of use, if p	appropriation cossible. Each	
Indicate point of and place of use, if p small square represo	appropriation cossible. Each ents 10 acres.	tion of each well or other means of withdrawal
Indicate point of and place of use, if p small square representations.  7. The date of continuous c	appropriation cossible. Each ents 10 acres.  commencement and comple	tion of each well or other means of withdrawal
Indicate point of and place of use, if p small square representations.  7. The date of continuous c	appropriation cossible. Each ents 10 acres.  commencement and comple	tion of each well or other means of withdrawal
Indicate point of and place of use, if p small square representations.  7. The date of condrawal of ground in the conditions of the condit	appropriation cossible. Each ents 10 acres.  commencement and complendwater.	tion of each well or other means of withdrawal
Indicate point of and place of use, if p small square representations.  7. The date of condrawal of grounds.  8. The depth of was	appropriation cossible. Each ents 10 acres.  commencement and comple ndwater.	tion of each well or other means of withdrawal
7. The date of grounds.  The date of grounds.  The depth of was 9. So far as it may	appropriation cossible. Each ents 10 acres.  commencement and comple ndwater.  ater table	etion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for wing the same of the sa
7. The date of codrawal of grounds.  8. The depth of was yorks for the works for the w	appropriation cossible. Each ents 10 acres.  commencement and comple ndwater.  ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the construction of the well wells, or other works for with the construction of the well wells, or other works for with the construction of the well or the general specifications of any other.
7. The date of condrawal of grounds. S. The depth of was 9. So far as it movers for the works for the was 1.	appropriation cossible. Each ents 10 acres.  commencement and complendwater.  ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for wi
7. The date of condrawal of grounds.  8. The depth of was works for the works for the was and the condrawal of grounds.	appropriation cossible. Each ents 10 acres.  commencement and complendwater ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the construction of the well wells, or other works for with the construction of the well or the general specifications of any other.
7. The date of codrawal of grounds.  8. The depth of was works for the works for the works.	appropriation cossible. Each ents 10 acres.  commencement and comple ndwater.  ater table.  ay be available, the type ithdrawal of groundwater	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other.
7. The date of codrawal of grounds.  8. The depth of was works for the works for the works.	appropriation cossible. Each ents 10 acres.  commencement and comple ndwater.  ater table.  ay be available, the type ithdrawal of groundwater	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the construction of the well or the general specifications of any other.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the was 11. The log of form	appropriation cossible. Each ents 10 acres.  commencement and complendwater.  ater table  ay be available, the type ithdrawal of groundwater  amount of groundwater valuations encountered in the	etion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for wing the size and depth of each well or the general specifications of any other works are drilling of each well if available.
7. The date of condrawal of grounds. So far as it moved for the works for the works for the works.  10. The estimated as the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater.  ater table	etion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for wing the size and depth of each well or the general specifications of any other works are drilling of each well if available.
7. The date of condrawal of grounds. So far as it moved for the works for the works.  10. The estimated as the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater.  ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other withdrawn each year.  withdrawn each year.
7. The date of codrawal of grounds. 8. The depth of was 9. So far as it may works for the was 10. The estimated a 11. The log of form	appropriation cossible. Each ents 10 acres.  commencement and complete the complete that the complete	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for wings, size and depth of each well or the general specifications of any other.  withdrawn each year.
7. The date of codrawal of grounds. 8. The depth of was your for the works for the works for the was 11. The log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater ater table ay be available, the type ithdrawal of groundwater mations encountered in the	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other withdrawn each year.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the works for the works. 10. The estimated at the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater complendwater ater table asy be available, the type ithdrawal of groundwater mations encountered in the complement and complement commencement and complement ater table asy be available, the type ithdrawal of groundwater mations encountered in the commencement and complement ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other withdrawn each year.  withdrawn each year.  ture as may be useful in carrying out the policy of this act, includity record.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the works for the works. 10. The estimated at the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater complendwater ater table asy be available, the type ithdrawal of groundwater mations encountered in the complement and complement commencement and complement ater table asy be available, the type ithdrawal of groundwater mations encountered in the commencement and complement ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other withdrawn each year.  withdrawn each year.  ture as may be useful in carrying out the policy of this act, includity record.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the works for the works. 10. The estimated at the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater complendwater ater table asy be available, the type ithdrawal of groundwater mations encountered in the complement and complement commencement and complement ater table asy be available, the type ithdrawal of groundwater mations encountered in the commencement and complement ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other.  withdrawn each year.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other.  withdrawn each year.  ture as may be useful in carrying out the policy of this act, includity record.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the works for the works. 10. The estimated at the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater complendwater ater table asy be available, the type ithdrawal of groundwater mations encountered in the complement and complement commencement and complement ater table asy be available, the type ithdrawal of groundwater mations encountered in the commencement and complement ater table	etion of the construction of the well, wells, or other works for wines, size and depth of each well or the general specifications of any other.  Withdrawn each year.  The drilling of each well if available.  The drilling of each well in carrying out the policy of this act, includity record.  Signature of Owner.
7. The date of codrawal of grounds. 8. The depth of was works for the works for the works for the works for the works. 10. The estimated at the log of form.	appropriation cossible. Each ents 10 acres.  commencement and complendwater complendwater ater table asy be available, the type ithdrawal of groundwater mations encountered in the complement and complement commencement and complement ater table asy be available, the type ithdrawal of groundwater mations encountered in the commencement and complement ater table	tion of each well or other means of withdrawal.  etion of the construction of the well, wells, or other works for with the size and depth of each well or the general specifications of any other withdrawn each year.  withdrawn each year.  ture as may be useful in carrying out the policy of this act, includity record.

grand and	RTPT.TC###	prim (44-)	Dermott Nulty	STATE OF MONTANA	TCounty	
	Darl	e Mo Inton Sul Pert	ADMIN'S	STATE OF MONTANA RATOR OF GROUNDY OE OF STATE ANGIN	ATER CODE	
		Decla		Vested Groun		
	VIII			general programme general to the tempton again the control of a particle of the		
	1	(Name of A	ppropriator)	, of	Address) (To	own)
	County of have appro	opriated groundw	vater according	State of Sta	n effect prior to January 1, 1962	, as follows:
		N				
				2. The beneficial use on	which the claim is based	
				3. Date or approximate	date of earliest beneficial use; an	d how continu
er et Lista	-		-	ous the use has been	Secretary Street	
"	v   <del>-   -   -</del>		E .		***************************************	
	-			4. The amount of grou	indwater claimed (in miner's in	ches or gallor
				per minute)	was to the same to	
				5. If used for irrigatio	n, give the acreage and description	on of the land
		S	<del></del>	to which water has	been applied and name of the	owner there
ie i	5 w/4 8	ec. 9. T. /7 R.	HEE	***************************************		
I	Indicate poi	nt of appropria use, if possible. H	tion Each		***************************************	
. 8	mali square	represents 10 ac	cres.		awing such water from the groun ther means of withdrawal	
				***************************************	+00-1-4074.074.674.604.444.64.446.64.44.44.44.44.44.44.44.44.	+ <del></del>
•	7 Who do	to of common com		ation of the company.		
	7. The da	te of commencem of groundwater	ent and comp	etion of the construction	of the well, wells, or other w	orks for wit
	drawal	of groundwater	•••••••	257 184	of the well, wells, or other w	
	drawal of	of groundwater th of water table.		2629 JEG	of the well, wells, or other w	
	8. The dept	th of water table.	ilable, the typ	e, size and depth of eac	of the well, wells, or other w	ns of any oth
	8. The dept	of groundwater  th of water table  as it may be ava  or the withdrawal	ulable, the typ	e, size and depth of eac	of the well, wells, or other well or the general specification	ns of any oth
	8. The dept	of groundwater  th of water table  as it may be ava  or the withdrawal	ulable, the typ	e, size and depth of eac	of the well, wells, or other w	ns of any oth
	8. The dept	of groundwater th of water table as it may be ava or the withdrawal	ulable, the typ	e, size and depth of eac	of the well, wells, or other well or the general specification	ns of any oth
	8. The dept	of groundwater th of water table as it may be ava or the withdrawal	ulable, the typ	e, size and depth of eac	of the well, wells, or other well or the general specification	ns of any oth
1	8. The dept 9. So far a works fo	th of water table as it may be avair the withdrawal	ullable, the typ of groundwater	e, size and depth of each	of the well, wells, or other well or the general specification	ns of any oth
1	8. The dept 9. So far a works fo	th of water table as it may be avair the withdrawal	ullable, the typ of groundwater	e, size and depth of each	of the well, wells, or other well or the general specification	ns of any oth
1	8. The dept 9. So far a works fo	th of water table.  as it may be avair the withdrawal  mated amount of of formations en	dilable, the type of groundwater countered in t	e, size and depth of each withdrawn each year	of the well, wells, or other well or the general specification	ns of any oth
1	8. The dept 9. So far a works fo	th of water table.  as it may be avant the withdrawal  mated amount of of formations encountries.	dilable, the typof groundwater countered in the countered	e, size and depth of each withdrawn each year.  The drilling of each well in the drilling of each well	of the well, wells, or other well or the general specification	ns of any oth
1	8. The dept 9. So far a works fo	th of water table.  as it may be avant the withdrawal  mated amount of of formations encountries.	dilable, the typof groundwater countered in the countered	e, size and depth of each withdrawn each year.  The drilling of each well in the drilling of each well	of the well, wells, or other well or the general specification.  f available.	ns of any oth
1	8. The dept 9. So far a works fo	th of water table.  as it may be avant the withdrawal  mated amount of of formations encountries.	dilable, the typof groundwater countered in the countered	e, size and depth of each withdrawn each year ture as may be useful ity record.	of the well, wells, or other well or the general specification of available.	ns of any oth
1	8. The dept 9. So far a works fo	th of water table.  as it may be avant the withdrawal  mated amount of of formations encountries.	dilable, the typof groundwater countered in the countered	e, size and depth of each withdrawn each year ture as may be useful ity record.	of the well, wells, or other well or the general specification.  f available.	ns of any oth
1	8. The dept 9. So far a works for the sti 10. The esti 11. The log the sti 12. Such other reference the still the st	of groundwater th of water table as it may be avair the withdrawal mated amount of of formations ence	dilable, the typof groundwater groundwater countered in the same and t	e, size and depth of each r.  withdrawn each year	of the well, wells, or other well or the general specification of available.	ns of any oth

129050

STATE OF MONTANA }
County of Carlield

Filed in the office of the County Clerk and Recorder of Garlicki County, State of Montana, this day of

Peo Paid & 2-00

BAKOS MONTANSERNO DETANY ETATE

1 1869

×	
3′ `	Approved Stock Form—State Publishing Co., Helena, Montana—41921
File 1	vo 7 7 R 4/1
DUPI	LICATE County County
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
	and the control of the control of the control of the control of the control of the control of the control of t
	Declaration of Vested Groundwater Rights  (Under Chapter 237, Montana Session Laws, 1961)
	(Under Chapter 237, Montana Session Laws, 1961)
	STAIL ENGINEER
1	Boyl Que of Golden
~	(Name of Appropriator) (Address) (Town)
ha	ounty of State of Sta
	N Le 1
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	ous the use has been
	0 4
	4. The amount of groundwater claimed (in min-r's inches or gallons per minute)
	a gar va manue
L	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
us XLC	3/4 Sec. 17 T. 17 R. 11/1
Indi	cate point of appropriation
	place of use, if possible. Each is square represents 10 acres.  6. The means of withdrawing such water from the ground and the loca-
	tion of each well or other means of withdrawal
7.	The date of commencement and completion of the construction of the well, wells, or other works for with-
	drawal of groundwater
	The depth of water table
	·
	So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
	90'
	The estimated amount of groundwater withdrawn each year
11.	The log of formations encountered in the drilling of each well if available
12.	Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
	reference to book and page of any county recover
	Signature of Owner 12 wells are
	Signature of Owner Date JEC 16 196
	••

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124738

STATE OF MONTANA (County of Gordield

Filed in the states of the County Class and Recorder of Garrield County, State of all states, this day of Allerday

A. D. 19 63 or H. Wardon A N Marley E. Bandh

County Clark and Recorder

Fae Paid & 8-00

O E

~	•	Approved Stock Form-State Publishing Co., Helena, Montana-41921	<b>⊳</b> 3 }
ile No		Approved Stock Form—State Publishing Co., Helena, Montana—41921	
UPLICATE		County Garfiel	
or Head In	£	TATE OF MONTANA	
	Administr	ATOR OF GROUNDWATER CODE	
	OFFIC	E OF STATE ENGINEER DECEIVE	
	Declaration of	Vested Groundwater RightsEC 23 1963	
	(Under Chapt	er 237, Montana Session Laws, 1961)	
	0 0		;
130	Name of Appropriator)	, of (Address) (Town)	
County of	Gartie	State of Smonth	
have appropriate		to the Montana laws in effect prior to January 1, 1962, as follows	
<del></del>		2. The beneficial use on which the claim is based.	n Z
		3. Date or approximate date of earliest beneficial use; and how conti	inu-
<b> </b>		ous the use has been 1950	
	E		
		4. The amount of groundwater claimed (in miner's inches or gall	lons
		per minute)	
			•
<u> </u>	s ·	<ol> <li>If used for irrigation, quive the acreage and description of the la to which water has been applied and name of the owner the</li> </ol>	reof
151/4 Sec./9	mondel		
7. The date of drawal of gro	commencement and comple	etion of the construction of the well, wells, or other works for v	with-
		30/	
9. So far as it		, size and depth of each well or the general specifications of any o	other
***************************************			•••••
lO. The estimated	amount of groundwater v	vithdrawn each year 525, 600	
11. The log of for	rmations encountered in the	e drilling of each well if available 2357 an aicaice	<del></del>
***************************************			
		ture as may be useful in carrying out the policy of this act, incluy record	adin <sub>i</sub>
	,	,,,	
		Signature of Owner Date	•
Three copies to be	filed by the owner with the	County Clerk and Recorder of the county in which the well is loc	eatei
Please answer all		•	
	questions. If not applicabl	e, so state, otherwise the form will be remed.	* /
Original to the C	•	Duplicate to the State Engineer: Triplicate to the Montana Bures	ภาก
	•	Duplicate to the State Engineer: Triplicate to the Montana Bures	au c

124734

STATE OF MONTANA County of Garfield

Filed in the office of the County Clerk and Recorder of Garffold County, Story of Montana this Garffold County, Story of Montana Chief County of County Clerk and County Clerk a

A. D. 1943 CV/12 Clock of M

Surfus L. Surphum

County Clerk and Recorded

Marian X name

200

man

		Approved Stock Form—State Publishing Co., Helena, Montana—38687
UPLICATE		County Barfield
	A THINTN	STATE OF MONTANA VISTRATOR OF GROUNDWATER CODE
		OFFICE OF STATE ENGINEER AUG. 27 1962
		of Vested Groundwater Rights ATE ENGINEE Chapter 237, Montana Session Laws, 1961)
<i>∕</i> 20		<del></del>
1. Iles	Name of Appropriator	(Address) (Town)  State of Martana  cording to the Montana laws in effect prior to January 1, 1962, as follows:
County of	Girfield	State of Mortana
nave appropr		cording to the Montana laws in effect prior to January 1, 1962, as follows:
	N	2. The beneficial use on which the claim is based. Hork and
		3. Date or approximate date of earliest beneficial use; and how continuous the use has been
*		
		4. The amount of groundwater claimed (in miner's inches or gallons per minute)
	8	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
√E 1/4 Sec. 2	26 T 17 R 41	Mat applicability
Indicate point o	of appropriation	
and place of u Each small squar acres.	se, if possible. re represents 10	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
		The state of the s
7. The date of drawal of gr	commencement and coundwater	ompletion of the construction of the well, wells, or other works for with
drawal of gr	oundwater OLL	. 1913
drawal of gr	f water table 5	70 /
8. The depth o	f water table	type, size and depth of each well or the general specifications of any other
8. The depth o 9. So far as it works for th	f water table	o type, size and depth of each well or the general specifications of any other
8. The depth o 9. So far as it works for th	f water table	
8. The depth o  9. So far as it works for th	f water table	e type, size and depth of each well or the general specifications of any other indwater
8. The depth o  9. So far as it works for th	f water table	e type, size and depth of each well or the general specifications of any other indwater
8. The depth o 9. So far as it works for th	f water table 5 may be available, the withdrawal of grounds amount of grounds	o type, size and depth of each well or the general specifications of any other indwater.  4. 98  water withdrawn each year. 720, and gal.
8. The depth o 9. So far as it works for th	f water table 5 may be available, the withdrawal of grounds amount of grounds	o type, size and depth of each well or the general specifications of any other indwater.  4. 98  water withdrawn each year. 720, and gal.
8. The depth o 9. So far as it works for th	f water table 5 may be available, the withdrawal of grounds amount of grounds	o type, size and depth of each well or the general specifications of any other indwater.  4" 93"  water withdrawn each year 220, and gal.
8. The depth o  9. So far as it works for th  10. The estimate  11. The log of f	f water table	e type, size and depth of each well or the general specifications of any other indwater.  # ' 78'  water withdrawn each year. 720, and gal.  d in the drilling of each well if available.  At available.  ar nature as may be useful in carrying out the policy of this act, including
8. The depth o  9. So far as it works for the second of th	f water table	type, size and depth of each well or the general specifications of any other indwater.  4 7 9 8  water withdrawn each year. 720, and gal.  d in the drilling of each well if available. Att. available.  ar nature as may be useful in carrying out the policy of this act, including to county record.  Nat. Acc. anded.
8. The depth o  9. So far as it works for the second of th	f water table	type, size and depth of each well or the general specifications of any other indwater.  4. 93  water withdrawn each year. 720, and gal.  d in the drilling of each well if available. At available.  ar nature as may be useful in carrying out the policy of this act, including county record.  Nat Accorded.
8. The depth o  9. So far as it works for the second of th	f water table	stype, size and depth of each well or the general specifications of any other indwater.  4 198  water withdrawn each year 120, and gal.  d in the drilling of each well if available.  At available.  ar nature as may be useful in carrying out the policy of this act, including a county record.  Signature of Owner Mail & Dallson.
8. The depth o  9. So far as it works for the second of th	f water table	e type, size and depth of each well or the general specifications of any other indwater.  # 13  water withdrawn each year 120, and gal.  d in the drilling of each well if available 1 available.  ar nature as may be useful in carrying out the policy of this act, including county record 1 at a and a decearded.

122/69

STATE OF MONTANA County of Garfield

Filad in the office of the County Clerk and Becorder of Garfield Count. State of Montana, this A day of and

A D. 18.62 at 2.100 octors County Clock and are

Fee Poid \$ 0,00

o .		Approved Stock Form-State Publishing Co., Helena, Montana-41921
File N	No	T. 17 R. 4 /E  County Leasfield
рпрт	LICATE	County Harliel Q
		STATE OF MONTANA
	OF	FIGE OF STATE ENGINEER  DEC 23 1963
	<b>Declaration</b>	of Vested Groundwater Rights DEC 23 1963
		apter 237, Montana Session Laws, 1961) STATE ENGINEER
	00	
1	(Name of Appropriator)	(Address) (Town)
Cor		
hav	we appropriated groundwater accordi	State of
-	N	the state of the s
		2. The beneficial use on which the claim is based
		3. Date or approximate date of earliest beneficial use; and how continu-
1-		ous the use has been 1945
*	• E	
-		4. The amount of groundwater claimed (in miner's inches or gallons
ļ		per minute)
		TO TO THE STATE OF
L	s s	<ol><li>If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof</li></ol>
1. 1		
	14. Sec 30 T./7 R. 4/	
and ;	icate point of appropriation place of use, if possible. Each	6. The means of withdrawing such water from the ground and the loca-
smal	ll square represents 10 acres.	tion of each well or other means of withdrawal.
		tion of each well or other means of withdrawal
7.	The date of commencement and cor	apletion of the construction of the well, wells, or other works for with-
	drawn or groundwater	1945
۰	The depth of water table	130
		ype, size and depth of each well or the general specifications of any other
	works for the windrawar or groundw	180
10	The estimated amount of groundwate	er withdrawn each year 525, 600
		-
11.	The log of formations encountered in	the drilling of each well if available
12.	Such other information of a similar	nature as may be useful in carrying out the policy of this act, including
		unty record.
		. /
		and and
		Signature of Owner
		Date Office 3 0

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

124735

STATE OF MONTANA County of Garfield

المقتله

Filed in the office of the County Clerk and Recorder of Carifold County, Store of Mentana, this day of Mentana

A. D. 19 6 2 at 11 2 5 clock M.

County Clerk and Records

By Raniau (1)

Res Paid & 2.00

.

G			

Approved Stock Form-State Publishing Co., Helena, Montana-41921

T 17 R 4 M

DUPLICATE

File No....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

OFF. 23 1963

## Declaration of Vested Groundwater Rights ENGINEER

(Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator)  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Name of Appropriator of the Montana laws in effect prior to January 1, 1962, as follows:  (Address)  (Town)  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in effect prior to January 1, 1962, as follows:  (In the Montana laws in  Breed O	ander!	
State of the Montana laws in effect prior to January 1, 1962, as follows:  2. The beneficial use on which the claim is based.  3. Date or approximate date of earliest beneficial use; and how conting out the use has been a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a first the use has been applied and name of the owner there are a firs	(Name of Appropriator	(Address) (Town)
2. The beneficial use on which the claim is based.  3. Date or approximate date of earliest beneficial use; and how conting our the use has been   4. The amount of groundwater claimed (in miner's inches or gallow per minute).  5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner there which water has been applied and name of the owner there are sugare represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	ounty of Bart	eld State of Montana
2. The beneficial use on which the claim is based  3. Date or approximate date of earliest beneficial use; and how conting out the use has been  4. The amount of groundwater claimed (in miner's inches or gallow per minute)  5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner there is used in square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water has been applied and name of the owner there is used to which water has been applied and name of the owner there is used to which water has been applied and name of the owner there is used to which water has been applied and name of the owner there is used to which water has been applied and name of the owner there is used to which water has been applied and name of the owner there is no standard to which water has been applied and name of the owner there is no standard to which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there is no which water has been applied and name of the owner there.  The date of commencement and completion o	ve appropriated groundwater accord	ling to the Montana laws in effect prior to January 1, 1962, as follows:
3. Date or approximate date of earliest beneficial use; and how conting our the use has been 1955  4. The amount of groundwater claimed (in miner's inches or gallower minute)  5. If used for irrigation, give the acreage and description of the lantowhich water has been applied and name of the owner there which water point of appropriation place of use, if possible. Each ill square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water has been applied and name of the owner there which water of groundwater.  The dete of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  The log of formation of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	N	
3. Date or approximate date of earliest beneficial use; and how conting our the use has been 1955  4. The amount of groundwater claimed (in miner's inches or gallower minute)  5. If used for irrigation, give the acreage and description of the lantowhich water has been applied and name of the owner there which water point of appropriation place of use, if possible. Each ill square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water has been applied and name of the owner there which water of groundwater.  The dete of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  The log of formation of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		2. The beneficial use on which the claim is based
ous the use has been  4. The amount of groundwater claimed (in miner's inches or galloper minute)  5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there which water has been applied and name of the owner there to which water represents 10 aeres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the withdrawal of groundwater withdrawal each year.  The estimated amount of groundwater withdrawn each year.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
ous the use has been  4. The amount of groundwater claimed (in miner's inches or galloper minute)  5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there which water has been applied and name of the owner there to which water represents 10 aeres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the withdrawal of groundwater withdrawal each year.  The estimated amount of groundwater withdrawn each year.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
4. The amount of groundwater claimed (in miner's inches or gallot per minute)  5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there place of use, if possible. Each all square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  7.5.5  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater.  The log of formations encountered in the drilling of each well if available.  The log of formation of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
4. The amount of groundwater claimed (in miner's inches or gallo per minute).  5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there leads to which water has been applied and name of the owner there are point of appropriation place of use, if possible. Each lil square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  75.5  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  75.5  The log of formations encountered in the drilling of each well if available.  The log of formation of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		ous the use has been
per minute)  5. If used for irrigation, give the aercage and description of the lan to which water has been applied and name of the owner there which water has been applied and name of the owner there is a place of use, if possible. Each all square represents 10 aeres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water withdrawal of groundwater.  The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, include reference to book and page of any county record.	E	
per minute)  5. If used for irrigation, give the aercage and description of the lan to which water has been applied and name of the owner there which water has been applied and name of the owner there is a place of use, if possible. Each all square represents 10 aeres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water withdrawal of groundwater.  The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, include reference to book and page of any county record.		
5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there  3. See 33 T.1.7 R.4.  (eate point of appropriation place of use, if possible. Each all square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
5. If used for irrigation, give the aereage and description of the lan to which water has been applied and name of the owner there between the point of appropriation place of use, if possible. Each all square represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Which water are works for windrawal of groundwater.  7.5.  The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater.  7.5.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the works for the withdrawal of groundwater.  7.5.  The estimated amount of groundwater withdrawn each year.  7.5.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		per minute)
to which water has been applied and name of the owner there		
Sec. 33 T./7. R		5. If used for irrigation, give the acreage and description of the lan
teate point of appropriation place of use, if possible. Each 11 square represents 10 acres.  6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Windows for withdrawal of groundwater.  The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	s	to which water has been applied and name of the owner there
teate point of appropriation place of use, if possible. Each 11 square represents 10 acres.  6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Windows for withdrawal of groundwater.  The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	51/ Son 22 m / D //	
place of use, if possible. Each Il square represents 10 acres.  6. The means of withdrawing such water from the ground and the lottion of each well or other means of withdrawal.  The date of commencement and completion of the construction of the well, wells, or other works for widrawal of groundwater.  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	•	
The date of commencement and completion of the construction of the well, wells, or other works for widrawal of groundwater  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
The date of commencement and completion of the construction of the well, wells, or other works for windrawal of groundwater  The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		
The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		tion of each well or other means of withdrawal.
The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.		
The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		
The depth of water table.  So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater.  The estimated amount of groundwater withdrawn each year.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	The date of commencement and co	ompletion of the construction of the well, wells, or other works for wi
So far as it may be available, the type, size and depth of each well or the general specifications of works for the withdrawal of groundwater  The estimated amount of groundwater withdrawn each year 525,600  The log of formations encountered in the drilling of each well if available 700 Considerable.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	The date of commencement and codrawal of groundwater	ompletion of the construction of the well, wells, or other works for wi
The estimated amount of groundwater withdrawn each year 525,600  The log of formations encountered in the drilling of each well if available. Not divides.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	drawal of groundwater	ompletion of the construction of the well, wells, or other works for wi
The estimated amount of groundwater withdrawn each year 525,600  The log of formations encountered in the drilling of each well if available 700 Constitutions and page of any county record.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	drawal of groundwater	ompletion of the construction of the well, wells, or other works for wi
The estimated amount of groundwater withdrawn each year. 525,600  The log of formations encountered in the drilling of each well if available. Not divided.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	drawal of groundwater  The depth of water table	ompletion of the construction of the well, wells, or other works for wi
The estimated amount of groundwater withdrawn each year 525,600  The log of formations encountered in the drilling of each well if available. Not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	The depth of water table	ompletion of the construction of the well, wells, or other works for wi
The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	The depth of water table	ompletion of the construction of the well, wells, or other works for wi
The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	The depth of water table	type, size and depth of each well or the general specifications of the water
The log of formations encountered in the drilling of each well if available	The depth of water table	type, size and depth of each well or the general specifications of water
The log of formations encountered in the drilling of each well if available	The depth of water table	type, size and depth of each well or the general specifications of the water
Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	The depth of water table	type, size and depth of each well or the general specifications of the water
Such other information of a similar nature as may be useful in carrying out the policy of this act, include reference to book and page of any county record.	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of water withdrawn each year 525,600
reference to book and page of any county record	drawal of groundwater	type, size and depth of each well or the general specifications of water //5
reference to book and page of any county record	drawal of groundwater	type, size and depth of each well or the general specifications of water //5
reference to book and page of any county record	drawal of groundwater	type, size and depth of each well or the general specifications of water //5
p //	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of the water 15
p // .	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of water  the withdrawn each year 525,600 in the drilling of each well if available 7007 Granders  r nature as may be useful in carrying out the policy of this act, include
Signature of Owner Baye	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of water withdrawn each year. 525,600 in the drilling of each well if available. To the drilling of each well in carrying out the policy of this act, include county record.
Signature of Owner Bayles	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of water withdrawn each year. 525,600 in the drilling of each well if available. To the drilling of each well in carrying out the policy of this act, include county record.
Signature of Original Parks	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of the withdrawn each year.
	drawal of groundwater  The depth of water table	type, size and depth of each well or the general specifications of the withdrawn each year.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of each well or the general specifications of the water.  The depth of the well, wells, or other works for with the policy of the p

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1.62

F.

4/2//30

STATE OF MONTANA {
County of Garfield }

Filed in the office of the County Clerk and Recorder of Gardeld County, State of Matana, this day of Allerian

A D. 1863 of all of original M.

County Clerk and Ascords

Pee Paid 22-00

White the same of

Page \_\_\_/ of \_\_/\_ GROUNDWATER INDEX County <u>Garfieli</u> Twp. 1771 Rge. 426. County Remarks Type of Form File No. Name of Appropriator Sec. 484 49/2 4914 T.16N-R 42E 4014 484 444 494 Corlenbusch. Dan le 4914

₩ 4	Approved Stock Form State Pub	lishing Co., Helena, Montana 2331
ile No		T /7 R #2 E
UPLICATE		County Gorfield
	STATE OF MONTANA	DECEIVED
	NISTRATOR OF GROUNDWATER COD OFFICE OF STATE ENGINEER	JAN 6 1964
Declaration	of Vested Groundwater	RIGHTATE ENGINEER
	Chapter 237, Montana Session Laws, 196	
Royd Gibbs	r) (Address) State of Mo. N	orden
Name of Appropriato	r) (Address)	(Town)
have appropriated groundwater according	State of 1.1.2. And a rding to the Montana laws in effect prior	or to January 1, 1962, as follows:
N	,	54.00.W
	2. The beneficial use on which the di	aim is bused ai mis
	3. Date or applicationate date of parl	
	ous the new hare more 1944	. Continuos
V E	Allen and the second	
	The animate of the same of	m of the desired or gallons
	DETERMINED TO SERVICE	The same of the sa
	white the state of	
s	which water he apply	and harmetion of the lands
E1/4 Sec. 7 17 R42	- Jan	in interior
indicate point of appropriation		
and place of use, if possible. Wich man square represents 10 acres.	6. The means of withdrawing such	
	tion of each well or other means of	of withdrawal
7. The date of commencement and codrawal of groundwater	completion of the construction of the we	
J	0	***************************************
8. The depth of water table	<del>500</del>	***************************************
<ol><li>So far as it may be available, the works for the withdrawal of ground</li></ol>	type, size and depth of each well h	
	drilled, 4 cos	ing, 177 ft.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************	
***************************************	ater withdrawn each year 59al	Sterdy flow
10. The estimated amount of groundwa	ater withdrawn each year	sneray feeto
11. The log of formations encountered	in the drilling of each well if available	***************************************
***************************************	not evalable	
***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************
	ar nature as may be useful in our rying county record	
***************************************	nou	***************************************
***************************************		
	Signature of Owner	Roytoible
	D	ate Slee 311963
Thurs explor to be filed by the emper mi	ith the County Clark and Recorder of the	country in which the well is levered

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is leasued.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadrupilicate for the Appropriator.

125316

STATE OF MONTANA County of Cortald

Filed in the death the County Clerk and Recorder of Griners at the State of Montana, this 3

A. D. 19 6 3 at 13 16 ack a M

County Clark and secondary

Pae Paid 8

MOSTED PLANE

DUPLIC	ATUE					17 N	Marie State	
DOPIN	Top of Ground		ADMINIS Q	STATE TRATOS ( FFICE OF	OF MONT	DWWEST LOUISER		
77-1	clemev. above sea level shele 3 rock	) N	Approp	riation	etion o by Me Montana S	t Grou	nd wate E <b>Well</b> G	<b>)</b> r
16-1	60 shalle 90 sand	Owner.	maid J. M	Liroy	Address	Rock St	rings.	Mont
1 7	olada O	Drille	Merie Drabe		Address	P 4 1 2 4 1 5		
70-7	90 sand		Notice of Appro					
-		Date wel	1 started	5≈64 ed	Date Co	ent Used		•••••
-		(dug, di drilled	riven, bored or		(Churn other)	, drill, rotary	Rotary	*********
	•		se: Domestic Industrial		nicipal []	Other [ Stock S		igation
- 		strata m Show de	icate On the cet with in drill pth at which wastrata and heigh	ling, such a rater is enc	s soil, clay, ountered, tl	shale, grav nickness and	vel, rock or I character	sand, e
		Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	<del>-</del>	ERFORATION	
		*1016	Casing			Kind Size	From (Feet)	To (Feet)
				1			i 1	
_		677	9 <del>1</del> #	1ft.	350ft.	elotted	287-39	0
		611	9 <del>2</del> #	7ft.	350ft.	! [	287 <b>~3</b> 9	0
	·	611	9 <del>2</del> #	1ft.	350ft.	elotted	287-39	0
		611	92#	Ift.	350ft.	elotted	287-39	0
	N		9 <del>1</del> #			elotted 1-4in.		
	N	Sta		el for non-fl	owing Well	elotted 1-41n.		f
	N	Sta Sh	atic Water Leve	ol for non-fl	owing Well	elotted \$-4in.		f
	N	Sta She Pu	utic Water Leve	ol for non-fl for Flowing evel168	owing Well g Wellfe	elotted \$-4in. 120	gal. I	f
	W	Sta Sho	utic Water Leve ut-in Pressure mping Water L scharge in gal.	ol for non-fl for Flowin evel168 per min, of	owing Well g Wellfee	elotted -4in.	gal. r	foer min
		Sta She	ut-in Pressure mping Water L scharge in gal. w Testedpu	of for non-fl for Flowing evel	owing Well g Wellfee	elotted 4-4in. 120 et at. 8 eth of Test	gal. r	per minu
		Sta She	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave	for Flowing evel	owing Well g Well fet flowing w Leng cementing	elotted 1-4in.	gal. p	per minu
		Sta She	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave	for Flowing evel	owing Well g Wellfee	elotted 1-4in.	gal. p	per minu
	W	Sta She Pur Dis	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Well fet flowing w Leng cementing	elotted	gal. I	per minu
	W Sec. Vasq. Sec. T.	Sta Shi Pui Dis E Ho Re	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Well	elotted	gal. I	per minu
	Indicate location of place of tise, if possi	Sta Shi Pui Dis E Ho Re well and ible. Each	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Well	elotted 1-4in.  120  et at. 8  eth of Test  packers in advater if ormation, rigation)	gal. I	per minu
	NB. Vac. Sec. T. Indicate location of	Sta Shi Pui Dis E Ho Re well and ible. Each	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Well	elotted 1-4in.  120  et at. 8  eth of Test  packers in advater if ormation, rigation)	gal. I	per minu
	Indicate location of place of tise, if possi	Sta Shi Pui Dis E Ho Re well and ible. Each s 10 acres.	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Wellfee flowing w Leng se of grou rtinent inf used for in	elotted 1-4in.	gal. p	per minu
	indicate location of place of tise, if possismall splittle represent	Sta Shi Pui Dis E Ho Re well and ible. Each s 10 acres.	ut-in Pressure ut-in Pressure mping Water L scharge in gal. w Testedpu marks: (Grave tion of	ol for non-fl for Flowing evel	owing Well g Wellfee flowing w Leng se of grou rtinent inf used for in	elotted 1-4in.  120  et at. 8  eth of Test  packers in advater if ormation, rigation)	gal. p	per minu

in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator. 35632

126095

STATE OF MONTANA }

Piled in the office of the County Clerk and Recorder of Garfield County, State of Montana, day of April 1

A. D. 19 6h 3:00 capak P M

marianti

2.00

gv	Approver stock Form-State Publishing Co., Helena, Montana-1921
File No	T // B 4 2 7
DUPLICATE	
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER DECEIVED
	DEC 23 1963
	Declaration of Vested Groundwater Rights
0	(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER
1 ter	que Milroy Estate of Ook Springs
0	(Name of Appropriator) (Address) (Town)
County of have appr	opriated grøindwater according to the Montana laws in effect prior to January 1, 1962, as follows:
	N Parison and
	2. The beneficial use on which the claim is based Now and
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1948 with
w	daysimal
"	E C
	4. The amount of goundwater claimed (in miner's inches or gallons per minute) from (in miner's inches or gallons
	X been pumped dry
	5. If used for irrigation, give the acreage and description of the lands
<b>~</b>	s to which water has been applied and name of the owner thereof
S E 4S Es	Sec. 4 T. 7 R. 42
Indicate poi	int of appropriation use, if possible. Each
	e represents 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawid
	Jump Lock and llettuc
drawak	ate of commencement and completion of the construction of the well, wells, or other works for with- of groundwater from the construction of the well, wells, or other works for with-
NE	ing dolling of
8. The dep	th of water table Welf 12 8 0 ft. alife
9. So far	as it may be available, the type, size and depth of each well or the general specifications of any other
works fo	or the withdrawal of groundwater
***********	
10. The est	imated amount of groundwater withdrawn each year not sould be to determine
	of formations encountered in the drilling of each well if available drilling by while
	upming of Eastern montara sulling confary
12. Such of	ther information of a similar nature as may be useful in carrying out the policy of this act, including
	ce to book and page of any county record.
	In Anni
	Signature of Owner When In the
	Date Lecimana 6. 6.3.

Three copies to be filed by the owner with the County Clerk and Record or of the county in which the well is located.

'lease answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clark and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Goology, and Quadruplicate for the Appropriator.

STATE OF MONTANA County of Garfield }

Filed in the ships of the County Clerk and Recorder of Guideld County, Styry of Mustered this day of Mustered

County Cieck and Programs

For Paid #2.00

3(		Approved Stock	Form—State Publishing Co.,	Helena, Montana-42234	-11
File No			т/	7 m 42	12 10
DUPLICATE	*		County	Gorful	<u>/</u>
	ST	ATE OF MONTANA		DECE	IVED
		TOR OF GROUNDW		M	1004
		OF STATE ENGIN		SAIL 6	1964
Dec	laration of '	Vested Groun	dwater Righ	ATSTATE EN	IGINEER
		237, Montana Session		2	
0041	4-1		-01	- U -	
1 Corl What	esell	of	Stock	(Town)	90
W1 U.	Appropriator)	State of	Montan	/ (10WII)	[ ]
have appropriated ground	iwater according to	the Montana laws in	n effect prior to Ja	nuary 1, 1962, as	follows:
N					
	2.	The beneficial use on	which the claim is b	ased	
	3.	Date or approximate		eficial use; and ho	w continu-
		ous the use has been	1950	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
w	F/ 6		•		
	4.	The amount of grou	ındwater claimed/(	in miner's inches	or gallops
		per minute)	O Jallon	a per m	iout.
	5.	If used for irrigation to which water has	n, give the acreage	and description of	the lands
5	110		ml		
4 Sec. [3 T/7]	31.d.	///	riu		
Indicate point of appropriand place of use, if possible.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
small square represents 10	acres. 6.	The means of withdr	•	-	
·		tion of each well or	well		
		1 4000000	) VO CEE		************
7. The date of commence	ement and complet	ion of the construction	of the well, well	s, or other works	for with-
drawal of groundwater	·	<i>'So</i>		······································	
	<b>_</b>	Lowins			
8. The depth of water tab	le	COUVINS	WELL		****************
9. So far as it may be a			h well or the gener	al specifications o	f any other
works for the withdraw	al of groundwater	119	deep 4	Casis	ng
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
10 80		41. 3			
10. The estimated amount	or groundwater w	tndrawn each year	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
11. The log of formations	encountered in the	drilling of each well			
	rone	availed	6		
***************************************					
12. Such other information					
reference to book and	page of any county	record		******************	
***************************************					********
		•	S.	0011.4	
		Signature	of Owner 60	uwni	yenre
			Date	12-29-6	:5
Three copies to be filed by	the owner with the	County Clerk and Rec	order of the count	y in which the we	ll is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

125232

į. į.

STATE OF MONTANA
County of Garfield

Filed in the of a of the County Clerk and Recorder of Carfield County State of Mentano,

Man & Confirment

Por Pull 5 2 Cou

BUTTER COLD

A the of the wall of the

	Approved Stock Form—State Publishing Co., Helena, Montang—47234
ile No	T / OR T 2
UPLICATE	Ocenty Darfield
	STATE OF MONTANA  ADMINISTRATOR OF GROUNDWATER CODE  DECEIVED
	OFFICE OF STATE ENGINEER
	9 1904
ע	Declaration of Vested Groundwater RIGHTATE ENGINEER  (Under Chapter 237, Montana Session Laws, 1961)
0 10	1. + 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
, Carl M	Chilesill of Glock Springs
6Name	of Appropriator) (Address) (Town)  State of Northana
County of have appropriated for	Oundwater according to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how continu-
	and the same has been
·	ous the use has been.
	4 The amount of groundwater claimed (in miner's inches or gallons
	4. The amount of groundwater claimed (in miner's inches or gallona per minute)
	)
	5. If used for irright the the acreage and description of the use to water many opiged and name of the owner many
	· ·
and place of use, if possismall square represents	ible. Each
omen advance relations	tion of each well or other means of withdrawai
	Wind mill
7. The date of comm	nencement and completion of the construction of the well, wells, or other works for with-
drawal of groundy	vater 9/2
***************************************	table 140 ft
8. The depth of water	table 170 fr
	be available, the type, size and depth of each well or the general specifications of any other
	drawal of groundwater 180 deep 4 Casing
***************************************	7 , 7 1
10. The estimated amo	ount of groundwater withdrawn each year
11. The log of formati	ons encountered in the drilling of each well if available.
	non! dvoibble
	<u> </u>
···	action of a similar nature as may be useful in carrying out the policy of this act, including
reterence to book a	and page of any county record.
***************************************	$\rho$
	Signature of Owner Lovel Whitesigle

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Please answer all questions. If not applicable, so state otherwise the form will be returned.

**1.25**230

STATE OF MONTANA County of Gardeld

Flied in the "the of the County Clerk and Recorder of Carried County, State of Montana, this 3.4 day of December 19.6.3 at 9.6.3 o'clock 19.6.3.

	Approved Stock Form—State Publishing Co., Helena, Montana—42234
3 No	T 17 R 49
PLICATE	County Garfield
THURIE	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER UN JAN 6 19
Dos	l et faz i lo l e Dioles
Dec	(Under Chapter 237, Montana Session Laws, 1961)
- 12/	Conder Chapter 201, montana Session Laws, 1961)
( sol Whis	eside of Glock Springs
(Name of)	Appreferiator) (Address) (Town)
County of Larfel	State of Montana laws in effect prior to January 1, 1962, as follows:
	water according to the montana laws in effect prior to sandary a, 1502, as londers:
N N	2. The beneficial use on which the claim is based
	Stockwater
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been 757
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) for gallows 1257 minute
s s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
	40
14 Sec.2/ T/Z 1	
idicate point of appropriate place of use, if possible.	Each
nail square represents 10	acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
	man for the state of the state
7. The date of commence	
drawal of groundwater	·······················// ¬ //
O Min Jamai e	9,7
8. The depth of water tab	6
9. So far as it may be a	vailable, the type, size and death of each well or the general specifications of any other
WOLKS TOL THE MITHULSAM	al of groundwater. 40 deep 4 Casa 4
44	
O Mbo outing to 3	B- 17- 96 202 2
0. The estimated amount	of groundwater withdrawn each year from 1 To 25,000 3
	encountered in the drilling of each well if available
	non avaloble
2. Such other information	of a similar nature as may be useful in carrying out the policy of this act, including
12. Such other information	of a similar nature as may be useful in carrying out the policy of this act, including
12. Such other information	of a similar nature as may be useful in carrying out the policy of this act, including page of any county record.
2. Such other information	of a similar nature as may be useful in carrying out the policy of this act, including page of any county record.
12. Such other information	of a similar nature as may be useful in carrying out the policy of this act, including

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

N. 570

125228 125228

STATE OF MONTANA County of C. County

Flind in the send the Country Clerk and Record Country State of Mannana, Say of December 1998 of clock A M.

File No.

Gerfield County ....

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODED ECEIVE OFFICE OF STATE ENGINEER

## Declaration of Vested Groundwater Rights ENGINEER

*********		Den C.	Erl		ch			Cohagen,
				Appro	pria	tor)		(Address) (Town)
Cour	aty o	f		Qez	tie:	d		State of
have	app	ropriate	ed gr	windwa	ater	accordi	ng 1	to the Montana laws in effect prior to January 1, 1962, as follows:
		N	i					
	-	;	-:				2.	The beneficial use on which the claim is based. Well 1: Btock &
;_	_	_	1		<u> </u>		מ ־	Domestic; Well 2: Stockmater
Ì	1	i 1	. !	(			•	***************************************
-					!		3.	. Date or approximate date of earliest beneficial use; and how con-
_	<u> </u>		<u>.</u> j.		ļ			tinuous the use has been Well 1: Jamiery, 1958;
- 1	i	1 1		İ				Well 2: June ( 1968.)
	一		1	1		E		
	_				-	i		- my
1					į		4.	The amount of ground ater claimed (in miner's inches or gallous
-	-		-		1-	]		per minute) Well 1: 6 callens per minute.
	_	_	·		ĺ	1		The state of the s
_ }	İ	1	1	1	į	!	5.	. If used for irrigation, give the acreage and description of the lands
<b>3</b>			 5 ,			•	•	to which wrater has been applied and name of the owner thereof
NES	Set .	120	-12	I'iR				ell li one agra
1/1.5	S Se		T_1	Tir	h2			all 2: none
inpta	mai	, if	SENATI!	Weintin	n.	•		***************************************
l pl	ice (	t use,	3	Preintion	ē.			mt
ab ar	all s	quare	æpr€,	HAD.	E)			i. The means of withdrawing such water from the ground with the
es.								location of each well or other means of wethdrawal
								Well 2: purp al Findmill or nump-jack.
dra	wal o	f grou	ndwa	ter	and	ell I	etion	ion of the construction of the well, wells, or other works for with
						011 2	i 9/	June 1958
						011 2	i 9/	June 1958
The	dep	th of t	 VAter	tayble	Neg!	1 1: 1	Y WIN	Nums, 1958 balls to 115 feet
The	day	th of t	vater	tayble	Med West	011 2 1 1: 1 1 2:	NOTE OF	June 1958  10 10 10 10 10 10 10 10 10 10 10 10 10 1
The	day	th of t	vater	tayble	Med West	011 2 1 1: 1 1 2:	NOTE OF	June 1958  10 10 10 10 10 10 10 10 10 10 10 10 10 1
The	day	th of t	vater	tayble	Med West	011 2 1 1: 1 1 2:	NOTAL NOTAL	Nums, 1958 balls to 115 feet
The	day	th of t	vater	tayble	Med West	011 2 1 1: 1 1 2:	NOTAL NOTAL	June 1958  10 10 10 10 10 10 10 10 10 10 10 10 10 1
The	day	th of t	vater	tayble	Med West	011 2 1 1: 1 1 2:	NOTAL NOTAL	June 1958  1
The So wor	far a	th of the sit me	vater  y be	taible	Maj Maj Maj	oll 2	YEAR IN A	The state of the s
The So wor	far a esti	th of the sit may be	water  ty be  with  amou	table	Med Min, et ki	the typ	y wi	withdrawn each year Each well will water 200 head of Gar
The So wor	far a esti	th of the sit may be	water  ty be  with  amou	table	Med Min, et ki	the typ	y wi	withdrawn each year Each well will water 200 head of Gar
The So wor	far a esti	th of the sit may be	water  ty be  with  amou	table	Med Min, et ki	the typ	y wi	withdrawn each year Each well will water 200 head of Gar
The So wor The to	far a cks fo	th of the sit mated mated to coa.	water  y be  yith  amou  matio	table	rour punte	the type	the shoot of	withdrawn each year Each well will water 200 head of Garabet in to ho coal; ho to 75 ft blue shale; 57 to 76 92 ft rock; 95 to 110 ft blue shale; 110 to 160 ft sa
The So won	far a cks for estimate the control of the cks for the	mated of for tool	amou	table	of united allo	the type development of the control	the short	withdrawn each year. Each well will water 200 head of Garabel; 17 to 16 coal; 18 to 75 ft blue shale; 57 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 18 to 16 ft blue shale; 17 to 16 ft blue shale; 17 to 16 ft blue shale; 18 to 16 ft blue shale; 18 to 16 ft blue shale; 18 to 16 ft blue shale; 18 to 16 ft blue shale; 18 to 16 ft blue shale; 18 to 16 ft blue shale; 19 to 16 ft blue shale;
The So wor The to The to The to The The to T	far a cks for estimate log log to 50 to 9	mated of for toos.  20 f	water  water  with  amou  matio  if the  tops  t	table	inin, pet un punte (* 15) ale:	the type distributed in the blue of the bl	the si	withdrawn each year Each well will water 200 head of Garabel; 17 to 16 coal; 18 to 75 ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale;
The So won The to The to 70 Su Su	far a cks for e esti	mated  of for t coa.  o 90  70  f ft her infe	amou matical is to to the total and total and total an	table  arailal  arailal  and at  an	inin, pet un punte prounte ale contract	the type description of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of the type of type of the type of type o	the sha	withdrawn each year. Each well will water 200 head of Garale; it to 16 feach well if available. Still 1: O to 16 ft brn so sale; it to 16 ft brn s
The So won The to 12: 70 Su	far a cks for e esti	mated of for the coa. o 90 for 5 ft in the cobe to bo	amou matio t to t to ormatio	table  arailal  arailal  and at  an	grounte 2 1 2 2 2 3 5 6 1 C a sin of a	the type development of the synthesis of	the sha ature	withdrawn each year. Each well will water 200 head of Garabel; 17 to 16 coal; 18 to 75 ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The same depth of each well in available with the shale; 10 to 160 ft same ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The as may be useful in carrying out the policy of this act, includingly record.
The So won The to 12: 70 Su	far a cks for e esti	mated of for the coa. o 90 for 5 ft in the cobe to bo	amou matio t to t to ormatio	table	grounte 2 1 2 2 2 3 5 6 1 C a sin of a	the type development of the synthesis of	the sha ature	withdrawn each year. Each well will water 200 head of Garabel; 17 to 16 coal; 18 to 75 ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The same depth of each well in available with the shale; 10 to 160 ft same ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The as may be useful in carrying out the policy of this act, includingly record.
The So won The to The to 70 Su Su	far a cks for e esti	mated of for the coa. o 90 for 5 ft in the cobe to bo	amou matio t to t to ormatio	table	grounte 2 1 2 2 2 3 5 6 1 C a sin of a	the type development of the synthesis of	the sha ature	withdrawn each year. Each well will water 200 head of Gar willing of each well if available. ell 1: 0 to 40 ft brn scale; 17 to 40 coal; 13 to 75 ft blue shale; 57 to 76 ft blue shale; 37 to 43 ft rock; 43 to 70 ft blue shale.  The amay be useful in carrying out the policy of this act, includingly record.
The So won The to The to 70 Su Su	far a cks for e esti	mated of for the coa. o 90 for 5 ft in the cobe to bo	amou matio t to t to ormatio	table	grounte 2 1 2 2 2 3 5 6 1 C a sin of a	the type development of the synthesis of	the sha ature	withdrawn each year. Each well will water 200 head of Garabel; 17 to 16 coal; 18 to 75 ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The same depth of each well in available with the shale; 10 to 160 ft same ft blue shale; 37 to 13 ft rock; 13 to 70 ft blue shale.  The as may be useful in carrying out the policy of this act, includingly record.
The So won The to 12: 70 Su	far a cks for e esti	mated of for the coa. o 90 for 5 ft in the cobe to bo	amou matio t to t to ormatio	table	grounte 2 1 2 2 2 3 5 6 1 C a sin of a	the type development of the synthesis of	the sha ature	withdrawn each year. Each well will water 200 head of Gar willing of each well if available. ell 1: 0 to 40 ft brn scale; 17 to 40 coal; 13 to 75 ft blue shale; 57 to 76 ft blue shale; 37 to 43 ft rock; 43 to 70 ft blue shale.  The amay be useful in carrying out the policy of this act, includingly record.

Please answer at questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montaux Bureau, of Mines and Geology, and Quadruplicate for the Appropriator.

STATE OF MONTANA County of Specifield

Pee Pold 8 7.00