

File No. \_\_\_\_\_

T. 11 R. 21

DUPLICATE

County Granite


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. ARTHUR R. NEWMAN, of Box 271 - DR. IMMONIZ  
(Name of Appropriator) (Address) (Town)

County of GRANITE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



LOT  
1/4 Sec. 31, T. 11, R. 21  
CUMMINGS ADDITION - 1E  
Indicate point of appropriation  
and place of use, if possible. Each  
small square represents 10 acres.

LOT 1 BX E  
CUMMINGS ADDITION  
Residence in Cummings addition, in town of Mont.

2. The beneficial use on which the claim is based. Residence  
water - hand drinking

3. Date or approximate date of earliest beneficial use; and how continu-  
ous the use has been. 1942 - continuously

4. The amount of groundwater claimed (in miner's inches or gallons  
per minute). approx 100 gal per minute

5. If used for irrigation, give the acreage and description of the lands  
to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the loca-  
tion of each well or other means of withdrawal. Dug well  
under Residence - 100 ft from well by  
Electric power pump system  
Residence in Cummings addition, in town of Mont.

7. The date of commencement and completion of the construction of the well, wells, or other works for with-  
drawal of groundwater. Well started & completed in 1943 - part date  
unknown

8. The depth of water table. 14 feet from ground surface - 8 ft of water

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other  
works for the withdrawal of groundwater. 7 ft sand dug well - 16 ft deep from  
level of basement floor or 20 ft from ground surface

10. The estimated amount of groundwater withdrawn each year. NOT KNOWN EXACT - APPROX 300 GAL PER DAY

11. The log of formations encountered in the drilling of each well if available. 10 ft of clay soil  
- 6 feet of gravel & sand

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including  
reference to book and page of any county record

Signature of Owner Arthur R. Newman

Date 10-8-65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of  
Mines and Geology, and Quadruplicate for the Appropriator.

80033

FILED FOR RECORD  
Nov. 2, 1965  
at 41 minutes past 11:00 o'clock  
A. M.

Agnes M. McDonald  
County Recorder

By Maude Echols  
Deputy

Fee \$2.00

File No.....

T. 11E R. 12W

DUPLICATE

County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 6 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Northern Pacific Railway Co., of N.P. Depot Drummond  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 31 T11N R. 12W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....  
Domestic purposes

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....  
Before 1924 to present

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....  
50 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....  
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....  
Jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....  
Unknown

8. The depth of water table..... 6 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....  
19 foot diameter dug well, 12 feet deep

10. The estimated amount of groundwater withdrawn each year..... 200,000 gallons

11. The log of formations encountered in the drilling of each well if available.....  
None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....  
None

Signature of Owner..... *[Handwritten Signature]*  
Date..... 12 8 63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

# 17282

FILED FOR RECORD

Dec 4, 1963

at 12 minutes past 1 o'clock

P.M.

Agnes M. McDonald  
County Recorder

By Wesley Paul  
Deputy

File No. FEB 10 1966

T. P. 12 31

DUPLICATE

LOG M. Dermott  
County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well  
DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground (Elev. above sea level)  
0 to 1' Tan soil  
1' to 3' coarse gravel  
3' clay  
6' to 41' Tan clay  
41' to 56' coarse sandstone  
56' to 75' soft sandstone & clay  
75' to 78' blue shale  
8' water

Owner: Grant Eskirk Address: Box 267, Drummond  
Driller: Glenn Camp 755 Hill Address: Hill, Mont  
Date of Notice of appropriation of groundwater  
Date well started: 1/12/66 Date completed: 1/15/66  
Type of well: Drilled Equipment used: Churn drill  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)  
Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static Water Level for non-flowing well 56 feet.  
Shut-in Pressure for Flowing Well  
Pumping Water Level 58 feet at 20 gal. per minute.  
Discharge in gal. per min. of flowing well  
How Tested: Geller  
Length of Test: 2 hours  
Remarks: (Gravel packing, cementing, packers, type of shutoff)

107 4 in tract B Driller's Tracts  
S.E. 1/4 Sec. 31... T.11N. R.12.W  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)  
USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

License 7  
Driller's License Number  
Glenn Camp  
Driller's Signature

80408

FILED FOR RECORD  
Feb. 8, 1966 at

58 minutes past 3:00 o'clock  
P. M.

Agnes M. McDonald  
County recorder

i. Maude Echols  
Deputy

File No. \_\_\_\_\_  
DUPLICATE


T. 111 R. 12W  
County \_\_\_\_\_

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 5 1964  
STATE ENGINEER

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. Alfred P. Piche Audrey H Piche, of Drummond  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. T. R.  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based personal
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1947 continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 0
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump Block 7 Drummond Twp
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1947 Completion
- 8. The depth of water table 21 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 40 min feet deep 6" casing
- 10. The estimated amount of groundwater withdrawn each year 10,000 gallons
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Audrey H Piche  
Date 12-29-1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

24039

77580

FILED FOR RECORD

Dec 30 1963

ALCO INDUSTRIES, INC. 3 OCTOBER

*By*  
Cyril M. McDonald  
County Recorder

By \_\_\_\_\_ Deputy



GW

31

File No. ....

T. 111 R. 14

DUPLICATE


County .....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 6 1964

Declaration of Vested Groundwater Rights ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

*Mary Louise Tison* of *Drummond*  
(Name of Appropriator) (Address) (Town)  
County of *Granite* State of *Mont*  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



..... 1/4 Sec. .... T. .... R. ....  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based.....  
*Commercial and Personal*
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....  
*1925 - Continuous*
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute).....  
*46 gallons per minute*
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....  
*Electrically Pump - Drummond Ferry  
12-15*
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....  
*Drilled - Jacobsen 1958  
Summers 1957*
- 8. The depth of water table.....  
*25 feet*
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....  
*Drilled well  
9' casing  
25 feet deep*
- 10. The estimated amount of groundwater withdrawn each year.....  
*60,000 gallons*
- 11. The log of formations encountered in the drilling of each well if available.....
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner..... *Paul R. Puckett*  
Date..... *12-29-1963*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

24938

77581

FILED FOR RECORD

Dec 30 1963

58 minutes past 2 o'clock

Agnes M. McDonald  
County Recorder

\_\_\_\_\_  
Deputy

File No. ....

T. ... R. ... 3

DUPLICATE

County ...

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER  
OFFICE OF STATE ENGINEER

RECEIVED  
JUN 23 1965

Notice of Completion of Groundwater  
Appropriation by Means of Well ENGINEER

(Under Chapter 237, Montana Session Laws, 1951)



Top of Ground  
(Elev. above sea level.....)

0 to 1' top soil  
1' to 23' Clay, gravel  
& broken sandstone  
23' to 44' Shale &  
broken sandstone  
44' to 51' Sandstone  
51' to 58' Broken sand  
stone & shale  
58' to 76' Sandstone  
76' to 92' Shale broken  
sandstone

Owner John Pender Address Diamond, Mont

Driller Glenn Camp 705 Alder Address Missoula, Mont

Date of Notice of Appropriation of Groundwater.....


Date well started 7/1/64 Date Completed 9/25/64

Type of well Drilled Equipment Used Churn drill  
(dug, driven, bored or (Churn, drill, rotary or  
drilled) other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 18.97 # to feet 5" I.D.	3' above G.L. to 42'	63' from G.L.	Burnt	60 holes 1/4" wide 4" long	
		60' of 5" put in bottom 15' of pack.				



SE 1/4 SW 1/4 Sec 31 T11N R12E  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well... 63' from G.L. feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 77' from G.L. at 15 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Test pump Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License # 7

Driller's License Number

Glenn Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

30248

79565

Filed for record June 21,  
1965 at 55 minutes past 2:00  
o'clock P. M.

Agnes M. McDonald  
County Recorder

By Maudie Echols Deputy

Fee \$2.00

File No.....

T.....R.....

DUPLICATE


County.....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
MAR 27 1965

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. Archie A. Beardon, of DUMBOED  
(Name of Appropriator) (Address) (Town)  
County of BEAUTE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 31, T. 11 N. R. 12 W

Indicate point of appropriation and place of u.e, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Normal home use and lawn & garden irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. JUNE, 1957 to present date continuous use.

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 250 gallons per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. one city lot, 50' X 140' lot #16, on blocks at Archie A. Beardon

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Withdrawn by electric pump, located under the house.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Commenced and completed in June 1957

8. The depth of water table. begins at 45 ft below ground level and extends to a depth of approximately 55' below ground level

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. NO other

10. The estimated amount of groundwater withdrawn each year. 75,000 gallons

11. The log of formations encountered in the drilling of each well if available. about 35' of clay formation and the remainder in sand and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Well was hand dug to a depth of 48 ft and drilled and cased to a total depth of 55 ft.

Signature of Owner Archie A. Beardon

Date 5/19/65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1038

# 764.17

**FILED FOR RECORD**

March 25 1963

at 1 o'clock

P.M.

Agnes M. McDonald

County Recorder

By

Armed Lee

Deputy

Granite Co.

File No. ....

T. 11 N. R. 12 W

DUPLICATE

County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 8 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Florence Reynolds of DRUMMOID  
(Name of Appropriator) (Address) (Town)  
County of GRANITE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE 1/4 Sec. 31, T. 11 N. R. 12 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Water for House and Garden at Drummond
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Well was dug in 1912 and has been used continually since.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 10 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Not Applicable
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Deep well pump. Well is 62 1/2 ft N. of S. line and 4 1/4 ft W. of E. line of City lot.
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Spring of 1912
- 8. The depth of water table. 30 FT
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. This one well is hand dug with rock curbing dug to the depth of 35 ft. Topped with a cement block as cover
- 10. The estimated amount of groundwater withdrawn each year. 100,000 gallons each year or more
- 11. The log of formations encountered in the drilling of each well if available. Not Available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. The well is near East Boundary line A. 1/2 mile south of center of first lot east corner of ~~lot~~ and adjacent to tract. Owner - Florence Reynolds. FIRST

Signature of Owner Mona Reynolds  
Date Dec. 12, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

# 77450

FILED FOR RECORD

Dec 13 1963

at 21 PM

PM

Agnes M. McDonald

County Clerk

By Arson C. Neal

Deputy



File No. ....

T. 11 N. R. 12 W

DUPLICATE

County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
SEP 13 1963


STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Johnny Marguerite Rogers of Drummond Box 237  
(Name of Appropriator) (Address) (Town)

County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 31, T. 11 N. R. 12 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Home and Garden

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Summer of 1910. continuously

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 16 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lawn and Garden in 2 lots John and Marguerite Rogers owners

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Jet Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1910

8. The depth of water table 40 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 4.5 FT Deep

10. The estimated amount of groundwater withdrawn each year Normal Household and Garden Use

11. The log of formations encountered in the drilling of each well if available Unavailable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record no record

Subscribed and sworn to before me John Rogers  
this 27th day of August 1963. Signature of Owner Marguerite Rogers  
Date August 27, 1963

Jack Smith Notary Public, State of Montana  
Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located  
County of Granite, Montana

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

5869

FILED FOR RECORD

Sept 11 1963

at 30 minutes past 4 o'clock

P.M.

Agnes M. M. Donald

County Recorder

By

Aracel New

Deputy

File No. \_\_\_\_\_

T. 11 N. R. 12 W. 31

DUPLICATE


County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Mrs. Esther Rogers, of Drummond Mont  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 31 T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1935  
Continuous use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gals. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Sept 15, 1935

8. The depth of water table 14 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

10. The estimated amount of groundwater withdrawn each year

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Esther Rogers  
Date Nov 21 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

39901

8  
0137

FILED FOR RECORD  
Nov. 24, 1965 at 40  
minutes past 11:00 o'clock  
A. M.

Agnes M. McDonald  
County Recorder

By Maude Echols  
Deputy

File No. 1965

T. 11 R. 12 31

County Granite

DUPLICATE


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Mr and Mrs Kay Rogers of Drummond Mont  
(Name of Appropriator) (Address) (Town)

County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 6 Block 11

1/4 Sec 31 T11 R12

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Household
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930  
continuous use
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gals per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Summer 1930
- 8. The depth of water table 15 ft
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other work for the withdrawal of groundwater
- 10. The estimated amount of groundwater withdrawn each year
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Kay Rogers  
Date Mar 24, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

80138

FILED FOR RECORD  
Nov. 24, 1965 at 42  
minutes past 11:00 o'clock  
A. M.

Agnes M. McDonald  
County Recorder

Maude Echols  
Deputy

File No. ....

T11N R12W

DUPLICATE

County GRANITE


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 8 1963  
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Mr. Roy C. Shanklin of Townsend  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 17 Block 10  
SE 1/4 Sec. 31 T11N R12W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based *Household use and irrigation of yard*
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. *May 17, 1947*  
*Continuously*
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). *Approx. 5.3 gal. per min.*
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. *Approx. 140 ft. x 20 ft. lot*
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. *Measure pump approx. 4.5 ft. from S.E. corner of lot approx. 20 ft. from east line*
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. *May 17, 1947*
- 8. The depth of water table. *Found 11 ft. in casing*
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. *Drilled well; with hand casing. Water pumped by electric pump.*
- 10. The estimated amount of groundwater withdrawn each year. *Approx. 36.5,000 gal.*
- 11. The log of formations encountered in the drilling of each well if available. *Drilled through approx. 4 ft. to top of sand; 17 ft. of dirt; struck top of water table through 4 ft. gravel and 1.5 ft. dirt. Sank 42 ft. of casing.*
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner *Roy C. Shanklin*  
Date *December 21, 1963*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

77039

FILED FOR RECORD

Jan 2 1864  
at 3  
James M. McDonald  
Deputy

By \_\_\_\_\_ Deputy



GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4047.

File No. ....

T. 11N R. 12W

DUPLICATE

County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER NOV 21 1963

RECEIVED

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

0 to 5 1/2' Pit  
5 1/2' to 35' Clay & gravel  
35' to 38' Larger gravel  
& clay  
38' to 48' Clay & gravel  
48' to 50' Greenish shale  
Water  
50' to 57' Blue shale

Owner Jess Sulz Address Diamond, Mont

Driller Glen Camp 705 Alder Address Diamond, Mont

Date of Notice of Appropriation of Groundwater.....


Date well started 11/7/63 Date Completed 11/12/63

Type of well Drilled Equipment Used Churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D.	18.97 # to feet	6" above floor of pit to 45'-4"	none		



..... 1/4 Sec. 31 T. 11N R. 12W  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well..... 45 ..... feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 47 ..... feet at..... 15 ..... gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Pump Length of Test 1 1/2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

None

License # 7  
Driller's License Number

Glen Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

7401

# 97169

FILED FOR RECORD

Nov 18 1963

at 4 minutes past 1 o'clock

P.M.

Agnes M. McDonald  
County Recorder

by Arvid Ness  
Deputy

File No. ....

T. 11N R. 12W

DUPLICATE

County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 6 1964

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

HENRY & MARY FRANCES STACY of DRUMMOND,  
(Name of Appropriator) (Address) (Town)

County of GRANITE State of MONTANA

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 31 T11N R12W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....  
HOUSEHOLD USE

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1906  
CONTINUOUS USE

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 GALS PER MIN.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....  
JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater..... 1906 JET PUMP INSTALLED 1956

8. The depth of water table..... 27 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....  
39 FT 4" CASING

10. The estimated amount of groundwater withdrawn each year..... NORMAL HOUSEHOLD USE

11. The log of formations encountered in the drilling of each well if available..... NONE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Henry E. Stacy

Date DEC. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

23995

77535-

FILED FOR RECORD

Dec 30 1963

at 32 minutes past 9 o'clock

A.M.

*James M. McDonald*  
County Recorder

By \_\_\_\_\_ Deputy

File No. ....

T. 11 N. R. 12 W. 31

DUPLICATE

County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
OCT 14 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Chair STURM or Grace STURM of Drummond  
(Name of Appropriator) (Address) (Town)

County of GRANITE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N.W. 1/4 Sec 31 T. 11 N. R. 12 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Water Supply For Home of Appropriator

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1947  
Used continuously ever since

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

Not Applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Deep Well pump well 1/2 34 1/2 ft. N.E. of N.W. corner 1/2 S.E. ft. N.W. of N.E. corner of present dwelling Exclusive of Park Addition

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1947

8. The depth of water table 30 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater This one well is drilled with casing to an approximate depth of 40 ft

10. The estimated amount of groundwater withdrawn each year 100,000 gallons or more

11. The log of formations encountered in the drilling of each well if available Not Available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record The well is near the North line of center lot of 9 lots deeded to Chair or Grace Sturm in Cumming Addition in Drummond Township

Signature of Owner Chair Sturm

Date August 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

78714

FILED FOR RECORD

October 13 19 64

59 minutes past 10.00 clock

A. M.

Agnes M. McDonald  
County Recorder

By Naude Echols  
Deputy

File No. ....

T. 11 N. R. 12 W. 31

DUPLICATE

County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
OCT 14 1964

Notice of Completion of Groundwater Appropriation  
Without Well STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1952

Owner Clair Sturm or Grace Sturm Address Drummond, Mont

Contractor (if any) No. No

Address of Contractor .....

Date Started Not Applicable Date Completed .....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. 4 FT. To Water in Summer


Sump or Reservoir

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use 20 gallons per minute, irrigation pump water used for supplementary irrigation in summer from Reservoir

Signature of Owner Grace Sturm  
Clair Sturm

Date August 9, 1963



N. 1/4 Sec. 31, T. 11 N. R. 12 W.  
Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

78715

FILED FOR RECORD

October 13, 1964

at 05 minutes past 10:00 clock

A. M.

~~Agnes M. McDonald~~  
County Recorder

By Maude Echols  
Deputy




31

T. 11N R. 12W  
County Granite

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG



Owner: *May Mc Lane* Address: *Diamond street*  
Driller: *Ray years ago* Address: *unknown*  
Date Started: *a good many years ago* Date Completed: *this is old well*  
Location: Sec. *Lot 13* Block *7* Township of *Diamond street*

Type of well: *Dug* Equipment used: *best kind of pole, stand ect*  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: *18* ft. to \_\_\_\_\_ ft. Type: *galvanized* Size: *36 in circumference*  
Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_  
Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: *foot valve*

Static Water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb. sq. in. on: \_\_\_\_\_ (date)

Pumping water level: *3 or 4 ft of water all time* feet at *500 to 1000* gal. per min.

How tested: *used for 15 yrs. two families of 8 to 10 people all told*

Length of test: *15 yrs to my knowledge*

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
*Gravel packing, cement casing at top of 6 to 4 ft. deep 4 ft by 4 ft  
Have it covered by lumber + a house used only for that purpose  
purpose I have set pump electric of 1 horse power.  
I am only suggesting because I was advised to do so to get  
my water right to this large underground stream of water*  
(over)



GW 2

File No. ....

T. H. R. 12 5

DUPLICATE

County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater  
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Owner John D. Thompson Address Drummond, Mont.

Driller James D. Hollowell Address Drummond, Mont.

Date of Notice of Appropriation of Groundwater .....

Date well started Aug. 1969 Date Completed Aug. 1969

Type of well Driven Equipment Used heavy weight  
(dug, driven, bored or (Churn, drill, rotary or  
drilled) other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.




Top of Ground  
(Elev. above sea level 3940)

Water Level 7ft

Clay 8ft.

Gravel  
Bottom of pipe 22ft.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5in.	5in. heavy steel casing	0ft.	22ft.	1/2in.	22ft.	22ft.



Sec. 31 7/16 N. R. 12 W.

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 7 ft. feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 2ft. feet at 100 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested ..... Length of Test .....

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....

Driller's License Number

James D. Hollowell  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

FILED FOR RECORD

Sept 25 1962

at 30 minutes past 2 o'clock

P.M.

Agnes M. McDonald

County Recorder

By

Arnell Reed

Deputy

File No. DEC 20 1965


T. 11 N. R. 12 W.  
County GRANITE 31

DUPLICATE  
STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, Jessie T. Lee, of DRUMMOND (Town)  
(Name of Appropriator) (Address)  
County of GRANITE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 31 T. 11 R. 12

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Store Bar  
5 cabins & lawn irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1 gal a minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
springing a lawn & trees  
lot 40' x 60'
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal to H.P. J & T  
PUMP & 40 gal T.A.V.R.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1910
- 8. The depth of water table 10'
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 3'6" dia. & 20' deep
- 10. The estimated amount of groundwater withdrawn each year 500,400 gal
- 11. The log of formations encountered in the drilling of each well if available NONE
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Jessie T. Lee  
Date 12-7-65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

39980

80186

FILED FOR RECORD

Dec. 8, 1965 at ---  
minutes past 1:00 o'clock  
P. M.

Agnes M. McDonald  
County Recorder

By Maude Echols Deputy

File No. ....

T. 11 N. R. 12 W.

DUPLICATE

County Stanley

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER  
JAN 6 1964

Top of Ground  
(Elev. above sea level.....)

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Richard Applegate Address Drummond, Mont

Driller NONE Address.....

Date of Notice of Appropriation of Groundwater DEC. 30, 1963


Date well started JUNE 1, 1963 Date Completed JUNE 1963

Type of well driven Equipment Used.....  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock   
Trailer Co. T.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6"</u>	<u>15#</u>	<u>0</u>	<u>43</u>	<u>Burnt Holes 1" x 3"</u>	<u>33</u>	<u>42</u>



NW 1/4 SW 1/4 Sec. 32 T11N R12W

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

LOT 9 BIK 4 TICE #2 Add.  
Show exact depth of bottom. DRUMMOND, MONT.  
43 ft

Static Water Level for non-flowing Well 27 feet.

Shut-in Pressure for Flowing Well 33

Pumping Water Level 33 feet at 20+ gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Bailed Length of Test 15 min.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

23983

77522

**FILED FOR RECORD**

Dec 30 1963

at 9 minutes past 6 o'clock

A. H.  
Agnes M. Mc Donald  
County Recorder

By Arvid New  
Deputy



File No. ....

T. .... R. ....

DUPLICATE

County Granite

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Joseph C. Beck of Drummond  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 32 T. 11N R. 12W  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Commercial Service Station

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1955  
Constant

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Approx. 200 gal. per Min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
Not Applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump - Located on Lot # 2, Block # 4 of the No. 2 Addition to Original Townsite of Drummond.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1955

8. The depth of water table 30 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
Drilled well, Approx 45 FT. Deep, 10" casing

10. The estimated amount of groundwater withdrawn each year 50,000 gals

11. The log of formations encountered in the drilling of each well if available  
Not Available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record WARRANTY Deed on Ownership of Lot that well is located on is recorded in Book 33 of Deeds on page 530 of the records of County of Granite.

Signature of Owner Joseph C. Beck  
Date April 1, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

# 76473

STATE OF MONTANA }  
County of Granite } SS

I, Agnes M. McDonald, County Clerk and  
Recorder of said County do hereby certify  
that the annexed instrument is a true  
and correct copy of the original instrument  
as filed in this office on the 11th  
day of April 1962.

Witness my hand and the seal of said  
Granite County hereunto affixed, this  
11 day of April 1962.

Agnes M. McDonald  
County Clerk and Recorder

By Arvid N. N. Deputy

File No. ....

T. J. N. R. 12 W.

DUPLICATE


County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. George J. Brazill of Box 273 Drummond  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Mont.  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S.W. 1/4 NW 1/4 Sec. 32 T. 11 N. R. 12 W  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Home use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. April 1956

4. The amount of groundwater claimed (in miner's inches or gallons per minute). None

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. By Pump in Basement of house

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. March 20 - 1956

8. The depth of water table. 30 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.

Drilled 8 inch casing 46 ft deep

10. The estimated amount of groundwater withdrawn each year. Unable to estimate

11. The log of formations encountered in the drilling of each well if available.

None

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner George J. Brazill  
Date Oct 28 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

FILED FOR RECORD

Oct 28 1963

3:30 PM 2 o'clock

PM

Agnes M. McDonnell  
County Recorder

BY Alfred New  
Notary

File No. \_\_\_\_\_

T 11 N R 12  
County GRANITE

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

DEC 20 1963

# Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Top of Ground  
(Elev. above sea level.....)

0 to 5'-10" Pit

5'-10" to 17' Clay & gravel Overburden Fickler Address Drummond, Mont

Driller Glenn Camp 705 Alder Address Missoula, Mont

Date of Notice of Appropriation of Groundwater.....

Date well started 10/17/63 Date Completed 10/19/63

17' to 24' Clay, gravel  
& a trace of water

Type of well Drilled (dug, driven, bored or drilled) Equipment Used Churn drill (Churn, drill, rotary or other)


24' to 32' Gravel & water

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. seamless	9" above pit	floor to 27'	none		

WELL LOCATED IN LOT NO. 1, BLOCK NO. 2 FIRST TIER ADDITION TOWNSHIP OF DRUMMOND



1/4 Sec 32 T 11 R 12  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 19' from O.S. feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 22 feet at 17 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested test pump Length of Test 1/2 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License # 7  
Driller's License Number

Glenn Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

FILED FOR RECORD

Dec. 16 1963

at 45 minutes past 11 o'clock

A.M.

Agnes M. McDonald

County Recorder

By

Arsenal News

File No. ....

MONTANA WATER RESOURCES BOARD

T. 11N R. 12W  
County Butte 37

TRIPPLICATE

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Lawrence Harrison Address Butte, Montana

Driller O'Keefe Drilling Co. Address Butte, Montana


Date of Notice of appropriation of groundwater.....

Date well started July 21, 1967 Date completed July 26, 1967


Type of well drilled Equipment used churn drill  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 1.0. 17 lb.	0	51	torch	31	47



NW 1/4 Sec 22 T. 11N. R. 12W.  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well ..... 26 feet.  
Shut-in Pressure for Flowing Well.....  
Pumping Water Level..... 30 feet  
at..... 20 gal. per minute.  
Discharge in gal. per min. of flowing well .....

How Tested..... baler  
Length of Test..... 1 1/2 hrs.  
Remarks: (Gravel packing, cementing, packers, type of shutoff).....

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Loc., Block and Addition).

46  
Driller's License Number  
[Signature]  
Driller's Signature.

42,684

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

83055

FILED FOR RECORD

December 19, 1867

at 30 minutes past 10 o'clock

Agnes M. McDonald  
County Recorder

By Eleanor T. Raef  
Deputy

Fee - \$2.00



File No. ....

T. J. K. R. 12 W

DUPLICATE


County GRANITE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 2 1963

Declaration of Vested Groundwater Rights STATE ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

1. James F. K. R. of Dreamland  
(Name of Appropriator) (Address) (Town)  
County of Granite State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 16 BIK 4; BICE Addition #2,  
206-3. Div 32  
Sec 32 T. 12. R. 12

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Personal

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since April - 57

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 600 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Does not apply

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Lot 17 BIK 4 T. 12 R. 12 Addition to OTS. Dreamland Electric Pump 1 hp. motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater April - 1957 1 1/2 inch casing

8. The depth of water table 48 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 1-10 inch casing drilled well 48 ft depth

10. The estimated amount of groundwater withdrawn each year 500,000 gal

11. The log of formations encountered in the drilling of each well if available 4 ft top soil (loam), light hard pan clay; 20 ft clay + gravel; 5 ft wash gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Record Book 57; Page 272

Signature of Owner James F. K. R.  
Date 11/16/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

FILED FOR RECORD

Nov. 27, 1963

at \_\_\_\_\_ minutes past 11 o'clock

4 M.

Agnes M. McDonald  
County Recorder

Arvid Neel  
Deputy



FILED FOR RECORD

June 28 1973  
at 50 minutes past 10 o'clock  
A.M.

Maria Morrison  
County Recorder

By Margaret J. Collins  
Deputy

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Joe Rennie Jr

Address Drummond  
Montana 57832

Date well started 1959 - June  
completed 1959 - June

For Administrator's Use  
File 7  
June 28 1962  
GW 1 1040

Type of well chain well  
(Dug, driven, bored or drilled)

Equipment used Cable wrench  
(Chain drill, rotary or other)


Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe trunk count

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>8 inch</u>		<u>0</u>	<u>52</u>			



Total Blocky Addition  
SW 1/4 11 1/4 8  
4 1/2 1/4 Sec 1/4 Sec 3 2  
T 11 1/4 12 E

Static water level 35 ft.\*  
Pumping water level 23 ft.\*  
at 80 gallons per minute,  
measured 5 minutes after pumping began.

\*Measured from ground level.  
Well developed by .....  
for ..... hours.  
Power 5/8 Pump 1 HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature .....

Driller's Address .....

LICENSE NO.....

County Richmond **32**

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

Table with 2 columns: From (Feet), To (Feet). The table is mostly empty, with a few horizontal lines indicating depth measurements.

Show exact depth of bottom

FILED FOR RECORD

June 28 1913

at 42 minutes past 12 o'clock

A.M.

Massie Morrison  
County Recorder

By Margaret J. Collins  
Deputy

File No. ....

FEB 7 1964

T. 11<sup>N</sup> R. 12<sup>West</sup> 32

DUPLICATE

Billie \_\_\_\_\_ McDermott \_\_\_\_\_  
Butcher \_\_\_\_\_ McNulty \_\_\_\_\_  
Coyle \_\_\_\_\_ Morlon \_\_\_\_\_  
Darlington \_\_\_\_\_ Sullivan \_\_\_\_\_  
Dickert \_\_\_\_\_

County **Granite**

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground \_\_\_\_\_  
(Elev. above sea level \_\_\_\_\_)

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner **Arthur J. Schroll** Address **Drummond, Mont.**

**Lorraine M. Schroll**

Driller **Walter Riddick** Address **Helena, Montana**

Date of Notice of Appropriation of Groundwater \_\_\_\_\_

Date well started **5-12-64** Date Completed **5-22-64**

Type of well **Drilled** Equipment Used **Churn Drill**  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

0 to 12 top soil and gravel

12 to 26 hard pan shale


Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

26 to 35 gravel and water

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

total depth 35 ft.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 15#	0	35			



*E 15<sup>th</sup> Lat 5<sup>th</sup> Block 2<sup>nd</sup> Zone add*

1/4 Sec. 32 T. 11. R. 12 W

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well **23 ft.** feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level **28 ft.** feet at **15** gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested **Bailer** Length of Test **2 hr.**

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information including number of acres irrigated, if used for irrigation)

Mont. 47  
Driller's License Number

*Walter Riddick*  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise it will be returned.

Original to the County Clerk and Recorder; duplicate to the State; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

40809

80389

FILED FOR RECORD

Feb. 3, 1966 at  
26n minutes past 2:00 o'clock  
P. M.

Agnes M. McDonald  
County Recorder

Maude Echols  
Deputy

Fee: \$2.00



File No. \_\_\_\_\_

T. H. R. \_\_\_\_\_

DUPLICATE

County BEAUFORT  
**RECEIVED**  
NOV 21 1963

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

0 to 3' Pit

3' to 42' Clay & gravel

42' to 48' Larger gravel & clay

48' to 49' Gravel & water

4 G.P.K.

49' to 68' Clay & gravel

68' to 70' Gravel & water

Owner CHARLES Zeffnick Address Bronson, Mont

Driller Glen Camp 705 Alder Address Misoula, Montana

Date of Notice of Appropriation of Groundwater.....


Date well started 10/31/63 Date Completed 11/2/63

Type of well Drilled Equipment Used Churn Drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	4" I.D. 10.975 lb Foot	16" above G.L.	to 67'	none		



NW 1/4 NW 1/4 Sec 22 T11N R12W  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 32' from G.L. feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 35 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Miller Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

License # 7  
Driller's License Number

Glen Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

# 7718L

FILED FOR RECORD

7/19/63

AL

S. M.

Agnes M. McDonald

General Agent

BY

Arvid N. ...

IDENTITY

GW 2

File No. ....

DUPLICATE

RECEIVED  
MAY 21 1964

T. 11 R. 12

County. Granite

STATE ENGINEER STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater  
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Owner: Dora Enman Address: Drummond

Driller: Unknown Address: .....

Date of Notice of Appropriation of Groundwater: May 14 64

Date well started: 1918 Date Completed: 1918

Type of well: dug Equipment Used: Pick & Shovel  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)


Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Top of Ground  
(Elev. above sea level. ....)

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<i>14' dug well with rockbed walls</i>						



11 1/4 Sec. 34 T. 11 R. 12  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

14 ft rockbed well covered by

Static Water Level for non-flowing Well: 10 FT feet.

Shut-in Pressure for Flowing Well: .....

Pumping Water Level: FT feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well: .....

How Tested: Electric Pump Length of Test: 3 Minutes

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....

Driller's License Number  
D 199 Unknown

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

# 78220

FILED FOR RECORD

May 19 1964

at \_\_\_\_\_ minutes past 1 o'clock

A.M.

Agnes M. McDonald

County Recorder

By

Arvid N. ...

Deputy