_			
File	NO		

DUPLICATE

T14 NR	_14B
--------	------

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)



1	(Na	me of Appropriate	 n r)	(Address)	ii903071(Town)
Coun	tv of	Judith Bas	in	State of	
have	appropria	ted groundwater	accordiz	ng to the Montana laws in effect prior	r to January 1, 19 62, as t
x	N I		2.	The beneficial use on which the claim Livestock wat-	
			3.	Date or approximate date of earliest latinuous the use hat been 1915—us Sept. to March	
w -		E			
			4.	The amount of groundwater claimed per minute) 10 gal. per m	inute
	s		5.	If used for irrigation, give the acre lands to which water has been appli	
	•			thereof None	
W	W Sec2	3 T14. R.14.			
		appropriation e, if possible.	e	The means of withdrawing such wat	
	re or use				
Each smacres. 7. The draw	all square date of co	represents 10 mmencement and andwater	complet	location of each well or other means Hend pump at well tion of the construction of the well, we Li June 1915	of withdrawal
Each smacres. 7. The draw	date of co	mmencement and andwater	complete 191	location of each well or other means Hend rump at well tion of the construction of the well, we Li June 1915	of withdrawal
7. The draw 8. The 9. So fa	date of cover of ground depth of war as it many works for	mmencement and andwater	complete 1910 20 10 10 10 10 10 10 10 10 10 10 10 10 10	location of each well or other means Hend rump at well tion of the construction of the well, we li June 1915 feet ize and depth of each well or the gendwater	of withdrawal
7. The draw	date of co	mmencement and indwater	complete 19 20 19 20 19 20 19 20 19 20 19 20 19 20 19 20 19 20 20 20 20 20 20 20 20 20 20 20 20 20	location of each well or other means Hend mump at well tion of the construction of the well, we li June 1915 feet ize and depth of each well or the ge	of withdrawal
7. The draw	date of co	mmencement and indwater water table withdrawal or the withdrawal o	complete 191	location of each well or other means Hend pump at well tion of the construction of the well, we Li June 1915 feet tize and depth of each well or the gendwater of pump, 2 inch pipe, 30 feet de	of withdrawal
Each smacres. 7. The draw	date of covered of ground depth of works for the contract of ground depth of works for the contract of the con	mmencement and indwater water table water the withdrawal amount of ground	complete 19 20 : type, sof groun Har	location of each well or other means Hend pump at well tion of the construction of the well, we li June 1915 feet size and depth of each well or the gendwater of pump, 2 inch pipe, 30 feet de	of withdrawal
Each smacres. 7. The draw 8. The 9. So fa other 10. The 11. The	date of cover of ground depth of war as it may works for the control of the contr	mmencement and andwater water table water table are the withdrawal amount of ground amount of ground amount of a similar are the withdrawal amount of ground am	complete 1920 20 20 20 20 20 20 20 20 20 20 20 20 2	location of each well or other means Hend pump at well tion of the construction of the well, we Li June 1915 feet ize and depth of each well or the gendwater ize pump, 2 inch pipe, 30 feet de withdrawn each year 20,000 gain	of withdrawal
Each smacres. 7. The draw 8. The 9. So fa other 10. The 11. The	date of cover of ground depth of war as it may works for the control of the contr	mmencement and andwater water table water table are the withdrawal amount of ground amount of ground amount of a similar are the withdrawal amount of ground am	complete 1920 20 20 20 20 20 20 20 20 20 20 20 20 2	location of each well or other means Hend rump at well tion of the construction of the well, we li June 1915 feet ize and depth of each well or the gendwater of pump, 2 inch pipe, 30 feet de withdrawn each year 20,000 gain edilling of each well if available vallable	of withdrawal

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Doc. No. 119114

DEGLARATION OF VESTED GROUPINATES **ETOHTS**

ROBERT WIGHT

money see. 28-14-14

State of Montana

County of Judith Beats

Filed this 21st day of Narch A.D. 1962 at 10:35 e'clock A.H.

Det & 2.00 gail

File	No
rne	140

rile ino.....

DUPLICATE

T ILN R ILK

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

NISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)



	Robert Higen		, of	Hobson
	(Name of Appropriator)		(Address)	(Town)
County have a lows:	of Judith Basin uppropriated groundwater acc	ordir	State of Montana ng to the Montana laws in effect prior	to January 1, 1962, as fol-
	N .	2.	The beneficial use on which the claim	
	*		Idvestock water	
		3.	Date or approximate date of earliest bettinuous the use has been	,
	E			
		4.	The amount of groundwater claimed (ir per minute) 12 gals, per minut	
	s	5.	If used for irrigation, give the acreage lands to which water has been applied	e and description of the and name of the owner
			thereof None	
1/4 NE	Sec. 29 T. 14 R. 14			
	point of appropriation	_		
	e of use, if possible.	6.	The means of withdrawing such water	from the ground and the
acii billal				
drawal	ate of commencement and con l of groundwater	· · · · · · · · · · · · · · · · · · ·		s, or other works for with
The dadrawal	ate of commencement and control of groundwater	fee pe, s	wind mili. tion of the construction of the well, wells t ize and depth of each well or the general depth of each well depth of each	s, or other works for with
The dadrawal The de	ate of commencement and control of groundwater	fee pe, s	tion of the construction of the well, wells	s, or other works for with
The da drawal The de	ate of commencement and control of groundwater 1932	fee pe, s grour po	t ize and depth of each well or the general by windmill-2 inch pipe	s, or other works for with
The da drawal The de	ate of commencement and control of groundwater 1932	fee pe, s grour po	wind mili. tion of the construction of the well, wells t ize and depth of each well or the general depth of each well depth of each	s, or other works for with-
The dadrawal The de So far other w	ate of commencement and conducted for groundwater	fee pe, s ground pe	t ize and depth of each well or the general by windmill-2 inch pipe	eral specifications of any
The dadrawal The de So far other w	ate of commencement and conducted for groundwater	fee pe, s ground pe	wind mill. tion of the construction of the well, wells ize and depth of each well or the general and by windmill-2 inch pipe — 8 withdrawn each year 800,000 gal	eral specifications of any
The dadrawal The de So far other v	ate of commencement and control of groundwater 1932 200 200 200 200 200 200 200 200 200 2	fee spe, sprour porter when the nature	wind mill. tion of the construction of the well, wells ize and depth of each well or the general and by windmill-2 inch pipe — 8 withdrawn each year 800,000 gal	eral specifications of any
The dadrawal The de So far other v	ate of commencement and control of groundwater 1932 200 200 200 200 200 200 200 200 200 2	fee spe, sprour populater when the	t ize and depth of each well or the general by windmill-2 inch pipe	eral specifications of any
The dadrawal The de So far other v	ate of commencement and control of groundwater 1932 200 200 200 200 200 200 200 200 200 2	fee spe, sprour populater when the	t ize and depth of each well or the general by windmill-2 inch pipe	eral specifications of any

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Pec. 119118

DECLIRATION OF VESTED
GROUNDMATER RIGHTS

MEMBER Sec. 29-li-li

ROBERT WIGHT

STATE OF MOTARA

County of Judith Besix

Filed this 21st day of March A. D. 1962 at 10:55

o'elack A.N.

Court Clerk Court

Fee \$2.00 Paid.

· 199

File	No
1, 114	

DUPLICATE

T. lon	R	UE	
County	.7226	dith Basin	

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

Robert Wigen	• • • • • • • • • • • • • • • • • • • •	of	Hobson
County of Judith Basin		(Address) State of Montana	(lown)
have appropriated groundwater acclows:	cording	g to the Montana laws in effect prior	to January 1, 1962, as fo
N		The beneficial use on which the claim	
	3.	Date or approximate date of earliest b tinuous the use has been	eneficial use; and how con - not used lately to
E		The amount of groundwater claimed (per minute) 10 gal. per	in miner's inches or gallon
5		If used for irrigation, give the acres lands to which water has been applied thereof	age and description of the ed and name of the owner
.4.NE Sec32. T.14. R. 14			
cate point of appropriation			
place of use, if possible.		The means of withdrawing such water	-
<u>-</u>		location of each well or other means	
es.			
The date of commencement and con	mpleti	on of the construction of the well, we	lls, or other works for with
The date of commencement and condrawal of groundwater	mpleti	on of the construction of the well, we	lls, or other works for with
The date of commencement and condrawal of groundwater	mpleti	on of the construction of the well, we	lls, or other works for with
The date of commencement and condrawal of groundwater The depth of water table 25 So far as it may be available, the ty	mpleti	on of the construction of the well, we zee and depth of each well or the ge	lls, or other works for with
The date of commencement and condrawal of groundwater The depth of water table So far as it may be available, the tyother works for the withdrawal of	mpleti	on of the construction of the well, we	lls, or other works for with
The date of commencement and condrawal of groundwater The depth of water table So far as it may be available, the tyellotter works for the withdrawal of	mpleti	on of the construction of the well, well ze and depth of each well or the gend dwater	lls, or other works for with
The date of commencement and condrawal of groundwater The depth of water table So far as it may be available, the ty other works for the withdrawal of	mpleti	on of the construction of the well, well ze and depth of each well or the gend dwater	lls, or other works for with
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the tyellotter works for the withdrawal of phend p	mpleti 5 fest ype, si: ground	on of the construction of the well, well ze and depth of each well or the ged	lls, or other works for with
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the tyother works for the withdrawal of phand p	5 feet ype, siz ground yump,	on of the construction of the well, well ze and depth of each well or the go dwater 2 inch pipe, 60 feet	lls, or other works for with
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the tyother works for the withdrawal of phand p	ompleti of feet ype, size ground own, ater we in the	on of the construction of the well, well ze and depth of each well or the ged	lls, or other works for with
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the tyother works for the withdrawal of hand p The estimated amount of groundwater The log of formations encountered in	ompleti of feet ype, size ground own, ater we in the	on of the construction of the well, well ze and depth of each well or the go dwater 2 inch pipe, 60 feet	lls, or other works for with
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the ty other works for the withdrawal of hand p The estimated amount of groundwater The log of formations encountered in None Such other information of a similar reference to book and page of any of	ype, singround, atter with the nature county	on of the construction of the well, well ze and depth of each well or the gedwater 2 inch pipe, 60 feet withdrawn each year Unknown drilling of each well if available	lls, or other works for with meral specifications of an policy of this act, including
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the ty other works for the withdrawal of hand p The estimated amount of groundwater The log of formations encountered in None Such other information of a similar reference to book and page of any of	ype, singround, atter with the nature county	on of the construction of the well, well ze and depth of each well or the gedwater 2 inch pipe, 60 feet withdrawn each year Unknown drilling of each well if available	lls, or other works for with meral specifications of an policy of this act, includin
The date of commencement and condrawal of groundwater 1914 The depth of water table So far as it may be available, the ty other works for the withdrawal of hand p The estimated amount of groundwater The log of formations encountered in None Such other information of a similar reference to book and page of any of	ype, singround, atter with the nature county	on of the construction of the well, well ze and depth of each well or the gedwater 2 inch pipe, 60 feet withdrawn each year Unknown drilling of each well if available	policy of this act, including

Date March 13, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Doc. Ec. 119115

DECLARATION OF VESTER SECONDALTER. RIGHTS

ROBERT WHIRE

State of Hontone County of Judith Besin)

Piled this 21st day of March A. D. 1962 at 10sh0 o'clock A.H.

Deletek Keeler County Charte. Pee \$2.00 Paid.


File No.

T LINR LIE

DUPLICATE

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation Withoni Well ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Owner Robert Wigen Address Hobson
	Contractor (if any) Ralph Oardirer
	Address of Contractor Hobson
	Date Started June 10, 1960 Date Completed June 10, 1960
n	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable. 6 feet to water
	Whiter lines from the secondist
	?
w	should this be st NE.
x	Should this be selve selso seepage spring SE SE SE Should this be selve selso seepage spring SE SE Should this be selve selso seepage spring SE SE Should this be selve selso seepage spring SE SE Should this be selve selso selso seepage spring SE SE Should this be selve
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
s SE SW14SE Sec.31 T14.R.11	tent estimate approximate lengths of periods of use
Indicate point of appropriation and place of use, if possible.	
	livestcok water
	Signature of Owner Robert Mage
	Date Narch 13, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Committee of Proportions of Committee of Com

Approved Stock Form-State Pub	tishing	Co., Hele	па, Мо	ontama — 12234	4 Jan 19 6
				14	00

File No..... DUPLICATE

> STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

County Jed A Basin

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE FNCINE

) repaid)	mapter 201, Montaina Session Daws, 1301) OTATE ENGINEER
. Arthor Kingh	eloc, of Melstone
(Name of Appropriator) (Address) (Town)
County of Rose bud	State of Montana
have appropriated groundwater accord	ling to the Montana laws in effect prior to January 1, 1962, as follows:
N	23.4
	2. The beneficial use on which the claim is based CAH/c And Sub irrigation of HAN meadows
	Sub irrigation of HAY meadows
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been 1930 Contin Uous
V YLX	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 50 miners lach.
	5. If used for irrigation, give the acreage and description of the lands
S	to which water has been applied and name of the owner thereof
1847/WSec 35T. 14R/4	50 geres of HAY mendous
Indicate point of appropriation and place of use, if possible. Each	***************************************
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
-	tion of each well or other means of withdrawal. DA121.5. d.
	a leating BASINS
drawal of groundwater	Lyozhd L-vel.
8. The depth of water table	NIONIC
9. So far as it may be available, the works for the withdrawal of groundw	type, size and depth of each well or the general specifications of any other enter Approx Spring
	,
10. The estimated amount of groundwate	er withdrawn each year. 57 Suiners Inches
11. The log of formations encountered in	the drilling of each well if available
	AND ASSESSED AT MARK IN ATT IN ALMINOSTRA
	nature as may be useful in earrying out the policy of this act, including unty record
	Signature of Owner
	Date Dic 3/
	Date Dic 5/
Three conies to be filed by the owner with	the County Clerk and Recorder of the county in which the well is located,

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

File No.554

Arthur Kincheloe

Sec. 35-14-14

State of Montans County of Judith Basin Filed this 31st day of December A. D. 1963 at 2:27 P.M.

County Clerk.

Fee 32.00 Paid.

, eur :

File No.....

County Judith Basin

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE [] []
OFFICE OF STATE ENGINEER

JAN 15 1964

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

			Date of Appropriation of Groundwater August 1, 1963
			OwnerArthur Kincheloe Address Melatone, Montane
			Contractor (if any)
			Address of Contractor
			Date Started Ans. 1, 1963 Date Completed
	N		Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable
•		E	
17		_	
			Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	s		estimate approximate lengths of periods of use. Estimated
W	Indicate point of appropriation and place of use, if possible.		25 gal-per-miratey
			Signature of Owner
			Date12-31-63
mı		. 4 -	- /if and otherwise has the owner

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Pile No. 533

Arthur Kinchelos

Sec. 36-14-14

State of Montana County of Judith Basin Filed this 31st day of December A. D. 1963 at 2:26 o'clock P.M.

County Clerk.

Pas \$2.00 Paid.

_	_
1	_
4	/2
-	

(D)	EC	EI	VE	
	5116.	í	1958	世

T	-14	R.	-14	·••••••
Count	y	Judi-th-	Basin	<u>.</u> .

STATE ENGINEER Butte, Montana

WATER WELL LOG

				٠			
	OwnerP.	J. Ho v en		,	Address	Honson, N	ontana
	Driller0	C. Hatch	62	***************************************	Address	Stanford	Nontene
	Date Started	July 1,	1958	· •	Date Compl	letedJuly	21, 1958.
	Location: Sec.	36 т.	<u>1</u> 1	R 14	sec	ini si	NE }
Type of well	Drilled (Dug, driven, hored	3. or drilled)	Equipn	nent used	Ro	tary	er)
Water use: Domestic		Municipal		Stock		Irrigation	<u>ii</u>
Industrial		Drainage		Other:			
Casing:Q	.ft. to	ft.	ТуреСа	vanised	Size	2n	
Casing:	ft. to	ft.	Туре		Size		
Casing:	ft. to	ft.	Туре		Size		
Perforated or Screened	l: Ft	to ft		Ft	····	to ft	
Type of screen or perfor	rations	••••••			**		
Static Water level, for n	ion-flowing well:	•	,		******		f eet.
Shut-in pressure, for flo	owing well:	60	1b.	/sq. in. on:		/data)	
Pumping water level		feet	at			(date) per min	
How tested:							
Length of test							
Remarks: (Gravel pac						••••••	***************************************
•	mt-off						
						•••••••••••	••••••••••••••••••
Gristical	i.with.7sack	e-ci-caren	······································	•••••	••••••••	•••••	• • • • • • • • • • • • • • • • • • • •
***************************************			****************	• • • • • • • • • • • • • • • • • • • •		***************	•••••••••••
	***************************************	***************************************	.,,,,,				•••••
	* · * * * * * * * * * * * * * * * * * *	•••••	(nver)	**************		********	*************************

Log of Well

		Log of Well
	h, feet	Description of Material Drilled
From	То	
0	14	Overburden
4	17	Rive Shale
17	19 23	Sandstone Alternating layers of Blue shale and sandstone.
	23	Blue shale with streaks of sandstone
-23 71	71.	Bentonite.
74	93	Blue shale.
104	102	Hara Stone. Sandstone.
ארג	125	Blue Shale
175	11/2	Hard Sandstone.
135	125 165 155 259	Soft Stone. Blue shale.
259	330	Blue shale with streaks of sandstone at 300 ft.
330	333	Blue shale
330 -333 340	333 340 345	Hard mandstone.
ئَابِلُةِ	345	Soft Sandstone
345	382	Blue shale Hard sandstone
3 86	386 387 120	Bentonite
382 386 387 420		Blue shale. Sandstone and blue shale alternating
4 20	590 620	Medium hard shale
590 620	740	Sandy grey shale
740	743	Hard sandstone
- 743	770	Soft send.
770	775	Hard sandstone
775 800	800 815	Medium Hard sandstone Hard sandstone
	875	Medium hard sandstone
815 875 905	1 905	Red shalls
905	935	Red sandy shale and soft sand 920-935
- 935	960	Medium hard sand. Sandy shale and soft sand alternating.
960	1090	
1090	† 1107	Hard sandstone and soft sand alternating.
1107	1217	Hard sandstone.
1217	1255	liard and soft sandstone alternating.
1255	1300	Hard sandstone.
1300	1335	Soft cand going into medium hard sandstone
1335	1347	Black shale.

	-	
	1	

County Julith Basin Twp. 14N Rge. 15E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
6	Water Thos. He	6M2	125755	
-	Turnor Mike Estater James	6 W-4	510	
	Pater-san Hele	BW2	21111	
6	Newton Annies M.	Ch 2-	12656	
	McCullengh Robert E. Sre	GW-4	245-	
	Martin Highies Co	!	124506	
6	Singley, Coarge C.	Chen	739	
/_	Brucker Konneth J.	6-2-3	129077	to the second se
6	Cowan dy bu R.	6 W-4	124466	
	Cardner Rolph	Ezer.	719	
1	ENNEY Limston Ca.	6 W- 4	1-20	
/_	Hopea Part Fruit Tehus		2 -	
7	Knight Howards MornE	6-W-4	121383-	_
9	Storenson Jamie R.		3/6/	
19	Mateiner Rilly Holdin	- 11	23/	
19		_11	363-	
30		Release +	2	
6	Avery, Bob	CW 2	121623 -	
-	Bourke, Eva Ward	GW 3	118 173 -	
6	Boyd Evelyn	EW 3	637	
6	Gillet Martin W.	Well 169		
6	Knight J. R.	6W3	124465	
/	Loe bach Caroline T.	1247	122	-
6	Martin Tam Y		ays	
	Cummings Evenett	6W2	124034	
6	Pholos Cassandre O.	6W3	628	
	18/19/30/30/30/30/50	10	•	
	STANIANT VINAIL EI	6 W 3	1122 AX 1	
6	Wright Cecil (6 W 4	122031	
6	Martin, tam & Cummings, Everett Phalps, Cassandre O. Stewart, Virgil E. WRIGHT, CECIL	6W3 GW4	122030	
6	WRIGHT, CECIL J	6W3 GW4		
6	WRIGHT, CECIL J	6 W 4		
6	WRIGHT, CECIL J	G W 4		
6	WRIGHT, CECIL J	GW4		
6	WRIGHT, CECIL J	GW4		
6	Stewart, Vings E. WRight, CECIL J	6W3 GW4		
6	STEWART, VIRGIL E. WRIGHT, CECIL J	6 W 4		
6	Stewart, Vingil E. WRight, CECIL J	G W 4		
6	Stewart, Vings E. WRight, CECIL J	6 W 4		
6	STEWART, VIRGIL E. WRIGHT, CECIL J	6 W 4		

Driller's License Number

acres irrigated, if used for irrigation).....

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

..... Sec. 6

Show exact depth of bottom.

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Lot 2, Block 19, Hobson Original

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

128758 # 723

Thomas H. Watson

Lot 2, Block 19, Robson Grig.

State of Montana County of Jadith Resin Piled this 50 day of November 1969 A. D. at 10:15 A. N. o'clock:

> Delight Leelie Co. Clerk By Merce Willeder Dep.

Fee \$2.00 paid

MONTALIA WATER RESGURCES BOARD

RECEIVED

NOV 7 1969

~		
G	Approved Stock Form—State Publishin	g Ch., Helena, Montana—12234
File No		14 R 15
DUPLICATE		untyJudith-Basin-
	STATE OF MONTANA	
	RATOR OF GROUNDWATER CODE	
_	CE OF STATE ENGINEER	JAN 15 1964
Declaration of	Vested Groundwater Ri ter 237, Montana Session Laws, 1961)	ghts
(Under Chap	ter 237, Montana Session Laws, 1961)	STATE ENGINEE
1W.K. Turner Estate & James (Name of Appropriator)	Turner, of Hobson (Address)	(Town)
County of Judith Basin have appropriated groundwater according		
have appropriated groundwater according	to the Montana laws in effect prior to	January 1, 1962, as follows:
N		
	2. The beneficial use on which the claim i	
#2	D.COGRACOL	
	3. Date or approximate date of earliest	
	ous the use has been # 1 - 1933 # 4 1941 or 1942	
W E	# 11 13/11 05 13/12	
	a em a companya di anno alla fano al	Circ min anta fa chan an mallama
#1&	4. The amount of groundwater claimed per minute) #22 #1 20 gallo	ng non minute. #2 18
	gallons per minute, #3	15 gallons per minute
#1,	# 1 14 gellong per minut	€.
	If used for irrigation, give the acrea to which water has been applied a	ge and description of the lands
eļ/neł & swł/swł	none	
Indicate point of appropriation		
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such wate	r from the ground and the loca-
#1 Lot 1 Blk 1 Hobson Orig.	tion of each well or other means of wi	thdrawalElectricpumps
#2 NE1/NE1 Sec. 6-14-15	-on-1,-2,-&-3.#4 spring.	
#3 Lot 1 Blk 1 Hobson Orig. #4 SW\\\\ Sec. 6-14-15		
7. The date of commencement and comple	tion of the construction of the well, w	
drawal of groundwater#1	3, # 2 - 1941, # 3 - 1944,	#4.1941.or.1942.
cleaned out & replaced wi	th-new-plpe-in-1961.	
8. The depth of water table5or6fe	et from surfece on all 3.	rells, #4 on surface.
-		
9. So far as it may be available, the type works for the withdrawal of groundwater		
dug by hand 7 foot deep,	brick walled. # 3 drilled	well about 23 feet,
ead in frech stand cast no will the	him with backboe about 3.f.	36tt116&p1p6L810/
and piped into tank.		
	·	
10. The estimated amount of groundwater v	vithdrawn each year	
11. The log of formations encountered in the	drilling of each well if evailable	M 080
	s drining of each well it available	

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record......

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

510

TRUSHD GROUNDWATER RECATS SERRET REMAIL

Sec. 6-14-15

State of Montana County of Judith Basin Filed for record this 51st day of Bec. 8. 4. 1965 at 11:50 o'clock A.M. Dolight Laslie, Clerk. A Rec.

Fee \$2.00 pd.

CW	2

jo jo

File No)				T1	4 R	25	•••
DUPLI	CATE				Cou	nty Jud	lith Bas	in
			ADMINIST	RATOK (OF MONI OF GHOUL STATE E	NDWATE	ECE [VEI
	Top of Ground						HH 96	1062
	(Elev. above sea level)	Notice o Approp	f Comp riation	letion of by Mea	Ground ns 水形	water of	GINEFA
	No Log as it was hand dug.		(Under Chaj					ariáTű
-		Owner	H. W. Pete	rson	Addres	ss. Ho	noedo	
-		Driller	Dug by Thoma	Simac s	e ek Addres	S Moc	casin	
-		Date of	Notice of Appro	priation (of Groundy	water	Hone	
			ell started Mar					1962
_			well Dug			it Used		
		(dug, drille	driven, bored o	r	(Churt other)	ı, drill, rot	lary or	
		Water 1	Jse: Dom estic 🛚) Mu	nicipal 🔲	Stock	☐ Irr	rigation 🔲
-			Industrial [] Dra	ainage 🗌	Other		
-			icate on the dia net with in drill					
-		etc. Sho	w depth at whic	h water i	s encounte	red, thickn	ess and ch	aracter of
-		water-b	earing strata and	ı neignt t	o which th	ie water ri	ses in the	well.
-		Size of	Sire and Weight of	From (Feet)	To (Feet)	Pl	ERFORATION	'S
		Drilled Role	Casing	_		Kind Size	From (Feet)	To (Feet)
		- /	2 inch	Top	38 1	ļ		
	0.7	36 " : 3 Ft.	wood timber	7.8		No per	foration	18
_								1
-						<u>-</u>	<u>'</u>	
-	N	Sta	atic Water Leve	l for non-	-flowing W	'e11	<u></u>	feet.
-		Sh	ut-in Pressure fo	or Flowin	g Well	50		,
		- Pu	mping Water Le	evel	fe	,-		er minute.
_		Di:	scharge in gal, p	er min. o	f flowing v	vell		•••••
	w	E	w Tested					
_								
		Re	marks: (Gravel tion of j		cementing, se of grour			
_			other si	milar per	tinent info	rmation, i	ncluding n	number of
	Well located in Lot 12. I	Baock 3	acres irr	igated, if	used for it	rrigation)	*****	**********
	Philbrook Addition to To. Sec. T14 R Indicate location of well a		Elec	trie do	mestic p	ump inst	alled.	******
_	place of use, if possible. E	ach	Vel:	l 18 f t	in dept	h.		
	small square represents 10 act This well located in the						•	•
	Show exact depth of bottom.					Driller	•	***************
	- -				*******	's Licenșe		,
					N	will	eres	· -
					Ďin ją	's Signatu	re	
					-			

This form to be prepared by ariller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so slate, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

5181

711e Bo. 244

Dag Well-

H. W. Peterson of Hobson, Montana

Lot 12 in Blk 3, Philbrook 24d to Hobson

State of Montana County of Judith Basin

Filed this 19th day of July A. D. 1963 at 2:30 o'clock P.H.

County Clerk

Fee \$2.00 Paid,

							. Montana—4193	
e No	-0 DE	SOURCES BOARD					R 15 %	
PLICATE	MONTANA WATER RE	VED				· 7:	id the S	سمدهدين(_
Ton	of Ground SEP 12	2 1067		STATE TRATOR (FICE OF		DWATĚB	CODE	
_			Notice of	Comple	etion o	- f Grou	ındwat	er
(Eiev.	above sea level		Approp	T	_			. .
			• • •	apter 237,				
		Owner	Errice M.	Rento	Address	Hal	wers . 11	lent.
			ohav. A.					
		e _{ase}	Notice of Appro					* 400
			ll started Liv					2
Ì		Type of	well 5 - G	Ý 	Equipm	ent Used	1 1 pro	10.
			riven, bored or		(Churn other)	drill, rotar	y or	
1		Water I	Jse: Domestic	Mu Mu	nicipal 🔲	Other	Im	rigation [
1			Industrial	Dr:	inage 🗌	Stock		
*		Size of	strata and heig	ht to which	water rise		ell. perforation	
· i		Drilled Finia	Weight of Casing	(Feet)	(Feet)	Kled	Prom	Te
						Gi-a		(Feet)
		⇒	,			Size	(IFeet)	
		3	man in the second			Size	(real)	
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. **		Size	(rea)	
			and give a	•		Size	(rea)	
			Parish gitting	•		7		
	N	Sta	atic Water Level	for non-fle	wing Well.	7		
	N	<u> </u>	atic Water Level				7	fee
	N	Sh		or Flowing	Well	7	2	fee'
	N	Sh	ut-in Pressure f mping Water Le	or Flowing	Wellfee	at	7 gal 1	feefee
	N	Sh Pu Dia	ut-in Pressure f mping Water Le scharge in gal. p	or Flowing	Wellfee	at	Z gal 1	er minut
	N	Sh Pu Dir	ut-in Pressure f mping Water Le scharge in gal. p w Tested	or Flowing	Wellfee	at	gal 1	per minut
	N	Sh Pu Dir	ut-in Pressure f mping Water Le scharge in gal. p w Tested marks: (Gravel	or Flowing vel er min. of packing,	Wellfee flowing weLengt	at	gal 1	per minute
	N	Sh Pu Dir	ut-in Pressure f mping Water Le scharge in gal. p w Tested marks: (Gravel tion of	or Flowing vel per min. of packing, place of us	Wellfee flowing weLengt cementing, se of groun	at	gal 1	ntoff, local, and an
	N S 1/	Sh Pu Dir	ut-in Pressure f mping Water Le scharge in gal. r w Tested marks: (Gravel tion of other s	or Flowing vel per min. of packing, place of us imilar per	Wellfee flowing weLengt cementing, se of groun tinent info	t at	gal participation of the state	ntoff, local, and an
**	14. Sec. 6. T.25	Sh Pu Dia E Ho Re	ut-in Pressure f mping Water Le scharge in gal. r w Tested marks: (Gravel tion of other s	or Flowing vel per min. of packing, place of us imilar per	Wellfee flowing weLengt cementing, se of groun tinent info	h of Test packers, (dwater if rmation, igation)	gal. I	ntoff, local, and annumber of
Ind	Sec. 6. T. 25 icate location of w	Pu Dia Ho Re	ut-in Pressure f mping Water Le scharge in gal. r w Tested marks: (Gravel tion of other s	or Flowing vel per min. of packing, place of us imilar per	Wellfee flowing weLengt cementing, se of groun tinent info	h of Test packers, (dwater if rmation, igation)	gal p	ntoff, local, and annumber of
Ind	Sec. 6. T. 22 icate location of we of use, if possible	Pu Dia Ho Re Re Fell and e. Each	ut-in Pressure f mping Water Le scharge in gal. r w Tested marks: (Gravel tion of other s	or Flowing vel per min. of packing, place of us imilar per	Wellfee flowing weLengt cementing, se of groun tinent info	h of Test packers, (dwater if rmation, igation)	gal p	ntoff, local, and annumber of
Ind placesman	Sec. 6. T. 25 icate location of w	Pu Dia Ho Re Re Re Illand e. Each 10 acres. Corner)	ut-in Pressure f mping Water Le scharge in gal. r w Tested marks: (Gravel tion of other s	or Flowing vel per min. of packing, place of us imilar per	Wellfee flowing weLengt cementing, se of groun tinent info	h of Test packers, (dwater if rmation, igation)	gal p	ntoff, local, and annumber of

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Driller's Signature

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Cierk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Burcau of Mines and Geology and Quadruplicate for the Appropriator.

GW 2					C.					
File No			OCES BOARD		* \$		T	Manty 1	R 15-E	
TRIPLICATE	MONTANA 1	WATER RESOUR	ED					- I - I	dithe	سمه(
	H .	SEP 12 10	16 7	AI	DMINISTE	SOTAS	of Mont of Cecui state e	NDWATER	CODE	
.				Notice	a of C	omple	ation c	f Grou	ndust	.
1 E 67.	above see le			ar a record		St. A. St. St. A. 🛖 🕶 —		eans of		78
								ession Law	The state of the s	
			Owne	ami	w 111.	Kento	Address	Han	was , il	m).
			Della	lohan	A. 14	enry	Addres	Hah	Ī	
			Date (of Notice o	f Appropr	intion of	Groundwa	er.		
			Date	well starte	dun	1.66	Date Co	ompleted	ug. 15	. ct
			Type (dug	of well	<u>rus (</u>		Equipa	nent Used , drill, rotar;	Pack Hers	
			Water		omestic 🖪 lustrial 🔲		nicipal [Other [Stock [gation [
			T el 1					and thicks		differe
			strata			z, such as	soil, clay,	shale, grav	el, rock or	sand, et
	The face of the contract		O1		mhial			······································	a CHARLESTA	UI WHIP
				depth at v	which wate and height			s in the we		
			bearin	depth at v	and height	to which	water rise	s in the we	11.	
				depth at v	and height			s in the we	il. ERODIATIONS	
			bearings of Drilled Hole	depth at v	and height	to which	water rise	s in the we	il.	
			bearing	depth at v	and height	to which	water rise	s in the we	il. ERODIATIONS	
			bearings of Drilled Hole	depth at v	and height	to which	water rise	s in the we	il. ERODIATIONS	
			bearings of Drilled Hole	depth at v	and height	to which	water rise	s in the we	il. ERODIATIONS	
			bearings of Drilled Hole	depth at v	and height	to which	water rise	s in the we	il. ERODIATIONS	
			bearing Shoot Book Book	depth at vag strata a	and height	to which	vater rise	s in the we	II	
			bearing Shoot Boto	depth at v ng strata a Size Weig Cas	er Level fo	to which From (Pec)	To (Feet)	s in the we	II	
			bearing Shoot Both Both	depth at v ng strata a She Weig Cas Static Wate	er Level for	to which	water rise	s in the we	III	
			bearing She of Diffield Bole	depth at v ng strata a She Weig Cas Static Wate Shut-in Pro	er Level for	to which From (Food)	water rise To (Feeb) Wiling Well. Well.	s in the we	gal p	r minut
			bearing Shoot of Difficulty Bold	depth at variety and strate as a strate water state. State water s	er Level for Vater Level in gal. per	to which From (Text) Pr non-flo Flowing min. of	water rise To (Feeb) Well. Yell. fee flowing we	s in the we	Ball D	r minul
			bearing Speed Book Book Book	Static Water Shut-in Property Williams of the Property Water Shut-in	er Level for Vater Level in gal. per	to which From (Food) Flowing min. of	water rise To (Feeb) Well. Fee flowing we	t atth of Test.	III	Tes Minis
			bearing Speed Book Book Book	Static Water Shut-in Property Water Shut-in P	er Level for Vater Level in gal. per col.	From (Feet) Flowing min. of sacking, ace of u	wing Well. Well. fee flowing we Lengue	t at	gal p	off, localed
			bearing Speed Book Book Book	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To (Feeb) Well fee flowing we Lenguesementing, se of groundinent info	t at	gal p	off, loce and an imper
			bearing Speed Book Book Book	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To (Feeb) Well fee flowing we Lenguesementing, se of groundinent info	t at	gal p	off loc and an imper
	/4 Sec	TAR R	bearing Speed Book Book Book Book Book Book Book Boo	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To (Feeb) Well fee flowing we Lenguesementing, se of groundinent info	t at	gal p	off, local and all imper
Indi plac	4. Sec. 5 cate location of use, it	TAR R	bearing Speed Bloke Blok	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To (Feeb) Well fee flowing we Lenguesementing, se of groundinent info	t at	gal p	off, loce and an imper
Indi	A. Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec	T M R m of well f possible forestis 10 a location (SE Co	bearing Speed Bloke Blok	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To (Feeb) Well fee flowing we Lenguesementing, se of groundinent info	t at	gal p	off, lose and all imper
Indi plac sma Lot Ho	4. Sec. 5 cate location of use, it	T M R m of well f possible forestis 10 a location (SE Co	bearing Speed Bloke Blok	depth at variety and strate as a strate water Case Shut-in Property Wester Case Shut-in Property Washington Teste Remarks:	er Level for vater Level in gal. per cod	From (Fee) Flowing min. of ace of millar per-	water rise To West) Well. Yell. Icense Commenting, ic of groundinent info	t at	gal p	off, local and

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Driller's Signature

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

124536 No.714

Water Well

Mobson, Mont.

State of Montane

County of Judith Basin

Filed for record this 62 day of Sept. 4.D. 1967 at 9:30 o'clock A.M. Delight Leelie, Clk. & Rec.

GW Helena Independent Record	<u> </u>	
File No		
DUPLICATE		

Town of Hobson

County Judith Basin

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE DECE VE

Declaration of Vested Groundwater Rights TATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Robert E. McCullough, Sr.	of Hobson
(Name of Appropriator)	(Address) (Town)
County of Judice Basin	State of Montana ding to the Montana laws in effect prior to January 1, 1962, as fol-
lows:	ding to the Montana laws in effect prior to January 1, 1962, as fol-
N	•
	2. The beneficial use on which the claim is based
	For irrigation
	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has beenSpring developed in 1958
	and is in continuous curing the summer months
	is shut off during the winter
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 40 to 50 gallons per minute
	per minute)
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner
ot 12, Block 35, Hobson Orig.	lands to which water has been applied and name of the owner
•	thereof Lot 9, Block 20- owned by Peter J. & Faye L. Roven. Lot 10 in Block 20- Robert
Sec. 6 T. 14 _R 15	and Margaret McCullough, Both in Hobson
licate point of appropriation	Original
d place of use, if possible.	6. The means of withdrawing such water from the ground and the
ch small square represents 10 res.	location of each well or other means of withdrawal
	Spring located on the East end of
	Rissk Lot 12, Block 35, Hobson Original
The date of commencement and computational of groundwater Started	eletion of the construction of the well, wells, or other works for within 1958 and completed in 1958.
The depth of water table	
other works for the withdrawal of gre	e, size and depth of each well or the general specifications of any pundwater 5 ft. deep. 1. 4 ft. in diameter.
water is piped from the p	otion of developed spring.
The estimated amount of groundwate	r withdrawn each year
The log of formations encountered in	the drilling of each well if available
AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	oug spring
	ature as may be useful in carrying out the policy of this act, including
	inty record.
	Da i a Danie
	Signature of Owner Nofest & Mullough Date July 31st, 1963.
	Digitator of Owner many
	Date July 31st, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

File No.245

Developed Spring on Lob 12, Block 35, Hobson Original Embert E. McCullough,

State of Montana County of Judith Basin Filed this 31st day of July A. D. 1955 at 4:30 o'clock P.M.

County Clerk.

Pee \$2.00 Paid.

		Sec. 6	T. 14 R. 15
JPLICATE McDermott. Button McNulty			CountyJudith Basin
	STATE		
DarlintonSulfivanAD			ODE
Dickert	— OF FICE OF S	TATE ENGINEER	
Declaratio	on of Vest	ed Groundwate	r Diahte
		Montana Session Laws, 1	
(5.1.2)		zoneana Gession Laws, 1	301)
Mhomos C Wombin			Walt com
IThomas C. Martin (Name of Appropr	iator)	(Address)	(Town)
County of Judith Basin	1	State of Mon	tana
nave appropriated groundwater a	ccording to the A	Iontana laws in effect pr	rior to January 1, 1962, as follows:
N	i 9 m	onoficial was an aukink ak	
)		e claim is based
	į		
			rliest beneficial use; and how continu
	1		
			continuous use since
	4 The ex	normt of groundwater a	
			laimed (in miner's inches or gallon
		40 niner	inches
	5 If 1100	l for luminostina	
s	to whi	ch water has been appl	acreage and description of the land
th of NW corner of Lot 12,		***************************************	
434, Seebson Original			
dicate point of appropriation ad place of use, if possible. Each	**********	,	
nall square represents 10 acres.	6. The m	ons of withdrawing such	water from the ground and the loc
			ns of withdrawal
			LETP
701 2-4			_
. The date of commencement and drawal of groundwater.	completion of th	e construction of the w	ell, wells, or other works for with
	•		
. The depth of water table	18-inches-be	tow surface	***************************************
. So far as it may be available. t	ne type, size and	depth of each well or th	ne general specifications of any other
amoulte for the sold language	ndwater	44h 64 hm 71 hm 0	
works for the withdrawal of grou			***************************************
works for the withdrawal of grou			
works for the withdrawal of grou			
works for the withdrawal of grou	••••••	************************************	
works for the withdrawal of grou			***************************************
. The estimated amount of ground	water withdrawn	cach year250,00	egallons approximately
. The estimated amount of ground. The log of formations encountered	water withdrawn	each year250,00	egallons approximately
. The estimated amount of ground . The log of formations encountered	water withdrawn	each year250,00 f each well if available.	egallons approximately
. The estimated amount of ground . The log of formations encountered	water withdrawn	each year250,00 f each well if available.	egallons approximately
. The estimated amount of ground . The log of formations encountered	water withdrawn	each year250,00 f each well if available.	egallons approximately
. The estimated amount of ground . The log of formations encountered	water withdrawn d in the drilling o	f each well if available. none be useful in carrying of	out the policy of this act, including
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	f each well if available. none be useful in carrying of	out the policy of this act, including
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	f each well if available. none be useful in carrying of	out the policy of this act, including
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	f each well if available. none be useful in carrying of	out the policy of this act, including
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	f each well if available. none be useful in carrying of	egallons approximately
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	cach year	out the policy of this act, including
. The estimated amount of ground . The log of formations encountered	water withdrawn d in the drilling o	cach year	Oate
. The estimated amount of ground . The log of formations encountered Such other information of a similar reference to book and page of an	water withdrawn d in the drilling o	cach year	out the policy of this act, including the policy of the act, including the act, in

W.W. #646

121506

THOMAS C. MARTIN Hobson, Montana

State of Montana County of Judith Basin Filed for record this 5th day of Nov. A.D. 1965 at 10:30 o'clock A.M.

Delight Leslie, Clk. & Rec.

by Betty Creekmore DOI

÷.

CW	2

Approved Sto	ck FormState	Publishing	Co.,	Helena.	Montana-48557	

		/	•
	ŀ	9	
S	ä	مبار	3

File No.....

LOG

MODITANA MATER RESCURCES BOARD RECEIVED

14 15 Town of Hobson Judith Basin County...

DUPLICATE

NGV 22 1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE

	Top o	f Ground			STATE V	VATER U	ONSERV	ATION BU	AKU	
		-h-ms a 11		Not	ice of C	omple	tion o	of Grou	ındwai	ter
_ a	(Eilev.	above sea level)			-	_			
1	10	Clay		-	i ppropri					
10	30	Gravel			DEVEL	OPED AF	ter jai	WARY 1,	1962	
-30	200	Soft shale		Olindar Olindar	r Chapter 23	7 Montan	Scesion	Lawe 196	l as oman	(Sob
200	215	Hard slate shale	3	Do	trick Bar		a OCSSIOII	Daws, 150.	t, as amen	acu,
=		Small artesian	Clow.		_	•		TTa barne	120må	
215	375	Hard slatey shall	e Owi	ier			Addr	ess Modeo	n, Mont	ana.
		Streaks of Benti	onite					*	A 31	
375	410	Streaks of Benti Hard slaty shale	Pinl	ler (4e.0.r (ge u	rgtal	Addr	ess. Lew 18	LOHILE	iontana
	['	Sandy		0 37 .41 -				Yana		
410	484	Hard black slaty	Dat:	or wene	a o <u>t</u> s bb cobe	artion of §	roundwa	cerautre		
		shale-Bentionite		kan ete.	mend Atter. T	17 107	T Dete	aomniata#	ont. 37	1077
484	488	Hard rock	Dan	F WEII Sta	i ceumina		Dave	completed	12 to 10 to	
488	700	Layers chale	Tvn	e of well	Drilled		Equipm	ent used	Rotary	
	4,	Streaks of rock		(Di	ug, driven, bor	ed or drille	d)	(Chu	rn drill, rots	ary or other
700	715	Sandy hard shale		er use:	Domest	tie 🔀 M	unicinal l	T Sto	ock 🔲 Ir	rigation [
715	717	Extremely hard		J. 460 ·	Industri		rainage	_	her 🗆	
717	770	White sandy rook	.	T., 32 - / 4 -						
770	780	Hard shale			on the diagra drilling, such					
780	785	Hard white rock	deni	h at which	ch water is er	as son, concered	l, thickne	ss and char	acter of wa	ter-bearing
185	795	Sandy shale	stra	ta and he	ight to which	the water	r rises in	the well.		
795	810	Sandstone, streal	kB ===							
	-	Bentionite		Size of Drilled	Size and Weight	From (Feet)	To (Fee/)	P	erforation	19
810	910	Blook shele		Hole	of Casing			Kind	Prom	To
910	985	Layers of Hard	white	(- 1/0		5	400	Size	(Feet)	(Feet)
_		rock intermixed	Black	5-5/8		32	400		<u> </u>	}
1		shale.Qil show	920	4-3/4	: a ea	400	1230		}	1
	13.00 C	The man and a date of the company of	•							
985		Hard white rock	~ ,		6-5/8 BL	1	32		İ	
1026	1040	Black shale	, ik may like in		6-5/8 BL 2"Galv.	Above	_	▼ /ã~z∺	1130	1918
1026		Black shale Top of red beds	,white			1	_	1/8x3 **	1130	1218
1046	1040 1050	Black shale Top of red beds grey, variated si	,white			Above	_	1 /8x3"	1130	1218
1026	1040 1050 1080	Black shale Top of red beds grey, variated si White hard sand	, white hales stone		2"Galv.	Above	_	1√8×3 "	1130	1218
1026 1040 1050	1040 1050 1080 1132	Black shale Top of red beds grey, variated al white hard sand Red, white, green	, white hales stone varia		2"Galv.	Above gr. 1	1218	-		
1026 1040 1050	1040 1050 1080	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone,	, white hales stone varia		2"Galv.	Above gr. 1	1218	ter Level	for non-flo	owing wel
1046 1046 1050 1030 1132	1040 1050 1080 1132 1170	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140	,white hales stons varia		2"Galv.	Above gr. 1	1218 atic Wa	ter Level	for non-flo	owing wel
1026 1040 1050	1040 1050 1080 1132 1170	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re	,white hales stone varia		2"Galv.	Above gr. 1	1218 atic Wa	-	for non-flo	owing wel
1046 1046 1050 1030 1132	1040 1050 1080 1132 1170	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp	,white hales stone varia		2"Galv.	Above gr. 1	1218 atic Wa	ter Level	for non-flowing Wel	owing wel
1026 1040 1050 1030 1132 1170	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow	,white hales stone varia d,		2"Galv.	St. St. Pt.	atic Wa	ter Level ssure for Fl	for non-flowing Wel	owing wel
1026 1040 1050 1030 1132 1170	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard	,white hales stone varia d,		2"Galv.	St. St. Pt.	atic Wa	ssure for Fl Vater Leve	for non-flowing Wellowing Wellowing Wellowing Wellowing Wellowing Wellowing al. per mi	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia		2"Galv.	St. St. Pt.	atic Wa	ter Level ssure for Fl	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per mining min. of flowing min.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard	, white hales stone varia		2"Galv.	St. St. Pt.	atic Wa	ssure for Fl Vater Leve	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per mining min. of flowing min.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia		2"Galv.	St. St. Pt. E	atic Wanter Programming Vat. No.	ssure for Fl Vater Leve	for non-flowing Wellowing Wellowing Wellowing Wellowing al., per min min. of flowing al.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia		2"Galv.	St. St. Pt. E Di	atic Want in Presimping Vat. No. ischarge	ssure for Fl Vater Leve	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per min min. of flowing al.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia		2"Galv.	St. St. Pt. E. Di. Le	atic Wanter Presenting No. 1218 atic Wanter Presenting No. 1218 at No. 1218	ter Level ssure for Fl Vater Leve ns in gal. per l. Bucket	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per min min. of flowing min. of flowing min.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia	ted sh	2"Galv.	St. St. Pt. E. Di. Lt.	atic Wanter Presenting No. 1218 atic Wanter Presenting No. 1218 at No. 1218	ssure for Fl Vater Leve	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per min min. of flowing min. of flowing min.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185	Black shale Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft	, white hales stone varia	ted sh	2"Galv.	St. St. Pt. E. Di. Lt.	atic Wanut-in Presimping Vat	ter Level ssure for Fl Vater Leve ns in gal. per l. Bucket	for non-flowing Wellowing Wellowing Wellowing al. per mi min. of flowing al. with the min. of the min. of the min. of the min. of the min.	owing wel
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh	2"Galv.	St. St. St. Pt. E. Di. Le. St.	atic Wanut-in Presimping Vat. No. ischarge ow Tested ength of the comarks: (s, type of	ssure for Fl Vater Leve in gal. per Lest	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per mi min. of flowing.	owing wel feet feet feet nute. lowing wel o
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1179 1185 1187 1210 1230	Black shale Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh	s 14, He 6 T 1 Ration of well	St. St. Pt. E. Di. Le. C. St. L. St.	atic Want in Present No. 1218 atic Want in Present No. 1218 at No. 1218 at No. 1218 atic Want in Present No. 1218 atic	ter Level ssure for Fl Vater Leve ne in gal. per Level Cest	for non-flowing Wellowing Wellowing Wellowing al. per mi min. of flowing al. min. of flowing, cemer sacks	owing well feet feet feet feet nute. lowing well nting, pack
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1179 1185 1187 1210 1230	Top of red beds grey, variated so white hard sand Red, white, green Grey sandstone, water 1140' Sandy shale, rewhite, blue, purply yellow. Extremely hard Sandstone, soft Sandstone, saft Sandstone, hard	water	ted sh	2"Galv.	St. St. St. St. E. Di. Le C. St. St. St. St. St. St. St. St. St. St	atic Want in Present No. 1218 atic Want in Present No. 1218 at No. 1218 at No. 1218 atic Want in Present No. 1218 atic	ssure for Fl Vater Leve in gal. per Lest	for non-flowing Wellowing Wellowing Wellowing al. per mi min. of flowing al. min. of flowing, cemer sacks	owing well feet feet feet feet nute. lowing well nting, pack
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1179 1185 1187 1210 1230	Top of red beds grey, variated so white hard sands Red, white, green Grey sandstone, water 1140' Sandy shale, rewhite, blue, purply yellow. Extremely hard Sandstone, soft Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh	s ock 14, He 6 T. 1 Ration of well if possible.	St. St. St. St. E. Di. Le C. St. St. St. St. St. St. St. St. St. St	atic Wanut-in Presimping Vat. No. ischarge on Tested ength of the marks: (s, type of ty	ter Level ssure for Fl Vater Leve ne in gal. per Level Cest	for non-flowing Wellowing Wellowing Wellowing Money al. per min min. of flowing min. of flowing, cemer sacks	owing well feet ll fee nute. lowing well o
1026 1040 1050 1132 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed	Top of red beds grey, variated so white hard sand Red, white, green Grey sandstone, water 1140' Sandy shale, rewhite, blue, purply yellow. Extremely hard Sandstone, soft Sandstone, saft Sandstone, hard	water	ted sh	s ock 14, He for the first of well if possible. The representation of the representation of the first of the	Store gr. 1 Store gr. 1 Store gr. 1 E Di House gr. 1 E Di Lech gr. 15 Each gr. 2	atic Wanut-in Presimping Vat	ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing al. per mi min. of flowing.	owing well feet feet feet nute. lowing well outing, pack
1026 1040 1050 1132 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si white hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ginal 4Sec ente loca e of use, ll squar s.	sock 14, He 6 T 2 R tion of well if possible. e represents	St.	atic Want-in Presimping Vat. No. ischarge ow Tested ength of the marks: (enarks: (s, type of sacks	ssure for Fl Vater Leve Nater Leve In gal. per L. Bucker Fest. 20 Gravel pack shutoff) d in 25	for non-flowing Wellowing Wellowing Wellowing Mellowing min. of flowing, cemer sacks	owing well feet feet feet feet lowing well o nting, pack
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh	s ock 14, Ho 6 T 1' R tion of well if possible. e represents	St.	atic Wanut-in Presimping Vat. No. scharge ow Tested ength of the marks: (s, type of santage)	ter Level ssure for Fl Vater Leve in gal. per Bucker Fest. 20 Gravel pack shutoff)	for non-fle None None I Non	owing well feet feet feet feet feet lowing well oute, lowing well oute, seria.
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ted sh 4Sec. ente loca e of use, ll squar s.	s 14, He 6 T 1' p ation of well if possible represents	St.	atic Wanut-in Presimping Vat. No: scharge ow Tested ength of the control of the c	ter Level ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing in the min. of flowing, cemer in the control of the con	owing well feet feet feet feet feet feet feet feet feet nute. lowing well cement, sevide.
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ginal 4Secente loca e of use, ll squar s.	s ock 14, Ho 6 T 1' R tion of well if possible. e represents	St.	atic Wanut-in Presimping Vat. No: scharge ow Tested ength of the control of the c	ter Level ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing in the min. of flowing, cemer in the control of the con	owing well feet feet feet feet feet feet feet feet feet nute. lowing well cement, sevide.
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ted sh 4Sec. ente loca e of use, ll squar s.	s 14, He 6 T 1' p ation of well if possible represents	St.	atic Wanut-in Presimping Vat. No: scharge ow Tested ength of the control of the c	ter Level ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing in the min. of flowing, cemer in the control of the con	owing well feet feet feet feet feet feet feet feet feet nute. lowing well cement, sevide.
1040 1040 1050 1050 1170 1187	1040 1050 1080 1132 1170 1185 1187 1210 1230 Doc. Filed this_A.O.	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ginal 4Secente loca e of use, ll squar s.	s 14, He 6 T 1' p ation of well if possible represents	St.	atic Wanut-in Presimping Vat. No: scharge ow Tested ength of the control of the c	ter Level ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing in the min. of flowing, cemer in the control of the con	owing well feet feet feet feet feet feet feet feet feet nute. lowing well cement, sevide.
1026 1040 1050 1132 1170 1187	1040 1050 1080 1132 1179 1185 1187 1210 1230	Top of red beds grey, variated si White hard sand Red, white, green Grey sandstone, Water 1140' Sandy shale, re white, blue, purp yellow Extremely hard Sandstone, soft Sandstone, Hard	white hales stone varia	ted sh ginal 4Secente loca e of use, ll squar s.	s 14, He 6 T 1' p ation of well if possible represents	St.	atic Wanut-in Presimping Vat. No: scharge ow Tested ength of the control of the c	ter Level ssure for Fl Vater Leve in gal. per Bucket Fest. 20 Gravel pack shutoff)	for non-flowing Wellowing Wellowing Wellowing Wellowing in the min. of flowing, cemer in the control of the con	owing well feet feet feet feet feet feet feet feet feet nute. lowing well cement, sevide.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

19 Driller's License Number

49437

Lot 4, Block 14 Hobson Original PATRICK BARRETT

State of Montana County of Judith Basin Filed this 19th day of Bovezber A.D. 1971 at 1:30 o clock P.M. zmir

Fee \$2.00 Paid.

Approved Stock Form-State Publishing Co., Helena, Montana-42262

14 _p 15

DUPLICATE

File No.

1783 17 1070

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Dop. 1	129077	Date of Appropriation of Groundwater August 24th, 1967 Kenneth J. Bruchez, Lubin Dirkson Owner and Charles Address Robson Henry
Filed f	16 20, 20:30	Contractor (if my)
		Address of Contractor Hobson, Montana
,,,	ajd.	Date Started Aug. 24, 1967 Date Completed Ma rch 26, 1968
	N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
		water when applicable Dug into Spring about 10 ft.
		Walled with Concrete Block and installed overlow.
W		Piped to Lots 1 & 2, Block 26, Hobson Original, Residence of Charles Henry; Lot 4 in Block 26, Robson Original, Residence of Lubin Dirkson and Lots 7 & 8 Block 26, Hobson Orig. Clinic of Kenneth J. Bruchez and Lot 12 in Block 27, Residence of Kenneth J.
		Bruchez.
	x	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
SESE	S NE	estimate approximate lengths of periods of use
		Flowing Spring ; Flows approximately 500 gallens
	Indicate point of appropriation and place of use, if possible.	per hour.
		Signature of Owner Memorth Court
	Ch	Agent. for Kenneth J. Brachez, Lubin Dirkson and arles Henry Date Peb. 16th, 1970.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

44177

GW	Approved Stock Form-State Publishing Co., Helena, Montana-2234
File No	T. 14 N.R 15 East
TRIPLICATE	County Judith Basin

STATE OF MONTANA APMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration	n of Vested Groundwater Rights
	Chapter 237, Montana Session Laws, 1961)
	, of HOBSON
(Name of Appropriat	·
ave appropriated groundwater acco	State of MONTANA ording to the Montana laws in effect prior to January 1, 1962, as follows:
*	2. The beneficial use on which the claim is based
	on domestic use
	2. Data an approximate data of applicat homeficial upon and how continue
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been summer of 1915 to the present time
	E
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute)600 miner's inches per second of time
x	
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
S	domestic use only in the original townsite of Hobson
1/8W Sec6 T14 R.15 East	
cate point of appropriation	
place of use, if possible. Each	6. The means of withdrawing such water from the ground and the loca-
Il square represents 10 acres.	*
	tion of each well or other means of withdrawal
	tion of each well or other means of withdrawal. Gravity flow through 2" pipe from spring
The date of commencement and	Cravity flow through 2" pipe from spring completion of the construction of the well, wells, or other works for with-
The date of commencement and drawal of groundwater Not app	Cravity flow through 2" pipe from spring completion of the construction of the well, wells, or other works for with-
drawal of groundwater Not app	Completion of the construction of the well, wells, or other works for with-
drawal of groundwater Not app	completion of the construction of the well, wells, or other works for with-
drawal of groundwater. Not approximately the depth of water table. Not approximately the depth of water table.	Completion of the construction of the well, wells, or other works for with-
The depth of water table Not apply the depth of water table Not apply the depth of water table works for the withdrawal of grounds	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6
The depth of water table Not apply the depth of water table Not apply the depth of water table works for the withdrawal of grounds	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6
The depth of water table Not apply the depth of water table Not apply the depth of water table works for the withdrawal of grounds	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6
The depth of water table Not apply the depth of water table Not apply the depth of water table works for the withdrawal of grounds	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6
The depth of water table Not apply the depth of water table Not apply the depth of water table works for the withdrawal of grounds	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6
The depth of water table Not apply the depth of water table Not	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6 rater withdrawn each year 250,000 gallons per year in the drilling of each well if available
The depth of water table Not are So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundw. The log of formations encountered Not applica	completion of the construction of the well, wells, or other works for withplicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6 eater withdrawn each year 250,000 gallons per year. in the drilling of each well if available. ble
The depth of water table Not apply the depth of water table Not	completion of the construction of the well, wells, or other works for withplicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6 eater withdrawn each year 250,000 gallons per year in the drilling of each well if available. ble
The depth of water table Not are So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundw The log of formations encountered Not applica	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater See No. 6 eater withdrawn each year 250,000 gallons per year in the drilling of each well if available ble
The depth of water table	completion of the construction of the well, wells, or other works for withplicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6 eater withdrawn each year 250,000 gallons per year in the drilling of each well if available. ble ar nature as may be useful in carrying out the policy of this act, including county record See notice of water right filed by George E. Jay on the digit Claim Deed to John R. Cowan dated August 28, 1964, record
The depth of water table	completion of the construction of the well, wells, or other works for withplicable e type, size and depth of each well or the general specifications of any other dwater. see No. 6 rater withdrawn each year 250,000 gallons per year. in the drilling of each well if available. ble ar nature as may be useful in carrying out the policy of this act, including county record See notice of water right filed by George E. Jay on the
The depth of water table	completion of the construction of the well, wells, or other works for with- plicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6 eater withdrawn each year 250,000 gallons per year in the drilling of each well if available. hie ar nature as may be useful in carrying out the policy of this act, including county record See notice of water right filed by George E. Jay on the ad Quit Claim Deed to John R. Cowan dated August 28, 1964, recor records of Judith Basin County, Montane
The depth of water table Not are So far as it may be available, the works for the withdrawal of ground The estimated amount of ground The log of formations encountered Not applica. Such other information of a similar reference to book and page of any 13th day of November 1937; as	completion of the construction of the well, wells, or other works for withplicable e type, size and depth of each well or the general specifications of any other dwater. See No. 6 eater withdrawn each year 250,000 gallons per year in the drilling of each well if available. ble ar nature as may be useful in carrying out the policy of this act, including county record See notice of water right filed by George E. Jay on the digit Claim Deed to John R. Cowan dated August 28, 1964, record

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#726

129077

Kenneth J. Bruchez, Lubin Dirkson and Charles Henry

Spring

SESE% Sec. 6, T-14,R-15

State of Montana County of Judith Basin

Filed for record this 16% day of February 1970 A. D. at 10:30 A. N. Delight Lealie, Co. Clerk By Marian Deputy

Fee: \$2.00 paid

1641

121166

JOHN R. COVAN
. Town of Hobson

State of Montana County of Judith Easin Filed for record this 29B day of Sept. A.D. 1965 at 8:05 o'clock A.M.

pelight Leslis, Clk. & Roc.

or Det Che Kinner

or sund

66

JPLICATE		MONTANA WATER RESOURCES	County Judi Th Basin
	LOG	RECEIVED STA	ATE OF MONTANA
Top of Grou		MAR 5 13 OFFICE	OR OF GROUNDWATER CODE OF STATE ENGINEER
_	f &	Notice of Com	pletion of Groundwater
– (Elev. above	sea level		on by Means of Well
0.35	- Dravel		AFTER JANUARY 1, 1962
- 9	Ellow Clay	(Under Charter 2	237, Montana Session Laws, 1961)
- J3:	35 - Wate	an Calah Sard	Mr Address Hobson Mans
_ 30	Dravel	0//	ng Address Lewstown Mi
1	eno aint	(,	<i>7</i>
- 30	6112	Date of Notice of appropriation	n of groundwater
			1969 Date completed Jest 14, 196
35.37 -	Lift yell	Type of well	Equipment used Cable Tast
-	Clay	(Dug, driven, bored or Water use: Domestic 🛚	
.		Industrial [Drainage Other
- 37.50.	- flu b	Indicate on the diagram the met with in drilling, such as s	ne character and thickness of the different strain, clay, shale, gravel, rock or sand, etc. Sh
•	Shale	depth at which water is encoun strata and height to which the	ntered, thickness and character of water-bear
- (La	tton)		TO PERFORATIONS
		Drilled Weight (F	(Feet) (Feet) Kind From To
-		6" 65/8 00 ab	Size (Fext) (Fect)
		12# 6	41 Jack 25 36
.		75 100	Mats
_			
-			
-		N	Static Water Level for non-flowing v
- [Shut-in Pressure for Flowing Well
			Pumping Water Level 38
		w	gal. per minute.
-			Discharge in gal. per min. of flowing v
-			How Tested failer tested & Pung to
			Length of Testaler - 15 min Pury -
- 8	Lot 17, Blo lobson Origina		Remarks: (Gravel packing, comenting, page 1997)
•			Marian Arma
-		Indicate location of well and place of use, if possible. Each	
.		small square represents 40 acres.	0
.			
[(Continue on reverse si
		number of acres and loc	industrial, drainage or other. Explain, st cation or other data (i.e.: Lot, Block and Ac
-		tion).	
- 1			
Show exact	depth of bottom.		
			144
		copies to be filed by the owner with the	Cattle 1 to anno 171
ained by Griller.	county is mi		e Jarry Jenning

June 15

G

45,038

No. 719

Ralph Gardner, Owner

Lot 17, Plook 19, Hobson Orig.

State of Montana County of Judith Basin Filed this 42 day of March 1969 A. D. at 11:45 A. M.

> Delight Leslie, Co. Clerk By Marian Silla draws

Fee: \$2.00 paid

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater R (Under Chapter 237, Montana Session Laws, 1981) 1. G. I. No. 1. No.	STATE ENGINEER
STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater R (Under Chapter 237, Montana Session Laws, 1981) 1. G. I. No. 1. No.	JAN 15 1964 ights STATE ENGINEER
STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater R (Under Chapter 237, Montana Session Laws, 1981) 1. G. I. No. 1. No.	JAN 15 1964 ights STATE ENGINEER
ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater R (Under Chapter 237, Montana Session Laws, 1961) (Name of Appropriator) (Name of Appropriator) (Address) County of Judith 325177 have appropriated groundwater according to the Montana laws in effect prior to the Montana laws in effect prior to the Montana laws in effect prior to the use has been Contained at the use has bee	JAN 15 1964 ights STATE ENGINEER
Declaration of Vested Groundwater R (Under Chapter 237, Montana Session Laws, 1961) 1 Gilkey Lives Tock Inc., of Hobso (Name of Appropriator) (Address) County of Judith 1325/7, State of Marian laws in effect prior to have appropriated groundwater according to the Montana laws in effect prior to the state of the s	ights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1981) (SIKEY LIVES OCT ITIC., of Hobso (Address) (Name of Appropriator) (Address) County of Judith 1325/71 State of Mio 77 Tale have appropriated groundwater according to the Montana laws in effect prior to the Montana laws in effect prior to the Montana laws on which the claim Stock water and 3. Date or approximate date of earliest out the use has been Continued for minute) 4. The amount of groundwater claimed per minute) 50 minutes	STATE ENGINEER
2. The beneficial use on which the claim STOCK WATER And 3. Date or approximate date of earliest ous the use has been COAT 1900 4. The amount of groundwater claimed per minute) 50 minutes	(Town)
2. The beneficial use on which the claim STOCK WATER And 3. Date or approximate date of earliest ous the use has been COAT 1900 4. The amount of groundwater claimed per minute) 50 minutes	~ 3
2. The beneficial use on which the claim STOCK WATER And 3. Date or approximate date of earliest ous the use has been COAT 1900 4. The amount of groundwater claimed per minute) 50 minutes	January 1, 1962, as follows:
2. The beneficial use on which the claim STOCK WATER AND 3. Date or approximate date of earliest ous the use has been CONT 1900 4. The amount of groundwater claimed per minute) 50 minutes	,
ous the use has been ConT 1900 4. The amount of groundwater claime per minute) 50 min	is based Housen Jer Irrigation
4. The amount of groundwater claimed per minute) 50 minutes	beneficial use; and how continu-
per minute) 50 mine	inuously since
5. If used for irrigation, give the acres	
s to which water has been applied a	age and description of the lands
V' SW' NW' Bec. 6 TH RIS SEC. 6 T	HAM
ndicate point of appropriation nd place of use, if possible. Each mall square represents 10 acres. 6. The means of withdrawing such water tion of each well or other means of withdrawing such water 13.574.6.2.4.2.4.2.4.2.4.2.4.2.4.2.4.2.4.2.4.	ithdrawal The House
Rump The STOCK was	Tet 4 hougation is
7. The date of commencement and completion of the construction of the well, a drawal of groundwater. Commenced & Completed.	vells, or other works for with-
8. The depth of water table hateral Springs QT Su	rface
9. So far as it may be available, the type, size and depth of each well or the ge	neral specifications of any other
works for the withdrawal of groundwater NoT a ppuicable	
0. The estimated amount of groundwater withdrawn each year. A.11	is a vailable.
1. The log of formations encountered in the drilling of each well if available	m = /1.
	applicable
	applicable

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Signature of Owner Polent L. Sulkey Freds

Date 12-31-1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Burcau of Mines and Geology, and Quadruplicate for the Appropriator.

GILKEY LIVESTOCK, TEC

RESTRICT

State of Montana
County of Judith Basin
Filed this 31st day of
December A. D. 1963 at
1:40 o'clock P.M.

County Clerk.

Pet \$2.00 Paid.

Ł,

UPLICATE		e de la companya de l		Ω	ur Ju	litte -	Ban-
TIVALE		grand to the second sec	STATE OF	- 00		Mark Sort h	majesis esteris
	LOG FTB		TRATOR OF	GROU2	VDWATER	CODE	
Top of Gr	round	_	FICE OF ST				
(Elev. abo	ve sea level	Notice of					er
	,		riation b				
0-6	- Soil		LOPED AFT				
_	Q . 1		ohingon, Mc	•	,	•	
6-21	- Sticky	Owner Habson	Lar ilu	ay ddre	ss sent	bson 7	non
_ (la	y & Gravel	Driller Larry Je	anunga	✓.Addre	ss Leu	ustown	r, Mo
1 i	/ .						
- 37.42	- Bravel	Date of Notice of approp	•				7 101
- 10	a (whter)	Date well started					1.1.1.12
ر ا	Pay (Water)	Type of well Quel	ored or drillad)	.Equipm	ent used	Cable m drill, rotar	v or other
- 110 1	5 - Blue	, , , , , , , , , , , , , , , , , , , ,	stie 🗌 Mur	nicipal [] Sto	,	igation
- 42 - 45	o - Delle			ainage [_	PAR
- Wa	y with	Indicate on the diag	h as soil, clay	y, shale,	gravel, roo	k or sand,	etc. Sho
- Dr	avel.	depth at which water is strata and height to whi	encountered, ch the water:	thicknes rises in t	s and chara the well.	icter of wat	cr-bearii
- 1	of Colorado	Size of Size and	From	Ta		ERFORATIONS	
- Lip	of Carried	Drilled Weight Hele of Cusing	(Feet)	(Feet)	Kind	From	To
	11 0		15		Size	(Feet)	(Feet)
45 - 18	o - shale.	6 9/8 678 0) Au	45'	TORCH	77	.10
	alo)	13 #	71007E		Cur	a/	40
			TROUND	,	52075	ļ	
_	,						
-		N	Sta	tic Wat	er Level	for non-flo	wing we
							2fe
-						owing Well	
-						i A.C	
-		w	1 -		_	al. per min min. of flo	
-)	-			
-			Hov	w Tested	Bail	n to	sted
- Wal	. drilled between	Lots s				hal	
	Block 8, Hobson					cing, cemen	
Town of	. Hobson	1/4 Sec. 6 T 14	A	type of		asing	
-		Indicate location of we place of use, if possible	Each				
		small square representatives.	ts 40				
						***********	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					•		
_		USE—If used for irrig	ation, indust	trial, dra	ins or o	ther. Exp	lain, sta
_		tion).	IOOMUIUII (or owier	america (a.C.)	wood without	WALL MANG
- 120		•••••••••••••••••••••••••••••••••••••••	•••••••••	••••••			
Show exam	ct depth of bottom.		***************************************	•••••			
	· · · · · · · · · · · · · · · · · · ·			***********			
is form to he prepu	red by driller, and three copi	es to be filed by the owner	with the	144	- M	oamer	Dul
		the well is located, tissue co		Driller	's Liceuse	Number	

44,999

Hobson Ber (Emily Johnson, Ow

Between Lots 11 & 1 Black 8, Hobson Ori

State of Montana

County of Judith Basin

Filed this 14th day of

A. D. 1969 at 3:30 P.M.

County Clerk.

Top of Ground ADMINISTRATOR OF GROUNDWATER CODE ADMINISTRATOR OF GROUNDWATER CODE APpropriation of Groundwater Residual Concrete Gravel Concrete Gravel Top of Ground Notice of Completion of Groundwater Residual Laws, 1361) Appropriation by Means of Well Appropriation by Means of Well Appropriation of Groundwater Residual Laws, 1361) Once gravel vater Owner Bob Avery Address Robbon, Montana Date of Notice of Appropriation of Groundwater Residual Laws, 1361) Date well started June 9,1963 Date Completed June 12, 1963 Type of well Drilled Equipment Used Gable Tool (Cur, driven, bored or (Chura, drill, rotary or drilled) Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Water Use: Domestic Municipal Other Irrigation Industrial Irrigation Industrial Irrigation Industrial Irrigation Ir
Top of Ground Top of Ground Top of Ground CEIer above sea level
Top of Ground Top of Ground Top of Ground CEIer above sea level
Appropriation by Mean's of Well
Appropriation by Mean's of Well
Concrete Gravel Sand
Driller George C. Singley Address Levistown, Montana Date of Notice of Appropriation of Groundwater Sons Date well started June 9,1963 Date Completed June 12, 1963 Type of well Drilled Equipment Used Cable Tool (clug, driven, bored or George Stock Irrigation Industrial Drainage Stock Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Fig. Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Size and Weight of Geol George Stock From George Stock Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Size and George Stock From George George Stock Show Greet George Stock Show Greet George Stock Show Brown To George Stock Show Greet Greet G
Driller George C. Singley Address Lewistown, Montana Date of Notice of Appropriation of Groundwater None Date well started June 9,1963 Date Completed June 12, 1963 Type of well Drilled Equipment Used Gable Tool (Chur, drill, rotary or drilled) other) Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Drilled Weight of Greet (Greet) Ferror Towns From Greet (Greet) From Greet
Date of Notice of Appropriation of Groundwater None Date well started June 9,1963 Date Completed June 12, 1963 Type of well Prilled Equipment Used Cable Tool (cug, driven, bored or drilled) other) Water Use: Domestic Municipal Other Industrial Drainage Stock Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Drilled Weight of Cesting Stock Prom Greet (reet) PERFORATIONS Rind Greet (reet) Size (reet)
Date well started June 9,1963 Date Completed June 12, 1963 Type of well. Prilled Equipment Used Cable Tool (cug, driven, bored or (Churn, drill, rotary or drilled) Water Use: Domestic Municipal Other Irrigation Indicatrial Drainage Stock Irrigation Streta met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Driffied Weight of Green Green From Green From Size Green From Size Green Green
Type of well. Drilled Equipment Used Cable Tool (clug, driven, bored or drilled) Water Use: Domestic Municipal Other Irrigation Industrial Drainage Stock Tal Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Deffice Weight of Creet Personations Prom Deffice Personations Prom Size Pr
Churn, drill, rotary or other) Other The property of the content of the con
Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock I Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well. Size of Driffied Weight of Casting Prom (Feet) PERFORATIONS
Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water bearing strata and height to which water rises in the well. Size of Driffied Welght of Organia Size and Casing Prom (Feet) PERFORATIONS
strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc Show depth at which water is encountered, thickness and character of water- bearing strata and height to which water rises in the well. Size of Drilling Performance Performance
Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well. Size of Drilled Weight of Casing Weight of Casing Book Greet) PERPORATIONS
Size of Drillot Weight of Casing Prom (Feet) FERFORATIONS Casing C
Static Water Level for non-flowing Well. Shut-in Pressure for Flowing Well. Puroping Water Level. 28 feet at. 12 gal. per minute Discharge in gal. per min. of flowing well.
Static Water Level for non-flowing Well. Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Static Water Level for non-flowing Well. Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Static Water Level for non-flowing Well. 21 feet Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Shut-in Pressure for Flowing Well. Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Pumping Water Level. 28 feet at 12 gal. per minute Discharge in gal. per min. of flowing well.
Discharge in gal. per min. of flowing well
W E
How Tested Balling Length of Test 1 hr.
Remarks: (Gravel packing, cementing, packers, type of shutoff, loca
tion of place of use of groundwater if not at well, and any other similar pertinent information, including number of
Lot 4. Blk 18, Shobson Griginal acres irrigated, if used for irrigation)
Indicate location of well and place of use, if possible. Each
small square represents 10 acres.
Show exact depth of bottom.
Show exact depth of bottom. Driller's License Number

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

C -Helena Independent flecord	14N 15E .
File No	Town of Hobson
DUPLICATE	CountyJudith Basin
STATE OF MONTAN	IA IDECESSION
ADMINISTRATOR OF GROUND	WATER CODE DECEIVED
OFFICE OF STATE ENG	INEER CODE

Declaration of Vested Groundwater Rights STATE ENGINEER (Under Chapter 237, Montuna Session Laws, 1961)

	of Hobson
(Name of Appropriator)	(Address) (Town)
County of Judith Besin	State of Montana
have appropriated graundwater acc lows:	ording to the Montana laws in effect prior to January 1, 1962, as fol-
N .	O Mile less field as an article that I have I
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how con
	tinuous the use has seen
E	eontimuse sines
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute)
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner
5 Block 19, Robson Original	thereof
Sec. 6 T R	
licate point of appropriation	
l place of use, if possible.	6. The means of withdrawing such water from the ground and the
ch small square represents 10	location of each well or other means of withdrawal
es.	Have hand pump located on top of well.
	and pipe also piped into bessment with an
The date of commencement and cor	electric purp npletion of the construction of the well, wells, or other works for with
drawal of groundwatercomple	ted about 1917
	ht feet
-	
So far as it may be available, the ty	pe, size and depth of each well or the general specifications of any
	roundwater
other works for the withdrawal of	
other works for the withdrawal of	p, welled up with rock
other works for the withdrawal of	
other works for the withdrawal of	
other works for the withdrawal of a Dag well—21 feet dee	P, welled up with rock
other works for the withdrawal of a page well. 21 feet dee	p, welled up with rock ter withdrawn each year
other works for the withdrawal of a page well—21 feet dee The estimated amount of groundwa The log of formations encountered in	ter withdrawn each year Not known the drilling of each well if available
The estimated amount of groundwa The log of formations encountered in the log of serious encountered encountere	n the drilling of each well if available
other works for the withdrawal of a page well—21 feet dee The estimated amount of groundwa The log of formations encountered in	n the drilling of each well if available
The estimated amount of groundwa The log of formations encountered in No. log was Such other information of a similar	nature as may be useful in carrying out the policy of this act, including
The estimated amount of groundwa The log of formations encountered in No. log are Such other information of a similar reference to book and page of any constants.	nature as may be useful in carrying out the policy of this act, including outly record.
The estimated amount of groundwa The log of formations encountered in No. log are Such other information of a similar reference to book and page of any constants.	nature as may be useful in carrying out the policy of this act, including ounty record.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

I. H. 251

R. C. Avery Lot 4, Blk. 18 Hobson Original

121623

State of Montana
County of Judith Easin
Filed for record this 7th
day of Oct. 4.D. 1965 at 3:00
o'clock P.M.
Delight Leslie, Clk. & Rec.

Fee \$2.00 pd.

161

Deciaration of Groundwater Code 1181.78

of March A. B. 1962 at he00 o'clock.

Delight Leelie, Clerk and R.c.

Fen \$2,00 pd.

_		

	\-			
Nie No		Approved Stock Form—!	State Publishing Co., Helena, Mon	ck aftition
TRIPLICATE O E	P3 1955 STATE	OF MONTANA	,	ich Basin
	Declaration of Ves (Under Chapter 237,		_	
1. Bujd	Evelyn ne of Appropriator) Lithe Dasin	of Box	605 Ho ontana	lisan (Town)

1. Julia Chelipa	(Address) (Town)
(Ivalue of Appropriate)	Sin State of Montana (Town)
County of Mulaure KJa	ding to the Montana laws in effect prior to January 1, 1962, at follows:
nave appropriated groundwater accor	ling to the Montana laws in effect prior to January 1, 1902, at 1040ws:
N	
	2. The beneficial use on which the claim is based
	househald use
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been Constantly since
	ous the use has been Constantly since
v	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 6 gal. per minute
[,
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Lat 6 - Block 5	to which water has been applied and name of the owner thereof
This succe addition	lown, trees+garden
14 Sec 6 T./HNK./5 E	,
ndicate point of appropriation	
nd place of use, if possible. Each	
mali square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
	tion of each well or other means of withdrawal
	electric pump
drawal of groundwater 193	mpletion of the construction of the well, wells, or other works for with-
8. The depth of water table	[
9. So far as it may be available, the works for the withdrawal of grounds	type, size and depth of each well or the general specifications of any other rater 18 fect seep 5 feet in diameter
0. The estimated amount of groundwat	er withdrawn each year.
	the drilling of each well if available not known
1. The log of formations encountered in	the drilling of each well if available

reference to book and page of any co	nature as may be useful in carrying out the policy of this act, including
	~ ~
	English Breed

Signature of Owner Cuckyn Mayor
Date Sept. 2, 196

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11/37

declaration of visted

GROUND PATER RIGHTS.

SVELYH BOYD

Lot 6, Block 5, Philbrook Addition to Robson

State of Montana County of Judith Basin Filed this 2nd day of September, A. D. 1965 at 2:45 o'clock P.M.

County Clerk.

Fee \$2.00 Paid.

MARTIN & GILLET HOUSON

T 14 N	R./	5 E	(C)
County	•		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG	STATE Warmen
Owner MARTIN # GILLET	Address HOBSON MONTANA
Driller DUG WELL	Address
LOTS 1 &2 BLOCK 11 ORIGINAL TOWNS Location: Sec	ITE OF HOBSON MONT
Type of well Equipment used. (Dug. driven, bored, or drilled)	(Churn drill, rolary, other)
Water use: Domestic XX Municipal Stock	Irrigation
Casing: Of the Type	Size
Casing:ft. toft. Type	Size
Casing:ft. toft. Type	Size
Perforated or Screened: Ft to It Ft	to ft
Type of screen or perforations	
Static Water level, for non-flowing well:	fee
Shut-in pressure, for flowing well:lb./sq. in. on:	(date)
Pumping water levelfeet at	gal. per min
How tested:	
Length of test	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth OPEN WELL ABOUT 12 FT DEEP - COVERED AT TOP WI	
APPROX 4 FT IN DIAMETER - WATER DEPTH IN RELL	ABOUT 5 FEET
(iteran)	

27	Approved Stock Form. State Publishing Co., Helena, Montany -44887
File No	T 14N R 155
TRIPLICATE	County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I	J. R. Endght		of	Hobeca
	(Name of Appropriat	or)	(Address)	(Town)
County	of		State of Montana	,
have ap	propriated groundwater acco	ording	to the Montana laws in effect prior to	January 1, 1962, as follows:
		2.	The beneficial use on which the claim	is based
			Used for entering garden, tro	ec and law:
		3.	Date or approximate date of earliest be	neficial use; and how continu
			ous the use has been August, 19 continuously since that time.	A. Has been used

		4.	The amount of groundwater claimed per minute)	(in an s inches or gallon mirate
			*	
<u></u>	s	5.	If used for irrigation, give the acreage to which water has been applied and	name of the owner thereo
S	cc (TIM R. 15 F		of the Original Townsite of	Holomona Horritana
dicate pe	pint of appropriation fuse, if possible. Each		moned by J. E. Enight and Ro	ee H.Kriight
all squar	e represents 10 acres.	6.	The means of withdrawing such water i	from the ground and the loca
			tion of each well or other means of with through 2 rectand to 1	ipe, from a well
. The da	te of commencement and co	mpletic	Original Townston of the mail and	
arawai	or groundwater	HILLIAM AND AND AND AND AND AND AND AND AND AND		
			5	.,,,
. The de	pth of water tableAR	aryontina	ately # ft. Veries in cepth.	
WOLVS 1	or the Wilnerawal of propa	WATER	ize and depth of each well or the gener.	7
**********	***** *********************************	**********	***************************************	^^************************************
***********				******************
The aut	instal small comment			**************************************

The log	of formations encountered i	n the d	rilling of each well if available	*************************************
*********	***************************************	******		**********************
Such of				
reference	se to more and bage of any o	county	e as may be useful in carrying out the	**************
**********	***************************************	***********		······································
			Signature of Owner.	Thereight -
			Date. Se	st. 28, 1965.
ree copies	to be filed by the owner wit	h the C	ounty Clerk and Recorder of the county	
			state, otherwise the form will be return	
	on Amounting it incessions	anar, 60	recue, uncruise the form will be return	ea.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

39660

7640

121165

TEST A GROUNDWAY IN MICHIES J. R. KRICHT

Town of Hobson

State of Mont. County of Judith Basin
Filed for record this 29th
day of Sept. A.D. 1965 at 8:00
o'cluck A.M.

Delight Leslie, Clk. & Rec.

STATE WATER CONSERVATIO	A ROAKA	
v 00T 1.1 1955	Approved Stock For	Townsite of Robson
le NoBille McDermett McNelly		THOM R. 15
UPLICATE Morton	The design of the state of the	County Judith Basin
DartintonSulfivan	STATE OF MONTANA	
	NISTRATOR OF GROUNDWAY	TER CODE
•	OFFICE OF STATE ENGINEE	R
MM. 2 .3		
	of Vested Ground	
· (Under	Chapter 257, Montana Session I	Jaws, 1961)
Caroline T. Loebach	of	
(Name of Appropriate		
have appropriated groundwater according	rding to the Montana laws in e	ffect prior to January 1, 1962, as follows:
N .	<u> </u>	
		hich the claim is based
	Household	and garden
	2 Data on approximate dat	e of earliest beneficial use; and how continu-
		approximately 1910
E	4	
	4. The amount of groundy	vater claimed (in miner's inches or gallons
		llene per minute.
	5. If used for irrigation, g	ive the acreage and description of the lands
S		en applied and name of the owner thereof
8 10 and li Blk 5. Philbroom		prden on Lots 9 and 10 and 11
dicate point of appropriation		TO ALMOND TO THE TO THE TOTAL THE TOTAL TO T
d place of use, if possible. Each	6 The monne of withdrawi	ng such water from the ground and the loca-
nall square represe ts 10 acres.		er means of withdrawal
. The date of commencement and co	mpletien of the construction of	the well, wells, or other works for with-
urawai oi groundwater		

V601436466464-00004481004110		
. The depth of water table13		
The depth of water table	type, size and depth of each w	ell or the general specifications of any other
The depth of water table	type, size and depth of each w	ell or the general specifications of any other
The depth of water table	type, size and depth of each w lwater puz well and liv	ell or the general specifications of any other
The depth of water table	type, size and depth of each w lwater	ell or the general specifications of any other
The depth of water table	type, size and depth of each w lwater	ell or the general specifications of any other
The depth of water table	type, size and depth of each w lwater	ell or the general specifications of any other
The depth of water table	type, size and depth of each wellwater. Dig well and live the control of the control of each well if a control of each well in the control of each	ell or the general specifications of any other
The depth of water table	type, size and depth of each wilwater. Dug well and live depth. ater withdrawn each year	ell or the general specifications of any other and with rook.
The depth of water table	type, size and depth of each wilwater. Dug well and live depth. ater withdrawn each year	ell or the general specifications of any other

Signature of Owner Case Cone Date Oct 86h, 1965.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engines. Triplicate to the Montana Bureau of Mines and Goology, and Quadruplicate for the Appropriator.

#642

CAROLINE T. LOEBACH Hobson, Montana

County of Judith Basin
Filed for record this Sm
day of October A.D. 1965 at
11:00 o'clock A.M.

Delight Leslie, Clk. & Rec.

GW 2 Approved Stock Form-State Publishing Co., Helena, Montana-423. File No. DUPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE ENGINEER OFFICE OF STATE ENGINEER Top of Ground Notice of Completion of Groundwater (Elev. above sea level. Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962 (Under Chapter 237, Montaga Session Laws. 1961) Ton Martin and Address Hobson, Montana Owner Everett Cummings Topsoil Driller George C. Sir by Address Lewistown, Montana Clay, Sand, Gravel Water 24-28 Date of Notice of appropriation of groundwater. Date well started June 13,1963 Date completed June 15,1963 Equipment used Cable Tool Type of well Drilled (Dug, Driven, boxed or drilled) (Churn drill, rotary or other) Domestic Municipal Stock | Irrigation | Water use: Industrial [Drainage 🔲 Other [5] Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well. Size of Drilled Size and Weight **PERFORATIONS** (Feet) (Feet) of Cerias Kind (Feet) 50 SPOAG 28 Static Water Level for non-flowing well Shut-in Pressure for Flowing Well..... Pumping Water Level 25 icet at gal. per minute. Discharge in gal. per min. of flowing well How Tested Bailing Length of Test. Remarks: (Gravel packing, cementing, pack-Town of Hotson Original ers, type of shutoff) Gasing Griven Lot 4. Block 13 Colle THINRITE Indicate location of well and place of use, if possible. Each small square represents 40(Continue on reverse side) USE-If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addi-Ured at Be and Grocery Store Show exact depth of bottom.19 This form to be prepared by driller, and three copies to be filed by the owner with the Driller's License Number County Clerk and Recorder in the county in which the well is located, tissue copy to be Joago Lin Driller's Stenature retained by driller. Please answer all questions. If not applicable, so state, otherwise the form will be returned.

124034

WATER WELL EVERETT D. CUMMINGS AND TOM MARTIN

Hobson, Original

State of Montana County of Judith Basin Filed for record this 302 day of March A.D. 1965 at 10:30 o'clock A. M.

Delight Leslie. Clk. & Rec.

•	2	4	

Approved Stock Form-State	Publishing Co.	Helena	Montaria_47234	ண்ட்.	 3 /
White Andre Louis-21816	Fuchshing Co.,	rierena.	Montana		~ 0

File No....

T 14/ R 15 E

DUPLICATE

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

JAN 1 5 1964

R

(Urder Ch	apter 237, Montana Ses	sion Laws, 1961)	STATE ENGINE
1. Cassandra O. Phelps (Name of Appropriator) County of Judith Basin have appropriated groundwater according	State of.	(Address) Mon tana	(Town)
Lot 5, Block 23 Hobson Orige 14. Sec. T. R. Indicate point of appropriation and place of use, if possible. Each mall square represents 10 acres.	2. The beneficial use house use and 3. Date or approximate out the use has be bug well 1908; house use. Ir: 4. The amount of graper minute)	on which the claim is a yard and garden ate date of earliest beren Followed a dug. This well about I rigation seasonal roundwater claimed (No. idea. Claim tion, give the acreage as been applied and y lots where need the control of	irrigation eficial use; and how continu well that fell in, 95 45. Year round in miner's inches or galion all there is. and description of the land name of the owner thereo
The date of commencement and complete drawal of groundwater 1945 or the second of groundwater and running the second of groundwater and grou	It varies with irra dug well at ten pe, size and depth of eter I was absent whell and I paid \$37. The pump as many as	igation from ick feet. ach well or the gener en the well was 00 at one dollar 18 hours has nev	ex Lake. My al specifications of any other completed. The per foot. I have ex purped the well dr
The estimated amount of groundwater withdrawn each year			
2. Such other information of a similar n reference to book and page of any cour. This is all I know.	ature as may be useful	in carrying out the	policy of this act, includin

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Griginal to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

File 30. 623

Causaudra O. Phelps Seco Hobson Original

State of Montana

County of Judith Basin

Filed for record this

31st day of Dec. A. D. 1963

at 4:06 P. N.

Fee \$2.00 Paid.

			-19	
G.	-Helenz Independent Record		Town of Robson	
File	e No		T 11/1/ R 15/E	
DU	PLICATE		CountyJudith Basin	
	ADMINISTRA	STATE OF MONTANA ATOR OF GROUNDWATER CO CE OF STATE ENGINEER	DE DE TOTAL	
	Declaration (Under Chapte	er 237, Montana Session Laws, 1	ights JAN 1 F 15050 961) STATE ENGINEER	
1	Virgil E. Stewart (Name of Appropriator)	(Address)	(Town)	
	County of Judith Basin have appropriated groundwater accord	State of Montana laws in effe	ontana ct prior to January 1, 1962, as fol-	
	lows:	3		
			he claim is based	
	3	. Date or approximate date of ea	arliest beneficial use; and how con-	
			1-1940 and in continuous	
w	E			
	4	-	aimed (in miner's inches or gallons	
		per minute; #2— flows	40 gallons per minute.	
Į	5 s	 If used for irrigation, give the lands to which water has been 	ne acreage and description of the n applied and name of the owner	
•••	ct 6, Rik 32- Hobson Original	Lot 6 in Blook 32,	a garden in Hobson Original	
	ndicate point of appropriation nd place of use, if possible.		ch water from the ground and the	
E	ach small square represents 10	-	means of withdrawal	
a	cres.		installed: ith Electric motor installed.	
7.	The date of cuminencement and compl			
	drawal of groundwaterl tarted in completed that year.	1. 1.940 and sompleted 2	Started in 1959 and	
8.	The depth of water lable #1 20 Ft	#23 Ft.		
9.	other works for the withdrawal of ground	undwater fl- Dug wall and	walled with brick and	
	concrete and is 10 ft. deep.			
10.	The estimated amount of groundwater	withdrawn each year Notkg	noun.	
	. The log of formations encountered in the drilling of each well if available			

12. Such other information of a similar nature as may be useful in carrying out the policy of this let, including reference to book and page of any county record.

None

Signature of Owner The April 1 The State of
Date 17th, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#338

Vested Groundsater Rights VIRGIL E. STEARS Lot 5, Blk. 32, Robson, Grig.

122031

State of Montana

County of Judith Beain

Filed for record this 17th day
of Dec. A. 2. 1953 at 3:05 o'clock
P.M.

Delight Leslie, Clk. & Roc.

. Otty But men

Fee \$2.00 pd.

County of Judith Basin State of Montana have appropriated groundwater according to the Mor ana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based domestic use 3. Date or approximate date of earliest beneficial use; and how continuous the use has been intuous the use has been 1920. 4. The amount of groundwater claimed (in miner's inches or gallow per minute) 4. The amount of groundwater claimed (in miner's inches or gallow per minute) 4. The amount of groundwater claimed and name of the own thereof f garden and description of it lands to which water has been applied and name of the own thereof f garden and lawn 6. The means of withdrawing such water from the ground and it location of each well or other means of withdrawal acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater	ile No			T 14 R 15
Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1981) Cecti J. Vright (Name of Appropriater) County of Judith Basia have appropriated groundwater according to the Mor'ana laws in effect prior to January 1, 1962, as follows: N 2. The beneficial use on which the claim is based domeatic use domeatic use domeatic use 3. Date or approximate date of earliest beneficial use; and how co tinuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallo per minute) 4. Deallon per minute) 4. The amount of groundwater claimed (in miner's inches or gallo per minute) 4. The amount of groundwater claimed (in miner's inches or gallo per minute) 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own theireof f garden end lawn 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own theireof garden end lawn 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own theireof garden end lawn 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own theireof garden end lawn 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or the well, wells, or other works for with drawal of groundwater withdrawn each year unknown 6. The estimated amount of groundwater withdrawn each year unknown 6. The estimated amount of groundwater withdrawn each year unknown 7. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.	UPLICATE	æ	TATE OF MONTANA	CountyJudith. Basin
(Under Chapter 237, Montana Session Laws, 1961) STATE EXCEMEER Cooll J. Wright of Appropriator) County of Jadith Basin State of Montana have appropriated groundwater according to the Mor ana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based domeatic use. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallow per minute) 4. See 6. Tle R.15. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater groundwater groundwater be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater withdrawn each year unknown 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		ADMINISTRA	TOR OF GROUNDWATER CODE	
(Under Chapter 237. Montana Session Laws, 1961) STATE ENGINEER Ceoil J. Wright of Appropriator) County of Judith Banin State of Montana have appropriated groundwater according to the Mor ana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based domactic use 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallon per minuto) 40. gallon per minuto) 40. gallon per minuto) 40. gallon per minuto of the own thereof f garden and lawn 41. Sec. 5. T.18. R.15. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof f garden and lawn 40. gallon per minuto) 40. gallon per minuto 40. garden and lawn 61. The means of withdrawing such water from the ground and the leading of the own thereof f garden and lawn 62. The means of withdrawing such water from the ground and the leading of groundwater glocation of the construction of the well, wells, or other works for with drawal of groundwater groundwater 83. The depth of water table groundwater withdrawn each year unknown 44. The imperimentation of groundwater withdrawn each year unknown 45. The estimated amount of groundwater withdrawn each year unknown 46. The estimated amount of groundwater withdrawn each year unknown 47. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.		Declaration o	i Yested Groundwater Righ	IS JAN 13 SM
(Nome of Appropriator) County of Juddha Sasta State of Montana have appropriated groundwater according to the Mor and laws in effect prior to January 1, 1962, as fo lows: N 2. The beneficial use on which the claim is based dansetic use. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 4. Sec. 5. T.14. R.15. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater 8. The depth of water table 2. St. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20. It is about 1920 with valls rocked up 1. The log of formations encountered in the drilling of each well if available 1. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.		(Under Chapte	er 237, Montana Session Laws, 1967	STATE ENGINEER
County of Judith Basin State of Montana have appropriated groundwater according to the Mor ana laws in effect prior to January 1, 1962, as fo lows: 2. The beneficial use on which the claim is based domestic use 3. Date or approximate date of earliest beneficial use; and how continuous the use has been dinuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 4. Sec 6. T.14 R.15. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater table 2 ft. 8. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater withdrawn each year unknown 1. The log of formations encountered in the drilling of each well if available no log available. 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	Geoil J.	Wright	of	Hobsen
have appropriated groundwater according to the Mor ana laws in effect prior to January 1, 1962, as fo lows: N 2. The beneficial use on which the claim is based			(Mulicos)	(IOWII)
2. The beneficial use on which the claim is based denoratic uses 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallor per minute) 40. Gallon per min. 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 1 garden end lawn 14. Sec. 6. T.14. R.15. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1. The depth of water table 2 ft. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	have appropriated g	roundwater accordi	ng to the Mor ana laws in effect	prior to January 1, 1962, as fo
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 7. The depth of water table 2. St. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft, deep with rook walls 9. The estimated amount of groundwater withdrawn each year 10. The estimated amount of groundwater withdrawn each year 11. The log of formations encountered in the drilling of each well if available 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	N		The beneficial use on which the	claim is based
tinuous the use has been 1920 4. The amount of groundwater claimed (in miner's inches or gallon per minute) 40. gallon per ain. 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owns thereof 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owns thereof 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal acceptance. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 8. The depth of water table 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20. ft. deep with rook walls 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.			domestic us	8
4. The amount of groundwater claimed (in miner's inches or gallor per minute) 4. The amount of groundwater claimed (in miner's inches or gallor per minute) 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 8. The depth of water table 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20. ft. deep with rock walls 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		3.		
4. The amount of groundwater claimed (in miner's inches or gallor per minute) 4. The amount of groundwater claimed (in miner's inches or gallor per minute) 4. The amount of groundwater claimed (in miner's inches or gallor per minute) 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal marked and the location of each well or other means of withdrawal marked and the location of each well or other means of withdrawal marked and the location of each well or other means of withdrawal marked and the location of each well or the will, wells, or other works for withdrawal of groundwater 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 8. The depth of water table 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 fb. deep with rock walls 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
per minule) 40 gallon per min. 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the own thereof 6. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other works for withdrawal of groundwater 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater label 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater withdrawn each year 20 ft. deep with rook walls 7. The estimated amount of groundwater withdrawn each year 20 ft. deep with rook walls 21. The log of formations encountered in the drilling of each well if available 22. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		E		
per minute) 40 gallon per min. 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other works for withdrawal of groundwater 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 8. The depth of water table 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls 9. The estimated amount of groundwater withdrawn each year 10. The log of formations encountered in the drilling of each well if available 11. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.		4.	The amount of groundwater claim	ed (in miner's inches or gallor
8, Blk. 35, Hobson Orig. 1. Sec. 5. T.14. R.15. 1. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owns thereof. 1. Sec. 5. T.14. R.15. 1. Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 1. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater. 2. The depth of water table 2. St. 3. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater. 2. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater. 2. Oft. deep with rock walls 3. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owns thereof. 5. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal means of withdrawal acres. 2. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater. 2. The log of formations encountered in the drilling of each well if available. 3. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.			· ·	-
thereof garden and lawn Whereof garden and lawn The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater The depth of water table So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls The log of formations encountered in the drilling of each well if available Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well, wells, or other works for with drawal of groundwater location of the construction of the well, wells, or other works for with drawal of groundwater location of each well or the general specifications of an other works for the withdrawal of groundwater location of each well or the general specifications of an other works for the withdrawal of groundwater locations of each well or the general specifications of an other works for the withdrawal of groundwater locations walls The log of formations encountered in the drilling of each well if available location of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		5.	If used for irrigation, give the lands to which water has been a	acreage and description of the owner of the owner.
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal means are selectric pusp. 7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater well in about 1920 with walls rocked up. 8. The depth of water table 2.ft. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater with rock walls. 10. The estimated amount of groundwater withdrawn each year unknown. 11. The log of formations encountered in the drilling of each well if available no log available. 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	8, Blk. 35, Hobbo	n Urig.	thereof garden	end lawn
and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of groundwater means of withdrawal of the well, wells, or other works for with drawal of groundwater means of withdrawal means of withdrawal means of withdrawal means of withdrawal of the well, wells, or other works for with means of withdrawal means of withdra		4. R. 15.		
Each small square represents 10 acres. location of each well or other means of withdrawal electric pump 7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater 8. The depth of water table 2. It. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20. It. deep with rock walls 0. The estimated amount of groundwater withdrawn each year 1. The log of formations encountered in the drilling of each well if available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater 8. The depth of water table 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls 1. The log of formations encountered in the drilling of each well if available 20 log available 2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.			-	-
7. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater				
8. The depth of water table 2.5t. 9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20.5t. 1. The log of formations encountered in the drilling of each well if available 2.5t. 1. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls 0. The estimated amount of groundwater withdrawn each year 1. The log of formations encountered in the drilling of each well if available 1. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	drawal of groundwa	ater	me well in about 1920 wi	th walls rocked up
9. So far as it may be available, the type, size and dep'h of each well or the general specifications of an other works for the withdrawal of groundwater 20 ft. deep with rook walls 1. The log of formations encountered in the drilling of each well if available 1. The log of formation of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	8 The denth of water	table		
The estimated amount of groundwater withdrawn each year	9. So far as it may be	available, the type,	size and dep'h of each well or the	e general specifications of an
The estimated amount of groundwater withdrawn each year unknown The log of formations encountered in the drilling of each well if available no log available Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
O. The estimated amount of groundwater withdrawn each year	******************************	······		
O. The estimated amount of groundwater withdrawn each year 1. The log of formations encountered in the drilling of each well if available 1. The log of formation of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.				
2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.	1. The log of formation	is encountered in th	e drilling of each well if available	
2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record		ao	log available	
2. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	•••••			
	•	ion of a similar nati	ure as may be useful in carrying ou	t the policy of this act, includin
			•	
Signature of Owner Clear Wrigh	reference to book an			
Signature of Owner Date	reference to book an			
Date 2005	reference to book an			a Darion
	reference to book an		Signature of Owner./.	cecel Wrigh

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#317

VESTED GROUNDWATCH RIGHTS Cooll J. Wright

Lot 6, Blk. 35, Robson Orig.

122030

State of Montana County of Judith Basin Filed for record this 17th day of Dec. A.D. 1963 at 5:00 o'clock P.H. Delight Lesse, Clk. & Roc.

be Metter Chellinou Boy.

Fee \$2.00 pd.

STATE OF MONTANA

County Judith Basin

		FOR OF GROUNDWATER CODE E OF STATE ENGINEER DECEVE
D		Vested Groundwater Rights AUG 15 1963 237, Montana Session Laws, 1961) STATE ENGINEER
(Name of App County of	propriator) Basin	of Hobson (Address) (Town) State of Hontana g to the Montana laws in effect prior to January 1, 1962, as fo
Nows.	2.	The beneficial use on which the claim is based
	3.	Date or approximate date of carliest beneficial use; and how continuous the use has been
	E	19h5
	 	The amount of groundwater claimed (in miner's inches or gallor per minute) 50 gallors per minute
5	5.	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner.
11, Blk.6, Philbreck Ad Sec. 7 Tll. R own of Hobson Indicate point of appropria	.15	thereof and garden
and place of use, if possi Each small square represent acres.	ible. 6,	The means or withdrawing such water from the ground and the location of each well or other means of withdrawal
drawai of groundwate.		ion of the construction of the well, wells, or other works for with
8. The depth of water table	-	
 So far as it may be avail other weeks for the with 	able, the type, si	ze and depth of each well or the general specifications of ar
		mented from bottom of beament to vain of water
		vithdrawn each year
1. The log of formations en	countered in the	drilling of each well if available
reference to book and pa	ge of any county	re as may be useful in carrying out the policy of this act, including record
•	•	Signature of Owner Mary E Fregre Date August 13, 1963
•	•	Date 13 _ 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.