#224

V. G. Rights ARTHUR W. ANDERSON Sw\{\}Sw\{\} Sec. 7-18-9 £20745

State of Hontana County of Judith Basin

Filed for record this 6th day of Feb. A.D. 1963 at 2:35 F.M.

Delight Leslie, Client and Rec.

Fee \$2.00 pd

GW	4

Approved Stock	Form-State	Publishing	Co., Helena,	Montana 12234

A.m.a	í
e s	
	Ť,

File No.

DUPLICATE

STATE OF MONTANA

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Law 1994)

STATE ENGINEER

(Name of Appropriator)	(Address)	(Town)
county of And 1th Them.	g to the Montana laws in effect prior to Ja	musry 1 1962 as follows:
	g to the Montana laws in effect prior to go	musty 1, 1000, as 10110"s.
N	2. The beneficial use on which the claim is b	hasa
	dema the main street water	
	3. Date or approximate date of earliest ben	
	ous the use has been 1 and in the man all	
E		
	4. The amount of groundwater claimed (
	per minute) 27 20 20 20 20 20 20 20 20 20 20 20 20 20	

	5. If used for irrigation, give the acreage to which water has been applied and	and description of the lan
s	Not are lie able	name of the owner there
14 Sez. 2 T. 180R. 35		
cate point of appropriation		
place of use, if possible. Each	6. The means of withdrawing such water f	rom the eround and the le
ll square represents 10 acres.	tion of each well or other means of withd	
	Fump	
The date of commencement and comp drawal of groundwater. Research and compared to the commencement and compared to the compared to t		s, or other works for wit
The depth of water table	letion of the construction of the well, wells name of the construction of the well, wells name of the construction of the well of the general state of the g	s, or other works for wi
The depth of water table	letion of the construction of the well, wells, wells, and more and depth of each well or the general results and d	s, or other works for wit
The depth of water table	letion of the construction of the well, wells, wells, and more and depth of each well or the general results and d	s, or other works for wit
The depth of water table	letion of the construction of the well, wells, wells, and more and depth of each well or the general results and d	s, or other works for wit
The depth of water table	letion of the construction of the well, wells. DOSEO DE CONSTRUCTION DE LA	s, or other works for win
The depth of water table	letion of the construction of the well, wells, wells, and more and depth of each well or the general results and d	s, or other works for win
The depth of water table	letion of the construction of the well, wells nownown; sensor is the ly 1224	s, or other works for wi
The depth of water table	letion of the construction of the well, wells. DOSEO DE CONSTRUCTION DE LA	s, or other works for win
The depth of water table	letion of the construction of the well, wells nownown, and activities the letter 1971. be, size and depth of each well or the general well. withdrawn each year and a late of the construction of the well.	s, or other works for win
The depth of water table	letion of the construction of the well, wells nownown, and activities the letter 1971. be, size and depth of each well or the general well. withdrawn each year and a late of the construction of the well.	s, or other works for wi
The depth of water table	letion of the construction of the well, wells nownown, and activities the letter 1971. be, size and depth of each well or the general well. withdrawn each year and a late of the construction of the well.	s, or other works for wi
The depth of water table	letion of the construction of the well, wells nownown; and set is the ly 122. be, size and depth of each well or the general well. withdrawn each year and a sailable are drilling of each well if available ture as may be useful in carrying out the	s, or other works for wi
The depth of water table	letion of the construction of the well, wells nownown; and set is the ly 122. be, size and depth of each well or the general well. withdrawn each year and a sailable are drilling of each well if available ture as may be useful in carrying out the	s, or other works for with the specifications of any other
The depth of water table So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the state of the st	letion of the construction of the well, wells and so as a second well or the general well withdrawn each year and a second well if available.	pelicy of this set, including
The depth of water table	letion of the construction of the well, wells now not represent the letter of each well or the general well withdrawn each year and depth of each well or the general welling of each well if available ture as may be useful in carrying out the ty record when the letter of Owner C. C. Signature of Owner C	pelicy of this set, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 32855 Clarence Anderson

Sec. 8-18-9

State of Montana
County of Judith Basin
Filed for record this
31st day of Dec. A.D. 1963
at 3:22 o'clock P.M.
Delight Leslie, Clerk and R.c.

\$2.00 pd.

GW3

File No..

T. 18 R. 9

TRIPLICATE

County Julibb Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Contractor (if any)
	Address of Contractor
	Date Started Date Completed
N .	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
	Pips leading from Spring to the bouse
	and also used for irrigation
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
8 W214 Sec. 12 T 16 R9	tent estimate approximate lengths of periods of use
ndicate point of appropriation nd place of use, if possible.	Flow of water from Spring Approximately
	400 gallons an hour.
	Signature of Owner Hand
	DateJamuary 2nd, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

INDEXED	
Language Control of the Lot of th	

STATE OF MONTANA
COUNTY OF JUDITH BASIN 85

Filed this 2nd day of Jan A. D. 19 62

at 9:00 o'clock A. M.

Delight Leslie

County Recorder

Bitt., Deputy

Fire 2 pd

File No....

$\mathbf{T}_{\mathrm{c}}=\frac{28}{3}$	 R 2
.	

County Judith Pasin

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 207, Montana Session Laws, 1961)

**************************************	Anna Ma	e Hill of Geyser	: Iontana
(Name of Appro	priator	(Address)	(Town)
County of Judital have appropriated groundy lows:	vater accord	State of Nontana laws in effect p	mttna rior to January 1, 1962, as fol-
N	2	The beneficial use on which the domestic and s	elaim is basedstock
x	3	B. Date or approximate date of earlie tinuous the use has been	st beneficial use; and how con-
	E	Oc	10, 1957
	4	The amount of groundwater claim per minute) 69 gal.	per mij.
5	5	i. If used for irrigation, give the a	creage and description of the
NW 1/4 Sec; 13. T. 18. R.9.		thereof	-
ndicate point of appropriation nd place of use, if possible	on le. 6	6. The means of withdrawing such v	water from the ground and the
	r A		
•	10	location of each well or other med	P
The date of commencemen	t and compl	Electric pur	wells, or other works for with-
The date of commencemen drawal of groundwater	t and compl	etion of the construction of the well,	wells, or other works for with-
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab	t and comple	etion of the construction of the well, Completed Oct. 10, 1957. Let to 25! varies during year size and depth of each well or the	wells, or other works for with-
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab other works for the withdraware.	t and complete the type, rawal of grounds	etion of the construction of the well, Completed Oct. 10, 1957 Lit to 25! varies during year size and depth of each well or the	wells, or other works for with-
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab other works for the withdr	t and comple	etion of the construction of the well, Completed Oct. 10, 1957. Let to 25! varies during year size and depth of each well or the	wells, or other works for with-
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab other works for the withdr	t and complete the type, rawal of grounds casin.	etion of the construction of the well, Completed Oct. 10, 1957 Lit to 25! varies during year size and depth of each well or the undwater 5h feet of he casing	wells, or other works for with- general specifications of any up to 281 of surface.
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab other works for the withdrawards for the withdrawards amount of groundwater The log of formations encounts to 10 Surface	t and complete the type, rawal of groundwater untered in the scoil bl	etion of the construction of the well, Completed Oct. 10, 1957 Lit to 25! varies during; year size and depth of each well or the undwater Sh feet of in casing g perforacted 12! from bottom withdrawn each year ne drilling of each well if available ack 38 to 55 r	wells, or other works for with- general specifications of any no to 28° of surface.
The date of commencemen drawal of groundwater The depth of water table So far as it may be availab other works for the withdrawith the withdrawith the stimated amount of groundwater table. The log of formations encounts to 10 Surface 15 surface 15 to 25 rock a 25 to 38 clay y Such other information of	t and complete the type, rawal of groundwater untered in the secil black and gravel as similar nations.	etion of the construction of the well, Completed Oct. 10, 1957 Let to 25! varies during; year size and depth of each well or the undwater Sh feet of he casing a perforacted 12! from bottom withdrawn each year me drilling of each well if available ack ack 38 to 55 relations to the casing out the case of the ca	wells, or other works for with- general specifications of any no to 28° of surface. ck shells brown water hale blue
The depth of water table So far as it may be availab other works for the withdress. The estimated amount of the log of formations encount to 10 Surface 15 to 25 rock a 25 to 38 clay y Such other information of	t and complete the type, rawal of groundwater untered in the secil black and gravel as similar nations.	etion of the construction of the well, Completed Oct. 10, 1957 The to 25! varies during year size and depth of each well or the undwater 5h feet of he casing perforacted 12! from bottom withdrawn each year me drilling of each well if available ack 38 to 55 re 108 55 to 50 si ture as may be useful in carrying out the record	wells, or other works for with- general specifications of any no to 28 of surface. ock shells brown water hale blue

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

#190

120238

Declaration of Vested Groundwater Rights.

SWAWNW Sec. 13-18-9

ANNA MAE HILL

Filed this 31st day of Oct.

A. D. 1962 at 2:30 o'clock P.M.

amaka:

Delightelle

Fee. \$2.00 Paid.

T 18 R 9

DUPLICATE

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater Oct. 10, 1961
	at al
	Owner Mrs. Anna Nas Hill Address Geyser
	Contractor (if any) Fred Youderien
	Address of Contractor
	Date StartedOct 91961 Date CompletedQct
и	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
<u> </u>	water when applicable
	into tank, water depth 2 feet
*	**
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
8 NE 4 NE Sec 14. T 18. R.9	tent estimate approximate lengths of periods of use
ndicate point of appropriation	10 gallons per minute. Timed how long
nd place of use, if possible.	
	it took to fill tank.
	Signature of Owner access The Here
	Date 10-31-61

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

APPROPRIATION OF SPRING

Filed this jist day of Orisber A.D. 1962 at 2:50 o'elesk P.M.

File No...

T 18 N R 9 E County Judith Basin

DUPLICATE

gw∵ ÷

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

		237, Montana Session Laws, 1961)	
G . D. D. D. D. D. D. D. D.		•	
(Name of App	ropriator)	of Geysar (Address)	(Town)
County of Judi have appropriated ground lows:	ith Rasin dwater accordin	g to the Montana laws in effect prior to	January 1, 1962, as fol-
N	2.	The beneficial use on which the claim i	
		D-40	
		Date or approximate date of earliest ben tinuous the use has been	
	E	continuous thereafter.	
	1		
	4.	The amount of groundwater claimed (in per minute) 17 gal. per min	-
	-	per innuter	
g	5.	If used for irrigation, give the acreage lands to which water has been applied	e and description of the
3 and 30 ann	-	thereof Not applicable	
NW Sec. 16 TISN R			
ndicate point of appropriat ind place of use, if possi		The means of withdrawing such water	from the ground and the
Each small square represents		location of each well or other means of	
cres.		Well located as set forth	to the left
. So far as it may be availa other works for the with	able, the type, si drawal of groun	showing of water; 95' good ize and depth of each well or the gene dwater Drilled well; 40's of	ral specifications of any
	•		
The estimated amount of	groundwater s	withdrawn each year 5,500,000 gal	Llons
Hard light colored Hard black shale;	ountered in the lack and gr i rock: 100 145'-150'	drilling of each well if available 0 ey shale and some sandstone '-130' Hard brown rock-faul Black shale and soft spots;	70'-100' ty: 130-145' 150' Herd
. Such other information of	f a similar natu ge of any count	re as may be useful in carrying out the po y record None	olicy of this act, including
		· · · · · · · · · · · · · · · · · · ·	
		Signature of Owner Esta-	unce ander
		Signature of Owner (Cala)	mary 27, 196
nree copies to be filed by the	e owner with th	ne County Clerk and Recorder of the cou	
lease answer all questions. I	f not applicable	, so state, otherwise the form will be re-	turned.

Doc. No. 118850

DECLARATION OF VESTED OROUND-WATER RIGHTS

CLARENCE O. ANDERSON

ME NW Sec. 16-18-9

STATE OF HOWTANA

COUNTY OF JUDITH BASIN

Filed this 30th day of January A.D., 1962 at 8:10 o'clock A.M.

Delof Holles

Fee \$2.00 Paid.

8-60		T18	N R. 98	
			ith Rasin	
	MONTANA BUREAU OF MIN Butte, Mont	ES AND GEOLOG ana	x (n > 2.81 > (ii)	
Section 16	Water Well	Log	STATE ENGL	NEER
8	State Lease Owner Clarence O. Anderson	a Addre	ess Ceyser, Monte	20
			410 Fourth Ass	
	Driller Joe W. Asfedt	Addre	ess Creet Faile,	Montana
	Date Started 100 2 196	Date	Completed June 7	1961
	Location: Sec. 16 T. 1	8 N R. 9 &	1 sec. NRk of	NUN
——————————————————————————————————————				
Type of well	Drilled Equi	pment used C	able Tool	
(Dr	ug, driven, bored, or drilled)		(Churn, drill, rotary,	other)
later use: Don	mestic Municipal	Stock X	Irrigation]
	strial Drainage			
asing: 0	ft. to 40 6 ft. Typ	e Black Iron	Size 6"	
asing:	ft. toft. Typ	e	Size	
Casing:	ft. toft. Typ	e	Size	
· ·	creened: Ft. None to ft.			
		• • • •		
Type of screen o	or perforations None			
Static water lev	vel, for non-flowing well:	41'		feet.
Shut-in pressure	e, for flowing well:	1b./sq.	in. on:	
			(dute)	
Pumping water le	evelfeet at	17 g	al. per min	
How tested: Ma				
	_			
Length of test_	4 hour			
	el packing, cementing, pack ut-off)	ers, type of	shut-off, depth	of
	(over)			

Approx. 4400' Surface Elevation

Log of Well

Durre	SCR BYAABTI)
Depth, From	feet To	Description of Material Drilled Topsoil and gravel
401	55*	Bitack & Grey shale, sandstone
551		Small showing of water
551	70°	Black & grey shale, sandstone
701	951	Hervi light colored rock
951		Good flow of water
951	100*	Herd light colored rock
100*	1.30*	Hard brown rock (faulty)
1301	1451	Black Shale (hard)
145*	1501	Black shale (some soft spots)
150*	bottom	Hard brown rock
	· · · · · · · · · · · · · · · · · · ·	
		in Sa
		Fe S.
		2th da 1991 a 1991 a
		ontana Tudith B Chis 12th
		of to the desire the d
		State of Sounty of Filed Eecenber, o'dlock A.
		44 6 8 4 12 12 14 0

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater RightsTATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

(Name of Appropriator)	(Address)	(Town)
ounty of the state	State of Antical	
ive appropriated groundwater according	g to the Montana laws in effect prior to J	anuary 1, 1962, as follows:
N		
	2. The beneficial use on which the claim is l	
	ACCOM A tor 12.50	
	O The contract of a state of contract	. 6'-1-1
	3. Date or approximate date of earliest ber	•
	ous the use has been 1997; Guarian	
	4. The amount of groundwater claimed (
	per minute) limita in the per minute) limita.	

	5. If used for irrigation, give the acreage	and description of the lands
S	to which water has been applied and	name of the owner thereof
	10% 10% 10%	
147112. Sec. 19. T184. R. 24.		
cate point of appropriation	**************************************	
place of use, if possible. Each ll square represents 10 acres.	6. The means of withdrawing such water i	rom the ground and the loca-
il square represents to heres.	tion of each well or other means of with	
	Fig. Man Lake hill hite	L
drawal of groundwater	detion of the construction of the well, well tell 13.7	s, or other works for with-
The depth of water table. So far as it may be available, the type	e, size and depth of each well or the gener	s, or other works for with-
The depth of water table incident. So far as it may be available, the type works for the withdrawal of groundwat	detion of the construction of the well, well tell 13.7	s, or other works for with-
The depth of water table incident. So far as it may be available, the type works for the withdrawal of groundwat	e, size and depth of each well or the gener	s, or other works for with-
The depth of water table incin. All So far as it may be available, the type works for the withdrawal of groundwat	e, size and depth of each well or the generation of the well, well	s, or other works for with-
The depth of water table decimal. So far as it may be available, the type works for the withdrawal of groundwater.	detion of the construction of the well, well tell 13.7	s, or other works for with-
The depth of water table section 11. So far as it may be available, the type works for the withdrawal of groundwat	detion of the construction of the well, well tell 1347	s, or other works for with-
The depth of water table lacing Ale So far as it may be available, the type works for the withdrawal of groundwat	e, size and depth of each well or the generation of the well, well	s, or other works for with-
The depth of water table depth of water table depth of water table depth as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater.	detion of the construction of the well, well tell 1707 out 1707 withdrawn each year 100, 100, 100, 100, 100, 100, 100, 100	s, or other works for with-
The depth of water table incided. So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the state of the stat	detion of the construction of the well, well tell 13/2 o 11: from sunface of hill discover, size and depth of each well or the gener er afor flow a marity into a withdrawn each year a 15,111	s, or other works for with- al specifications of any other
The depth of water table incided. So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the state of the stat	detion of the construction of the well, well tell 1707 out 1707 withdrawn each year 100, 100, 100, 100, 100, 100, 100, 100	s, or other works for with- al specifications of any other
The depth of water table incided. So far as it may be available, the type works for the withdrawal of groundwate. The estimated amount of groundwater. The log of formations encountered in the state of the state	detion of the construction of the well, well tell 13/2 o 11: from sunface of hill discover, size and depth of each well or the gener er afor flow a marity into a withdrawn each year a 15,111	s, or other works for with- al specifications of any other
The depth of water table was a sit may be available, the type works for the withdrawal of groundwate. The estimated amount of groundwater. The log of formations encountered in the site of the site	detion of the construction of the well, well tell 13/2. On 111 from sunface of hill discover, size and depth of each well or the gener error flow of the sunface of well or the gener error flow of the well of each well or the gener error flow of the well of each well if available Motor and the drilling of each well if available Motor and	s, or other works for with- al specifications of any other
The depth of water table section 1.2. So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the section of a similar necessary.	detion of the construction of the well, well tell 1977 out from surface of hill discover, size and depth of each well or the gener er after flow of reach well or the gener er after flow of reach well if available flow and the drilling of each well if available flow and the drilling of each well if available flow and the drilling of each well in carrying out the	s, or other works for with- al specifications of any other action in
The depth of water table with the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the withdrawal of groundwater.	detion of the construction of the well, well tell 13.7	s, or other works for with- al specifications of any other actions in
The depth of water table with the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the withdrawal of groundwater.	detion of the construction of the well, well tell 1977 out from surface of hill discover, size and depth of each well or the gener er after flow of reach well or the gener er after flow of reach well if available flow and the drilling of each well if available flow and the drilling of each well if available flow and the drilling of each well in carrying out the	s, or other works for with- al specifications of any other at a sin
The depth of water table with a solution. So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the solution of a similar material reference to book and page of any countered to book and page of any counte	detion of the construction of the well, well tell 13.2. On 11.1 from manface of hill rich oe, size and depth of each well or the gener or offer flow of reach well or the gener of the flow of reach well if available flow of the drilling of each well if available flow of the try record.	s, or other works for with- al specifications of any other to: brin
The depth of water table social and the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the withdrawal of a similar name of the control of the con	detion of the construction of the well, well tell 13.2. On 11.1 from manface of hill rich oe, size and depth of each well or the gener or offer flow of reach well or the gener of the flow of reach well if available flow of the drilling of each well if available flow of the try record.	s, or other works for with- al specifications of any other tent bearin policy of this act, including
The depth of water table social and the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the information of a similar material and the social and t	withdrawn each year well if available Not and a signature of Owner Alexander of Owner Own	s, or other works for with- al specifications of any other tent bearin policy of this act, including
The depth of water table with a solution. So far as it may be available, the type works for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of formations encountered in the solution of a similar material reference to book and page of any countered to book and page of any counte	withdrawn each year well if available Not and a signature of Owner Alexander of Owner Own	s, or other works for with- al specifications of any other to: brin

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 32854 Clarence Anderson

Sec. 2883 16-18-9

State of Montana County of Judith Basin Filed for record this 31st day of Dec. A.D. 1963 at 3:21 o'clock P.M. Delight Leslie, Clk. & Rec.

by Cott. Comme Dop

Pee \$2.00 pd.

...

	Doc. No	
GW 2	Filed for record this 5 day of Augu	Approved Stock Form—State Publishing Co., Helena, Montana—50551
File No.	A.D. 19 7/, at 9:30	T 18 R 7
DUPLIC	ATEO'clock_AM.	County Judeth Boun
	rog	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CUDE STATE WATER CONSERVATION BOARD
	Top of Ground	
	(Elev. above sea level	
_	0-90-Celerade Shar	Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962
	90'-BOTTOM OF	(Under Chapter 237 Montana Session Laws, 1961, as amended)
		Owner Frank Bedosky Address Geyser, Ment.
	i '	Driller Larry Jenning SAddress Lewis Towns Man
	of water,	Date of Notice of appropriation of groundwater
	No Ecotage Dril	Date well started July 19,1171 Date completed July 1,19?!
	90-94-Hard Gray	
	sandy Lime.	Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐ Industrial ☐ Drainage ☐ Other ☐
-	94-96-6ray shale.	Indicate on the diagram the character and thickness of the different strate met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show
-	,	depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.
	96-107 Hard-	Size of Size and From To PERFORATIO.
	Broken cray & wh	
-	Lime, Contains	0/d Well 6 8/9-150 0 85 Size (Feel) (Feel)
	water.	New Aco Tage
	107 - BOTTOM.	534" 42"-6.75= 81 107 CUT Liner. Slots
		Liner. Slots
		N Static Water Level for non-flowing wel
		Shut-in Pressure for Flowing Well
		E atgal. per minute.
<u> </u> -		Discharge in gal. per min. of flowing wel
		How Tested Purso Test
-		Length of Test 2
		Remarks: (Gravel packing, cementing, pack
		Indicate location of well and
-		place of use, if possible. Each small square represents 40
		acres.
		(Continue on reverse side
		USE—If used for irrigation, industrial, drainage or other. Explain, stat number of acres and location or other data (i.e.: Lot, Block and Addition).
-		
	Show exact depth of bottom.	
P910 * *	to be managed by deller and there are	when to he filed by the owner with the
County (m to be prepared by driller, and three co Clerk and Recorder in the county in which by driller.	th the well is located, tissue copy to be Driller's Lincense Number
	nswer all questions. If not applicable,	so state, otherwise the form will be
returned		Driller's Signature.

#732

Frank Bedosky

Drilled Well

SENE% Sec. 17, T-18, R-9

State of Montana
County of Judith Basin
Filed for record this 59
day of August 1971 A. D. at
9:30 A. M.
Pelight Leslie, County Clerk
By Manual Deputy

Fee: \$2.00 paid

County.

Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961)

(Name of Appropriato		(Town)
	n State of Montana	
have appropriated groundwater a lows:	according to the Montana laws in effect prior	to January 1, 1962, as fol-
N	2. The beneficial use on which the claim	is based
#2 #1	Well #1 is used for Stock	rater
	Well #2 is used for Domest 3. Date or approximate date of earliest be	ic use. neficial use; and how con
	tinuous the use has been	*******
Е	1949 for both wells an since that time.	
	4. The amount of groundwater claimed (i	n miner's inches or gallons
	per minute) Both wells approx	
	•	
8	If used for irrigation, give the a real lands to which water has been applie	
11 #1 NEINE: 11 #2 NWIE: 4 Sec. 17T 18R 9	thereof Well #2 is used to in and garden in the NWiNE's Sec.	
ndicate point of appropriation nd place of use, if possible.	6. The means of withdrawing such water	from the ground and the
Each small square represents 10	-	-
cres.	location of each well or other means o	
	Well #2 has an electric p	
drawal of groundwaterCom	completion of the construction of the well, well menced and completed in 1949	
The depth of water table	e type, size and depth of each well or the gen	eral specifications of any
. The depth of water table	e type, size and depth of each well or the gen	eral specifications of any
. The depth of water table	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate	eral specifications of any
The depth of water table So far as it may be available, the other works for the withdrawal in these wells are a Both wells have 6 inch c	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate	eral specifications of any
The depth of water table So far as it may be available, the other works for the withdrawal to these wells are a both wells have 6 inch of the estimated amount of ground	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Not known	eral specifications of any
The depth of water table So far as it may be available, the other works for the withdrawal to these wells are to both wells have 6 inch common the log of formations encountered.	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate	eral specifications of any
The depth of water table So far as it may be available, the other works for the withdrawal to these wells are to both wells have 6 inch common the log of formations encountered.	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Iwater withdrawn each year d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any by 60 ft. deep.
The depth of water table So far as it may be available, the other works for the withdrawal to these wells are a soft these wells are a soft wells have 6 inch common the log of formations encountered.	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Iwater withdrawn each year d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any ly 60 ft. deep.
So far as it may be available, the other works for the withdrawal to these wells are both wells have 6 inch comments. The estimated amount of ground. The log of formations encountered by E. L. Floor. Such other information of a similar reference to book and page of an	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Iwater withdrawn each year d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any ly 60 ft. deep. ood is deceased.
So far as it may be available, the other works for the withdrawal to these wells are Both wells have 6 inch c. The estimated amount of ground. The log of formations encountered brilled by E. L. Floor	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate dasing installed. Not known d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any
. The depth of water table . So far as it may be available, the other works for the withdrawal to these wells are a soft these wells are a soft wells have 6 inch common to the log of formations encountered brilled by E. L. Floor	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Iwater withdrawn each year Not known d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any
The depth of water table So far as it may be available, the other works for the withdrawal to these wells are to these wells are to these wells have 6 inch common to the log of formations encountered by E. L. Floor Such other information of a similar eference to book and page of an	e type, size and depth of each well or the gen of groundwater drilled wells and both are approximate assing installed. Iwater withdrawn each year Not known d in the drilling of each well if available d but logs are not available. Mr. Fi	eral specifications of any by 60 St. deep.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

File No. 214

2 Wells in Sec. 17 Twp. 18, Rge 9

FRANK AND MARY BEDOSKY

State of Montana County of Judith Basin

Filed for Record this 2nd day of January, A. D. 1963 at

2:30 o'clock P.N.

Fee \$2.00 Paid.

3W	4			

Approved 5	tock For:	r-State P	ublishing Co	. Helsaa.	Montana-	-4223

riane.

File No.

DUPLICATE

T..... County....

UPATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DECEIVED

JAN 1 5 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

(Name of Appropriator)	•	of (Address)	(Town)
anty of		- · · · · · · · · · · · · · · · · · · ·	, ,
re appropriated groundwater according	g to the Monta	na laws in effect prior to	January 1, 1962, as follows:
N		•	• •
	2 The benefic	ial usa on which the claim is	s based
			, oasca.
	3. Date or app	proximate date of earliest b	eneficial use; and how continu-
			10g - high matik 131

	4. The amoun	t of groundwater claimed	(in miner's inches or gallons
	***************************************	•••••••••••••••••••••••••••••••••••••••	
	P TA 7.4		
	e. It used for	irrigation, give the acreag	ge and description of the lands d name of the owner thereof
•			the state of the s
4 Sec. 1 T R			
ate point of appropriation	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************	
place of use, if possible. Each	6 The moone	of withdrawing such restor	from the ground and the loca-
square represents 10 acres.			from the Broady and the loca-
	tion of each	mall on other manne of mit	hdmamal
			hdrawal
The date of commencement and com-	<u> Maryan</u>		
The date of commencement and comdrawal of groundwater.	letion of the con	nstruction of the well, we	ells, or other works for with-
drawal of groundwater. 1.3.0	letion of the con	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the con	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the con	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the con	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the con	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the cor	nstruction of the well, we	ells, or other works for with-
The depth of water table	letion of the concept, size and depermentally.	th of each well or the gen	ells, or other works for with-
The depth of water table with the typorks for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in	letion of the concept, size and depermentally.	th of each well or the gen	ells, or other works for with-
The depth of water table	letion of the conce, size and depermentally withdrawn each	th of each well or the gen	ells, or other works for with-
The depth of water table of the type of far as it may be available, the type or the withdrawal of groundwater. The log of formations encountered in the log of	letion of the conce, size and depermentally withdrawn each	th of each well or the gen	ells, or other works for with-
The depth of water table	letion of the conce, size and depermentally withdrawn each	th of each well or the gen	ells, or other works for with-
The depth of water table	detion of the control	th of each well or the gen year	ells, or other works for with- eral specifications of any other eral specifications of any other
The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater The estimated amount of groundwater The log of formations encountered in the stable of the similar in the stable of the stable of the similar in the stable of	be, size and deper withdrawn each the drilling of each ture as may be try record	th of each well or the gen year	ells, or other works for with- eral specifications of any other eral specifications of any other
The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater The estimated amount of groundwater The log of formations encountered in the log of formations encountered in the log of the log of formation of a similar in reference to book and page of any countered to b	be, size and deper withdrawn each the drilling of each ture as may be try record	th of each well or the gen year	ells, or other works for with- eral specifications of any other eral specifications of any other
The depth of water table	vithdrawn each	th of each well or the gen year	ells, or other works for with- eral specifications of any other eral specifications of any other

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Clarence Anderson

Sec. 17-18-9

State of Montana
County of Judith Basin
Filed for record this
31st day of Dec. As D.
1963 at 3:23 P.M.
Delight Leslie, Clk & Rec.

Fee \$2.00 pd.

GW	(elena	Independent	Recor

File No	File	No		٠	
---------	------	----	--	---	--

T 18 R 9

DUPLICATE

County. Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Arthur W. Anderson	of Geyber
(Name of Appropriator)	(Address) (Town)
County of Judi th Basin	State of Montana
lows:	cording to the Montana laws in effect prior to January 1, 1962, as fo
N	2. The beneficial use on which the claim is based
	Donestic use
	3. Date or approximate date of earliest beneficial use; and how co
	continuously use.
E	
	4. The amount of groundwater claimed (in miner's inches or gallo
	per minute) . 12 gallons per minute
s	If used for irrigation, give the acreage and description of t lands to which water has been applied and name of the own
noje	thereof No irrigation
14 Sec. 18 T 18 R 9	
-	
dicate point of appropriation and place of use, if possible.	6. The means of withdrawing such water from the ground and t
ach small square represents 10	location of each well or other means of withdrawal
eres.	Electric pump installed
drawal of groundwater Started	mpletion of the construction of the well, wells, or other works for with an and completed in 1948
The depth of water table So far as it may be available, the ty other works for the withdrawal of the control o	wpe, size and depth of each well or the general specifications of a groundwater. Drilled well
The depth of water table So far as it may be available, the ty other works for the withdrawal of the control o	wpe, size and depth of each well or the general specifications of a
The depth of water table So far as it may be available, the ty other works for the withdrawal of the control o	when the construction of the well, wells, or other works for with the same completed in 1948. The size and depth of each well or the general specifications of a groundwater. The perforations Slots from 19 to 21 ft. and 1 x 10 asing—Threads and collars.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the control o	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater Drilled well— 60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and 1 x 10 asing—Threads and collars.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the fineh graph of the log of formatical encountered in the log of formatical encountered encountered in the log of formatical encountered enc	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ope, size and depth of each well or the general specifications of a groundwater Drilled well—60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and 1 x 10 is ing—Threads and collars. ater withdrawn each year Not known.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the first paper 20 lbs per 10 to 12 ft. Joints in ca The estimated amount of groundway. The log of formatic ; encountered in Not. svailable	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ope, size and depth of each well or the general specifications of a groundwater Drilled well—60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and 1 x 10 asing—Threads and collars. ater withdrawn each year Not known.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the stable. 6 inch graphe 20 lbs per 10 to 12 ft. Joints in case The estimated amount of groundwall the log of formatic is encountered in Not available.	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ope, size and depth of each well or the general specifications of a groundwater. Drilled well—60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and 1 x 10 aging—Threads and collars. ater withdrawn each year. Not known.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the stable. 6 inch graphe 20 lbs per 10 to 12 ft. Joints in case the log of formatic rencountered in Not. available.	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ope, size and depth of each well or the general specifications of a groundwater. Drilled well— 60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and 1 x 10 aging—Threads and collars. ater withdrawn each year. Not known.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the stable. 6 inch graphe 20 lbs per 10 to 12 ft. Joints in case the log of formatic rencountered in Not. available.	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater Drilled well— 60 ft. in depth. St. Perforations Slote from 19 to 21 ft. and 1 x 10 using—Threads and collars. ater withdrawn each year Not known. in the drilling of each well if available renature as may be useful in carrying out the policy of this act, includic county record.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the state o	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater. Perforations Slots from 19 to 21 ft. and \(\frac{1}{4}\) x 10 asing—Threads and collars. ater withdrawn each year. Not known. In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, includice county record.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the standard of the log of formatic sencountered in the log of formatic sencountered in the standard of the	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater. Perforations Slots from 19 to 21 ft. and \(\frac{1}{4}\) x 10 asing—Threads and collars. ater withdrawn each year. Not known. In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, includice county record.
The depth of water table So far as it may be available, the ty other works for the withdrawal of a finch graph 20 lbs per 10 to 12 ft. Joints in ca The estimated amount of groundway. The log of formatic is encountered in Not grailable. Such other information of a similar reference to book and page of any of the standard standard similar reference to book and page of any of the standard similar reference to book and page of any of the standard standard standard similar reference to book and page of any of the standard	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater. Drilled well— 60 ft. in depth. St. Perforations Slots from 19 to 21 ft. and \(\frac{1}{4}\) x 10 asing—Threads and collars. ater withdrawn each year. Not known. In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, includicounty record.
The depth of water table So far as it may be available, the ty other works for the withdrawal of the state o	mpletion of the construction of the well, wells, or other works for with in 1948 and completed in 1948 ype, size and depth of each well or the general specifications of a groundwater. Perforations Slots from 19 to 21 ft. and \(\frac{1}{4}\) x 10 asing—Threads and collars. ater withdrawn each year. Not known. In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, includice county record.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

#226

Vested Groundwater Rights

ARTHUR W. ANDERSON

NE-18-9

120747

State of Montana County of Judith Basin

Filed for record this 6th day of Pob. A.D. 1963 at 2:45 o'clock P.M.

Delight Lealie, Clerk and Rec. by Ketti; Crumun Dep.

Fee \$2.00 pd

4
_

7717	3.7			
rue	NO	 	 	

T. 18 R. 9

DUPLICATE

County. Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Arthur W. Anderson		, of	Geneer.
(Name of Appropriator)		(Address)	(Town)
have appropriated groundwater acco	ordin	State of icontare is to the Montana laws in effect prior to	January 1 1962 as fol
lows:		g to the months at the creek prior to	vandary 1, 1002, 05 101
N			
	2.	The beneficial use on which the claim is	
			to the control of the
	3.	Date or approximate date of earliest bene	
		tinuous the use has been . Drilled in and used continuously since the	-
X		and the continuously since of	
		The entered of commitmental alaboration of	
	4.	The amount of groundwater claimed (in n	-
		per minute) Approximately 10 gal	=
s	5.	If used for irrigation, give the acreage lands to which water has been applied a	and name of the owne
almal.		thereof No Ixrigation	
14 Sec. 19T 18R 9			
dicate point of appropriation			
d place of use, if possible. Ich small square represents 10	6.	The means of withdrawing such water fr	•
res.		location of each well or other means of v	
		Electric Pump, well located in SWANN Sec	
		ion of the construction of the well, wells, o	or other works for with
drawal of groundwater Starte	d ir 1111	ion of the construction of the well, wells, or 1960 and completed in 1960.	or other works for with
drawal of groundwater Starte	d ir 1111	ion of the construction of the well, wells, on 1960 and completed in 1960.	or other works for with
The depth of water table So far as it may be available, the typother works for the wiindrawal of groundwater Starte Wall drilled by Poole In	d ir illi pe, s	ion of the construction of the well, wells, on 1960 and completed in 1960, and response in 1960, and complete in 1960, and complete in 1960, and depth of each well or the general dwater. Drilled well - Drilled well	or other works for with
The depth of water table So far as it may be available, the typother works for the wiindrawal of growing is 140 feet in depth.	d ir illi pe, s rour	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company.	or other works for with al specifications of an
The depth of water table So far as it may be available, the typother works for the wiindrawal of growing is 140 feet in depth.	d ir illi pe, s rour	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. Inger and depth of each well or the general dwater. Drilled well - Drilled will in galvanized pipe installed.	or other works for with al specifications of an
The depth of water table So far as it may be available, the typother works for the wiindrawal of gard is 140 feet in depth.	d ir illi pe, s rour	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. It is and depth of each well or the general dwater	or other works for with al specifications of an
drawal of groundwater Starte wall drilled by Poole Dr The depth of water table So far as it may be available, the typother works for the wiindrawal of garding is 140 feet in depth.	d ir illi pe, s rour	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. It is and depth of each well or the general dwater	or other works for with
The depth of water table So far as it may be available, the typother works for the withdrawal of grain is 140 feet in depth. The estimated amount of groundwa	d ir 111i pe, s rour 1	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. It is and depth of each well or the general dwater Brilled well - Brilled will in galvanized pipe installed. Withdrawn each year	or other works for with al specifications of an the Rotary drill
The depth of water table So far as it may be available, the typother works for the withdrawal of grain is 140 feet in depth. The estimated amount of groundwa.	pe, serour	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. Ize and depth of each well or the general dwater Drilled well - Drilled will in galvanized pipe installed.	or other works for with al specifications of an the Rotary drill
The depth of water table So far as it may be available, the typother works for the wiindrawal of grain is 140 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available.	pe, s rour la tter v	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. Inge and depth of each well or the general dwater Drilled well - Drilled will in galvanized pipe installed. Withdrawn each year Not known.	or other works for with
The depth of water table So far as it may be available, the typother works for the wiindrawal of grain is 140 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available.	pe, s rour la tter v	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. Inge and depth of each well or the general dwater Drilled well - Drilled willing alvanized pipe installed. Withdrawn each year Not known drilling of each well if available	or other works for with
The depth of water table So far as it may be available, the typother works for the withdrawal of grain is 1h0 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available. Such other information of a similar	pe, serour	ion of the construction of the well, wells, or 1960 and completed in 1960. Ing Company. Inge and depth of each well or the general dwater Drilled well - Drilled willing alvanized pipe installed. Withdrawn each year Not known drilling of each well if available are as may be useful in carrying out the pole	al specifications of an
The depth of water table So far as it may be available, the typother works for the withdrawal of grain is 140 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available. Such other information of a similar reference to book and page of any contact and similar reference to book and simila	pe, s group la the natuount;	ion of the construction of the well, wells, on 1960 and completed in 1960. Ing Company. Ingelia depth of each well or the general dwater Drilled well - Drilled willing alvanized pipe installed. Withdrawn each year	al specifications of anth a Rotary drill
The depth of water table So far as it may be available, the typother works for the withdrawal of grain is 140 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available. Such other information of a similar reference to book and page of any contact and similar reference to book and simila	pe, se rour la the naturount;	ion of the construction of the well, wells, on 1960 and occupleted in 1960. Ing Company. Ing and depth of each well or the general dwater Drilled well - Drilled will in galvanized pipe installed. Withdrawn each year Mot known drilling of each well if available are as may be useful in carrying out the poly record.	al specifications of an the a Rotary drill
The depth of water table So far as it may be available, the typother works for the wiindrawal of grain is 140 feet in depth. The estimated amount of groundwa The log of formations encountered in Log not available. Such other information of a similar reference to book and page of any contents.	pe, se rour la the naturount;	ion of the construction of the well, wells, or 1960 and completed in 1960. Ing Company. Ing and depth of each well or the general dwater Brilled well - Brilled willing alvanized pipe installed. Withdrawn each year Mot known drilling of each well if available are as may be useful in carrying out the poly record.	al specifications of an the a Rotary drill

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

#225

Vested Grand Water Rights arthur W. ANDERSON

SW/MW/ Sec. 19-18-9

120746

State of Mont na County of Judith Basin
Filed for record this 5th
Day of Feb. A.D. 1963 at 2:40
68clock P.M.

Delight Leslie, Clerk andRec.

Fee \$2.00pd

	•
rne	No

T 18 R 9

DUPLICATE

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Owner Anna Mae Hill et al Address Geyser, Montana
	Contractor (if any)
	Address of Contractor Lewistown Montana
	Date Started June 21, 1959 Date Completed June 22, 195
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
- x - - - - - - - - - - - - - - - - -	Exceted with backhoe & piped into testing
	3 feet at to water
W	E
8	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
SH 1/4 NW Sec. 23 T18 R9	tent estimate approximate lengths of periods of use
indicate point of appropriation and place of use, if possible.	9 gallons per minute, timed how long 15
and place of use, if possible.	took to fill tank
	Signature of Owner access Man Acce
	Date00t. 31, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

/196

120244

APPROPRIATION OF SPRING ANNA MAR HILL SWIMMI See. 23-18-9

Filed this flat day of Oct. A.D. 1962 at 3:00 etclock P.M.

County Clerk.

Fee \$2.00 Paid.

CTIT	2

File	No

T 18 R 9

DUPLICATE

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Owner Anna Mae Hill et al Address Geyser
	Contractor (if any)Fred Youderian
	Address of Contractor Lewistown, Montana
	Date StartedJuly27,1961 Date CompletedJuly28,1961
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicableexcavated with backhoe and piped
	into tank, water depth four feet
w	E
<u>+ </u>	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
s SM.14.SM. Sec23 T18 R9	tent estimate approximate lengths of periods of use
Indicate point of appropriation	Egallons per minute. timed how long it took to
and place of use, if possible.	fill tenk
	Signature of Owner au Meu Au
	Date00t. 31, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

APPROPRIATION OF SPECIES

ANNA MAR HILL

SHEM Sec. 23-38-9

Filed this 33st day of October, A. D. 1962 at 3:05 P.M.

County Clerk.

£257

Fee \$2.00 Paid.

CW	3

File No	T 18 R 9
DUPLICATE	County Judith Basix

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Owner Arma Nee Hill et al Address Gerser
	Contractor (if any) Fred Touderien
	Address of Contractor
	Date Started July 26, 1961. Date Completed July 27, 196
N X	Describe means of obtaining groundwater without a well 'as by sub-irrigation and other natural processes". Include depth to water when applicable
8 MW 14 NB Sec. 27 T.18 R 9	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
Indicate point of appropriation and place of use, if possible.	2 gallons per minute, timed how long it took to fill tank
	Signature of Owner and Marchine
	Date

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

/15)

120241

APPROPRIATION OF SPRING

SHIRA HAE HILL

MARS- Sec. 27-18 -9

Pilled this 31st day of Oct. A.B. 1962 at 245 o'clock P.N.

County Clerks

File	N_{Ω}		

т 18 в 9

DUPLICATE

County Judith Besin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater July 11, 1962
	OwnerAnna Mae Hill st al Address Geyser
	Contractor (if any)Fred Youderian
	Address of Contractor Lewistown, Nontana
	Date Started July 13, 1962. Date Completed July 11, 196
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and othe, natural processes". Include depth to
	water when applicable
	excavated with bakkhoe & piped into tank
w	about four feet to water
 	
x	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
s SM	tent estimate approximate lengths of periods of use
Indicate point of appropriation	
and place of use, if possible.	to fill tank
	Signature of Owner (Caron has Hele
	Date Oct. 31, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

APPROPRIATION OF SPRING

ANNE MAN RYLL

Mijski Soc. 27-18-9

Piled this 31st day of Oct. A. D. 1962 et 21/0 o'clock Delight bode

P.M.

Pee \$2.00

File No....

T. 18 R. 9

County ... Judith Basin

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

		Date of Appropriation of GroundwaterJuly 15, 1962
		Owner Anna Hae Hill et al Address Geyser
		Contractor (if any) Fred Youderien
		Address of ContractorLendstorm, Hontans.
		Date StartedJuly 11, 1962Date CompletedJuly 15, 196
	N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
		water when applicable
	 +++	Excavated with backies & piped into tank
		5 feet to water
W		•
	<u></u>	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
g	V.14 Sec 28. T.18 R.9	tent estimate approximate lengths of periods of use
In	dicate point of appropriation	approximately 1 gallon per minutedTimed
an	d place of use, if possible.	how long it took to fill tank
		Signature of Owner Acces Man Heir
		Date. Oct. 31, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2431

120243 APPROPRIATION OF SPECIES ANNA MAR MILL SAME- 300. 25-28-9

Filed this Not day of Ostober A.D. 1962 at 2055 o'clock P.M.

Fee \$2.00 Peldl

(Sour Std Mock Form -to to Publishing Co. Helina, Mestano - 4455 enters and		
File No. IF WAITER CONSTRUCTION BOARD	T 18 R 9		
TRIPLICATE	County JULIA BASIN		
	OF MONTANA		
C:	OF GROUNDWATE R COD E TATE ENGINEER		
Declaration of Vocto	ed Groundwater Rights		
	Iontana Session Laws, 1961)		
. FIWIN SHALFFIT	FEYCER		
(Name of Appropriator)	of (Address) (Town)		
have appropriated groundwater according to the A	State of MCN Tanuary 1, 1962, as follows:		
N	#1. #3. #3		
2. The be	eneficial use on which the claim is based.		
3. Date of	r approximate date of earliest beneficial use: and how continu-		
ous the	use has been #1 #2 #3 MATURAL STRINGS		
	nount of groundwater claimed (in miner's inches or gallons		
per m	inute) 4, 2 43 12 12 15 Property of Park 12 15 15 15 15 15 15 15 15 15 15 15 15 15		
	<i>ن</i>		
s to whi	I for irrigation, give the acreage and description of the lands ich water has been applied and name of the owner thereof		
CAE, SW Sec. 28 T. 18 R. 9 5 PRING	ACRES		
Indicate point of appropriation			
mildle addition of proceedings are descent	eans of withdrawing such water from the ground and the loca-		
NESE SW SEC28 118 R 9 SPRING	=3 CEAVIE		
SEVSY SE SECARTISES REMENTED	teach well or other means of withdrawal.		
7. The date of commencement and confidence of the	ie construction of the well, wells, or other works for with-		
8. The depth of water table # 1 , 12 3	SURFACE # 4 6 FT.		
9. So far as it may be available, the type, size and	depth of each well or the general specifications of any other		
vorks for the withdrawal of groundwater	H DE TH BASED		
	#1-630720043-6307200 GAL		
	each year 2-6-502200 4.9- 75 0.00 GAL		
11. The log of formations encountered in the drilling	of each well if available		
	Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record		
reference to book and page of any county record.			
	Signature of Owner Election Assault 1965		
	Date 5 00 7 1965		

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

MEALA SVAFA TO Gayser, Montana

State of Montana County of Judith Basin Filed for record this 80 day of Bec. Sed. 1965 at 10:00 c'clock Sed.

by Butty Crubrane Chukmus Dep

The state of the s

T. 18 R. 9

County. Judith Basin.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

			237, Montana Sessio		STATE ENGINEE
•	A 17.W4	Apparatus assemble files	i i	9 Ninth Ave. S	
1	Andy Halko (Name of Appropriator))	(Ac	dress)	(Town)
	County of	cordin	State ofg to the Montana la	ws in effect prior	to January 1, 1962, as fol-
Γ	N	2.			a is based
		3.			eneficial use; and how con-
W			***************************************	June 6, 1948	
"		4.			in miner's inches or gallons
					hr
	8	5.			age and description of the
NEINE	% Sec. 20 T 18 R9				M
-	licate point of appropriation			***	
and	i place of use, if possible.	6.			r from the ground and the
acr Carry	Ted con per letter of lumes, new the x on plat is were		Jet	- electric pump)
But 7.	The date of commencement and of drawal of groundwater	omplet	ion of the construction	on of the well, wel	ls, or other works for with-
	diawar of groundwater				
8.	The depth of water table		35£eet		
	So far as it may be available, the other works for the withdrawal of	type, s	ize and depth of each	h well or the gen	neral specifications of any
	other works for the withdrawai of				
		eceur	e-to-about-100 ft	of surface th	en pumped the
10.	The estimated amount of groundy	vater v	withdrawn each year	·····never cal	Loulated
12.	The log of formations encountered	in the	drilling of each well	if available	
			See reverse		
12.	Such other information of a simila reference to book and page of any	ır natu	re as may be useful i	n carrying out the	policy of this act, including
	The state of the s				
			Signature	of Owner	May 29, 1962
				Date	May 29, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

826

\mathbf{G}	~Helena	Inde 4	uni	Recor

File No...

T. 18 R. 9

County Judith Basin

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1 Ander Halles	hos Ninth Ave. So.
(Name of Appropriator)	of Great Falls , Montana (Town)
County of	State of Montune coording to the Montana laws in effect prior to January 1, 1962, as for
lows:	
N	
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how co
	June 6, 1948
W	
	4. The amount of groundwater claimed (in miner's inches or gallo
	per minute) 1900 Gal per hr.
	por many xxyo documents
	5. If used for irrigation, give the acreage and description of t
3	lands to which water has been applied and name of the own
35E 3C	thereof
Elvis 1/4 Sec. 29 T 18 R9	Lawn and garden
Indicate point of appropriation	
and place of use, if possible. Each small square represents 10	6. The means of withdrawing such water from the ground and t
	location of each well or other means of withdrawal
C = 1007 CX (9" 1")	AGA STOCK TO LAND
20 4 6/18/62	
But new the x one plat is were	They,
7. The date of commencement and co	ompletion of the construction of the well, wells, or other works for wi
7. The date of commencement and co	ompletion of the construction of the well, wells, or other works for wi
7. The date of commencement and condrawal of groundwater	April 22, 1948 and l'inished June 6, 1948
7. The date of commencement and condrawal of groundwater	April 22, 1948 and finished June 6, 1948
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the t	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of	April 22, 1948 and finished June 6, 1948 type, size and depth of each well or the general specifications of a f groundwater
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own essure to about 100 ft. of surface then pumped the
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own essure to about 100 ft. of surface then pumped the
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of	April 22, 1948 and finished June 6, 1948 type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own essure to about 100 ft. of surface then pumped the stof the way
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own essure to about 100 ft. of surface then pumped the
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of process. 10. The estimated amount of groundward of groundward and groundward are groundward.	April 22, 1948 and finished June 6, 1948 type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own essure to about 100 ft. of surface then pumped the stof the way
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of recommendation and the stimated amount of groundwater 10. The estimated amount of groundwater and the stimated amount of groundwat	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own ressure to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of recommendation and the stimated amount of groundwater 10. The estimated amount of groundwater and the stimated amount of groundwat	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 695 feet deep the water domes up by its own resource to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated in the drilling of each well if available
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of the withdrawal of the withdrawal of the water table 10. The estimated amount of groundward the log of formations encountered	April 22, 1918 and finished June 6, 1918 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own ressure to about 100 ft. of surface then pumped the list of the way water withdrawn each year never calculated in the drilling of each well if available See reverse
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of the withdrawal of the works for the works for the withdrawal of the works for the works	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own resource to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated in the drilling of each well if available See reverse ar nature as may be useful in carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act.
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of the withdrawal of the works for the withdrawal of the works. 10. The estimated amount of groundwards. 11. The log of formations encountered the works for the withdrawal of the works.	April 22, 1918 and finished June 6, 1918 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own ressure to about 100 ft. of surface then pumped the list of the way water withdrawn each year never calculated in the drilling of each well if available See reverse
8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of 10. The estimated amount of groundw 11. The log of formations encountered	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own ressure to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated in the drilling of each well if available See reverse ar nature as may be useful in carrying out the policy of this act, including or county record.
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of the withdrawal of the works for the withdrawal of the works. 10. The estimated amount of groundwards. 11. The log of formations encountered the works for the withdrawal of the works.	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own ressure to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated in the drilling of each well if available See reverse ar nature as may be useful in carrying out the policy of this act, including or county record.
7. The date of commencement and condrawal of groundwater 8. The depth of water table 9. So far as it may be available, the tother works for the withdrawal of the withdrawal of the works for the withdrawal of the works. 10. The estimated amount of groundwards. 11. The log of formations encountered the works for the withdrawal of the works.	April 22, 1948 and finished June 6, 1948 35 feet type, size and depth of each well or the general specifications of a f groundwater 595 feet deep the water domes up by its own resource to about 100 ft. of surface then pumped the set of the way water withdrawn each year never calculated in the drilling of each well if available See reverse ar nature as may be useful in carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act, including the carrying out the policy of this act.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

826

ater Well log Andy Halko NEWE Sec 20-18-9

Filed for record this 29th day of May.A.D. 1962 at 11:00

119136

Delight Lesite, Co. Recorder


82.00 pd.

Water well log 10 - 10 Yellow Clay 10 - 11 Blue Shale 118 to 150 Blue shell 150 to 199 Blue shale 199 to 200 water(120 gal per hr.) 200 to 213 Blue Shale 213 to 217 Shell 217 to 230 Blue Shale 230 to 219 Light red shale 269 275 blue shale 269 275 blue shale 275 to 308 red shale 269 275 blue shale 333 to 315 red shale 333 to 315 red shale 318 to 353 red shale 318 to 353 red shale 353 to 358 blue shale 353 to 368 to 378 red shale 368 to 378 red shale 368 to 378 red shale 378 to 390 red shale 378 to 390 red shale 378 to 390 red shale 370 to hol red sand rock hol to h27 red shale hil to his shell red and grey his to 181 shell red and grey 181 to 523 lime grey and sandy 523 to 542 red shale 550 to 550 sand grey hard and sharp 555 to 560 red sand 560 to 570 red sand 560 to 570 red shale 570 to 580 red shale 550 to 550 grey lime 590 to 601 black basalt 661 to 653 grey lime 653 to 695 black basalt

Judith Basin County, Montana

OFFICE OF CLERK AND RECORDER

June 8, 1962



STATE ENGINEER

State Engineer Helens, Montana

Dear Sir:

The location on the Declaration of Vested Groundwater Rights for Andy Halko, Reception Book #119436 from Judith Basin Betty Creeks Dep. County is wrong. It should read NE SE Sec. 30 T. 18, R. 9. We have changed our record and would you please change the one we mailed to you. Am also sending a copy of this letter to the School of Mines at Butte. Thank you.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 3. Danta I. C. S. 2. A. C. A. C. S. C. A. C

11. The log of formations encountered in the drilling of each well if available Log 11.7.4. V.G.1.14.14

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner.....FRANCES K. COLARCHIK

Date.....October 26, 1965.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Trippicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1215.15

#645

JUGE STAN

FRANCES J. COLARCHIK Raynesford, Montana

Sec. 31-18-9

State of Montana County of Judith Bacin Filed for record this 282 day of Oct. A.D. 1965 at 8:05 o'clock A.H.

Delight Leslie, Clk. & Rec. by Betty Crukmore Dep

T. 18 R 9 County JudiTH BASIN

File No.SIMTE WATER TO VSERVITION BOARD TRIPLICATE

Cċ

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

Bui OFFICE OF STATE ENGINEER D-: -

~ 0 T5 10%

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

	=LW/N	フィン	relu		UC	YSER
		e of Appropriate		(Address)		(Town)
Co	ounty of		SASIN	State of MA	IANA	1000 0 11
na	ive appropriated gi	roupdwater acco	raing to the Mont	ana laws in effect prio		1902, as 10Hows:
	N			42.43, **	4. 5	
Γ			2. The benef	icial use on which the o	laim is based	MIER
			FOR.	LIVESTO	- 1	
١.,	16	3	· · · · · · · · · · · · · · · · · · ·	DOM EST		
1	***			proximate date of carlie has been		
 				TINUOUSU.		
1		E	#2#3	* 4 # 5 N	TURAL	SPRING
1			•		•	, , ,
1				nt of groundwater clai		
-			per minut	e)#1 25 ga	PES M	HUE
1			# Zantilga	1 + 3 8 9 4	1.4. I day	
			5. If used for	r irrigation, give the a	reage and deser	iption of the land
<u>_</u>	<u> </u>		to which	water has been applie	l and name of	the owner thereo
		// / / · · · · ·				
1.7	LNE Sec. 33 T. L	8. R.Y.WEL	-			
dio	eate point of app	ropriation	***************************************			
nd j	place of use, if possi	ible. Each	6 The means	of withdrawing such v	stor from the o	ound and the lace
ทลเ	square represents	10 acres.				
~ i			The same of the care		OF ANTOHOROGON WIN	
Y	NW NY DEC	22 , 18 17	THE A T	43-44-46	A DAILITH	عر
iy b Y b	enw ne sec V nw ne sec	.53 T/8 R7	SPRINE	#3-44-45	GRAVITY	
	V NW NE SEC V NW NE SEC V NW NE SEC	.33 TIERT -33 TIERT	SPRINE 12	#3-#4-#5	GRAVITY	
YV	VNW NE SE	C35 T18 R9	SPRINE			•••••••••
V V	van ne se Wanin negame	reason mark	SPRINE	#3-#4-#5	, wells, or othe	r works for with
V V	VNW NE SE	reason mark	SPRINE	onstruction of the wel	, wells, or othe	r works for with
V V	WNW WE SET McNide Ni Commit drawal of groundw	-35 T/8 R/9	SPAINE the co	onstruction of the wel	, wells, or othe	r works for with
V V	van ne se Wanin negame	-35 T/8 R/9	SPAINE the co	onstruction of the wel	, wells, or othe	r works for with
V V	WNW WE SET Me Name Of Scounds drawal of groundw The depth of water	ence at more at a table.	SPAINE the co	onstruction of the wel	, wells, or other	r works for with
y v N 1 3. 1	WNW WE SET Me Name Of Gooding drawal of groundw The depth of water So far as it may be	table available, the	type, size and de	onstruction of the wel	wells, or other	r works for with
V V V V V V V V V V	Why WE SET Me Nide Ni Somme drawal of groundw The depth of water So far as it may be works for the with	table available, the	type, size and de	onstruction of the wel	wells, or other	r works for with
V V 4	WNW WE SET Me Name Of Gooding drawal of groundw The depth of water So far as it may be	table available, the	type, size and de	onstruction of the wel	wells, or other	r works for with
N (1)	MeNIAC NI Committee of the depth of water So far as it may be works for the wither pump.	r table	spring the co	pth of each well or the	wells, or other	r works for with
N (1)	MeNIAC NI Committee of the depth of water So far as it may be works for the wither pump.	r table	spring the co	pth of each well or the	wells, or other	r works for with
V V V V V V V V V V V V V V V V V V V	MeNIAC NI Committee of the depth of water So far as it may be works for the wither pump.	r table	spring the co	pth of each well or the	wells, or other	r works for with
N (1)	MeNIAC NI Committee of the depth of water So far as it may be works for the wither pump.	r table	spring the co	pth of each well or the	wells, or other	r works for with
V V V V V V V V V V	When the Nicoming drawal of groundward of groundward of water the depth of water to works for the with the estimated amount of	table	type, size and dealer withdrawn cae	onstruction of the wel	general specific	r works for with
V V V V V V V V V V	When the Nicoming drawal of groundward of groundward of water the depth of water to works for the with the estimated amount of	table the drawn of ground with the ground with	type, size and dealer withdrawn cae	pth of each well or the	general specific	r works for with
V V V V V V V V V V	When the Nicoming drawal of groundward of groundward of water the depth of water to works for the with the estimated amount of	table the drawn of ground with the ground with	type, size and dealer withdrawn cae	pth of each well or the	general specific	r works for with
V V V V V V V V V V	When the Nicoming drawal of groundward of groundward of water the depth of water to works for the with the estimated amount of	table the drawn of ground with the ground with	type, size and dealer withdrawn cae	pth of each well or the	general specific	r works for with
V V (When the Nicoming drawal of groundw The depth of water So far as it may be works for the wither the estimated amount of the log of formatic	table	type, size and deducater withdrawn cases in the drilling of each	pth of each well or the	general specifie	r works for with SURFACE ations of any other 204800 incl. 307.200 fee
W W S S S S S S S S S S S S S S S S S S	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and delawater.	pth of each well or the PFTH Construction of the well or the PFTH Construction of the well or the PFTH Construction of the well or the property of the well of available	general specific	r works for with SURFACE ations of any other 204800 pm/
W W S S S S S S S S S S S S S S S S S S	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and delawater.	pth of each well or the	general specific	r works for with SURFACE ations of any other 204800 pm/
W W S S S S S S S S S S S S S S S S S S	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and delawater.	pth of each well or the PFTH Construction of the well or the PFTH Construction of the well or the PFTH Construction of the well or the property of the well of available	general specific	r works for with SURFACE ations of any other 204800 404 3072204
W M d d d d d d d d d d d d d d d d d d	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and ded dwater.	pth of each well or the prince of the well or the prince of the well or the prince of the well of available.	general specific	SURFACE ations of any other 204800 4m/ 204800 4m/
W M d d d d d d d d d d d d d d d d d d	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and ded dwater.	pth of each well or the prince of the well or the prince of the well or the prince of the well of available.	general specific	SURFACE ations of any other 204800 4m/ 204800 4m/
V V V V V V V V V V V V V V V V V V V	Whe Nike Ni Scommondrawal of groundw The depth of water So far as it may be works for the wither The estimated amore The log of formation Such other information	table	type, size and ded dwater.	pth of each well or the PFTH Construction of the well or the PFTH Construction of the well or the PFTH Construction of the well or the property of the well of available	general specific	SUNFACE ations of any other 204800 pmf

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Shvin Saabeeld G**eyser,** Hontana Sec. **58-18-**9

State of Montana County of Judith desin Filed for record this 6% day of Dec. 1.D. 1965 at 10:00 o'clock .M.

by Betty Crubmon Dep

Approved Sturk 1 or	State Publishing Co., Heima, Montena (4488) - a	34
	County JUDIAH	BASIN

TRIPLICATE

STATE VICTOR OF A STATE

File No.....

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

1.	I VWIA SA	ALFE	LD:	, of		GEYSER
	Value of AD	Droprintor		(Addrage)	\	/T\
,	County of 7	iter according	to the Mon	tana laws in offect	t prior to Janu	ary 1, 1962, as follows:
	» *5		2. The benef	ficial use on which	the claim is ba	sed WATER /
			3. Date or ap	oproximate date of	carliest benefic	cial use; and how contin
w	7	Ε	# 2 - Spr	#3 #4 #	5 # 6	NATURAL
			4. The amou	nt of groundwate	r claimed (in :	miner's inches or gallo
*	6 3		# 4-8	gal 1 5-89	and the board	3-10gal
•	2 5		5. If used fo	r irrigation, give t	the acreage and	description of the land ne of the owner there
5W.	14 NW Sec. 34 T. 18 R. 9	SPRINE	***************************************		•	
Ind	licate point of appropriation of place of use, if possible. Each	on	***************************************			
sma	all square represents 10 acre	es.				the ground and the loc-
	SE SW SEC 34 T/8	Dem mana.				awal ALL SAM
		ペプ シアプラルム	?	· • · · · · • • • · · · · · · · · · · ·		
: F	SW NW SEC 34 T/S	PS 2 30	12 F. G. C	*********		
E	SH NW SEC 347/8	P 2 3 P/	WES		***************************************	
N	SW NW SEC 347/8 ENE NW SEC 347/8 The Same Sulcon Brown drawal of groundwater	13 3-3P	South the co	onstruction of the	well, wells, o	r other works for wit
N	The of groundwater	7 3 3 3 7 7 5 P 7 S P 7	the co	onstruction of the	well, wells, a	r other works for wit
N	The of groundwater	7 3 3 3 7 7 5 P 7 S P 7	the co	onstruction of the	well, wells, a	r other works for wit
8.	The depth of water table	# 1-*2	the co	onstruction of the	well, wells, o	r other works for wit
8. 8.	The depth of water table	# 1-*2	the co	onstruction of the	well, wells, o	r other works for wit
8.	The of groundwater	# 1-*2	the co	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of	ble, the type,	size and dep	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of	ble, the type,	size and dep	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of	ble, the type,	size and dep	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of groundwater	ble, the type, f groundwater w	size and deprivate the control of th	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of	ble, the type, f groundwater w	size and deprivate the control of th	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of groundwater	ble, the type, f groundwater w	size and deprivate the control of th	onstruction of the	well, wells, o	r other works for wit
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the estimated amount of grant to the log of formations encountered to the table	ble, the type, f groundwater wantered in the	size and deprivate of each	onstruction of the	well, wells, o	r other works for with the secifications of any other secifications of any
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the log of formations encountries Such other information of a	ble, the type, f groundwater wantered in the	size and deprivate and deprivate as may be	onstruction of the	well, wells, of the general specific confidence of the general specific confidence of the confidence o	r other works for with RFACE Decifications of any other works for with the section of this act, including the section of
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the estimated amount of grant to the log of formations encountered to the table	ble, the type, f groundwater wantered in the	size and deprivate and deprivate as may be	onstruction of the	well, wells, of the general specific confidence of the general specific confidence of the confidence o	r other works for with RFACE Decifications of any other works for with the section of this act, including the section of
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the log of formations encountries Such other information of a	ble, the type, f groundwater wantered in the	size and deprivate and deprivate as may be	onstruction of the	well, wells, of the general specific confidence of the general specific confidence of the confidence o	r other works for with RFACE Decifications of any other works for with the section of this act, including the section of
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the log of formations encountries Such other information of a	ble, the type, f groundwater wantered in the	size and deprivate and deprivate as may be a record.	onstruction of the	well, wells, o	r other works for with RFACE pecifications of any other works for with the section of this act, including the section of this act, including the section of
8. 9.	The depth of water table So far as it may be availa works for the withdrawal of the withdrawal of the log of formations encountries Such other information of a	ble, the type, f groundwater wantered in the	size and deprivate and deprivate as may be a record.	onstruction of the	well, wells, o	r other works for with RFACE pecifications of any other works for with the section of this act, including the section of this act, including the section of

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureru ef Mines and Geology, and Quadruplicate for the Appropriator.

-659

SLVIN SAALFSLD Geyser, Montana Sec. 34,-18-9

State of Montana County of Judith Basin Filed for record this SM day of Dec. A.D. 1965 at 10:10 colock .M.

by Bett, Creeken Dop

Page ___of_

wards Jadith Basin

15-1 Rge. 16-E

, and the same of	-		
Atsocia		County File No.	Remarks
1 Klind, Googse	Well 29 15	15 20 63	
9.1	1 21 12	36	
I Klind Ranch	6 N 4	12/4:00	
VN L		24.9	
2 Kling Garage	mall kg 18	10000	
17 Meyon homest Fr	6 W-4	341	
19 Kanjak, Finel L	G. W.2	216	
32 Kolar Bres.	36112	130435	
3h' Anderson, Squir's Finne	6213	122 565	
35 And George or Anna	GW4	1192592	
		1	
		!	
			ني الله في المُعَالِقِينَا اللهُ المُدِّن اللهِ اللهِ اللهِ اللهِ اللهِ اللهِ اللهِ اللهِ اللهِ الله
			and the same of th
			and the second of the second o
i			The second secon
•			and the state of t
		,	
ļ			
!		1	
:			

	Т	18	R 10	
	County	y _	udith Basin	
MONTANA BUREAU O Butte,	F MINES AND Montana	GEOLOGY	D)ECE!	
WATER	WELL LOG	ζ.	STATE ENG	BINEER
Owner George Kli	nd	Addre	ss Gerser.	Montana
Driller Act				
Date Started Sept				
Location: Sec.				
Type of well (Dug, driven, bured, or drilled)				
Water use: Domestic Municipa Industrial Drainag				
Casing: 0 ft. to 60 ft.				
Casing: 10: ft. to 15: ft.				
Casing: 50 ft. to 55 ft.				
Perforated or Screened: Ftto				
Type of screen or perforations				
Static Water level, for non-flowing w	ell:		o Names - September - Septembe	feet.
Shut-in pressure, for flowing well:	1	b./sq. i	n. on:	Idata
Pumping water level 550 feet				•
71 A				•
Longth of took				
Remarks: (Gravel packing, cementing, shut-off)	packers, t	ype of s	hut-off, d	
	ver)			
(0	リソモ! じ !			

Log of Well

Depth	feet	
From	То	Description of Material Drilled
-0	18	Gravel
_18	28	Yell/av olay
_28	10	gray alate some water
_40	67	gray slate and gravel and water
		Filed this 28th day of December, 1961 W.W. Log #85
	``	
······································		

8-60	T. <u>18</u> R. <u>10</u>
	County Judith Basin
MONTANA BUREAU OF MI Butte, Mon	NES AND GEOLOGY D R. C. S. F. S.
WATER WELL	LOG STATE ENGINEER
Owner George Klind	Address Geyser, Montana
Driller Joe Wm. Asfed	Address Great Falls, Montan
Date Started Oct. 2, 19	Date Completed 03t 5 1961
Location: Sec. 1 T.	18 R. 10 ½ sec. SR2NW2
Type of well Dug, driven, bored, or drilled) Equ	ipment used Cable tool (Churn, drill, retary, other)
Water use: Domestic Municipal	Stock Irrigation
	Other
Casing: n ft. to 86 ft. Ty	pe Black Iron Size 6 5/8
Casing: ft. to 70 ft. Ty	pe_perforatedSize
Casing: 75 ft. to 86 ft. Ty	pe_parforated_Size_
Perforated or Screened: Ft. to ft.	Ftto ft
Type of screen or perforations	
Static Water level, for non-flowing well:	fcet.
Shut-in pressure, for flowing well:	1b./sq. in. on:(date)
Pumping water level 16 feet at	
How tested: Beiler	
Length of test	
Remarks: (Gravel packing, cementing, pac shut-off)	kers, type of shut-off, depth of
(over)	
(3,61)	

Log of Well

Depth,	feet	
From	То	Description of Material Drilled
O	3	Top soil
3	18	Gravel and clay
18	الما	Grav shale
111	115	small water
45	70	gray shale
70	75	gravel and water
75	<u>80</u>	gray shale
80		gray shale
	86	Gravel and water
		Filed this 28th day ofDec., 1961 W.W. Log #86

Date Sent. Little 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

reference to book and page of a county record

Klind Ranch, A Hontana Corporation

Secretary - Treas.

Signature of Owner By

Please answer all ouestions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

5739

#1 -- Hand Dug 1936

17 Feet Tellow Surface Clay & Gravel

9 Feet Course Gravel. 19 Feet Blue Shale

3 Feet Diameter of sole Case is a sement planturing on Yellow Surface Clay and Gravel and on operse gravel. The Mine Shale has no planturing or count or easing. Right feet of Water in well at all times.

#2-0 to 180- Graval

18 to 26'--- Tellow Clay 28° to 10° - Over Slate (Small water

10 to 67' -- Gray Shale Gravel (Water

#3- 0 to 32 - Top Soil

3 to 181 - Orerol & Clay

18. to like - Oray Shale

151 -- Small Water

bk to 700 - Gray Shale

75 to 75 - Grerel (Water)

751 to 801 - Gray Shale

80° to 86° -- Gray Shale Gravel (Water) # 247

121480

State of Montana County of Judith Basin

Filed this 4th day of Sept.

A. D. 1962 at 2:00 o'clock P.M.

County Clerk,

Fee \$2.00 Paid.

T 18 R 10

TRIPLICATE

County Julith Besin

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER

Klind Ranch (Name of Appropriator	(Address) (Town)
	State of Houtana
have appropriated groundwater a	according to the Montana laws in effect prior to January 1, 1962, as fol-
lows:	2
it i	
<u>``</u> 1	2. The beneficial use on which the claim is based
	Z Stock Hater
	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has been /1 1961 and /2-1952
1	in continuous une.
E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) /1 in gals per minute
	/2-200 gallons per hour.
	5. If used for irrigation give the acreage and description of the
8	If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner
-	thereof io irrigation
BEINW	thereof
¼ Sec.2 T18 R 10	
ndicate point of appropriation	
and place of use, if possible.	6. The means of withdrawing such water from the ground and the
Each small square represents 10	location of each well or other means of withdrawal
cres.	fi ilst dure- #2 list fung
drawal of groundwater #1 St #2— completed Aug. 21, 19	completion of the construction of the well, wells, or other works for with- arted Oct. 5, 1961 and completed Oct. 9, 1961
drawal of groundwater fil St file file completed Aug. 21, 19 The depth of water table so far as it may be available, the	type, size and depth of each well or the general specifications of any
drawal of groundwater #1 St #2-completed Aug. 21, 19 The depth of water table So far as it may be available, the	type, size and depth of each well or the general specifications of any
drawal of groundwater	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with
The depth of water table So far as it may be available, the other works for the withdrawal ocabal tool 6 2/8 7.D. Ca	type, size and depth of each well or the general specifications of any
drawal of groundwater £1.3t £2— completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal ocabal tool— 6 5/8 7.D. ca	type, size and depth of each well or the general specifications of any of groundwater 100 ft in depth Drilled well with thing - f2-400 ft. in depth 7. 0.0. casing
The depth of water table So far as it may be available, the other works for the withdrawal ocabal tool 6 2/8 7.D. Ca	type, size and depth of each well or the general specifications of any of groundwater 100 ft in depth Drilled well with thing - f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater	type, size and depth of each well or the general specifications of any figroundwater for 100 ft in depth. Dellic Well with fing. #2-400 ft. in depth. 7. 0.0. casing
drawal of groundwater	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with ting f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater £1.3t £2— completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal ocabel tool— 6 5/3 3.D. ca	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with ting f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater #1 St #2— completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal ocabel tool— 6 5/8 3.D. ca	type, size and depth of each well or the general specifications of any figroundwater for 100 ft in depth. Dellic Well with fing. #2-400 ft. in depth. 7. 0.0. casing
The depth of water table So far as it may be available, the other works for the withdrawal ocabal tool- 6 5/8 3.D. ca	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with ting f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater #1 St #2— completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal ocabel tool— 6 5/8 3.D. ca	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with ting f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater #1 3t #2— completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal of cabel tool 6 /3 3.D. cabel	type, size and depth of each well or the general specifications of any of groundwater in 160 ft in depth 7.0.0. casing water withdrawn each year list known. In the drilling of each well if available
drawal of groundwater #1 3t #2-completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal of cabal tool- 6 3/8 3.D. 22 The estimated amount of grounds. The log of formations encountered Sec Reverse side. Such other information of a similar complete the complete side.	type, size and depth of each well or the general specifications of any of groundwater in 100 ft in depth 7.0.0. casing water withdrawn each year in the drilling of each well if available ar nature as may be useful in carrying out the policy of this act, including
drawal of groundwater [1] St f2-completed Aug. 21, 19 3. The depth of water table 3. So far as it may be available, the other works for the withdrawal of cabal tool- 6 //3 3.D. caba	type, size and depth of each well or the general specifications of any of groundwater for 100 ft in depth Drilled Well with ting f2-400 ft. in depth 7. 0.0. casing
drawal of groundwater	type, size and depth of each well or the general specifications of any of groundwater (a 100 ft in depth frilled well with the general specifications of any of groundwater (a 100 ft in depth frilled well with the depth frilled well with the depth frilled well with the depth frilling of each well if available ar nature as may be useful in carrying out the policy of this act, including a county record.
drawal of groundwater [1] St f2-completed Aug. 21, 19 3. The depth of water table 3. So far as it may be available, the other works for the withdrawal of cabal tool- 6 /3 3.D. cabal tool- 6 /3 3.D	type, size and depth of each well or the general specifications of any of groundwater in 100 ft in depth. Drilled well with thing 12-40 ft. in depth. 7. 0.0. casing water withdrawn each year link known. I in the drilling of each well if available ar nature as may be useful in carrying out the policy of this act, including
drawal of groundwater [1] St [2] completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal or cabal tool [2] So.D. 22 The estimated amount of grounds. The log of formations encountered Sec Reverse side. Such other information of a similar complete side.	type, size and depth of each well or the general specifications of any of groundwater (100 ft in depth Drilled Well with Ling 1200 Ft. in depth 7. 0.D. casing water withdrawn each year Lik known. If in the drilling of each well if available ar nature as may be useful in carrying out the policy of this act, including y county record. Klind Ranch, & Mattana Cor. 6
drawal of groundwater #1 3t #2-completed Aug. 21, 19 The depth of water table So far as it may be available, the other works for the withdrawal of cabel tool- 6 3/8 3.D. 22 The estimated amount of grounds. The log of formations encountered Sec Reverse side. Such other information of a similar complete the complete side.	type, size and depth of each well or the general specifications of any of groundwater (100 ft in depth Drilled Well with Ling #2-400 ft. in depth 7, 0.0. casing water withdrawn each year Like known. If in the drilling of each well if available ar nature as may be useful in carrying out the policy of this act, including y county record. Klind Fanch, & Matana Cor. of Signature of Owner Like Line.
drawal of groundwater [1] St [2] completed Aug. 21, 19 8. The depth of water table 9. So far as it may be available, the other works for the withdrawal of cabal tool [6] [7] 3.D. Cabal tool [6] [7] 3.D. Cabal tool [7] 3.D. C	type, size and depth of each well or the general specifications of any of groundwater (100 ft in depth Drilled Well with Ling 1200 Ft. in depth 7. 0.D. casing water withdrawn each year Lik known. If in the drilling of each well if available ar nature as may be useful in carrying out the policy of this act, including y county record. Klind Ranch, & Mattana Cor. 6

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

249

11 0 to 31-- Top Soil 3' to 18' Gravel & Bolders 18: to 21' Gray Shale 21' to 25' Gravel & Bolders 25' to 10' Oray Shale 四: small water 40° to 60° Oray shale small vater 611 601 to 751 thray Shale 75' to 80' Gravel (Water) 80° to 100 (finnest Gray Shale (Dag by Joe Wm. author Asfeldt) Perforated 6' to 100' #2-0 to 30' Yellow surface clay & Gravel 30 to 138 Blue Shele 138 to 180 Black Bosalt. Hard 180 to 220 Shale 220 to 365 Mue Shale 365 to 380 Careay Sandstons 380 to hon Mine Shale Dug by E. L. Flood, Settem 5 foigts of ensing, perforated

2 wells in SE(NW) of Sec. 2-18-10. KLIND RAICH

State of Hontana County of Judith Besin

Filed this ith day of Sept.

A.D. 1963 at 2:10 o'clock P.M.

County Clerk.

Fee \$2.00 Paid.

8-60	11	3	R	10
	County	Judith	Basin	
MONTANA BUREAU OF MINES Butte, Montan	S AND GI na	EOLOGY		
WATER WELL	LOG	Ş	STATE	ENGINEER
Owner George Klind		Addres	s0e	yser, Mont.
Driller Joe Wm. Agredt			7770_	th Ama Namth
Date Started Oct. 5, 1761		Date C	omplete	d Oct. 9, 1961
Location: Sec. 2 T.	18 R.	10	$\frac{1}{4}$ sec.	SEA of NWA
Type of well Drilled Equipo	ment us	ed	Cable To	ols , rotary, other)
Water use: Domestic Municipal	Stock	X		Linear
Industrial Drainage Drainage				6 5 10n o s
Casing: Top ft. to 100 ft. Type				
Casing: perforated ft. to 60' to 100 ft. Type				
Casing: ft. to ft. Type				
Perforated or Screened: Ft. 60° to ft.			to	ft.
Type of screen or perforations				
Static Water level, for non-flowing well:				
Shut-in pressure, for flowing well:	1b.	/sq. in	. on:	(date)
Pumping water level 95 ft. feet at	42	gal	. per n	in
How to the do Bailer				
Length of test 1 Pr.				
Remarks: (Gravel packing, cementing, packer shut-off)			ut-off,	depth of
				
(over)				

Log of Well

feet	
То	Description of Material Drilled
31	Top Soil
18*	Gravel & Boulder
211	Gray Shale
251	Gravel & Boulders
401	Gray Shale
hī.	Small Water
601	Gray shall
61:	small water
751	Gray Shale
801	Gravel (Water)
1001	Gray Shale
2.4 2	this 28th, day of Decamber 1961 W.W. Low #87
786 3 630 5 600	TANIE ZOLITA DAV. DI INCHIDIO: A701 NAV. 701
T	
	To 3! 18! 21! 25! 40! 41! 60! 61! 75! 50!

File No.

DUPLICATE


T 18 R 10

County Judith Basin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)



Kenneth E. Meyer (Name of Appropriate County of Judith Basin	or)	of. (Address) State of. Hontana	Geyser (Town)
County of the contract of the	accordin	g to the Montana laws in effect prior	to January 1, 1962, as fol-
N N	2.	The beneficial use on which the claim Stock Water	is based
	3.	Date or approximate date of earliest be tinuous the use has been 255 19 continuously since that time	60 and used
E	4.	The amount of groundwater claimed (in per minute) 5 gallons per a	n miner's inches or gallon inute
8	š .	If used for irrigation, give the acrea lands to which water has been applie	ge and description of th d and name of the owne
**************************************		thereof No Irrigation	
ndicate point of appropriation and place of use, if possible.	6.	The means of withdrawing such water	
		location of each well or other means o	f withdrawal
The date of commencement and	completi	Flowing Spring ion of the construction of the well, well n 1960 and completed that yea	s, or other works for with
The date of commencement and drawal of groundwater	completi	Flowing Spring ion of the construction of the well, well n 1960 and completed that yea	s, or other works for with
The date of commencement and drawal of groundwater The depth of water table So far as it may be available, the other works for the withdrawal for the content of the cont	type, si	Flowing Spring ion of the construction of the well, well a 1960 and completed that yea	s, or other works for with T. eral specifications of any on box in
The date of commencement and drawal of groundwater The depth of water table So far as it may be available, the other works for the ceater of	rted 1 x facts type, si h for 4	ion of the construction of the well, well n 1960 and completed that year 3 feet. ze and depth of each well or the gendwate. Emtiss into a collection pring and piped into a tank.	s, or other works for with F
The date of commencement and drawal of groundwater The depth of water table So far as it may be available, the other works for the withdrawal fing to a depth of the ceater of	type, si f group h of the s	ion of the construction of the well, well n 1960 and completed that year 3 feet. ze and depth of each well or the gendwate. Emtiss into a collection or the pring and piped into a tank.	s, or other works for with T. eral specifications of an on box in
The date of commencement and drawal of groundwater The depth of water table So far as it may be available, the other works for the withdrawal full to a depth of the ceater of	type, si f groun h of the s	ion of the construction of the well, well n 1960 and completed that year 3 feet. ze and depth of each well or the gendwate. Emtiss into a collection pring and piped into a tank.	s, or other works for with T.
The date of commencement and drawal of groundwater The depth of water table So far as it may be available, the other works for the crater of	type, si typ	ion of the construction of the well, well a 1960 and completed that year 3 feet. Ize and depth of each well or the gendwate. Entires into a collection pring and piped into a tank. Withdrawn each year drilling of each well if available as may be useful in carrying out the processor.	s, or other works for with re- seral specifications of any on box in
drawal of groundwater	type, si for the slwater w	ion of the construction of the well, well a 1960 and completed that year 3 feet. Ize and depth of each well or the gendwate. Entires into a collection pring and piped into a tank. Withdrawn each year drilling of each well if available re as may be useful in carrying out the pring record.	s, or other works for with re- seral specifications of any on box in

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1 64

File No. 241

KRHESTE R. MEYER

NV/NV: Sec. 17-18-10

State of Montana County of Judith Basin

Filed fur this 11th day of July A. D. 1965 at 9:50 o'clock A.M. matx

County Clerk.

Poo \$2.00 Paid.