

26

File No.


T. 9 N 6 E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER
JUN 20 1963

RECEIVED

- Top of Ground (Elev. above sea level.....)
- 10' -II' Gritty clays
- 11' -46' Clean sand and gravel
- 46' - 52' clean sand and gravel(water)
- 52' -105' Red clays, dirty gravels, not much water.
- 105' -118' Hard cemented rock and gravel.
- 118' -125' clean small gravels.
- 125' -141' Red clays.
- 141' -195' Red and buff clays with a few lenses of cemented sands and small gravels. And clay @ 175' to 185'
- 195' -196' 6" clean gravel.
- 196' 6" -199' Buff clays
- 199' -201' Clean gravels.
- 201' -222' Buff clays.
- 222' -225' Clean gravels.
- 225' -228' clays.
- 228' -231' Clean gravels.
- 231' 
- 231' -232' 5 1/4 Sec. 26 T. 9 R. 6. Indicate location of well and place of use, if possible. Each small square represents 10 acres.
- Show exact depth of bottom.
- 231' -235' Sandstone.
- 235' -239' Hard pans
- 239' -250' cemented sand and gravels
- 250' -300' clays and hardpanns. (dry)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Alfred Edwards Address White Sulphur Springs Mont.
Driller Van Dyken Drilling Address Bozeman, Mont.

Date of Notice of Appropriation of Groundwater none
Date well started March 11/63 Date Completed March 16/63

Type of well Drilled Equipment Used Reverse Rotary
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
32"	16" O.D.	0'	250'	3/16"	47'	52'
	1/2" wall	to 250'			96'	161'
	P.E.				196'	201'
	welded				220'	250'

Static Water Level for non-flowing Well 15' feet.

Shut-in Pressure for Flowing Well none

Pumping Water Level 85' feet at 1850 gal. per minute.

Discharge in gal. per min. of flowing well none

How Tested Turbine Pump Length of Test 14 Hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) 32" wall bore

16" casing centered in hole and annular space between hole and casing gravel packed with 1/2" to 3/8" screened and washed smooth gravels. Top 8' filled with dirt.

Licence No. I
Driller's License Number
Bert Van Dyken
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

4701

#53

281

STATE OF MONTANA, }
County of Meagher

I hereby certify that the within
Instrument was filed in the
office on the 19th day of June
1963 at 8:30 o'clock A.M.

Ruth P. Bears

By

Jan F. Knight
DEPUTY

Fee \$2.00

64818

Subscribed in presence of
Witnesses of County of Meagher
STATE ENGINEER
OFFICE OF STATE ENGINEER
ADMINISTRATION OF RECORDS
STATE OF MONTANA
DEPUTY
JUN 20 1963

DEPARTMENT

JUN 20 1963

JUN 20 1963

File No. 158

T. 9 R. 6E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER


Oakley R. Jackson
(Name of Appropriator)

Box 673, White Sulphur Springs,
(Address) (Town)

County of Meagher

State of MONTANA

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW $\frac{1}{4}$ Sec 30 T. 9 R. 6E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Stock Water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1913, a.M. & on

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 5 gallon per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

Not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.

Pump, pump Jack & Motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1913

8. The depth of water table. 90 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well, 6 inch galvanized casing, 120 ft deep.

10. The estimated amount of groundwater withdrawn each year. 180,000 gallon

11. The log of formations encountered in the drilling of each well if available. not available. the man who drilled this well is dead.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner

O. R. Jackson.

Date December 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#158

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record in the
office on the 30th day of Dec.
1963, at 2⁰⁰ o'clock P.M.

RUTH P. BEARS

CLERK OF DISTRICT COURT

[Signature]
DEPUTY

65496

OFFICE OF THE CLERK OF DISTRICT COURT
COUNTY OF MEAGHER, MONTANA
SPOKANE, MONTANA

RECORDED AND INDEXED

[Vertical stamp and handwritten notes]

[Vertical stamp and handwritten notes]

[Vertical stamp and handwritten notes]

GW

File No. 155

T 9 N R 6 E

DUPLICATE

County Meagher


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 3 1964

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Oakley R. Jackson, of Box 673, White Sulphur Springs,
(Name of Appropriator) (Address) (Town)
County of Meagher State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec 30 T. 9 R. 6 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stock Water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1913 off and on

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

Not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

pump, pump Jack & Motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1913

8. The depth of water table 120 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled Well, 6 inch galvanized casing, 200 ft deep

10. The estimated amount of groundwater withdrawn each year 180,000 gallon

11. The log of formations encountered in the drilling of each well if available not available, the man who drilled the well is dead.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner O. R. Jackson.

Date December 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#155

STATE OF MONTANA, } ss.
County of Meagher,

I hereby certify that the within
Instrument was filed for record in this
office on the 30th day of Dec.

19 63 at 1^{1/2} o'clock P.M.

RUTH E. BEARS

County Recorder

By

Joan P. Knight
Deputy

65493

Handwritten notes and signatures on the left side of the page, including a signature that appears to be "John S. ..."

Vertical handwritten notes and signatures on the right side of the page, including a signature that appears to be "John S. ..."

RECEIVED
DEC 11 1972

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION
STATE OF MONTANA

County Meagher

34
35

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File # 355, 72447

Dec 6, 1972 9:45 a.m.

GW 1

Owner William L. Skelton

Address White Sulphur Springs, Montana

Contractor (if any) Ben Haroin

Address of Contractor White Sulphur Springs

Date Started Nov 18 72 Date Completed Nov 30 1972

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) By drain ditch
3 to 6 feet deep

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity

3. Depth of water table 2 feet - 3 feet


4. Use of the water To irrigate parts of Sec 34
Township 9 N Range 6 E - NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 34
SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 34 NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 34

5. Amount of groundwater claimed (in miner's inches or gallons per minute) Approximately 80 miners
inches

6. If used for irrigation, give number of acres and description of land Approximately 110 Acres in parts
of Sec 34 T 9N Range 6E -- NE $\frac{1}{4}$ SE $\frac{1}{4}$
SE $\frac{1}{4}$ NE $\frac{1}{4}$ -- NE $\frac{1}{4}$ NE $\frac{1}{4}$

7. Estimate amount of water used each year Dont Know

8. Months of year spring flows



$\frac{1}{4}$ Sec 34 & 35

T. 9 N R. 6 E

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE. Elevation of spring, if known or estimated

Signature of Owner William L. Skelton

Date Dec 6 - 1972

51,992

355

AMANDA TO HANE
1117 ELMWOOD ST. SPOKANE, IDAHO
SPOKANE REGISTERED REALTY SERVICE

RECORDED TO PROTECT THE INTERESTS OF THE STATE


STATE OF MONTANA. } ss.
County of Meagher.

I hereby certify that the within
instrument was filed for record in this
office on the 6th day of Dec.
1922 at 10:45 o'clock A.M.

Clara P. Blane
COUNTY RECORDER

By _____ Deputy.

72449



T. 9 R. 6
County. Meagher

RECEIVED
APR 24 1958

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

WATER WELL LOG

Owner: Alfred M. Edwards Address: White Sulphur Spgs.

Driller: Albert Heck Address: Harlowton Mont

Date Started: Jan 8 Date Completed: Jan 12

Location: Sec 35 T. 9 R. 6 1/4 sec. NW

Type of well: Drilled Equipment used: Cable tool
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 1 ft. to 32 ft. Type: Iron Size: 8"

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 15 feet at 10 gal. per min. 10

How tested: Paker

Length of test: 4 Hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0	15	Brown Clay and Rock
15	35	Fine Gravel

NW1 No.9

STATE OF MONTANA,
 County of Missoula.
 I hereby certify that the within
 instrument was filed for record in this
 office on the 23rd day of July 1938.
 1938, at H. H. O'Connell, M.
 Clerk of the County.
 Richard M. O'Connell
 Clerk

59743

GROUNDWATER INDEX

County Meagher Twp. 9N Rge. 1E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
3	Smyth, Wilma	GW3	65594	
4	" "	GW3	65594	See Section 3
4	Kohlotten, Erford & Orville	GW3	65489	
4	" "	57106	03232	
5	Zehntner Brothers	GW2	64513	
5	" "	GW4	65531	
7	Wylie, Raul R.	GW3	05108	
7	Chapman, Forrest	GW4	65477	
7	Mineral Springs Co.	GW4	65563	
8	" "	GW4	65563	See Section 7
8	Olson, Clifford L and Geraldine	GW4	65620	
8	" " " "	GW4	65619	
8	Chapman, Forrest	GW4	65478	
10	Smyth, Wilma	GW2	63895	
12	Chapman, Forrest and Luther	GW3	72989	
19	Bailey, Ray E.	GW4	65607	
19	" "	GW4	65608	
20	" "	GW3	65605	
22	" "	GW3	65602	
22	" "	GW3	65604	
24	Ulbra Power Box Co.	GW2	71010	
25	City of White Sulphur Springs	GW3	73049	
25	" " " "	GW3	73048	
27	Smyth, Wilma	GW3	65595	
29	Bailey, Ray E.	GW2	66546	
29	" "	GW3	65606	
34	" "	GW3	65603	
	Heck, Albert	GW 2	66545	
	Fallang, K. O.	GW 2	66545	

File No.

T. 7 9 R 8 7 E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

STATE ENGINEER
Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1951)

Date of Appropriation of Groundwater 12-31-63

Owner William Smyth Address White Sulphur Sp, Mont

Contractor (if any) _____

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.


Sub-irrigation

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

Estimate approximate lengths of periods of use _____

400 Acres-foot - 1 to 15 feet

water below surface



Parts of Sec. 3, 4, 9, 10, 14

Indicate point of appropriation and place of use, if possible.

Signature of Owner William Smyth

by Robert Bourne (Power)

Date 12-21-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

~~11-7-62~~
253

STATE OF MONTANA
County of Meagher
I hereby certify that the within
Instrument was recorded in the
office on the 31st day of Dec
1963 at 2:40 o'clock P.M.
RUTH P. BEARS
By Jean O. Spittal
Deputy

65594

4

File No. 151

T. 9N R. 7E

DUPLICATE

County Meagher


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 30, 1954
Owner F. P. Hart & Avelia Rohlfetter Address White Sulphur Springs, Mont
Contractor (if any) _____
Address of Contractor _____
Date Started _____ Date Completed _____



NW 1/4 SE 1/4 Sec 4 T9N R6E

Indicate point of appropriation and place of use, if possible.

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. irrigation ditch SPRING
Forty (40) miner's inches (being one cubic foot per second of time) of the waters of a natural spring and seepage waters in NW 1/4 SE 1/4 Sec. 4 T9N, R6E

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. _____
Forty (40) miner's inches (being one cubic foot per second of time) of the waters of a natural spring and seepage waters in NW 1/4 SE 1/4 Sec. 4 T9N, R6E

Signature of Owner Avelia Rohlfetter
Date Dec 30, 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

File No. 151

T. 9N R. 7E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 30, 1954


Owner Ernest & Arcella Pickett - White Sulphur Springs, Mont.

Contractor (if any) _____

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well, as by sub-irrigation and other natural processes. Include depth to water when applicable. irrigation ditch spring



Forty (40) miners inches (being one cubic foot per second of time) of the waters of a natural spring and seepage waters in NW & SE 1/4 Sec 4 T9N, R6E

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use

NW & SE 1/4 Sec 4 T9N, R6E

Indicate point of appropriation and place of use, if possible

Forty (40) miners inches (being one cubic foot per second of time) of the waters of a natural spring and seepage waters in NW & SE 1/4 Sec 4 T9N, R6E

Signature of Owner Arcella Pickett

Date Dec 30, 1964

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#151

STATE OF MONTANA. } ss.
County of Meagher

I hereby certify that the within
Instrument was filed for record in this
office on the 20 day of Dec.
1963 at 1:20 o'clock P. M.

RUTH E. BEARS

County Clerk

Jan C. Knight
Deputy

65489

Office of the County Clerk
Meagher County
Cabinet Building
Helena, Montana
1963

T. 9N R. 7E


County. Meagher

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
OCT 13 1961

WATER WELL LOG

STATE ENGINEER



Owner E. Port + Aracelia Robletter Address White Sulphur Springs, Montana

Driller Gillen Drilling Address Harlowton, Montana

Date Started Sept. 26, 1961 Date Completed Oct. 2, 1961

Location: Sec. 4 T. 9N R. 7E 1/4 sec. NW SE⁴

Type of well Drilled Equipment used Cable tool
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other:.....

Casing: 0 ft. to 34 ft. Type Iron Size 8 inch standard

Casing: 34 ft. to 60 ft. Type Gal. Size 6 inch

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 30 to ft. 50 Ft. to ft.

Type of screen or perforations Cut holes with welder

Static Water level, for non-flowing well: 12 ft. from top feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 25 feet at 30 gal. per min.

How tested: Bailer

Length of test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Could pull well down to 25 ft. taking out 30 GPM. Couldn't lower it beyond that depth. Got a little water about 20 ft. Big flow between 44 to 54 ft.

(over)

GW2

File No.....

DUPLICATE

Section 5

T. 9 N. R. 7 E

County... Meagher


*Do this please
to existing well?*

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 21 1962

**Notice of Completion of Groundwater
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)



Owner: Zehntner Bros. Address: White Sulphur Springs
Montana

Driller: none Address:

Date of Notice of Appropriation of Groundwater: none

Date well started: Nov. 1, 1962 Date Completed: Nov. 10, 1962

Type of well: dug Equipment Used: hand equipment
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	12 inch diameter (discarded water tank)	0	7ft.	1 inch	7ft	3ft.

Static Water Level for non-flowing Well: four (4) feet.

Shut-in Pressure for Flowing Well: not known

Pumping Water Level: 4 feet at 50 gal. per minute.

Discharge in gal. per min. of flowing well: 50 gpm (approx)

How Tested: estimate Length of Test:

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) This was a hand-dug well for domestic purposes.

No driller or other commercial equipment hired

not applicable
Driller's License Number


[Signature]
Partner's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#52



STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
instrument was filed for record in this
office on the 28 day of Jan
1963 at 9:15 o'clock A.M.

Ruth P. Bears

COUNTY RECORDER

By Mary E. Johnson
DEPUTY

64513

RECORDED
INDEXED
FILED
JAN 28 1963
MEAGHER COUNTY
MONTANA

File No.

T. 9 N. R. 7 E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


JAN 6 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Zehntner Brothers (Harold, Glen, Howard) or White Sulphur Springs
(Name of Appropriator) (Address) (Town)

County of Meagher State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 5 T.9 R.7

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Household and domestic use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Well dug 1908 and in continuous use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 4 gal. per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Used for garden in SE 1/4 Sec. 5 T.9 R.7, in name of appropriators

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Well located in SE 1/4 Sec. 5, T.9 R.7, piped into house, pumped up by electricity.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1908

8. The depth of water table. Varies from 2' in spring to 8' in winter. Average depth 6'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well is 12' deep, and water level varies from 2' in spring to 8' in winter. Well is 12' deep, 2 1/2" round, and lined with native stone.

10. The estimated amount of groundwater withdrawn each year. 500 gal. per day

11. The log of formations encountered in the drilling of each well if available.
Unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This water used for domestic purposes not on record

Signature of Owner Zehntner Brothers

By

Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

2-773

190

STATE OF MONTANA, } ss.
County of Meagher,
I hereby certify that the within
instrument was filed for record in this
office on the 31st day of Dec
1963 at 2:22 o'clock P.M.
RUTH P. BEARS
County Recorder
Deputy

65531

File No.....

T. 9N R. 34E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
OCT 17 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater JUNE, 1894
Owner Paul R. Whyte Address 2410 South Third
Bozeman, Montana
Contractor (if any) Not Known Tal Reed, owner 1894
Address of Contractor Tal Reed Deceased
Date Started 1894 Date Completed See note



Meagher County
Montana
1/4 Sec. T. R.

Indicate point of appropriation
and place of use, if possible.
← Source of ground water
+ Area irrigated

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Some drainage ditches begin on east side of tract described, were dug in 1894. Water developed from this source used to irrigate westerly parts of tract. Drainage ditches enlarge for much water in 1947 and 1952.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Two drainage ditches flow 200 cfs each inches of water during irrigation season. Water is obtained at a depth of 3 feet to 6 feet. It is used for irrigating as indicated from May to September inclusive. It is used year long for stock water.

Signature of Owner Paul R. Whyte
Date October 15, 1963

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#74

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
instrument was filed in my office on the 15th day of October
1965 at 1:00 o'clock P. M.

Ruth P. Beara
County Clerk

By Charles E. Knight
Notary Public

65108

File No. 146

T. 9 N. R. 7

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1962

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Forest Chapman, of White Sulphur Springs
(Name of Appropriator) (Address) (Town)
County of Meagher State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 7 T. 9. R. 7

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Watering livestock and some irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1946. Continuous watering of livestock year around
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). Approximately 10 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Approximately 2 acres. Garden area and lawn. Forest Chapman.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pumps - near the corral.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Date unknown, approximately 1914 or earlier
- 8. The depth of water table. approximately 12 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well dug by hand and worked off approximately 3 in. in diameter. 12 feet deep with a pressure pipe for withdrawing water.
- 10. The estimated amount of groundwater withdrawn each year. 950,000 gal.
- 11. The log of formations encountered in the drilling of each well if available. Well is cased up
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No record

Signature of Owner Forest Chapman
Date _____

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#146

STATE OF MONTANA, } ss.
County of Meagher


I hereby certify that the within
Instrument was filed for record in this
office on the 3rd day of Dec
1963 at 9:50 o'clock A.

RUTH P. BEARS
County Clerk

By

Paul D. Smith
DEPUTY

65477



Division of Aerial Photography
OFFICE OF AERIAL PHOTOGRAPHY
ADMINISTRATIVE AND RECORDS DIVISION
STATE OF MONTANA
STATE ENGINEER

File No.

T 9 N R 7 E

DUPLICATE

County Meagher


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 8 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. MINERAL SPRINGS COMPANY, a Montana Corporation, of White Sulphur Springs,
(Name of Appropriator) (Address) (Town)
County of Meagher State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sections 7 & 18
1/4 Sec. T9N R7E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based drinking and mineral baths for medicinal purposes, swimming pool and plunge.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Appropriation record shows April 30th, 1866; use has been continuous to present date; recent improvements have increased use.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) all waters rising from springs in Hotel & Springs Squares of Parberry townsite of White Sul. Spgs, as decreed. Will pump 250 gpm continuously.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal natural flow and by one 4" pump capacity 10,000 gallons per hour and one 2" pump capacity 4000 gallons per hour; situated in Springs Square, Parberry Townsite, White Sul. Spgs.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. improvements were placed on property in 1866 and has been improved from time to time; present box, improvements and pumps installed about 1950.

8. The depth of water table. flows to surface.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. a sump or concrete box about 12 feet x 20 feet x 12 feet deep; two pumps, one 4" and one 2" - electric powered.

10. The estimated amount of groundwater withdrawn each year. 30 million gallons estimated use, entire flow of springs appropriated and permitted to run.

11. The log of formations encountered in the drilling of each well if available. not applicable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Rights claimed have been decreed in Decree recorded in Judgement Record No 5, Page 228, Office of Clerk of Court, Meagher Co., Mont.

MINERAL SPRINGS COMPANY, a Corp.

Signature of Owner By: A. C. Spring
President

Date December 31st, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27092

222

CHARGE TO STATE
PROPERTY ACQUIRED TO MONTANA
PROPERTY ACQUIRED TO MONTANA

DEPARTMENT OF REVENUE

STATE OF MONTANA

STATE OF MONTANA, ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record in this
office on the 31st day of Dec
1916 at 11¹⁰ o'clock A.M.

RUTH P. BEARS

County Recorder

By

Jesse A. Knight
DEPUTY.

65563

RECORDED IN BOOK NO. 10 PAGE 100
INDEXED IN BOOK NO. 10 PAGE 100

File No.

T. 9 N., R. 7 E.

DUPLICATE

County. Meagher


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 13 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

Clifford E. Olsen & Geraldine M. Olsen; White Sulphur Springs,
(Name of Appropriator) (Address) (Town)
County of Meagher State of Montana,
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 8, T. 9 N., R. 7 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. **household and domestic use, irrigation and stock watering.**
- Date or approximate date of earliest beneficial use; and how continuous the use has been. **before 1900, probably about 1890 and use has been continuous since.**
- The amount of groundwater claimed (in miner's inches or gallons per minute). **40 gallons per minute.**
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. **approximately 2 acres of garden and yard adjacent to well in SE 1/4, Section 8, Township 9 North, Range 7 East, held in name of appropriators.**
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. **mechanical pump, electric power.**
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. **before 1900.**
- The depth of water table. **10 feet.**
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. **drilled well, with six-inch casing, 60 feet deep, electric pump.**
- The estimated amount of groundwater withdrawn each year. **100,000 gallons.**
- The log of formations encountered in the drilling of each well if available. **- not available -**
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

Clifford E. Olsen
Date. December 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

279

STATE OF MONTANA, } ss.
County of Meagher,
I hereby certify that the within
instrument was filed for record in this
office on the 31st day of Dec.
1963 at 4⁵⁰ o'clock P.M.
RUTH P. BEARS
COUNTY RECORDER.
By *[Signature]* DEPUTY.

65620

File No.

T 9 N R 7 E

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED

Declaration of Vested Groundwater Rights JAN 13 1964

(Under Chapter 237, Montana Session Laws, 1961)

1. Clifford E. Olsen & Geraldine M. Olsen of White Sulphur Springs
(Name of Appropriator) (Address)
Meagher Montana (Town)
County of _____ State of _____
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

STATE ENGINEER



NW1/4 Sec. 8, T9N, R7E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household and domestic use, irrigation and stock watering purposes.

3. Date or approximate date of earliest beneficial use, and how continuous the use has been before 1900, probably about 1890 and use has been continuous since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof approximately 2 acres of garden and yard adjacent to well in NW1/4 Sec. 8, T9N, R7E. in name of appropriators.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal mechanical pump, electric power.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater before 1900,

8. The depth of water table 10 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled well, six inch casing, 50 feet in depth, electric pump.

10. The estimated amount of groundwater withdrawn each year 100,000 gallons

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Clifford E. Olsen
Date December 30, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

278

STATE OF MONTANA, } ss.
County of Meagher.
I hereby certify that the within
Instrument was filed for record in this
office on the 31st day of Dec.
1963 at 4:45 o'clock P.M.
RUTH P. BEARS

By Juan F. Knight
COUNTY RECORDER
DEPUTY

65619

File No. 147

T. 9 N. R. 7 E

DUPLICATE

RECEIVED
JAN 2 1962


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, Forest Chapman of White Sulphur Springs
(Name of Appropriator) (Address) (Town)
County of Meagher State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 8 T. 9 R. 7
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Home consumption, watering livestock & irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1947. Continuous use year round.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 5 gallons per min.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 2 acres, garden and lawn Forest Chapman
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Pressure pump. Inside the home

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Started and completed in 1947 with pressure pump
- 8. The depth of water table. approximately 68 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. drilled well with 6 in. casing, 69 feet 8 in. deep with a pressure pump to withdraw water
- 10. The estimated amount of groundwater withdrawn each year. 267,200 gal. per year
- 11. The log of formations encountered in the drilling of each well if available. 17 to 14 feet dirt then a hard pan, clay and gravel and sand.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. no record

Signature of Owner, Forest Chapman
Date.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#147

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record
office on the 30th day of Dec
1963 at 9:55 o'clock A.M.

RUTH P. BEARS

County Clerk

By David G. Knight
DEPUTY.

65478

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—38496

File No.

T. 9N R 7E


DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER
RECEIVED
APR 17 1962

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Owner Wilma Smyth Address White Sulphur Springs Mont
 Driller Harvey Drilling Co Address White Sulphur Springs Mont
 Date of Notice of Appropriation of Groundwater April 17, 1962
 Date well started April 7, 1962 Date Completed April 13, 1962
 Type of well Drilled Equipment Used Churn drill
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)
 Water Use: Domestic Municipal Other Irrigation
 Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5 7/8" 10 10 1/2 PPF	Surface	51'	Acetylene CUT	20'	51'

Static Water Level for non-flowing Well 30 feet.
 Shut-in Pressure for Flowing Well Not Applicable
 Pumping Water Level 22 feet at 6 gal. per minute.
 Discharge in gal. per min. of flowing well Not Applicable
 How Tested Bailer Length of Test 3 Hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) None

74
 Driller's License Number
Marshall A. Dawson
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#42

STATE OF MONTANA, } ss.
County of Blaine

I hereby certify that the within
instrument was filed and recorded in this
office on the 15 day of May
1962 at 2 o'clock P.M.

Carl P. Bens

By Mary E. Johnson
Clerk

63895

File No.

RECEIVED

T. 9N R. 7E 12

TRIPPLICATE

JUN 28 1973

County Meagher

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Forest & Esther Chapman Address Box 369, Whit. Sulph. Spgs

Driller Gene Driedline Address White Sulphur Springs

Date of Notice of Appropriation of Groundwater June 22, 1973

Date well started July 10, 1969 Date Completed July 10, 1969


Type of well dug Equipment Used backhoe
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

390,72989
June 22, 1973
5:01 P.M.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)



SW 1/4 Sec. 12 T9N R. 7E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom. 10 feet

Static Water Level for non-flowing Well 6 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 8 feet at 150 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested DUG Length of Test 24 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) 5 acres

Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

54143

390

STATE OF MONTANA
County of Meagher
I hereby certify that the within
Instrument was filed for record in this
office on the 22 day of June
1927 at 5:00 o'clock P.M.
Lucas Collins
County Recorder

By _____ Deputy

72989

File No. _____

T. 9 N. R. 7 *19*

DUPLICATE

County. Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Ray E Bailey, of White Sulphur Springs
(Name of Appropriator) (Address) (Town)

County of Meagher State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SWXSW 1/4 Sec. 19 T. 9 R. 7

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1961 continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 25 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. NA

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric Power pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. See item 3

8. The depth of water table. 40 to 50 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled 6" casing 150' deep

10. The estimated amount of groundwater withdrawn each year. 300,000 gal. Nat.

11. The log of formations encountered in the drilling of each well if available. Log not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. NA

Signature of Owner Ray E. Bailey
Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. *29064*

#266

STATE OF MONTANA, }
 County of Meagher, } ss.
 I hereby certify that the within
 instrument was filed for record in this
 office on the 31st day of Dec.
1963 at 3:45 o'clock P.M.

BY: RUTH P. BEARS
 COUNTY CLERK

Jeani A. Knight
 Deputy

65607

19

File No.

T. gr R

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Ray E Bailey, of White Sulphur Springs
(Name of Appropriator) (Address) (Town)

County of Meagher State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SEAS 1/4 Sec. 19 T. 9 R. 7

Indicate point of appropriation and place of use, 1/4 possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Household and livestock
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Before 1900 continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 gallon per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. NA
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric power pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. See item 3

8. The depth of water table. 50 to 70 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled 6" casing 225' deep

10. The estimated amount of groundwater withdrawn each year. Est. 1,200,000

11. The log of formations encountered in the drilling of each well if available. Log of information not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. NA

Signature of Owner. Ray E. Bailey
Date. December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

29005

#267

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record in this
office on the 31st day of Dec.
1963 at 3:52 o'clock P.M.

RUTH P. BEARS

COUNTY RECORDER

By *James A. Knight*
DEPUTY.

65608

File No.

T. 9 R. 7

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Notice of Completion of Groundwater Appropriation
Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater December 31, 1963


Owner Ray E Bailey Address W S Springs, Montana

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Natural Process: Surface Water Spring.



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

20 miners inches

Visual Estimate Period of use in year round.....

Section 20 T. 9 R. 7

Indicate point of appropriation and place of use, if possible.

Signature of Owner Ray E. Bailey

Date December 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

29062

265
264

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within instrument was filed for record in this office on the 31st day of Dec. 1963 at 3:35 o'clock P.M.
RUTH P. BEARS

Jean P. Snyder
COUNTY RECORDER
DEPUTY

65605

22

File No.....

T. 9 N 7 R 7

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

STATE ENGINEER
Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater December 31, 1963

Owner Ray E Bailey Address W S Springs, Montana


Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Natural Process

Surface Water. Spring



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

30 Miners Inches. Visual Estimate

Period of month use is year round.

Section 1/4 Sec. 22 T. 9 R. 7

Indicate point of appropriation and place of use, if possible.

Signature of Owner Ray E. Bailey

Date December 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

279059

261

STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record in this
Office on the 31st day of Dec.
1963 at 3:28 o'clock P.M.

RUTH P. BEARS

COUNTY RECORDER

Jean G. Smith

65602

22

File No.

T. 9 N 7 R

DUPLICATE

County Blaine
RECEIVED
JAN 10 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 287 Montana Session Laws, 1961)

Date of Appropriation of Groundwater December 31, 1963

Owner Ray E Bailey Address W S Springs, Montana

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Natural Present. Surface Water

Spring

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....


15 minutes

Visual Estimate

Period of use is year round

Signature of Owner Ray E Bailey

Date December 31, 1963



Section 34 Sec. 22 T. 9 R. 7

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

29061

#263

STATE OF MONTANA }
County of Meagher. } ss.

I hereby certify that the within
Instrument was filed for record in this
office on the 31st day of Dec
1963 at 3:30 o'clock P.M.
RUTH P. BEARS

[Signature]
County Recorder

65604

[Faint, mostly illegible text and markings, possibly bleed-through from the reverse side of the page.]

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

County Meagher
DRILLER'S LOG 24

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Owner Ward Paper Box Co.

Address White Sulphur Springs
Montana

Date well started Jan. 4, 1971
completed Jan. 15, 1971

For Administrator's Use
71010
January 23, 1971
9:15 a.m.
GW 1

Type of well Drilled


Equipment used CHURN

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe 30 gals per min., stock water
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL various

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	6-5/8" O.D. 17 lbs. 1/4" steel-wall	ground level	66 ft.			



Static water level 25 ft.*
Pumping water level 60 ft.*
at 30 gallons per minute,
measured 120 minutes after pumping began.

*Measured from ground level.
Well developed by bail test
for 4 hours.
Power..... Pump..... HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

SW 24
9/11 1/4 Sec. 7
T..... N R..... E

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Kenneth L. Williams

Driller's Address 1558 So. St.
151

Top of Ground		(Elev. above sea level)
From (Feet)	To (Feet)	
<u>0L</u>	<u>11'</u>	<u>tan clay, & gravel</u>
<u>11'</u>	<u>66'</u>	<u>Gray bedrock</u>

65 ft. Show exact depth of bottom

341

STATE OF MONTANA }
County of Meagher } ss.
I hereby certify that the within
Instrument was filed for record in this
office on the 27th day of June
1971 at 9:15 o'clock a.m.
RUTH P. BEARS
County Recorder
By *[Signature]*
Deputy

71010

RECEIVED

25

3 GW 3 Revised 1969
STATE PUBLISHING CO.-LITNO

JUL 2 1973

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 429, 73049

June 29, 1973

GW 1 1:50 p.m.

Owner City of White Sulphur Springs

Address

Contractor (if any)

Address of Contractor

Date Started Date Completed

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Developing Spring! construction to include approximately 300 yards of 6" pipe for diversion.

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity flow

3. Depth of water table Surface

4. Use of the water City Consumption

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 300 miner's


6. If used for irrigation, give number of acres and description of land To be conducted in a flume to the City of White Sulphur Springs Water System

7. Estimate amount of water used each year 300!!

8. Months of year spring flows Eight

Signature of Owner

Date



SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 25

T. 9 N R. 7 E. E
S W

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or estimated Willow Creek

64700

429

STATE OF MONTANA } ss.
County of Meagher

I hereby certify that the within instrument was filed for record in this office on the 29th day of June 1923 at 1:52 o'clock P.M.

Keith P. Glass
County Recorder

By _____ Deputy.

73049

1800 BISMARCK BOULEVARD
GREAT FALLS, MONTANA

1800 BISMARCK BOULEVARD
GREAT FALLS, MONTANA

ANALYST OF SOILS

RECEIVED

GW 3 Revised 1969
STATE PUBLISHING CO.-LITHO JUL 2 1973

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 73048, 428

June 29, 1973

GW 1 1:45 p.m.

Owner City of White Sulphur Springs

Address

Contractor (if any)

Address of Contractor

Date Started June 1, 1973 Date Completed June 12, 73

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Developing spring; construction to include approximately 300 yds of 6" pipe for diversion.

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity Flow

3. Depth of water table Surface


4. Use of the water City Consumption

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 300 inches

6. If used for irrigation, give number of acres and description of land To be conducted in a flume to the City of White Sulphur Springs Water System.

7. Estimate amount of water used each year 300"

8. Months of year spring flows Eight



SW NW 1/4 Sec. 25

T. 9 N R. 7 E
S W

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or estimated Willow Creek

Signature of Owner [Signature]

Date June 15, 1973

25

3 GW 3 Revised 1969
STATE PUBLISHING CO., LITHO

RECEIVED

JUL 2 1973

County Meagher

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File: 73048, 428

June 29, 1973

GW 1 1:45 p.m.

Owner City of White Sulphur Springs


Address

Contractor (if any)

Address of Contractor

Date Started June 13, 1973 Date Completed June 13, 1973

- Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Developing spring; construction to include approximately 300 yds. of 6" pipe for diversion.
- Means of withdrawing water (gravity, pump, canal, etc.) Gravity Flow
- Depth of water table Surface
- Use of the water City Consumption
- Amount of groundwater claimed (in miner's inches or gallons per minute) 300 inches
- If used for irrigation, give number of acres and description of land To be conducted in a flume to the City of White Sulphur Springs Water System.
- Estimate amount of water used each year 300"
- Months of year spring flows Eight



SW 1/4 NW 1/4 Sec. 25

T. 9 N R. 7 E
S W

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or estimated Willow Creek

Signature of Owner [Signature]

Date June 13, 1973

54723

428


STATE OF MONTANA, } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed in my office
on the 27th day of June
1923 at 1:45 o'clock P.M.

Chas. L. Bisco
County Recorder

By _____
DEPUTY.

73048



RECORDED

INDEXED

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

RECORDED IN BOOK

INDEXED IN BOOK

File No.....

T. ~~X 9 N X 7~~ 27

DUPLICATE

County Meagher

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Notice of Completion of Groundwater Appropriation **STATE ENGINEER**
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater..... 12-31-63

Owner Wilma Smyth Address White Sulphur Sp, Mont.


Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.....

Flowing Springs



N.E. 1/4..... Sec. 27 T..... R.....
Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

#1 10 gal/min - Usage started prior to 1890 - Developed 1942 (Appr) Used Year around.

#2 10 min inches - Usage started prior to 1890 - Used Year around

Signature of Owner Wilma Smyth
by Robert Turner (Agent)
Date 12-31-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

29052

~~# 252~~

254

STATE OF MONTANA, } ss.
County of Meagher

I hereby certify that the within
Instrument was filed for record in this
office on the 31st day of October
1963 at 2:45 o'clock P.M.
RUTH E. BEARS

By Jean E. Knight
DEPUTY

65395

File No. 315

T 9 R 7 29

DUPLICATE

County Bozeman

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
FEB 9 1965
STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Ray E. Bailey Address White Sulphur Springs Montana

Driller Libert Heck Address Hamilton Mont


Date of Notice of Appropriation of Groundwater.....

Date well started 1/6 Date Completed 1/26


Type of well Drilled Equipment Used Cable Tool
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Elav. (Feet)	From (Feet)	To (Feet)
7 1/4	4 1/2 9.10	0	128	142	118	128
6	5 1/4 9.15	128	207	1/2 170	128	203
	20 yds					



NW 1/4 Sec. 29 T. 9 R. 7
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well..... 145 feet.
Shut-in Pressure for Flowing Well.....
Pumping Water Level..... 170 feet at..... 10 gal. per minute.
Discharge in gal. per min. of flowing well.....
How Tested Barler Length of Test..... 4 Hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

114
Driller's License Number
Libert Heck
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA. } ss.
County of Meagher.

I hereby certify that the within
Instrument was filed for record in the
office on the 5th day of Feb.
1965 at 1:00 o'clock P.M.

Ruth P. Bears
COUNTY CLERK
By *Paul G. Knight*
DEPUTY

66516

29

File No.

T 9 N R 7 E

DUPLICATE

County Beaumont

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Notice of Completion of Groundwater Appropriation
Without Well

STATE ENGINEER

(Under Chapter 37 Montana Session Laws, 1961)

Date of Appropriation of Groundwater: December 31, 1963

Owner: Ray E. Bailey Address: M. S. Springs, Montana

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Natural Process

Surface water - Spring

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. 15 minutes

Visual Estimate

Period of use year round.

Signature of Owner: Ray E. Bailey


Date: December 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



Indicate point of appropriation and place of use, if possible.

29263