

275

43530


I certify that I received and filed
this instrument for record on this
29 day of June 1923
at 4:01 o'clock P.M.
Rich E. Farley
County Recorder
By Joe S. [Signature] Deputy

RECEIVED
MAY 1 1960

T. 18 N R. 29 W
County Mineral

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG



Owner Milwaukee Railroad Address Missel

Driller Geo. Fane Address St. Regis

Date Started 6/8/60 Date Completed 6/15/60

Location: Sec. 14 T. 18 N R. 29 W 1/4 sec. NW 1/4 NE 1/4

Type of well drilled (Dug, driven, bored, or drilled) Equipment used churn drill (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: for railroad employees

Casing: 14' ft. to 53' ft. Type 6" Size STD

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations

Static Water level, for non-flowing well: 35' feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 31' feet at 10 gal per min.

How tested: pumped

Length of test: 12 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

.....
.....
.....
.....

(over)

GROUNDWATER INDEX

County Manitowish Twp. 18 North Rge. 28 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
10	James & Helene Rogers	AW-2	33144	
17	Joseph Magara Sr.	AW-4	31431	see sec 18-24-25
18	" " "	AW-4	31431	see sec 17
19	Joe Magara	AW-2	39160	
23	Robert B. Child	AW-1	43537	
23	Richard Miller	well log	26276	
23	Charles Jensen	AW-4	31774	
24	John Bonack	AW-2	32762	
24	George & Grace Baker	AW-4	31781	
24	" " "	" "	31782	
24	" " "	" "	31780	
24	Edmond & Lillian Blaylock	AW-2	42546	
24	D.C. Casper	AW-2	37280	
24	Junia Chrusman	AW-2	43535	
24	Alene Collins	AW-2	42850	
24	" " "	well log	26438	
24	Joe Dickson	AW-2	41667	
24	Dept of Highway	AW-2	41973	
24	Fred W. Johnson	AW-4	31740	
24	Fred Johnson	AW-2	31741	
24	John & Madeline Johnson	AW-4	31744	
24	Dorothy & Frederick Karas	AW-4	39926	
24	Frank & Shirley Kiehl	AW-4	31793	
24	Oliver & Margaret Kiehl	AW-4	31785	
24	" " "	" "	31786	
24	Joseph Magara	AW-2	36943	
24	John Magara	AW-4	31744	
24	Leo Minner	AW-2	31290	
24	Kathleen & Dennis & M. Noonan	AW-2	43527	
24	" " "	" "	43528	
24	Alvin G. Sansom	AW-4	31753	
24	Paul & Margaret Sidis	AW-2	31725	
24	Marion Simpson	AW-2	31709	
24	F.H. & D.D. Simkins	AW-2	43520	
24	Paul & Anna Simons	AW-2	35459	
24	School Dist. # 6	AW-4	29950	
24	St Regis Cemetery Dist # 9	AW-4	31754	
24	James & Marion Pauls	AW-4	31770	
24	Dee & Marion Pauls	AW-2	31772	
24	Wm. Edison White	well log	26439	
24	Richard Welch	well log	27791	
24	Mary D. Williams	AW-1	43536	
25	James Adams	AW-2	37929	
25	H.A. Chisholm	well log	26300	
25	John Barkman	AW-2	29864	
25	Husky Hi - Power	well log	28014	

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4232.

File No.

T. 18 N. R. 2 P. W. 10

DUPLICATE

County Missoula

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER APR 9 1965

RECEIVED

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)

2' top soil
99 clay with cobblestone gravel
16 clay, cobblestone gravel & some water
17 red clay with a trace of water
7' brown clay with gravel
2' boulders
4' water, gravel & sand

Owned by James E & Helgard W Rogers Address St. Regis

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 3/14/65


Date well started 3/16/65 Date completed 4/3/65

Type of well drilled Equipment used churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" id 18.97#	0	147	does not apply		



Static Water Level for non-flowing well 100 feet.

Shut-in Pressure for Flowing Well X

Pumping Water Level 125 feet at 1.5 gal. per minute.

Discharge in gal. per min. of flowing well X

How Tested bailed & pumped

Length of Test oil clear

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW 1/4 Sec. 19 T. 18 N. R. 2 P.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

domestic use & irrigation watering of livestock

147 Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23
Driller's License Number

Eugene H. Kane
Driller's Signature

29059

GW

Approved Stock Form—State Publishing Co., Helena, Montana 59724

File No.

T. 18 N. R. 28 W. M. 17

DUPLICATE

County Mineral 18

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 13 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Joseph A. Magera Sr. of St. Regis
(Name of Appropriator) (Address)
County of _____ State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based irrigation and farm uses

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. June 1st 1960 growing season water for growing season

4. The amount of groundwater claimed (in miner's inches or gallons per minute) to 000 to 1900 gallons per min with two pumps

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
0 acres in Sec. 17 T. 18 N. R. 27 W. M. 17
R. 27 W. 35 acres in Sec. 24 T. 18 N. R. 28 W. 18 acres
in Sec. 25 T. 18 N. R. 28 W. 10 acres in Sec. 30 T. 18 N.
R. 27 W. Lot 6 in Sec. 18 T. 18 N. R. 27 W. M. 17 Joseph A. Magera Sr.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal one well in Sec. 17 one well in Sec. 18 one well in Sec. 24 one well in Sec. 25 farm use & homestead

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater two wells are in use 1960 & plan to dig two more wells in 1962 or by that time

8. The depth of water table. 15' ft to 165' ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater All present wells are dug out by Backhoe 12' ft deep with 4" diam. no more 6" wells in the future. No wells will be supplementary 165' ft deep to natural flow.

10. The estimated amount of groundwater withdrawn each year hard to tell it depends on how much we need to water the land

11. The log of formations encountered in the drilling of each well if available when I drill these wells I will furnish a complete log on each well drilled to the Clerk of the Court of Mineral County State of Montana

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. not applicable

Signature of Owner Joseph A. Magera Sr.
Date Dec. 30 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 31431

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MAY 18 1970

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Joe Mazera
Address St. Regis, Montana
Date well started March, 1970
completed April, 1970

For Administrator's Use	
File	<u>39160</u>
	<u>May 6, 1970</u>
GW 1	

Type of well Drilled
(Dug, driven, bored or drilled)

Equipment used Churn Drill
(Churn drill, rotary or other)


Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe For Hay Grain + Pasture Etc.

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 300 acres in Sec. 24-25-30

ESTIMATED ANNUAL WITHDRAWAL 6.0 acres in all 4 quadrants

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6" o d</u>	<u>6" o d 250</u>	<u>0</u>	<u>172</u>			



Static water level 0' ft.*
Pumping water level xxx ft.*
at xxxx gallons per minute,
measured x minutes after pumping began.

*Measured from ground level.
Well developed by xxxxxx
for xxxx hours.
Power xxx Pump xxx HP
Remarks: (Gravel packing, cementing, packers, type of shutoff) flowing well

LOT 8-9-12 19
18 28 W
T. 18 N. R. 28 W
S. W.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature _____

Driller's Address St. Regis, Montana

Eugene J. Kave LICENSE NO. 33

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
<u>0</u>	<u>5</u>	<u>soil</u>
<u>5</u>	<u>12</u>	<u>gravel & sand</u>
<u>12</u>	<u>45</u>	<u>fine sand, water</u>
<u>45</u>	<u>55</u>	<u>catchhead gravel, fine sand, water</u>
<u>55</u>	<u>90</u>	<u>fine sand, water</u>
<u>90</u>	<u>120</u>	<u>clay, sand</u>
<u>120</u>	<u>132</u>	<u>fine sand, gravel, water</u>
<u>132</u>	<u>152</u>	<u>blue clay, gravel</u>
<u>152</u>	<u>160</u>	<u>brown clay, gravel, water</u>
<u>160</u>	<u>162</u>	<u>brown clay</u>
<u>162</u>	<u>167</u>	<u>gravel, sand, water</u>
<u>167</u>	<u>172</u>	<u>coarse gravel, water</u>

Show exact depth of bottom

172

46441

43537

File No.

RECEIVED

T. 18 N. R. 28 W

DUPLICATE

1973

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Notice of Appropriation of Groundwater

(Under Chapter 237, Montana Session Laws, 1961)

- I, Robert B. Clyde Boyce St. Regis
(Name of Appropriator) (Address) (Town)
County of Mineral, State of Montana, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
- The beneficial use to which water is to be applied is Irrigation
Drinking Water - Livestock
(describe lands to be benefited, if for irrigation)
- The rate of use in gallons per minute or miner's inches of groundwater claimed 200 G.P.M.
- The annual period (inclusive dates) of intended use June 29 73 - indefinitely
- The probable or intended date of first beneficial use June 29, 73
- The probable or intended date of commencement and completion of the well* or wells*
- The location, type, size and depth of well or wells contemplated Depth 35'
5" casing
- The probable or estimated depth of the water table or artesian aquifer Water depth 15'
- Name, address and license number of the driller engaged Well ALREADY
in
- Give such other similar information as may be useful

in carrying out the policy of this act.

Well is ALREADY in.



Section 23
1/4 Sec. SW 1/4 T. 18 N. R. 28 W.
Locate well or other means of development as accurately as possible on the plat.

Signature of Appropriator

Robert B. Clyde

Date

6/29/73

43537
6-29-73
4:08 pm

* As defined in the Code Sec. 1 (c) "Well" means any artificial opening or excavation in the ground, however made, by which groundwater can be obtained or through which it flows under natural pressures or is artificially withdrawn."

Three copies of this notice are to be filed with County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

56447

43537

282

I certify that I received and filed
this instrument for record on this
27 day of June 1913
at 4:06 o'clock P.M.
R. E. Sterkey
County Recorder
By _____ Deputy

T. 18 R. 28

County: Mineral

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Sec. 23

			X

Owner: Richard Elder Address: St Regis, Montana

Driller: A.A. Goodger Address: St. Regis, Montana

Date Started: Aug 26 1957 Date Completed: Aug 27 1957

Location: Sec. 23 T. 18 R. 28 1/4 sec. South East

Type of well: Drilled (Dug, driven, bored, or drilled) Equipment used: Churn (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other:

Casing: 4 in. IP ft. to 21 ft. Type: Std Pipe Size:

Casing: ft. to ft. Type: Size:

Casing: ft. to ft. Type: Size:

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations:

Static Water level, for non-flowing well: feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: feet at gal. per min.

How tested:

Length of test: 15 1250 G.P.H.

Remarks: (Gravel packed, cementing, packers, type of shut-off, depth of shut-off)
3 hrs

(over)

GV

File No.....

T. 18N R. 28W

DUPLICATE


County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 6 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER

1. Charles H. M. Jensen, of St. Regis, (Name of Appropriator) (Address) (Town)
County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 NE 1/4 Sec. 23 T. 18N R. 28W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based sub-irrigated hay land drainage to flood irrigated adjoining land + ditched to farmstead for stockwater.
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Most of this ground was cleared in the twenties and early thirties, continuously since that time.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) the drainage from the sub-irrigated land would be about 15 miner's inches on a yearly basis.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof about twenty acres in the NE 1/4 of Sec. 23 is sub-irrigated, and all the drainage from this is used on land owned by above appropriator.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal water table controlled by drain ditch.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater first drain put in when ground was cleared, the last extension completed in 1961
- 8. The depth of water table 0 - 6 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Most of the drain ditch can be maintained with an ordinary farm ditcher, the deeper ditch has sides with 1 to 1 slope
- 10. The estimated amount of groundwater withdrawn each year averages about 15 miner's inches the year around.
- 11. The log of formations encountered in the drilling of each well if available not applicable
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. The appropriator has a surface right recorded to use on the same ground that is flooded by the above drainage along with other lands owned by the appropriator

Signature of Owner Charles H. M. Jensen
Date 12/27/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.


Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

31774-

I certify that I received and filed
 this instrument for record on this
 31st day of Dec 1963
 at 2:30 o'clock P.M.
[Signature]
 County Recorder
 Deputy

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA



[Faint, mostly illegible text, possibly a deed or legal description]

[Faint, mostly illegible text]

[Handwritten notes or signatures]

[Faint, mostly illegible text]

[Faint, mostly illegible text]

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—42325

File No.

T. 18 N 28 W 24

DUPLICATE

RECEIVEDCounty Mineral

LOG NOV 6 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERTop of Ground
(Elev. above sea level.....)

STATE ENGINEER

**Notice of Completion of Groundwater
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)

14' sand and gravel
9' sand and some water
12' clay
121' sand & some water
with layers of clay
3' sand and gravel
7½' water, gravel and some sand

Owner John Baneck Address St. RegisDriller Kane Water Well Drilling Address St. RegisDate of Notice of appropriation of groundwater 9/21/64Date well started 10/12/64 Date completed 10/20/64Type of well drilled Equipment used churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" id 19#	0	166½	2x2	161	166



Static Water Level for non-flowing well

..... feet

Shut-in Pressure for Flowing Well

..... feet

Pumping Water Level

..... feet

at gal. per minute.

Discharge in gal. per min. of flowing well

.....

How Tested

Length of Test

Remarks: (Gravel packing, cementing, pack-

ers, type of shutoff)

¼ Sec. 24 T. 18 R. 28
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acre and location or other data (i.e.: Lot, Block and Addition).

166½' Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Eugene S. Kane
Driller's Signature

38632

GW.

File No.

T. 18 N R. 28 W

DUPLICATE

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 6 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. George and Janice Bare of St. Regis
(Name of Appropriator) (Address) (Town)

County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Portion of W₂W₂
1/4 Sec 24, T. 18 R. 28

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based Domestic and irrigating purposes for household and motel units.
- Date or approximate date of earliest beneficial use; and how continuous the use has been approximately 10 years and use has been continuous
- The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gallons per minute
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Approximately 1 acre
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Over 10 years ago

8. The depth of water table Not available

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" casing, electric pump

10. The estimated amount of groundwater withdrawn each year 2,000,000 gallons

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner Janice Bare

Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

24806

GW

File No.

T. 18 N. R. 28 W

DUPLICATE

County Mineral


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 6 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

I, George and Janice Bare, of St. Regis,
(Name of Appropriator) (Address) (Town)

County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Portion of ^S24 _W2
1/4 Sec. 24, T. 18 N., R. 28 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. ~~Domestic and irrigating purposes for household and grounds and motel units.~~
- Date or approximate date of earliest beneficial use; and how continuous the use has been. Approximately 10 years and use has been continuous
- The amount of groundwater claimed (in miner's inches or gallons per minute). 40 gallons per minute
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Approximately 1 acre, George and Janice Bare owners
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Over 10 years ago.

8. The depth of water table. Not available

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6" casing, electric pump

10. The estimated amount of groundwater withdrawn each year. 2,500,000 gallons

11. The log of formations encountered in the drilling of each well if available. not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none available

Signature of Owner Janice Bare

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

24808

110

31782 -

I certify that I received and filed
 this instrument for record on this
 31st day of Dec 19 63
 at 3:44 o'clock P.M.
H. Williams
 County Recorder
 By *W. C. H. Deputy*

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

File No.

T. 18 R 28 ²⁴

DUPLICATE

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 6 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. George and Janice Bare of St. Regis
(Name of Appropriator) (Address) (Town)

County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Portion of $\frac{1}{4}$ Sec. 24 T. 18 R. 28

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and irrigating purposes for household use and grounds of motel units

3. Date or approximate date of earliest beneficial use; and how continuous the use has been June, 1962 and in continuous use since completed

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Approximately 1 acre, Motel grounds, Owners, George and Janice Bare

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June, 1962

8. The depth of water table not available

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" casing, electric pump

10. The estimated amount of groundwater withdrawn each year 2,500,000

11. The log of formations encountered in the drilling of each well if available Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner Janice Bare

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

109

- 31781 -

I certify that I received and filed
 this instrument for record on this
 31st day of Dec. 1963
 at 3:40 o'clock P. M.
J. Wilkinson
 County Recorder
 By *Lee J. ...* Deputy

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

43546

File No.

RECEIVED

T. R.

TRIPLICATE

SEP 4 1973


County Mineral

LOG MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)



Owner Edmond Blaylock and Sally Address St. Regis, Mont

Driller Kane Well Drilling Address St. Regis, Mont.

Date of Notice of appropriation of groundwater 9/69

Date well started 9/2/69 Date completed 9/6/69


Type of well drilled Equipment used churn drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" id .280 wall	0	159	none		

43546
6-29-73
4:23 p.m.



Static Water Level for non-flowing well feet.

Shut-in Pressure for Flowing Well 12*

Pumping Water Level feet

at gal. per minute.

Discharge in gal. per min. of flowing well 150

How Tested x

Length of Test x

Remarks: (Gravel packing, cementing, packers, type of shutoff)

SW 1/4 SE 4 Sec. 24 T. 18 N. R. 28
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).


This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23
Driller's License Number
Eugene J Kane
Driller's Signature

56452

290

I certify that I received and filed
this instrument for record on this
29 day of June 1973
at 4:23 o'clock P.M.
Ruth E. Shirley
County Recorder
By W. R. 2:00 Paul Deputy



[Faint, illegible text, likely bleed-through from the reverse side of the page]

File No.

T. 18 R. 28

DUPLICATE

County Missoula Mineral

LOG

MONTANA WATER RESOURCES BOARD
RECEIVED
SEP 20 1968

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)

3'	soil
15'	sand, clay and gravel
7'	fine sand and water
25'	sand, clay and water
20'	gravel and clay
5'	gravel and water
27'	blue clay
10'	blue clay and sand
37'	blue clay
5'	clay and gravel
	flowing water

Owner D.C. Casper Address St. Regis

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 5/16/68


Date well started 5/30/68 Date completed 6/4/68

Type of well drilled Equipment used churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" x 250	0	154	does not apply		



Static Water Level for non-flowing well X feet.

Shut-in Pressure for Flowing Well 19#

Pumping Water Level X feet
at X gal. per minute.

Discharge in gal. per min. of flowing well 300 gpm

How Tested X

Length of Test X

Remarks: (Gravel packing, cementing, packers, type of shutoff)

S.E. 1/4 Sec. 24, T. 18, R. 28
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

154 Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23
Driller's License Number

Eugene H. Stone
Driller's Signature

44,587

280

43535

I certify that I received and filed
this instrument for record on the
29 day of June 19 73
at 4:06 o'clock P. M.
Karl E. Wiley
County Recorder
By Shirley M. Wiley
Deputy

42850

County... Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

RECEIVED
JAN 29 1973

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Gene Collins

Address St. Regis, Mt. 59866

Date well started 9/72

completed 9/72

Type of well Drilled

Equipment used Churn Drill

Water Use: Domestic Municipal Stock Irrigation


Industrial Drainage Other * Garden/Lawn

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	.250 x 6" id	0	171	does not apply		



S.E. 1/4 S.E. 1/4 Sec. 24
T. 18 N. R. 28 E

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ernest J. Tule

Driller's Address St. Regis, Mt. 59866

LICENSE NO. 23

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	10	sand, gravel, clay
10	18	fine sand, water
18	38	gravel, water
38	45	clay
45	60	clay, water, sand
60	120	fine sand, water
120	150	blue clay, sewage
150	171	gravel, sand, water

171 Show exact depth of bottom

52,306

RECEIVED
NOV 1 1957
STATE ENGINEER

T. 18N R. 28W
County: Mineral

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner: Gene L. Collins Address: St. Regis, Mont.
Driller: George Kane Address: St. Regis, Mont.
Date Started: Oct. 1st. 1957 Date Completed: Oct. 10th. 1957
Location: Sec. 24 T. 18N R. 28W 1/4 sec. 24

Type of well: drilled (Dug, driven, bored, or drilled) Equipment used: Churn Drill (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: _____ ft. to 46' ft. Type _____ Size 4"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 28' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 26' feet at _____ gal. per min. 500

How tested: _____

Length of test: 12 Hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File # 210
-41667-

Certify that I received and filed
this instrument for record on this
17th day of May 1972
at 9:27 o'clock A.M.
Letha E. Wesley
County Recorder.
By _____ Deputy
Fee \$2.00 Paid

Department of Natural Resources and Conservation
Water Resources Division
Engineering Bureau
Groundwater Section
Sam W. Mitchell Building
Helena, Montana 59601

Owner Mr. Joe Dickson
Address Charlo, MT 59824
Location 1. R. Sec.
Doc. No. #210, 41667

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your ground-water right.

Special Instructions:

Please provide, as indicated in red on the attached form, the complete location of the well by township, range and section.

Thank you.

FORM 100

Resources and Conservation
 Engineering Bureau
 Groundwater Section
 Sam W. Mitchell Building
 Helena, Montana 59601

Owner Mr. Joe Dickson
 Address Charlo, MT 59824
 Location T. R. Sec.
 Doc. No. #210, 41667

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the attached form, the complete location of the well by township, range and section.

Thank you.

RECEIVED
 MONTANA DEPARTMENT OF
 GEOLOGY

Equipment used CHIMNEY DRILL (Churn drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other Garden/Lawn

*Describe House and yard

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). not applicable.

ESTIMATED ANNUAL WITHDRAWAL 40,000 gallons

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in.	17 lbs per ft	bottom of	0 to 35 ft.			

N

Lot # 93 of
the original

township of
St. Regis, Mont.

E

S

T. 18 N. R. 28 E. S. 24

Static water level 34 ft.*
 Pumping water level 30 ft.*
 at 20 gallons per minute,
 measured 10 minutes after pumping
 began.
 *Measured from ground level.
 Well developed by hauling
 for 6 hours.
 Power _____ Pump 3 HP
 Remarks: (Gravel packing, cementing,
 packers, type of shutoff) cement

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature [Signature]

Driller's Address Box 1361 Trout Creek, Montana

LICENSE NO. 202 45 ft. Show exact depth of bottom

50,456

RECEIVED
JUL 24 1972

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Dept. of Highways

Address Helena, Montana

Date well started June 15, 1972

completed June 20, 1972

Type of well Drilled
(Dug, driven, bored or drilled)


Equipment used Churn Drill
(Churn drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 19.88 per foot	0.0	62.0	50 slot screen	62.0	67.0



Static water level 18.0 ft.*
Pumping water level 18.0 ft.*
at 35 gpm gallons per minute,
measured 30 minutes after pumping
began.
*Measured from ground level.
Well developed by Pumping
for 6 hours.
Power..... Pump..... HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Vincent R. Huey

Driller's Address Helena, Montana

LICENSE NO. 208

Top of Ground (Elev. above sea level) <u>715.0'</u>		
From (Feet)	To (Feet)	
0.0	4.8	Loose Br. Silty Sand
4.8	64.0	Dense Gray Silty Gravel With Boulders
64.0	67.0	Dense Gray Sandy Gravel With Boulders and Water
	67.0	Bottom of Hole

67.0' Show exact depth of bottom

F.

5/004

412

41973

I certify that I received and filed this instrument for record on this

13 day of July 1972 at 9:30 o'clock A.M.

Ruth E. Terlep County Recorder

By No fee Deputy

examined to check original contents

FILED IN BOOK 28, PAGE 104

FILED IN BOOK 28, PAGE 104

INDEXED BY COUNTY CLERK

RECORDED BY COUNTY CLERK

AWAY FROM RECORDS

RECORDED TO COUNTY CLERK

FILED IN BOOK 28, PAGE 104

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

24

File No.

T. 19 N R. 29 W

DUPLICATE

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Alfred W Johnson, of St Regis
(Name of Appropriator) (Address) (Town)
County of Mineral State of Mont

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 44 T. 19 R. 29 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based House use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been About 1950 -
continuous use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) About 30 Gallons
per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown

8. The depth of water table About 50 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2-in-diam well with
sand point

10. The estimated amount of groundwater withdrawn each year 36000 Gallons

11. The log of formations encountered in the drilling of each well if available Marl - Clay
and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Alfred W Johnson
Date Dec 27 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15132

75

- 37740 -

I certify that I received and filed
 this instrument for record on this
 27th day of Dec 1963
 at 2:10 o'clock P.M.
 J. Wilkinson
 County Recorder
 By: Ruth C. Jones
 Deputy

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

[Faint, mostly illegible text, likely a deed or legal instrument]

File No.

T. 18 N. R. 5 W


DUPLICATE

County Mineral

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Top of Ground
(Elev. above sea level 2650)
5' soil and cobblestone gravel
7' soil and boulder gravel
25' fine sand with moisture
4' clay
7' water and coarse gravel

Owner Fred Johnson Address St. Regis

Driller Kane Water Well Drilling address St. Regis

Date of Notice of Appropriation of Groundwater 6/14/62

Date well started 6/16/62 Date Completed 6/18/62


Type of well drilled Equipment Used churn drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

RECEIVED
DEC 30 1963
STATE ENGINEER

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" id 18#	0	48	does not apply		



1/4 Sec. 24 T. 18 N. R. 5 W
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 30 feet.

Shut-in Pressure for Flowing Well does not apply

Pumping Water Level 12 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well does not apply

How Tested bailed Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

23
Driller's License Number

Eugene J. Kaw
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

G.

File No.

T. 18 N. R. 28 W.

DUPLICATE

County Mineral


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 6 1964

STATE ENGINEER

1. J.W. and Nadine Johnston, of St. Regis
(Name of Appropriator) (Address) (Town)
County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SE 4 Sec. 24 T. 18 R. 28

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Domestic and irrigating lawn.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1952 - steady

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
25 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
lot sixty-four, block six of St. Regis townsite.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
Oct. 10, 1952

8. The depth of water table
12 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
2 inch driven well - 36 feet deep

10. The estimated amount of groundwater withdrawn each year
25,000 thousand gallons

11. The log of formations encountered in the drilling of each well if available
not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
NONE

J.W. Johnston
Signature of Owner Nadine Johnston

Date Dec. 31 st., 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.


24820

121

Copy

31794

I certify that I received and filed
 this instrument for record on this
 31st day of Dec 1963
 at 4:57 o'clock P.M.
 J. C. Williams
 County Recorder
 By *[Signature]* Deputy
 Fee \$2.00



COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

RECORDED

File No. 38

T. 18 N R. 28 W 24

DUPLICATE

County Mineral


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Kangas, Donald W. & Jacqueline, of Box 85 St. Regis
(Name of Appropriator) (Address) (Town)

County of Mineral State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 SE Sec. 24 T. 18R. 28

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1959
Steady use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Not applicable

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater July 1959 August 1959

8. The depth of water table Twenty feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Two inch casing driven down to the depth of forty one feet.

10. The estimated amount of groundwater withdrawn each year 200,000 gals.

11. The log of formations encountered in the drilling of each well if available Not applicable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Not applicable

Signature of Owner Donald W. Kangas

Date 3/12/65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1716

c
File No. 38

T. 18 N R. 28 W 24
County Lincoln

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Kempas, Donald W. & Jacqueline, of Box 35 St. Regis
(Name of Appropriator) (Address) (Town)
County of Lincoln State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 SE Sec. 24 T. 18R. 28

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1959
Steady use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Not applicable

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal None

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater July 1959 August 1959

8. The depth of water table Twenty feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Two inch casing driven down to the depth of forty one feet.

10. The estimated amount of groundwater withdrawn each year 200,000 gals.

11. The log of formations encountered in the drilling of each well if available Not applicable

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Not applicable

Signature of Owner Donald W. Kempas

Date 3/12/62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1716

file No. 35

- 29926 -

I certify that I received and filed
 this instrument for record on this
12th day of March 1968
 at 4:25 o'clock P.M.
J. Wilkerson
 County Recorder
 By *Bertie C. Morris*
 Deputy
 Fee \$1.00 pl

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

File No.

T. 18 N. R. 28 W.

DUPLICATE

County MINERAL


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 6 1964

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. FRANK KIELTY & SHIRLEY KIELTY of ST. REGIS
(Name of Appropriator) (Address) (Town)

County of MINERAL State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SE 4 Sec. 24 T. 18 N. R. 28 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. DOMESTIC AND IRRIGATING L&F.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1940

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 25 GALS.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

Lot 47 Township 18 N. R. 28 W. Block 5 of St. Regis Townsite

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.

JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Oct. 1940 Nov. 1940

8. The depth of water table. 15 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 2 IN. DRIVEN WELL 56 FT. DEEP.

10. The estimated amount of groundwater withdrawn each year. 22,000

11. The log of formations encountered in the drilling of each well if available. NOT AVAILABLE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. NONE

Signature of Owner Frank and Shirley Kielty
by Olive Kielty Power of att.
Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.


Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

(12)

Copy - 31793 -

I certify that I received and filed
 this instrument for record on this
 31st day of Dec 1963
 at 4:51 o'clock P. M.
 J. H. Wilkinson
 County Recorder
 By: E. J. ... Deputy



COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

RECORDED
 1963 DEC 31

File No.

T. 18 N R. 28 W

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 6 1964

STATE ENGINEER

1. OLIVETHA MAYNARD KIELTY, of ST. REGIS,
(Name of Appropriator) (Address) (Town)

County of MINERAL State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based DOMESTIC AND IRRIGATING LAWN

3. Date or approximate date of earliest beneficial use; and how continuous the use has been JUNE 1933
CONTINUOUS

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 25 GALS.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
LOTS 66-68-70-72-74-76-78-80-82-84
Block 8 TOWNSITE OF ST. REGIS

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
JET PUMP

1/4 Sec. 24 T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater MAY 15 1932 - JUNE 1933

8. The depth of water table 15 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2 INCH DRIVEN WELL

10. The estimated amount of groundwater withdrawn each year 22,000 GALS.

11. The log of formations encountered in the drilling of each well if available
5 FT. GRAVEL 20 FT. SAND 11 FT. GRAVEL

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record NONE

Signature of Owner Olivetha Kielty

Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

113

- 31785 -

I certify that I received and filed
 this instrument for record on this
 7th day of Dec 1965
 at 4:30 o'clock P. M.
 J. Wickham
 County Recorder
 By Ruth C. Davis
 Deputy

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

File No.

T. 18 N. R. 28 W.

DUPLICATE

County MINERAL

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 6 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. OLIVER AND MAYNARD KIELTY, of St. Regis
(Name of Appropriator) (Address) (Town)
County of MINERAL State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 24 T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based DOMESTIC AND IRRIGATING LAWN

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1961

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2.5 GALS

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6.45 ACRES - 117 Blocks 1
ST. REGIS TOWN SITE

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater JUNE 1961 - July 1961

8. The depth of water table 12 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2 IN. D. RIVER WELL

10. The estimated amount of groundwater withdrawn each year 22,000

11. The log of formations encountered in the drilling of each well if available
5 FT. GRAVEL - 10 FT. SAND 10 FT. GRAVEL

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record NONE

Signature of Owner Oliver M. Kielty

Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

114

3 17 86

I certify that I received and filed
 this instrument for record on this
 21 day of Dec 1963
 at 4:30 o'clock P. M.
 J. Wilkinson
 County Recorder
 By Bertie J. Davis
 Deputy

COUNTY CLERK & RECORDER
 MINERAL COUNTY
 SUPERIOR, MONTANA

File No. 170

T. 8 R. 28

DUPLICATE

MONTANA WATER RESOURCES BOARD

County Mineral

RECEIVED

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

AUG 6 1968

LOG

Top of Ground

(Elev. above sea level)

3' soil
 15' sand, gravel and water
 8 1/2' fine sand and water
 25' sand, clay and water
 20' gravel and clay
 5' gravel and water
 27' blue clay
 10' blue clay and sand
 37' blue clay
 5' gravel and flowing water

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Joseph Magera Address St. Regis

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 7/11/68


Date well started 7/12/68 Date completed 7/17/68

Type of well drilled Equipment used churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character or water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6 x 250	0	155 1/2	does not apply		



Static Water Level for non-flowing well x feet.

Shut-in Pressure for Flowing Well 12

Pumping Water Level x feet at x gal. per minute.

Discharge in gal. per min. of flowing well 216

How Tested x

Length of Test x

Remarks: (Gravel packing, cementing, packers, type of shutoff)

SE 1/4 Sec. 24, T. 18, R. 28 W. casing furnished by well owner and was used

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

155 1/2 Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

21 Driller's License Number

Joseph H. Kane Driller's Signature

44,481