

File No.

MAY 5 1972

T. 7 N R. R. 26 E M. 11

DUPLICATE

County Missoula

LOG

MONTANA DEPARTMENT OF NATURAL

RESOURCES AND CONSERVATION

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

**Notice of Completion of Groundwater
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)

Owner Donal. Johnson Address 709 1st EastDriller Consolidation Co. Inc. Address Bozeman Mont.Date of Notice of appropriation of groundwater May - 4 - 1972Date well started..... Date completed Feb. 1971Type of well Drilled Equipment used rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in						

Doc. No. 183616
 Filed for record
 this 4th day of May
 A. D. 19 72, at 10:46 W
 o'clock A-M.



N E
16 E 1/4 Sec. 4 T. 7 N. R. 26 E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well
190 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... feet
 at 10 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailed

Length of Test 30 minutes

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

50,320

183616

STATE OF MONTANA.
MUSSELSHELL COUNTY. ss.

FILED THIS 14th DAY OF

May A. D. 1972
AT 10:46 O'CLOCK A M.

CLAUDE F. FLETCHER
COUNTY RECORDER

Thule Blomquist
DEPUTY

183616
MUSSELSHELL COUNTY

183616
MUSSELSHELL COUNTY

183616
MUSSELSHELL COUNTY

183616
MUSSELSHELL COUNTY

183616

183616

File No. _____

DUPLICATE

LOG

RECEIVED

MAY 5 1972

T. 7N R. 26E MPM

County Mussell

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)

Owner Shirley Johnson Address 709 1st EastDriller Reynolds Mort Address Reynolds MortDate of Notice of appropriation of groundwater May 4 - 1972Date well started Feb - 1972Type of well drilled Equipment used Rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in						

Doc. No. 18-3617
Filed for record
this 4th day of May
A. D. 19 72, at 10:55
o'clock A.M.

Static Water Level for non-flowing well 150 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....feet

at 7 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested BailLength of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SE 1/4 Sec. 4 T. 7N R. 26E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

50,321

RECEIVED

AUG 4 1972

FILE NO.

DUPLICATE

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

MAY 5 1972

LOG

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

County Musselshell

Top of Ground ?
(Elev. above sea level 3727)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Blair Johnson Address 709 1st East

Driller Consolidation Co. Address Pocahontas Mont.

Date of Notice of appropriation of groundwater May - 4 - 1972

? Date well started Feb. 3 - 1971 Date completed Feb. 1971


Type of well Drilled Equipment used rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	5" Plastic Casing	Ground surface	155'	confinement		
				140' was test hole for coal		

Doc. No. 183616
Filed for record this 4th day of May
A. D. 1972 at 10:46 W



NE 1/4 Sec. 4 T. 7 R. 26E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 190 feet.

? Shut-in Pressure for Flowing Well

? Pumping Water Level 150 feet

at 10 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailed

Length of Test 30 minutes

Remarks: (Gravel packing, cementing, packers, type of shutoff)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

50,320

RECEIVED

AUG 4 1972

DUPLICATE

MONTANA DEPARTMENT OF LAND MAY 5 1972

County Musselshell

LOG

MONTANA DEPARTMENT OF LAND STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERTop of Ground ?
(Elev. above sea level 3727)Notice of Completion of Groundwater
Appropriation by Means of Well


DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Don Johnson Address 709 1st EastDriller Conrad L. Clark Address Roundup MontDate of Notice of appropriation of groundwater May 4 - 1972Date well started Feb 6 - 71 Date completed Feb - 1972Type of well drilled Equipment used Rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	5" plastic	ground surface	100'	unknown		
				shale was test for coal		

Doc. No. 183617
Filed for record this 4th day of May
A. D. 19 72, at 10:55 o'clock A.M.Static Water Level for non-flowing well 150 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 100 feetat 7 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested BailedLength of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff)

SE 1/4 Sec. 4 T. 7N. R. 26E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

50,321

RECEIVED

Approved Stock Form—State Publishing Co., Helena, Montana—45642

File No.

MAY 5 1972

T. 7N R. 26E MPM

DUPLICATE

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONCounty. Missoula

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well


DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner. Glenn Johnson Address. 709 1st EastDriller. Address. Bowling MartDate of Notice of appropriation of groundwater. May-4-1972Date well started. Date completed. July 1956Type of well. Drilled Equipment used. Cable tool Rig
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in						

Doc. No. 183618
Filed for record
this 4th day of May
A. D. 19 72, at 11:22
o'clock A.M.SE 1/4 SW Sec. 4 T. 7N R. 26E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.Static Water Level for non-flowing well
150 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....feet
at 7 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested. BailLength of Test. 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

50,322

183618

STATE OF MONTANA,
MUSSELSHELL COUNTY.

FILED THIS 14th DAY OF

May

A. D. 19 72

AT 11:02 O'CLOCK A M.

CLAUDE F. FLETCHER

COUNTY RECORDER

Samuel Stevens

DEPUTY

Wm A. 22 W.D.

1972

100 1st

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

1972

DUPLICATE

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

County Musselshell

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

LOG

Top of Ground ?
(Elev. above sea level 3727)

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)


RECEIVED
MAY 4 1972

Owner Glen Johnson Address 709 1st East
Driller Harry McCune Address Pounding Mart
Date of Notice of appropriation of groundwater May-4-1972
Date well started July 1-56 Date completed July 1956
Type of well Drilled Equipment used Cable tool Rig
(Dug, driven, bored or drilled) (Churn drill, rotary or other)
Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	5" galv.	ground surface	water level 100'			

Doc. No. 183618
Filed for record this 4th day of May 1972
at 11:00 o'clock A.M.



SE 1/4 Sec. 4 T. 7N R. 24E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Static Water Level for non-flowing well 150 feet.

Shut-in Pressure for Flowing Well ?

Pumping Water Level 100 feet
at 7 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailed

Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

50,322

File No.

T. 7 N. R. 26 E

DUPLICATE

County Musselshell


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 8 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Joseph Steffan, of Roundup (Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 4 T. 7 R. 26

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based Stock
Waters
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Summer and Fall
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 60 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater September 1956
8. The depth of water table 60 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Size 8 inch depth 176 feet
10. The estimated amount of groundwater withdrawn each year No record
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Joseph SteffanDate Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

20559

169715

STATE OF MONTANA, {52
MUSSELSHELL COUNTY.

FILED THIS 31 DAY OF
December A. D. 19 63
AT 3:00 O'CLOCK P.M.

W. E. MAITZKE

COUNTY RECORDER

Frances L. Dawson
200 DEPUTY

RECEIVED

DEC 5 1960

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 7 R. 26
County Musselshell

WATER WELL LOG

Owner Bill Parnman Address Roundup, Mont
Driller P. L. Ferguson Address Roundup, Mont
Date Started May 10, 1958 Date Completed May 13, 1958
Location: Sec. 5 T. 7 R. 26 1/4 sec. Center

Type of well drilled Equipment used Charni Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 1 ft. to 145 ft. Type galvanized Size 6"
Casing: _____ ft. to _____ ft. Type _____ Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____
Perforated or Screened: Ft. 150 to ft. 160 Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 30 feet at 30 gal. per min.

How tested: Leakage

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

GW

File No.

DUPLICATE

T. 7N R. 24E

County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Joseph W. Spear, of Lein Star, Roundup
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 34, 1/2 Sec. 3 T. 14 N. R. 26 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock raising
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1952 six months or more year
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal well with gasoline powered pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater same 1955
8. The depth of water table depth to water 10 feet, depth of water 20 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled well, six inch casing, depth 120 feet, 4 inch quarter inch well pipe, two inch cylinder
10. The estimated amount of groundwater withdrawn each year 200,000 gallons
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Joseph W. Spear
Date April 20, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

166263

STATE OF MONTANA,
MUSSELSHELL COUNTY. } ss.

FILED THIS 30 DAY OF

April A. D. 1962

AT 11:10 O'CLOCK AM

B. H. MATZKE

COUNTY RECORDER

92.00 Elaine J. Lashman
DEPUTY

County

7N 26E 5
Musselshell
RECEIVED

JUL 11 1972

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
NOTICE OF APPROPRIATION OF GROUNDWATER
(Under Chapter 237, Montana Session Laws, 1961, as amended)

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

After filing a notice of appropriation, in order to acquire a right based thereon, the person must, within ninety (90) days, commence actual excavation and diligently prosecute construction of a well and, upon its completion, file a notice of completion with the County Clerk of the county in which the appropriation is located.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

1. x, TIMBER TRACTS, INC., of 41 Main, Roundup
(Name of Appropriator) (Address) (Town)

County of Musselshell, State of Montana, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.

2. The beneficial use to which water is to be applied is commercial, industrial, agricul-
tural, domestic and recreational
(describe lands to be benefited, if for irrigation)

3. The rate of use in gallons per minute or miner's inches of groundwater claimed 5000 gallons
per minute

The estimated amount of groundwater to be used annually 2,628,000,000 gallons

4. The annual period (inclusive dates) of intended use year around

5. The probable or intended date of first beneficial use October 15, 1972

6. The probable or intended date of commencement and completion of the well* or wells*
September 1, 1972 October 1, 1972

7. The location, type, size and depth of well or wells contemplated Township 7 North, Range
26 East, Section 5: SE 1/4 --- 7 to 12', approx. 500-550 ft. deep

8. The probable or estimated depth of the water-table or artesian aquifer 500-550 feet

9. The name, address, and license number of the driller engaged Charles Kelly, Kelly
Drilling Co., Box 246, Roundup, Montana No. 169

10. Give such other similar information as may be useful in carrying out the policy of this act

x -- denotes approximate location
of well

For Administrator's Use	
File	<u>183.993</u>
	<u>July 7, 1972 2:50 p.m.</u>

TIMBER TRACTS, INC.

Attest:

Secretary

Signature of Appropriator Donald J. Majors President Date

LOCATE WELL OR OTHER MEANS OF
DEVELOPMENT AS ACCURATELY AS
POSSIBLE ON THE PLAT.

*As defined in the Code Sec. 1 (c) "Well" means any artificial opening or excavation in the ground, however made, by which groundwater can be obtained or through which it flows under natural pressures or is artificially withdrawn.

50879

183993

STATE OF MONTANA
MUSSELSHELL COUNTY

FILED THIS 24 DAY OF

AT 3:50 O'CLOCK P.M.

CLAUDE F. FLETCHER
COUNTY RECORDER

DEPUTY

RECEIVED
MUSSELSHELL COUNTY
CLERK'S OFFICE
MUSSELSHELL, MONTANA
JAN 24 1912

File No.

T. 7 N. R. 26

DUPLICATE

County Musselshell

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
NOV 18 1963

STATE ENGINEER

1. ~~Leo Hart and Anna Hart~~ of Roundup
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NW 1/4 Sec. 7 T. 7 R. 26.

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.
~~Stock water and irrigation~~

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1912 and continuously since then

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 4 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Spring flows naturally

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1912

8. The depth of water table. Spring flows naturally, water table at ground level

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Water flows naturally from spring

10. The estimated amount of groundwater withdrawn each year. 300,000 gallons

11. The log of formations encountered in the drilling of each well if available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner. Leo Hart and Anna Hart

Date. September 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

168929

STATE OF MONTANA,
MUSSELSHELL COUNTY. } ss.

FILED THIS 15 DAY OF
November A. D. 19 63
AT 10:41 O'CLOCK a M.

B. H. MATZKE

COUNTY RECORDER

Elaine J. Gassman
DEPUTY

27.00

GW

Approved Stock Form—State Publishing Co., Helena, Montana—41338

File No.

T 7 N R 26 E

DUPLICATE


County Musselshell

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 18 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Leo Hart and Anna Hart, of Roundup,
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 7 T7 R 26

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Water from the two springs is used for livestock, irrigation, and household use.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1912. This water from both springs has been used continuously since that time.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 4 gallons per minute for each spring
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 10 acres located in the SE1/4, NW1/4, of Section 7, Township 7, Range 26, owned by Leo and Anna Hart.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Water flows naturally from both springs described on plat.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1912
8. The depth of water table Both springs flow naturally and water is at ground level.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Water flows naturally from both springs. Both springs have to be cleaned occasionally to keep the water flowing
10. The estimated amount of groundwater withdrawn each year 300,000 gallons for each spring.
11. The log of formations encountered in the drilling of each well if available.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Leo Hart
Anna Hart
Leo Hart and Anna Hart
Date September 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

7169

168927

STATE OF MONTANA,
MUSSELSHELL COUNTY } ss.

FILED THIS 15 DAY OF
November A. D. 19 63
AT 10:37 O'CLOCK AM

B. H. MATZKE

COUNTY RECORDER

Flora J. Rossman
DEPUTY

\$ 2.00

File No.

MONTANA WATER RESOURCES BOARD
RECEIVED

T. 7 S. R. 26 E.

TRIPLICATE

County Musselshell

LOG

SEP 28 1970

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 3500 (approx))Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

0' to 6' - Surface soil


Owner Joseph H. Kuzara Jr. Address Roundup, MontDriller Same as above Address Same as aboveDate of Notice of appropriation of groundwater 25 September 1970Date well started 1 August 1970 Date completed 1 August 1970Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Doc. No. 181051
Filed for record
this 25 day of September
A. D. 19 70, at 1:30
o'clock P. M.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size (Feet)	From (Feet)	To (Feet)
6 in.	4 in. plast	1	58	4" hole	40	55

6' - 40' - Dry sandy shale

Static Water Level for non-flowing well
40 feet.Shut-in Pressure for Flowing Well N/APumping Water Level 50 feet
at 30 gal. per minute.Discharge in gal. per min. of flowing well
N/AHow Tested BailingLength of Test 1 HourRemarks: (Gravel packing, cementing, pack-
ers, type of shutoff) N/ANW 1/4 Sec. 8 T. 7 S. R. 26 E
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).40' - 58' - Porous sand
water

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.OWNER DRILLER
Driller's License Number

Driller's Signature

47559

STANDARD

181051

STATE OF MONTANA, 1939
MUSSELSHELL COUNTY, 1939
FILED FOR RECORD THIS 25
DAY OF Sept 1970
AT 1:30 P. M. AND RECORDED
IN BOOK
RECORDS OF MUSSELSHELL COUNTY
MONTANA, ON PAGE
CLAUDE F. FLETCHER
CLERK AND RECORDER
BY Frances L. Lawrence
DEPUTY.

2. 00

SECTION TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

RECORDED TO BE
RECORDED TO BE
RECORDED TO BE
RECORDED TO BE

Form No. 18
8-60

T. 7 R. 26

County Missoula

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

STATE ENGINEER

Water Well Log

Owner MICHAEL KUZARA Address ROUNDUP MONT

Driller SELF Address ROUNDUP M.

Date Started SEP. 1 1946 Date Completed OCT. 1 1946

Location: Sec. 8 T. 7 R. 26 $\frac{1}{4}$ sec. NE, 4, 8, 9, 36

Type of well DUG (Dug, driven, or drilled) Equipment used _____ (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to bottom ft. Type _____ Size 6 foot

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations SLAT

Static water level, for non-flowing well: 23 feet.

Shut-in pressure, for flowing well: NONE lb./sq. in. on: _____ (date)

Pumping water level 25 feet at 20 gal. per min.

How tested: PUMP

Length of test 1 HOUR

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]


Form No. 18
8-60

8

T. 7 R. 26

County Musselshell

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water Well Log

STATE ENGINEER

Owner MICHAEL KUTARR Address ROUNDUP MONT

Driller SELF Address ROUNDUP IN

Date Started SEP 1 1946 Date Completed OCT 1 1946

Location: Sec. 8 T. 7 R. 26 $\frac{1}{4}$ sec. NE $\frac{1}{4}$ 8, 26

Type of well DUG Equipment used _____
(Dig, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to 20 FT ft. Type _____ Size 2 1/2

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations SLAT

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: NONE lb./sq. in. on: _____
(date)

Pumping water level 25 feet at 20 gal. per min. _____

How tested: PUMP

Length of test 1 HOUR

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]


Form No. 18
8-60

T. 7 R. 26
County MUSSELSHELL

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

Water Well Log



Owner Joseph Kuzara Sr Address Goulding Creek Rt
Driller UNKNOWN Address Roundup Montana
Date Started UNKNOWN Date Completed UNKNOWN
Location: Sec. 8 T. 7 R. 26 $\frac{1}{4}$ sec. S.E. 1/4

Type of well DRIILLED Equipment used CHURN DRILL
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 1 ft. to 60 ft. Type CAL. Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 50 to ft. 60. Ft. _____ to ft. _____

Type of screen or perforations SLOTS

Static water level, for non-flowing well: 10 feet.

Shut-in pressure, for flowing well: NONE lb./sq. in. on: _____
(date)

Pumping water level 50 feet at 30 gal. per min.

How tested: BAILING

Length of test 1 HOUR

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

Form No. 18
8-60


T. 7 R. 26
County Musselshell

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1934

STATE ENGINEER

Water Well Log



Owner Joseph Kuzora Sr. Address Goulding Creek Rt
Driller Self Address Roundup Montana
Date Started May 1, 1934 Date Completed May 15, 1934
Location: Sec. 8 T. 7 R. 26 $\frac{1}{4}$ sec. SW $\frac{1}{4}$

Type of well Dug Equipment used Pick-shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 3 ft. to 20 ft. Type Wood Size 1 1/2"

Casing: _____ ft. to _____ ft. Type 7 galv. Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. None to ft. ____ Ft. ____ to ft. ____

Type of screen or perforations None

Static water level, for non-flowing well: 5' feet.

Shut-in pressure, for flowing well: None lb./sq. in. on: _____
(date)

Pumping water level 15 feet at 8 gal. per min. _____

How tested: Bailing

Length of test 1/2 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

RECEIVED

SEP 5 1960

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 7 R. 26 9

County Musselshell

WATER WELL LOG

Owner Jae Kazaro Address Reynolds, Mont
 Driller P. L. Ferguson Address Reynolds, Mont
 Date Started June 3, 1958 Date Completed June 10, 1958
 Location: Sec. 9 T. 7 R. 26 1/4 sec. S.E.

Type of well drilled Equipment used Churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
 Industrial ☐ Drainage ☐ Other: _____

Casing: 1 ft. to 13.4 ft. Type galvanized Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 11.0 to ft. 12.0 Ft. _____ to ft. _____

Type of screen or perforations slot

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 3.0 feet at 3.0 gal. per min.

How tested: bailing

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)



(over)

Log of Well

[illegible]

File No.

T. 7 R. 26E

TRIPLICATE

SEP 28 1970

County Musselshell

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Joseph H. Kuzara, Jr. Address Roundup, MontDriller Same as above Address Same as aboveDate of Notice of appropriation of groundwater 25 September 1970Date well started 1 August 1970 Date completed 1 August 1970Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.


Doc. No. 181050
Filed for record
this 25 day of September
A. D. 19 70, at 1:25
o'clock P. M.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in.	4 in. plast	1	86	1/2" hole	58	83

6' - 70' - Light blue shale

70' - 83' - Porous sand water

83' - 86' Sandy shale



NE 1/4 Sec. 9 T. 75 R. 26E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 68 feet.Shut-in Pressure for Flowing Well NAPumping Water Level 75 feet
at 30 gal. per minute.Discharge in gal. per min. of flowing well NAHow Tested BailingLength of Test 1 HourRemarks: (Gravel packing, cementing, packers, type of shutoff) N/A

N/A

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

N/A

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

OWNER DRILLED

Driller's License Number

Driller's Signature

47560

Form No. 18
8-60

T. 7 R. 26
County Husshelghall

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
DEC 28 1961

Water Well Log

STATE ENGINEER

Owner Joe Kusara Jr. Address Roundup, Montana
Driller P. L. Ferguson Address Roundup, Montana
Date Started June 17, 1958 Date Completed June 21, 1958
Location: Sec. 9 T. 7 R. 26 E. 1/4 sec. SE. 1/4

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 1 ft. to 134 ft. Type Galv. Size 6"

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 110 to ft. 130 . Ft. to ft.

Type of screen or perforations Slots

Static water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: None lb./sq. in. on: (date)

Pumping water level 110 feet at 30 gal. per min.

How tested: Bailing

Length of test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

7N 26E 10
County Missouri

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner James E. Lam

Address Koncordia, N.Y.

Date well started 4-13-71

completed 4-25-71

Type of well Drilled

For Administrator's Use

File 182238
June 7, 1971
2:37 PM

GW 1

Equipment used Rotary

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 1/4	5" Plastic	0	341	5/16th	320	280
					260	240



Static water level210.....ft.*
Pumping water level300.....ft.*
at2.....gallons per minute,
measuredminutes after pumping
began.

*Measured from ground level.

Well developed by ... *Bob* ...

for6.....hours.

Power..... Pump..... HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

T. $7\frac{1}{4}$ N $24\frac{1}{4}$ Sec 10 E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Mark E. Hunt

Driller's Address ... Keen Star Bldg

Roundup, Mont. LICENSE NO. 307

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

341 Show exact depth of bottom

48574

182238

STATE OF MONTANA,
MUSSELSHELL COUNTY, (SE)
FILED THIS 7th DAY OF
June A. D. 1921
AT 2:37 O'CLOCK P.M.
CLAUDE F. FLETCHER
COUNTY RECORDER
James J. Jenson
2nd DEPUTY

File No.

T. 7 N. E R. 26

DUPLICATE

County Musselshell

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 24 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Clarence E. Miller, of Roundup,
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE $\frac{1}{4}$ NE Sec. 10 T. 7 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
1956
continuous use
4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
20 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
.....
.....
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
1956
8. The depth of water table.....
50 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
Well 95 feet deep cased to bottom with 6 inch casing. Water withdrawn by pump.
10. The estimated amount of groundwater withdrawn each year.....
300,000 gallons
11. The log of formations encountered in the drilling of each well if available.....
Not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
.....
.....

Signature of Owner Clarence E. Miller

Date December 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

135 76

169361

STATE OF MONTANA, } ss.
MUSSELSHELL COUNTY. }

FILED THIS 26 DAY OF

Dec A. D. 19 63

AT 11:08 O'CLOCK a M.

B. H. MATZKE

COUNTY RECORDER

Elaine J. Hosena
2.00 DEPUTY

File No. 3T. 7N R. 26E

DUPLICATE

County Russell


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 11 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Clarence E. Miller, of Roundup
(Name of Appropriator) (Address) (Town)
County of Russell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

2. The beneficial use on which the claim is based stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1950; six to eight months
of each year since. Continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gal. per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
withdrawn by well, sec. 11

SE 1/4 Sec. 11 T. 7N R. 26E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1950

8. The depth of water table 60 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
6 in. ca sed well, 90 ft. deep.

10. The estimated amount of groundwater withdrawn each year 200,000 gal. 200,000 Gallons

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Clarence E. Miller

Date 12-18-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13574

169359

STATE OF MONTANA, }
MUSSELSHELL COUNTY. }

FILED THIS 26 DAY OF

Dec A. D. 19 63

AT 11:06 O'CLOCK AM

B. H. MATZKE

COUNTY RECORDER

Elaine J. Gosman
92.20 DEPUTY

12


State of Montana
Administrator of groundwater Code
Office of State Engineer

T....7.N.R..26E.....
County, MUSSEL SHELL...

RECEIVED
JAN 3 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1.....JOHN L. SMITH....., of.....ROUNDUP.....
(Name of Appropriator) (Address) (Town)
County ofMUSSEL SHELL.....State of ..MONTANA.....
have appropriated groundwater according to the Montana laws in effect prior to January 1,
1962, as follows:



SW. 1/4 SE. Sec. 12. T. 7. R. 26
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
.....stock use.....
3. Date or approximate date of earliest beneficial use; and how continuous the use has been1948.....
4. The amount of groundwater claimed (in miner's inches or gallons per minute).....15 ft.....
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
.....Elec. Pump.....
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of ground water
8. The depth of water table25 ft.....
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
.....Drilled; 6" casing; 150 ft depth.....
10. The estimated amount of groundwater withdrawn each year....Do not know.....
11. The log of formations encountered in the drilling of each well if available.....
.....20 ft top soil; 20 ft shale; 10 ft coal; 50 ft shale rock; 20 ft gravel; 10 ft solid sand rock; 20 ft blue shale.....
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any count record.....

Signature of Owner *John L. Smith*

Date12/31/63.....

20573

169725

STATE OF MONTANA, } ss
MUSSELSHELL COUNTY.

FILED THIS 31 DAY OF

December A. D. 1963

AT 3:35 O'CLOCK P. M.
B. E. MATZKE

COUNTY RECORDER

Francis L. Dawson

2 DEPUTY


State of Montana
Administrator of groundwater Code
Office of State Engineer

13
T. 17N. R. 26E.....
County.. Musselshell...
JAN 3 1964
STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1.....JOHN L. SMITH....., of.....ROUNDUP.....
(Name of Appropriator) (Address) (Town)

County of ...MUSSELHELL... State of ...MONTANA...
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based.....

3. Date or approximate date of earliest beneficial use; and how continuous the use has been

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 10 gal per min.....

SW. 1/4 Sec. 13..T.7...R.26 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of ground water .1959.....

8. The depth of water table120 ft.....

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....

.....Drilled well, 6 ft casing; 120 ft deep.....
.....20 ft top surface;.....

10. The estimated amount of groundwater withdrawn each year...do not know.....

11. The log of formations encountered in the drilling of each well if available.....

.....20 ft top surface; 30 ft shale; 10 ft solid sand rock; 20 ft gravel;
.....10 ft coal; balance blue shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any court record.....

Signature of Owner John L. Smith...

Date12/31/63.....

169724

STATE OF MONTANA, {
MUSSELSHELL COUNTY, }

FILED THIS

31

DAY OF

December

A. D. 1963

AT 3:22

O'CLOCK P.M.

W. H. MATTHEW

COUNTY RECORDER

Francis L. Dawson

2⁰²

DEPUTY

GW 4


State of Montana
Administrator of groundwater Code
Office of State Engineer

T...Z.N.R. 26B...
County: MUSSELSHELL

JAN 3 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. JOHN L. SMITH of ROUNDUP
(Name of Appropriator) (Address) (Town)
County of ... MUSSELSHELL State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1,
1962, as follows:



2. The beneficial use on which the claim is based.....

..... Stack water.....

3. Date or approximate date of earliest beneficial use; and how
continuous the use has been .. 1948 .. 2 mos each year

4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 15 gpm.....

NE 1/4 Sec 14 T. 2N. R. 26E. If used for irrigation, give the acreage and description of the
lands to which water has been applied and name of the owner
thereof.....

Indicate point of appropri-
ation and place of use, if
possible. Each small square
represents 10 acres.

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
..... Electric Pump.....

7. The date of commencement and completion of the construction of the well, wells, or other
works for withdrawal of ground water .. 1948 .. acquired with the land ..

8. The depth of water table 20 ft.....

9. So far as it may be available, the type, size and depth of each well or the general
specifications of any other works for the withdrawal of groundwater.....
..... 6 inch casing, drilled well, 40 feet deep.....

10. The estimated amount of groundwater withdrawn each year.. Do not know.....

11. The log of formations encountered in the drilling of each well if available.....
..... 10 ft top soil, 1/2 gravel and 40 Blue shale.....

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any court record.....

Signature of Owner *John L. Smith*.....

Date .. 12/31/63.....

20569

169725

STATE OF MONTANA, ss.
MUSSELSHELL COUNTY, ss.

FILED THIS 31 DAY OF
December A. D. 1963
AT 3:25 O'CLOCK P.M.

B. H. MATZKE

RECORDER

Frances L. Jansen
2nd

T 7N R. 26E

County... **Musselshell**

RECEIVED
DEC 24

Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Roundup

26# 2. The beneficial use on which the claim is based.....stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1950 ; 6 to 8 months of
each year Continuous each year

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gal. per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.

Withdrawn by well, No. 1, No. 2, Sec. 14

NE 1/4 NW 1/4 Sec 14 T. 7N E. 26E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....1950.....

8. The depth of water table.....**80 ft.**

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.

6 in. cased well, 100 ft. deep

10. The estimated amount of groundwater withdrawn each year ~~55,000 gal.~~ 200,000 gallons

11. The log of formations encountered in the drilling of each well if available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner _____

Date **12-18-63**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13573

169358

STATE OF MONTANA. } ss.
MUSGELSHILL COUNTY.

FILED THIS 26 DAY OF

Dec A. D. 19 63
AT 11:05 O'CLOCK AM

B. H. MATZKE

COUNTY RECORDER

Elaine J. Kossman

DEPUTY

02.00

GW

Approved Stock Form—State Publishing Co., Helena, Montana—41921

File No.

T. 7 N. E. 26

DUPLICATE

County Musselshell


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 18 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Clarence E. Miller, of Roundup,
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 15 T. 7 R. 26

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.....
stock water
3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been..... 1958
continuous use
4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 20 gal. per minute
5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
.....
.....
6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal.....
Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater..... 1958
8. The depth of water table..... 50 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater.....
Well 200 feet deep. Cased with 6 inch casing to bottom. Water withdrawn
by pump.
10. The estimated amount of groundwater withdrawn each year..... 300,000
11. The log of formations encountered in the drilling of each well if available..... Not available.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.....
.....

Signature of Owner. Clarence E. MillerDate December 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

13575

169360

STATE OF MONTANA. }
MUSSELSHELL COUNTY. }

FILED THIS 26 DAY OF

Dec A. D. 1963

AT 11:07 O'CLOCK A.M.

R. H. MATZKE

COUNTY RECORDER

Clair J. Gossman
DEPUTY

2.00

GV.

Approved Stock Form—State Publishing Co., Helena, Montana—41338

File No.

T. 7 N. R. 26

DUPLICATE

County. Musselshell


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 23 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Carl T. and Evelyn Eliasson, of Roundup
(Name of Appropriator) (Address) (Town)
County of Musselshell State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



5 flowing springs
1/4 Sec. 17, T. 7, R. 26.
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based; Series of 5
springs used for stock water and irrigation
3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been 1890
continuous use since 1890
4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 200 miners inches
5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
Irrigate 150 acres in Sec. 17, T. 7, R. 26 by
sprinkling system and sub-irrigation by series of 5
springs described on plat; owner Carl T. & Evelyn
Eliasson
6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal All 5 springs
flow naturally. When irrigating water is pumped from
springs with 4 inch jet pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater All 5 springs were flowing and used since 1890
8. The depth of water table Ground level - All 5 springs flow naturally
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater All 5 springs are located in Half Breed Creek and
water flows down creek from each spring, to spreader dams. During irrigation season,
water is pumped from each spring into a sprinkling irrigation system on to the irrigated
land.
10. The estimated amount of groundwater withdrawn each year 200 miners inches
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record

Signature of Owner. Carl T. Eliasson
Evelyn Eliasson

Date December 13, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

11653

169245

STATE OF MONTANA, } SE.
MUSSELSHELL COUNTY, }

FILED THIS 20 DAY OF
Dec A. D. 1963

AT 10:24 O'CLOCK am

E. H. MATZKE

COUNTY RECORDER

Walter J. Lussman
DEPUTY
\$ 2.00

RECORDED
INDEXED
MUSSELSHELL COUNTY

56
Form No. 18
8-60

17
T. 7 R. 26

County Missoula

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

STATE ENGINEER

Water Well Log

Owner Carl J. Eliasson Address Roundup mont

Driller Unknown Address _____

Date Started Unknown Date Completed _____

Location: Sec. 17 T. 7 R. 26 $\frac{1}{4}$ sec. W. W.

Type of well drilled (Dug, driven, or drilled) Equipment used Unknown (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: Unknown ft. Type Heavy Steel Size 4"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to Unknown ft. Type _____ Size _____

Perforated or screened: Ft. 60 ft to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 12 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 12 feet at 10 gal. per min. 1

How tested: Pumping

Length of test 10 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

GW-4

File No.

DUPLICATE


T. 7^N R. 26^E 18
County MissoulaSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERRECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1963)

STATE ENGINEER

1. Senhardt Brothers
Robert and Edward Senhardt of Rte 1, Box 91 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N.E. 1/4 Sec. 18 T. 7 R. 26

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Livestock & household
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1941 & continuous since
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2.0 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Garden & lawn
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pressure pump system
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater on or about year 1941
8. The depth of water table Water 15 feet from surface
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater See well casing and electric well pressure system pump for withdrawal about 15 feet deep and carries water to within 15 feet of surface
10. The estimated amount of groundwater withdrawn each year 200,000+ gallons
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Senhardt Brothers by Robert A. SenhardtDate December 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

17726


169474

STATE OF MONTANA,
MUSSELSHELL COUNTY.

FILED THIS 30 DAY OF
Dec A.D. 1963
AT 9:03 O'CLOCK A.M.
B. H. MATZKE

COUNTY RECORDER
James L. Hanson
DEPUTY

2. 04



colleagues to take a look
at the map. I can't see it
or at least I can't see it
at the moment. I'll try to
get it for you.

Attest to the foregoing
and the correctness of the
copy of the same.

File No.

T. 7 N 2 E 19

DUPLICATE

County Missoula


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 2 1964
STATE ENGINEER

Senhardt Brothers
1. Robert and Edward Senhardt, of P.O. Box 91 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 19 T. 7 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Livestock on Pasture Land
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1941
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 20 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. none
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Cylinder pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. About 1941
8. The depth of water table. To within 10 feet of surface
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Long casing drilled well approx. 10 feet deep and water comes to within 10 feet of surface
10. The estimated amount of groundwater withdrawn each year. 150,000 + gallons
11. The log of formations encountered in the drilling of each well if available. non available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

Senhardt Brothers by Robert O. Senhardt

Date December 27 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

17725