

121032

Filed this 21st day of

May A. D. 1921
2:40 clock P. M.

Margaret Monreal
County Clerk and Recorder

Deety Jane Lee
Chief Deputy

no fee

24

File No.

T. 23 R. 1E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Neil L. and Jessie L. Harmon, of Hoffman Ste. Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 24 T. 25 R. 2E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Household and irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Feb. 1959
Continuously

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gal. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Irrigated using garden hoses for lawns and garden. About 1A.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Pumping --- Well located in basement of dwelling. Approx. 300 ft. west of Yellowstone River.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Feb. 1959

8. The depth of water table. 38 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well, six inch casing.
35 feet deep.
Water was reached at approx. 27 feet but would not clear so well was deepened to produce clear water.

10. The estimated amount of groundwater withdrawn each year. 750,000 gallons

11. The log of formations encountered in the drilling of each well if available.
Drilled by Van Dyken Drilling Co., Bozeman, Mont. They will have this information.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner *Neil L. Harmon*

Date Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

2067

Doc # 9809d

What was 3/21 Day of
Dec A. D. 1963
\$ 8.00 of which 4 is

Margaret Monahan
County Clerk and Recorder

Willy Jane Lee

fee 2.00

File No.

T. 27 R. 9E

TRIPPLICATE

County Park


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 20 1962

Declaration of Vested Groundwater Rights
STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. OLAF BOGAR, of 9TH STREET ISLAND, LIVINGSTON
(Name of Appropriator) (Address) (Town)
County of PARK State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 25 T. 27 R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
HOUSE & CEMENT PLANT

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
NOVEMBER 3, 1948 - CONTINUOUS

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
50 GALLON PER MINUTE

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
GARDEN & LAWN

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
ONE (1) 5 H.P. ELECTRIC PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
NOVEMBER 30, 1948

8. The depth of water table
7 FT. FROM SURFACE

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
8" PIPE 26' 10" TOTAL DEPTH 100 FT.

10. The estimated amount of groundwater withdrawn each year
500,000 GALLONS

11. The log of formations encountered in the drilling of each well if available
25' GRAVEL, 25 TO 65' SAND ROCK, 65 TO 75' DARK HARD, 75 TO 100' DARK SAND ROCK,
2ND WATER 30' - 6 3/4" BIT
DRILLING DONE BY L. E. ANDERSON, ELLINGS, MONTANA

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Date

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13608

Doc # 97799

Filed this 26 day of

December A. D. 1963

at 10:15 o'clock a. M.

Margaret Duonical
Clerk and Recorder.

by _____ Deputy.

for \$ 2.00

File No.

RECEIVED

T2 South R 9 East


DUPLICATE

County Park

LOG

FEB 29 1968

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Raymond J. Henley Address 116 N. 6th St. Livingston

Driller Donald S. Jones Address 2107 Bridge St.

Date of Notice of appropriation of groundwater.....


Date well started Feb. 24, 1968 Date completed Dec. 3, 1968

Type of well Drilled Equipment used Churn Drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	6 5/8" 20 lb	12' above Ground	27'	-	-	-



Static Water Level for non-flowing well 7.5 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 2.7 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Pump

Length of Test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NW 1/4 Sec. 25 T2S. R9E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 47

Driller's Signature Donald S. Jones

43,690

111543

Filed this 28th day of

February A. D. 1968

at 2:45 o'clock P. M.

Margaret Monical
County Clerk and Recorder.

By _____ Deputy.

Jan 2nd

Dec. # 98155

Filed Dec. 31st 1963

Dec. A. D. 1963

at 1.04 o'clock P. M.
Margaret Monismith

Court Clerk and Recorder

For Betty Jean Lee

fee 2.00

25

File No.

T. 2 S. R. 9 E

DUPLICATE


County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. William R. Strong of Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. Odd Lot #2
1/4 Sec. 25 T2S R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based domestic use
- 3. Date or approximate date of earliest beneficial use and how continuous the use has been January 15, 1962
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not applicable
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump in dwelling

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater December 12, 1961 December 18, 1961

8. The depth of water table 8'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled 6" 33'

10. The estimated amount of groundwater withdrawn each year 280,000 gallons

11. The log of formations encountered in the drilling of each well if available sand to 5' coarse gravel from 5' to 24' fine gravel from 24' to 31' sand from 31' to 33' fine gravel below 33'

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner William R. Strong
Date 1-5-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1121

90716

Filed this 10th day of

January A. D. 1962

at 1:00 o'clock P. M.

Margaret Donald
County Clerk and Recorder.

By _____ Deputy.

Fee \$ 2.00

County Blaine

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**
Developed after January 1, 1962

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner W. H. Strong
Address Box 1059
Livingston, Montana
Date well started April 13 1973
completed April 18 1973


For Administrator's Use	
File <u>128434</u>	<u>June 18, 1973</u>

Type of well Drilled
(Dug, driven, bored or drilled)
Equipment used Cable tool
(Churn drill, rotary or other)
Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
9"	8 5/8 OD 27lb	2 ft	6" above 35 ft	None		



Static water level 917 1/2 ft.*
Pumping water level 35 ft.*
at 35 gallons per minute,
measured 30 minutes after pumping
began.
*Measured from ground level.
Well developed by Deiler & Pump
for 1 1/2 3/4 1 1/4 1 1/2 1 3/4 2 2 1/4 2 1/2 3 3 1/4 3 1/2 4 4 1/4 4 1/2 5 5 1/4 5 1/2 6 6 1/4 6 1/2 7 7 1/4 7 1/2 8 8 1/4 8 1/2 9 9 1/4 9 1/2 10 10 1/4 10 1/2 11 11 1/4 11 1/2 12 12 1/4 12 1/2 13 13 1/4 13 1/2 14 14 1/4 14 1/2 15 15 1/4 15 1/2 16 16 1/4 16 1/2 17 17 1/4 17 1/2 18 18 1/4 18 1/2 19 19 1/4 19 1/2 20 20 1/4 20 1/2 21 21 1/4 21 1/2 22 22 1/4 22 1/2 23 23 1/4 23 1/2 24 24 1/4 24 1/2 25 25 1/4 25 1/2 26 26 1/4 26 1/2 27 27 1/4 27 1/2 28 28 1/4 28 1/2 29 29 1/4 29 1/2 30 30 1/4 30 1/2 31 31 1/4 31 1/2 32 32 1/4 32 1/2 33 33 1/4 33 1/2 34 34 1/4 34 1/2 35 35 1/4 35 1/2 36 36 1/4 36 1/2 37 37 1/4 37 1/2 38 38 1/4 38 1/2 39 39 1/4 39 1/2 40 40 1/4 40 1/2 41 41 1/4 41 1/2 42 42 1/4 42 1/2 43 43 1/4 43 1/2 44 44 1/4 44 1/2 45 45 1/4 45 1/2 46 46 1/4 46 1/2 47 47 1/4 47 1/2 48 48 1/4 48 1/2 49 49 1/4 49 1/2 50 50 1/4 50 1/2 51 51 1/4 51 1/2 52 52 1/4 52 1/2 53 53 1/4 53 1/2 54 54 1/4 54 1/2 55 55 1/4 55 1/2 56 56 1/4 56 1/2 57 57 1/4 57 1/2 58 58 1/4 58 1/2 59 59 1/4 59 1/2 60 60 1/4 60 1/2 61 61 1/4 61 1/2 62 62 1/4 62 1/2 63 63 1/4 63 1/2 64 64 1/4 64 1/2 65 65 1/4 65 1/2 66 66 1/4 66 1/2 67 67 1/4 67 1/2 68 68 1/4 68 1/2 69 69 1/4 69 1/2 70 70 1/4 70 1/2 71 71 1/4 71 1/2 72 72 1/4 72 1/2 73 73 1/4 73 1/2 74 74 1/4 74 1/2 75 75 1/4 75 1/2 76 76 1/4 76 1/2 77 77 1/4 77 1/2 78 78 1/4 78 1/2 79 79 1/4 79 1/2 80 80 1/4 80 1/2 81 81 1/4 81 1/2 82 82 1/4 82 1/2 83 83 1/4 83 1/2 84 84 1/4 84 1/2 85 85 1/4 85 1/2 86 86 1/4 86 1/2 87 87 1/4 87 1/2 88 88 1/4 88 1/2 89 89 1/4 89 1/2 90 90 1/4 90 1/2 91 91 1/4 91 1/2 92 92 1/4 92 1/2 93 93 1/4 93 1/2 94 94 1/4 94 1/2 95 95 1/4 95 1/2 96 96 1/4 96 1/2 97 97 1/4 97 1/2 98 98 1/4 98 1/2 99 99 1/4 99 1/2 100 100 1/4 100 1/2 101 101 1/4 101 1/2 102 102 1/4 102 1/2 103 103 1/4 103 1/2 104 104 1/4 104 1/2 105 105 1/4 105 1/2 106 106 1/4 106 1/2 107 107 1/4 107 1/2 108 108 1/4 108 1/2 109 109 1/4 109 1/2 110 110 1/4 110 1/2 111 111 1/4 111 1/2 112 112 1/4 112 1/2 113 113 1/4 113 1/2 114 114 1/4 114 1/2 115 115 1/4 115 1/2 116 116 1/4 116 1/2 117 117 1/4 117 1/2 118 118 1/4 118 1/2 119 119 1/4 119 1/2 120 120 1/4 120 1/2 121 121 1/4 121 1/2 122 122 1/4 122 1/2 123 123 1/4 123 1/2 124 124 1/4 124 1/2 125 125 1/4 125 1/2 126 126 1/4 126 1/2 127 127 1/4 127 1/2 128 128 1/4 128 1/2 129 129 1/4 129 1/2 130 130 1/4 130 1/2 131 131 1/4 131 1/2 132 132 1/4 132 1/2 133 133 1/4 133 1/2 134 134 1/4 134 1/2 135 135 1/4 135 1/2 136 136 1/4 136 1/2 137 137 1/4 137 1/2 138 138 1/4 138 1/2 139 139 1/4 139 1/2 140 140 1/4 140 1/2 141 141 1/4 141 1/2 142 142 1/4 142 1/2 143 143 1/4 143 1/2 144 144 1/4 144 1/2 145 145 1/4 145 1/2 146 146 1/4 146 1/2 147 147 1/4 147 1/2 148 148 1/4 148 1/2 149 149 1/4 149 1/2 150 150 1/4 150 1/2 151 151 1/4 151 1/2 152 152 1/4 152 1/2 153 153 1/4 153 1/2 154 154 1/4 154 1/2 155 155 1/4 155 1/2 156 156 1/4 156 1/2 157 157 1/4 157 1/2 158 158 1/4 158 1/2 159 159 1/4 159 1/2 160 160 1/4 160 1/2 161 161 1/4 161 1/2 162 162 1/4 162 1/2 163 163 1/4 163 1/2 164 164 1/4 164 1/2 165 165 1/4 165 1/2 166 166 1/4 166 1/2 167 167 1/4 167 1/2 168 168 1/4 168 1/2 169 169 1/4 169 1/2 170 170 1/4 170 1/2 171 171 1/4 171 1/2 172 172 1/4 172 1/2 173 173 1/4 173 1/2 174 174 1/4 174 1/2 175 175 1/4 175 1/2 176 176 1/4 176 1/2 177 177 1/4 177 1/2 178 178 1/4 178 1/2 179 179 1/4 179 1/2 180 180 1/4 180 1/2 181 181 1/4 181 1/2 182 182 1/4 182 1/2 183 183 1/4 183 1/2 184 184 1/4 184 1/2 185 185 1/4 185 1/2 186 186 1/4 186 1/2 187 187 1/4 187 1/2 188 188 1/4 188 1/2 189 189 1/4 189 1/2 190 190 1/4 190 1/2 191 191 1/4 191 1/2 192 192 1/4 192 1/2 193 193 1/4 193 1/2 194 194 1/4 194 1/2 195 195 1/4 195 1/2 196 196 1/4 196 1/2 197 197 1/4 197 1/2 198 198 1/4 198 1/2 199 199 1/4 199 1/2 200 200 1/4 200 1/2 201 201 1/4 201 1/2 202 202 1/4 202 1/2 203 203 1/4 203 1/2 204 204 1/4 204 1/2 205 205 1/4 205 1/2 206 206 1/4 206 1/2 207 207 1/4 207 1/2 208 208 1/4 208 1/2 209 209 1/4 209 1/2 210 210 1/4 210 1/2 211 211 1/4 211 1/2 212 212 1/4 212 1/2 213 213 1/4 213 1/2 214 214 1/4 214 1/2 215 215 1/4 215 1/2 216 216 1/4 216 1/2 217 217 1/4 217 1/2 218 218 1/4 218 1/2 219 219 1/4 219 1/2 220 220 1/4 220 1/2 221 221 1/4 221 1/2 222 222 1/4 222 1/2 223 223 1/4 223 1/2 224 224 1/4 224 1/2 225 225 1/4 225 1/2 226 226 1/4 226 1/2 227 227 1/4 227 1/2 228 228 1/4 228 1/2 229 229 1/4 229 1/2 230 230 1/4 230 1/2 231 231 1/4 231 1/2 232 232 1/4 232 1/2 233 233 1/4 233 1/2 234 234 1/4 234 1/2 235 235 1/4 235 1/2 236 236 1/4 236 1/2 237 237 1/4 237 1/2 238 238 1/4 238 1/2 239 239 1/4 239 1/2 240 240 1/4 240 1/2 241 241 1/4 241 1/2 242 242 1/4 242 1/2 243 243 1/4 243 1/2 244 244 1/4 244 1/2 245 245 1/4 245 1/2 246 246 1/4 246 1/2 247 247 1/4 247 1/2 248 248 1/4 248 1/2 249 249 1/4 249 1/2 250 250 1/4 250 1/2 251 251 1/4 251 1/2 252 252 1/4 252 1/2 253 253 1/4 253 1/2 254 254 1/4 254 1/2 255 255 1/4 255 1/2 256 256 1/4 256 1/2 257 257 1/4 257 1/2 258 258 1/4 258 1/2 259 259 1/4 259 1/2 260 260 1/4 260 1/2 261 261 1/4 261 1/2 262 262 1/4 262 1/2 263 263 1/4 263 1/2 264 264 1/4 264 1/2 265 265 1/4 265 1/2 266 266 1/4 266 1/2 267 267 1/4 267 1/2 268 268 1/4 268 1/2 269 269 1/4 269 1/2 270 270 1/4 270 1/2 271 271 1/4 271 1/2 272 272 1/4 272 1/2 273 273 1/4 273 1/2 274 274 1/4 274 1/2 275 275 1/4 275 1/2 276 276 1/4 276 1/2 277 277 1/4 277 1/2 278 278 1/4 278 1/2 279 279 1/4 279 1/2 280 280 1/4 280 1/2 281 281 1/4 281 1/2 282 282 1/4 282 1/2 283 283 1/4 283 1/2 284 284 1/4 284 1/2 285 285 1/4 285 1/2 286 286 1/4 286 1/2 287 287 1/4 287 1/2 288 288 1/4 288 1/2 289 289 1/4 289 1/2 290 290 1/4 290 1/2 291 291 1/4 291 1/2 292 292 1/4 292 1/2 293 293 1/4 293 1/2 294 294 1/4 294 1/2 295 295 1/4 295 1/2 296 296 1/4 296 1/2 297 297 1/4 297 1/2 298 298 1/4 298 1/2 299 299 1/4 299 1/2 300 300 1/4 300 1/2 301 301 1/4 301 1/2 302 302 1/4 302 1/2 303 303 1/4 303 1/2 304 304 1/4 304 1/2 305 305 1/4 305 1/2 306 306 1/4 306 1/2 307 307 1/4 307 1/2 308 308 1/4 308 1/2 309 309 1/4 309 1/2 310 310 1/4 310 1/2 311 311 1/4 311 1/2 312 312 1/4 312 1/2 313 313 1/4 313 1/2 314 314 1/4 314 1/2 315 315 1/4 315 1/2 316 316 1/4 316 1/2 317 317 1/4 317 1/2 318 318 1/4 318 1/2 319 319 1/4 319 1/2 320 320 1/4 320 1/2 321 321 1/4 321 1/2 322

12843-L

Filed this 18th day of

June A. D. 1973
at 4:35 o'clock P.M.

Margaret Monicall
County Clerk and Recorder

by Stacy Olive Bell
Chief Deputy

Fee \$ 2.00

T. 2 S R. 9 E

County Park

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
NOV 8 1960

WATER WELL LOG

STATE ENGINEER

Owner R.E. Lenigun Address Box 223 Livingston Mont.

Driller Van Dyken Drilling Co. Address Bozeman

Date Started Sept. 27/60 Date Completed Sept. 28/60

Location: Sec. 25 T. 2 S R. 9 E 1/4 sec. Lots 1 & 2

Type of well Drilled Equipment used Cable tool
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other: _____

Casing: 0 ft. to 32 ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 7 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 8 feet at 60 G.P.M. gal. per min.

How tested: Boiler

Length of test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

T. 2 S. R. 9 E.
County Park

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

WATER WELL LOG

STATE ENGINEER

Owner W. B. McClain Address Leungtown

Driller Guy Self Address _____

Date Started Fall of 50 Date Completed Spring of 51

Location: Sec. 26 T. 29 N. R. 9 E. 1/4 sec

Type of well Dug 22 feet Equipment used Pitman hand
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: 0

Casing: 22 ft. ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 6 to 20 feet feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Aug 2 through 1 ft of soil
cut to cut of surface

128618

Filed Nov 29th day of

June A. D. 1923

2:29 o'clock P^M

Frank J. Brown
County Clerk and Recorder.

Fee \$ 2⁰⁰ Dollars

127920

Filed this 26th day of

April A. D. 1913
at 2:10 o'clock P. M.

Margaret M. Mitchell
County Clerk and Recorder.

[Signature]
Chief Deputy.

Fee \$ 5.00

26

File No.

T 2 S R 9 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 20 1963


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. LILLIAN A. McELVAIN, of Hoffman Route Livingston
(Name of Appropriator) (Address) (Town)
County of PARK State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

WELL ON NORTH EAST CORNER



of a plot of land in Lot 16 of
Aoreville.
1/4 Sec 26 T 2 S R 9 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

- 2. The beneficial use on which the claim is based house,
lawn and garden
- 3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been February 1934 and continuous
since that date.
- 4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 525 gal. per min.
- 5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
Garden and lawn on 1
A PLOT OF LAND IN LOT 16 OF AOREVILLE
SEC 26 T 2 S R 9 E LILLIAN A. McELVAIN
- 6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal Electric jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater Completion on February 1934

8. The depth of water table Unknown

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater Hand dug 28 feet deep

10. The estimated amount of groundwater withdrawn each year 50,000,000 - 60,000,000

11. The log of formations encountered in the drilling of each well if available None

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record

Signature of Owner Lillian A. McElvain
Date Dec 19, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

119

Doc. # 97645

dated this 19th day of

December A. D. 1963

at 1:50 o'clock P.M.

Margaret Monahan

City Clerk and Recorder

By Walter James Lee Mayor

For \$2.00

Doc. # 121473

Filed this 9th day of

July A. D. 1977

at 2:05 o'clock P. M.

Margaret Monreal
County Clerk and Recorder.

By [Signature]
Deputy

Fee \$7.00

File No.

T. J. S. R. 9 R

DUPLICATE

RECEIVED

County Park

LOG

MAR 3 1971 STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Duane Brandon Address Livingston, Mont.

Driller M.E. Jones Address Bozeman, Mont.

Date of Notice of appropriation of groundwater

Date well started 4/5/70 Date completed 4/7/70


Type of well Drilled Equipment used Churn Drill

Water use: Domestic [X] Municipal [] Stock [] Irrigation [] Industrial [] Drainage [] Other []

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Vertical log scale from 2 to 46 feet. Labels include: TOP SOIL & CLAY, GRAVEL, CLAY BOUND GRAVEL, CLAY BOUND SAND, GRAVEL. Includes 'Top of Ground' and 'Show exact depth of bottom.' at the bottom.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static Water Level for non-flowing well 20 feet. Shut-in Pressure for Flowing Well. Pumping Water Level 46 1/2 feet at 40 gal. per minute. Discharge in gal. per min. of flowing well. How Tested Pump Length of Test 1 hr. Remarks: (Gravel packing, cementing, packers, type of shutoff)

Doc. No. 120365 Filed for record this 2 day of March A. D. 1971 at 4:58 o'clock P. M.

SE 1/4 Sec. 26 T. 55 R. 9 R. Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side) USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

37 Driller's License Number Milton E. Jones Driller's Signature

Doc # 120365

Filed this 2nd day of
March A. D. 1921
at 4:58 P. M.
Margaret Monical
County Clerk and Recorder.

By Lee J. Co Deputy

RECORDED
INDEXED
MAY 19 1921

Doc. # 121494

Made this 9th day of

July A. D. 1921

at 2 o'clock P. M.

Margaret Monreal

County Clerk and Recorder

by Henry James Lee

Chief Deputy

Fee \$ 2.00

STATE OF MONTANA,


County of Park

R. C. Logan

} ss.

Having first been duly sworn, deposes and says that he is of legal age and is the appropriator and claimant of the order and water right mentioned in the foregoing notice of completion of groundwater appropriation without well and the person whose name is subscribed thereto, as the appropriator and claimant, that he knows the contents of said foregoing notice and that the matters and things therein stated are true.

x R. C. Logan



Subscribed and sworn to before me, this 5th day of October, 1970

James Adams
Notary Public for the State of Montana.

Residing at

My Commission expires 19

986

676-094
10-19-70
R. C. Logan
deposited
10/20/70
Notary
James Adams

STATE WATER CONSERVATION BOARD

File No.

T. 25 R. 9E

JUL 6 1967

County Park

DUPLICATE

Bill: McDermott STATE OF MONTANA
Butler: ADMINISTRATOR OF GROUNDWATER CODE
C... OFFICE OF STATE ENGINEER
D...
D...
D...

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)


2
4
6
8
10
12
14
16
18
20
22
24
26
28
30
32
34
36
38
40
41

Top of Ground
(Elev. above sea level)
Gravel & Gravel
Gravel & Sand
Sand
Gravel Bound In Clay
Fine Gravel & Sand

Owner: Buck Shandy Address: Livingston
Driller: M.E. Jones Address: Bozeman
Date of Notice of Appropriation of Groundwater
Date well started June 26, 1967 Date Completed: June 28, 1967
Type of well: Drilled Equipment Used: Churn Drill
Water Use: Domestic [X] Municipal [] Other [] Irrigation []
Industrial [] Drainage [] Stock [X]

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



1/4 Sec. 6, T.25 R.9E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well: 9 feet.
Shut-in Pressure for Flowing Well:
Pumping Water Level: 41 feet at 35 gal. per minute.
Discharge in gal. per min. of flowing well:
How Tested: Pump Length of Test: 2 Hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

17
Driller's License Number
Milton E. Jones
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

42, 117

RECEIVED
 JUL 11 1967
 FEDERAL BUREAU OF INVESTIGATION
 U.S. DEPARTMENT OF JUSTICE
 WASHINGTON, D.C. 20535

I, WALTER J. RAY, do hereby certify that the foregoing is a true and correct copy of the original as the same appears in the files of the FBI.

Special Agent in Charge

Filed this 5th day of July, 1967
 at 11:55 AM in the office of Margaret Monical
 County Clerk and Recorder
 By Walter J. Ray
 Special Agent in Charge

497
 1018
 1134
 CLM
 1967

MISSOURI
 DEPARTMENT OF REVENUE
 OFFICE OF THE COMMISSIONER
 JEFFERSON CITY, MISSOURI 64501

STATE WATER CONSERVATION BOARD

Approved Stock Form—State Publishing Co., Helena, Montana—39318

GW 2

JUL 25 1967

File No.


Bill to McDermott
 Submitted by
 Checked by
 Date
 District Sullivan

T 25 R 9E
 County P. 27-1K

ORIGINAL

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Buck Shandy Address Livingston
 Driller M.E. Jones Address Bozeman

Date of Notice of Appropriation of Groundwater.....


Date well started July 26, 1967 Date Completed June 28, 1967

Type of well Drilled Equipment Used Churn Drill
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
 Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8" OD x 19 #	3' Below Ground	41'	None		



1/4 Sec 26 T25 R9E
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 9 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 41 feet at 35 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Pump Length of Test 2 Hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation).....

17
 Driller's License Number
Milton E. Jones
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

XERO COPY XERO COPY XERO COPY XERO COPY

42 170

KERO COPY KERO COPY KERO COPY

STATE OF MONTANA
County of Park } ss.

Buck Shandy having first been duly sworn, deposes and says that he is of lawful age and is the appropriator and claimant of the order and water right mentioned in the foregoing notice of completion of groundwater appropriation by means of well and the person whose name is subscribed thereto, as the appropriator and claimant, that he knows the contents of said foregoing notice and that the matters and things therein stated are true.

Buck Shandy



Subscribed and sworn to before me, this 5th day of July, 1967

Donald J. Francis
Notary Public for the State of Montana.

Residing at Livingston, Montana

My Commission expires Nov. 23, 1969

10949

Filed for 54 days of
July A.D. 1967
11:55 a.m. at
Livingston, Montana
Margaret Strickland
County Clerk and Ex-Officio
Becky Lee (by)
Notary

128476

Filed on 21st day of

June A. D. 1923

at 2:40 o'clock P. M.

Margaret Monahan

County Clerk and Recorder

by Betty Jones

Chief Deputy

Fee \$ 2.00

File No.
DUPLICATE


T. 25 R. 9E
County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 26 1963
STATE ENGINEER

1. T.G. Schleicher, of Hoffman Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Acreville lot 33^s, S20, T2s, R9E
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Household, Lawn, Garden
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Completed 1947, and in continuous use ever since.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 gallons per minute H.C.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Lawn, Garden
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. electric pump
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. drilled 1947
- 8. The depth of water table. Unknown
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 5" drilled well, depth 40 ft.
- 10. The estimated amount of groundwater withdrawn each year. 600,000 gal. per year
- 11. The log of formations encountered in the drilling of each well if available. Unknown
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner T.G. Schleicher
Date 12/21/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Doc # 97699

Filed this 23rd day of
December A. D. 1963
at 10:15 o'clock A.M.
Marquet Missouri

County Clerk and Recorder.
Lamma Bowers
Deputy
Fee \$2.00

File No.

T 25 R 9 E

DUPLICATE

County PARK

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 26 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. T.G. Schleicher, of Hoffman Route, Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Acreville lot 32, S26, T2S, R9E
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Household, Lawn, Garden, Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Completed August 1957, and in continuous use ever since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 500 gallons per minute, 520 GALS PER HR.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Lawn, Garden

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. drilled August 1957

8. The depth of water table. Unknown

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6" drilled well, depth 44 ft.

10. The estimated amount of groundwater withdrawn each year. 760,000 GAL PER YEAR. ~~50 million gal per year~~

11. The log of formations encountered in the drilling of each well if available. Unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner T.G. Schleicher
Date 12/21/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Doc. # 97698

Filed this 23rd day of

December A. D. 1 963

at 10:15 o'clock A. M.

Maasquet Monmouth

County Clerk and Recorder.

By John J. [Signature]

Prothonotary

per B. S. [Signature]

GW.

File No.

DUPLICATE

T 25 R 9E M 1/4M
County PARK

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 3 1963

1. George W. Stone of Box 927 in STATE ENGINEER
(Name of Appropriator) (Address) (Town)

County of PARK State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 26 T25 R 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Household GARDEN & LAWN, LIVESTOCK
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. MAY 1953
USED CONTINUOUSLY SINCE THAT DATE
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 500 GAL PER MINUTE
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. USED TO IRRIGATE APPROX. 1/2 ACRE LAWN & GARDEN
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. PUMP

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. COMPLETED MAY 1953
- 8. The depth of water table. 40 FT.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. RIBBED WELL, 40 FT DEEP - APPROX 8" CASING
- 10. The estimated amount of groundwater withdrawn each year. 100,000 GALLONS
- 11. The log of formations encountered in the drilling of each well if available. NOT AVAILABLE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. WELL IS LOCATED IN NE 1/4 OF SACRED TRACTS ACRES 9.17 CLAIM NOW ON FILE IN PARK Co. COURTHOUSE VOLUME 95 PAGE 145

Signature of Owner George W. Stone
Date Dec 31 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

20754

Doc. # 951R3

Filed this 21st day of
Dec. A. D. 1963
at 2:26 o'clock P. M.
Margaret Monical
County Clerk and Recorder.
By Betty Gene Cox
Deputy
fee \$2.00

GW 4
File No. _____

T 2nd R 9th
County _____ Park _____

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 3 1963
STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS (Well)
(Under Chapter 237, Montana Session Laws 1961)

We, Charles R. Stinnett and Ruth M. Stinnett, of Livingston,
(Name of Appropriator) (Address) (Town)

County of _____ Park, State of Montana,
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:

2. The beneficial use on which the claim is based _____
Household use.
Lots 1 and 2, Sec. 26, Twp. 2 south, range 9 east,



3. Date or approximate date of earliest beneficial use;
and how continuous the use has been First used
in 1960. Use has been continuous since.

4. The amount of groundwater claimed (in miner's inches
or gallons per minute) Five miner's inches.

5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof _____
Well located on lots 1 and 2, Sec. 26,
Twp. 2 South, range 9 east, M. P. N.

6. The means of withdrawing such water from the ground
and the location of each well or other means of
withdrawal Well located as shown by letter "X" on
map. Water is withdrawn by means of
electrically driven pump into tank, from
which it is used as required.

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater Completed and used in 1960.

8. The depth of water table 10 feet.

9. So far as it may be available, the type, size and depth of each well or the general
specifications of any other works for the withdrawal of groundwater _____
Well is approximately 38 feet deep, is a driven well, and is
used with 6 inch casing.

10. The estimated amount of groundwater withdrawn each year I excess of 150,000
gals.

11. The log of formations encountered in the drilling of each well if available _____
Not available.

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record _____
No record.

Signature of Owner Ruth M. Stinnett
Charles R. Stinnett
Date Dec. 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer;
Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the
Appropriator.

98157

Filed this 31 day of

Dec A. D. 1963

at 10 6 o'clock P M.

Margaret Ironical
County Clerk and Recorder.

fee \$ 5.00 Per Annu

File No.

STATE WATER CONSERVATION BOARD

T. 25 R. 9 E - ACREVILLE

DUPLICATE

JUL 21 1966

County PARK

LOG

Site..... Mr. Bennett
 Location.....
 County.....
 Warrenton..... Sullivan
 Dickert.....
STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

0
 Top of Ground
 (Elev. above sea level.....)
0-3
TOP SOILS

3-18
SAND GRAVELS
ROCK

-18-

Notice of Completion of Groundwater Appropriation by Means of Well
 DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner John H. Gost Address Swanton Mont.

Driller Potts Drilling Address Bozeman Mont.

Date of Notice of appropriation of groundwater.....

Date well started 4-1-66 Date completed 4-8-66

Type of well Drilled Equipment used Roll Tools
 (Dug, Driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

STATIC WATER LEVEL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6"</u>	<u>6" ID + 1</u>	<u>41</u>	<u>49</u>			
	<u>KB. 77</u>					

18-44
FINE SAND + GRAVELS



Static Water Level for non-flowing well 15 feet.
 Shut-in Pressure for Flowing Well.....
 Pumping Water Level..... 23 feet
 at 30 gal. per minute.
 Discharge in gal. per min. of flowing well.....

44-49
SAND + GRAVELS

How Tested Backs
 Length of Test 2 hrs
 Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NE 1/4 Sec. 26 T. 25 R. 9 E
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

49

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

150
 Driller's License Number

Herbata Potts
 Driller's Signature

WAC 106886

11 15

Doc # 106886

Filed this 20th day of July A. D. 1966
at 11:15 o'clock A. M.

Margaret Monahan
County Clerk and Recorder
By Emma Bowers
Deputy

Fees \$2.00

1-4-66 11:15

GW 4
File No. _____

T 2 R 9 E
County Park

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1963
STATE ENGINEER
LIVINGSTON

DECLARATION OF VESTED GROUNDWATER RIGHTS (WELL)

We, Charles R. Stinnett (Under Chapter 237, Montana State Laws, 1961)
Ruth M. Stinnett, of _____, of _____
(Name of Appropriator) (Address) (Town)
County of _____ Park State of Montana.

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based is watering livestock.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been First used in 1940. Use has been continuous since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Five miner's inches.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof _____
(Not applicable)

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Water is drawn from well by means of an electrically driven pump, and into a tank, from which it is used as required.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Completed and used since 1940.

8. The depth of water table Six feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well is a dug well, approximately 16 feet deep, and four feet wide. Location of well and place of use indicated by letter "X" on map.

10. The estimated amount of groundwater withdrawn each year in excess of 150,000 gals.

11. The log of formations encountered in the drilling of each well if available Not available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No record.

Signature of Owner Charles R. Stinnett
Date Dec. 21, 1962.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

98158

Filed this 31 day of

Dec A. D. 1963

at 1.07 o'clock P. M.

Margaret Monical
County Clerk and Recorder.

Joe 100 Deputy.

File No.

T. 25 R. 9-2

DUPLICATE

County PARK

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Top of Ground
(Elev. above sea level.....)

SAND & GRAVEL
WATER @ 22 FT.
50 FT.

Owner CHARLES WILSON Address 5143 PAIRIE DRIVE
Driller DISSER DRILL Address BILLINGS, MONT.

Date of Notice of Appropriation of Groundwater.....

Date well started 3-10-72 Date Completed 3-11-72


Type of well DRILLED Equipment Used ROTARY
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

RECEIVED
MAY 12 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8" #	6 5/8" #17	15	50	OPEN BOTTOM		



NW 1/4 SW Sec 26, T. 25 R. 9-E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well 24 feet.

Shut-in Pressure for Flowing Well N.A.

Pumping Water Level 35 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well N.A.

How Tested BAIL Length of Test 3 HRS

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) Bentonite

SAND TO 9 FT. Cement to top.

Show exact depth of bottom.

50

Doc. No. 123877 197
Filed for record this 30 day of March Driller's License Number
A. D. 1972, at 11:40 o'clock A. M. J J Bar
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

50,089

Ch. # 123877

dated this 20th day of

March A. D. 1922

11:40 A. M.

Marquet Moniel

Clerk and Recorder

Joseph Lee

Chief Deputy

\$
200 00

File No.

T. 21 R. 9 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 31 1963

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1962)

STATE ENGINEER

We, Charles R. Stinnett, and
Ruth M. Stinnett, of Livingston,
(Name of Appropriator) (Address) (Town)

County of Park, State of Montana,
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

Lots 1 and 2, in section 26, twp. 2 south, range 9 east, M. F. M.



1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Watering garden and yard.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. First used in 1905, and use has been continuous since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute). Five miner's inches.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Owners: Charles R. Stinnett and Ruth M. Stinnett. Used to irrigate approximately one-half acre of yard and garden, located at placemarked 'X' on map.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well is located by letter 'X' on map. Well is a dug well, and water is pumped by electrically driven pump, and applied to the land.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Well completed in 1905.

8. The depth of water table. Six feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well is approximately 18 feet deep, and four feet wide.

10. The estimated amount of groundwater withdrawn each year. In excess of 150,000 gals.

11. The log of formations encountered in the drilling of each well if available. Not available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No record of well.

Signature of Owner Charles R. Stinnett

Date Dec. 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

20130

*98159

Filed this 31st day
December A. D. 1963
at 1:08 P. M.
Margaret Monnal
County Clerk and Recorder.
By Thomas Bowers
Deputy
Fees \$2.00

26

File No.

T 2 S R 9 E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECORDED
JAN 2 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. George Edward Stefanik, of Hoffman Rte Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 35
1/4 Sec. 26 T 2S R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household, watering lawn, watering livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1947 continuously

4. The amount of groundwater claimed (in miner's inches or gallons per minute) never checked

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal jet pressure pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1947

8. The depth of water table 30 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand dug apprx. 40 ft deep

10. The estimated amount of groundwater withdrawn each year apprx. 145,000 gals

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner George Edward Stefanik

Date Dec. 28, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

17967

98072

Filed this 30th day of
December A. D. 1963
at 5:35 o'clock P. M.
Marquet Monical

County Clerk and Recorder.

By Emma Bowers
Deputy
Filed 12.00

File No.

DUPLICATE

T. 25 R. 9E

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Maree M. and Francis C. Simpkins, of Huffman Route Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



W 213.6 of Lot 14

1/4 Sec 36 T. 25 R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household use, irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Dec 1955
1955 - 1961

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof F. C. Simpkins (Maree M.)
3 1/2 acres

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Dec 1955

8. The depth of water table 25' static 48' pumping

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 48" - 6" steel casing

10. The estimated amount of groundwater withdrawn each year 4,000,000 gal

11. The log of formations encountered in the drilling of each well if available gravel, gravel, sand, rock

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Maree M. Simpkins
Signature of Owner F. C. Simpkins
Date Dec 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Doc. # 98023

Filed this 30th day of

Dec. A. D. 1963

at 1:48 o'clock P. M.

Marquet Monahan

County Clerk and Recorder.

by Deputy Joe Deputy.

fee - 2.00

File No.

T. 25 R. 9E
County Park

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. *Mrs. M.*
and
Francis C. Simpkins of *Hoffman Route Livingston*
(Name of Appropriator) (Address) (Town)

County of *Park* State of *Montana*
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 213.6 of Lot 14

1/4 Sec. 26 T. 25 R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based *Irrigation*

3. Date or approximate date of earliest beneficial use; and how continuous the use has been *May, 1957*
Every year - July thru Sept

4. The amount of groundwater claimed (in miner's inches or gallons per minute) *8 1/2 gal. per minute*

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *F. C. Simpkins (& Mrs. M.)*
3 1/2 acres

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal *1 1/2 hp. high pressure pump*

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *Feb - 1957*

8. The depth of water table *10'*

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater *8" x 3" x 28"*

10. The estimated amount of groundwater withdrawn each year *7,000,000 gal.*

11. The log of formations encountered in the drilling of each well if available *gravel, gravel & sand*

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Mrs. M. Simpkins
Signature of Owner *F. C. Simpkins*

Date *Dec 30 1963*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Doc. # 98022

Filed this 30th day of

Dec. A. D. 1963

of 1.47 of each P of

Margaret Monical

County Clerk and Recorder.

By Stephanie Lee

Deputy.

fe. 2.00

128715

Filed this 29th day of

June A. D. 1923

5:14 o'clock P. M.

Marquet Monical

County Clerk and Recorder.

W. J. Jones

Chief Deputy

for \$ 2.00

128646

Filed this 29th day of

June A. D. 1913

at 2:57 o'clock P.M.

Margaret Monice
County Clerk and Recorder.

by Mary G. Smith
Deputy.

Fee \$2.00

File No.

T. 2S. R. 9E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 3 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Roland Clark Payne, of Five Acre Tracts Livingston
(Name of Appropriator) (Address) (Town)
County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 26. T2S. R.9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1952 - Used continuously since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Unknown, but sufficient for household purposes.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Lawn and garden

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Drilled well with electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Commenced and completed in 1952

8. The depth of water table. 12 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6 inch casing 30 feet deep.

10. The estimated amount of groundwater withdrawn each year. See #4

11. The log of formations encountered in the drilling of each well if available. Not available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Roland Clark Payne

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

20812

1968 1700 31st day of
December A. D. 1968
at Marquet ^{City} Michigan ^{P. M.}
County Clerk and Recorder.
By Edward Bowers
Deputy
Fee \$2.00

File No.
DUPLICATE

MONTANA WATER RESOURCES BOARD

RECEIVED

NW 1/4 SE 1/4 Sec 20 T 2S R 9E

JAN 16 1962

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Edwin S. Nelson Address Hoffman Route, 59047
Livingston, Mont.

Driller Jones Welding & Drilling Co. Address Bozeman, Montana 59715


Date of Notice of Appropriation of Groundwater Nov. 18, 1963

Date well started Nov 7, 1963 Date Completed Nov. 18, 1963


Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 3/8"	6" 19#	Surface	40'	1'2"	38'	40'



Static Water Level for non-flowing Well 7 1/2 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 40 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested pumped Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) _____

290.

Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

42,757

Doc # 111,80

Paid this 15th day of

January A. D. 1968

at 2.25 o'clock P.

Marquet Moncal
County Clerk and Recorder.

Louise Rowell
Deputy

Fees \$ 2.00

File No.

T. 25 R. 9^{MPK}

DUPLICATE

County Park

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER


RECEIVED
 JAN 2 1964

Declaration of Vested Groundwater Rights
 (Under Chapter 237, Montana Session Laws, 1961)

1. Dwight L. Roberts, of Livingston,
 (Name of Appropriator) (Address) (Town)

County of Park State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 26 T. 25 R. 9E
 Lot #28 Acoville
 Indicate point of appropriation
 and place of use, if possible. Each
 small square represents 10 acres.

- 2. The beneficial use on which the claim is based Domestic
and yard and garden irrigation
- 3. Date or approximate date of earliest beneficial use; and how continu-
 ous the use has been Sept. 1958 contuous in home
- 4. The amount of groundwater claimed (in miner's inches or gallons
 per minute) 15 gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands
 to which water has been applied and name of the owner thereof
1 acre of own
- 6. The means of withdrawing such water from the ground and the loca-
 tion of each well or other means of withdrawal well at
housewith pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for with-
 drawal of groundwater started Aug. 21, 1958; finished Aug. 23, 1958.
pump installed Sept. 1958.
- 8. The depth of water table 38'
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
 works for the withdrawal of groundwater Drilled-Casing is std. pipe 6" I.D. from
3' to 38 1/2' Pump is submersible 5' from bottom of well. It is 1/2 H.P
to deliver about 500 gal. per hour
- 10. The estimated amount of groundwater withdrawn each year 60,000-70,000 gallo ns.
- 11. The log of formations encountered in the drilling of each well if available. Surface to 3' top soil
3'-17' is gravel; 17'-38' is sandstone; 38'-38 1/2' sand.
Well was drilled by K. E. Jones of Helena, Montana.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
 reference to book and page of any county record

Signature of Owner Dwight L. Roberts
 Date Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
 Mines and Geology, and Quadruplicate for the Appropriator.

17892

Doc. # 97993

Filed this 3rd day of

Dec. A. D. 1963

at 10.05 o'clock A. M.

Margaret M. M. M.

County Clerk and Recorder.

Deputy

Deputy.

fe - 2.00

ick-
ind,
row
and
rell.

DeS

125203

Filed on 14th day of

August 20, 1972

4:55 clock P.M.

Marquet Municipal

City Clerk and Recorder

Lucy Jane Lee

City Deputy

Fee \$2.00

if bottom

7/1

Lot # 119012

Filed this 5th day of

October A. D. 1970

at 4:40 o'clock P. M.

Douglas Medical
Cathy Clark and Recorder

for Five dollars

T. _____ R. _____
County Park

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

X		

Owner R. G. Bailey Address Livingston
Driller Wm. Dyer Co. Address _____
Date Started Bozeman Date Completed _____
Location: Sec. 26 T. 2 S. R. 9 E. 1/4 sec No 24

Type of well Drilled Equipment used Cable Tools
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 5 ft. to 42 ft. Type Aluminum Size 1 3/8 OD 17.75

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 22 feet at 30 gal. per min.

How tested: Bailer

Length of test: 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

RECORDED
23 1957

T. _____ R. _____
County Park

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner Jim Burris Address Hoffman Court

Driller Van Dyke Drilling Co. Address Bozeman

Date Started Oct. 19th 1957 Date Completed Oct. 20th 1957

Location: Sec. 26 T. 25 R. 9E Genville Lot 39 lying 67' 1/2 sec. 72a of Belleman Creek basin 400 A.

Type of well Drilled Equipment used Cable Tools
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: Surface ft. to 46' 6" ft. Type 8" Beveled Steel Size 6 5/8" O.D. 17#

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 12 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 10th shutdown feet at 42' gal. per min. _____

How tested: Butler

Length of test: 1-Hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

T. 25 R. 9E
County Park

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
MAY 17 1958

WATER WELL LOG

STATE ENGINEER

Owner Lawrence & Rudy Carpenter Address Livingston
Driller M.E. Jones Address Helena
Date Started May 28, 1958 Date Completed May 29, 1958
Location: Sec. 26 T. 25 R. 9E 1/4 sec. SE Lot No. 32 Arcville

Type of well _____ Equipment used _____
(Dig, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: Surface ft. to 41 ft. Type Std Pipe Size 6" ID
Casing: _____ ft. to _____ ft. Type _____ Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. None to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations None

Static Water level, for non-flowing well: 7 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 41 feet at 15 gal. per min.

How tested: Bail

Length of test: 1 Hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 2S R. 9E

County PARK

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
APR 13 1961

Water Well Log

STATE ENGINEER

	X	

Owner George E. & Irene F. Cissel Address Park Road

Driller Van Dyken Drilling Co. Address Bozeman, Montana

Date Started April 10, 1961 Date Completed April 11, 1961

Location: Sec. 26 T. 2S R. 9E $\frac{1}{4}$ sec. lot 20

Type of well Drilled Equipment used Cable tools
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 32 ft. Type Prime Steel Size 6-5/8" O. P2 #17

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations none

Static water level, for non-flowing well: 11 feet.

Shut-in pressure, for flowing well: none lb./sq. in. on: _____ (date)

Pumping water level 15 feet at 30 gal. per min.

How tested: bailer

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

RECEIVED
 JAN 7 1958
 STATE ENGINEER

T. 250 R. 9E
 County Park

MONTANA BUREAU OF MINES AND GEOLOGY
 Butte, Montana

WATER WELL LOG

	x	

Owner W.S. Killorn Address Livingston Mont
 Driller Self Address Same
 Date Started Oct 1947 Date Completed Feb 1948
 Location: Sec. 26 T. 24 R. 9E 1/4 sec. Northwest quarter

Type of well None Equipment used _____
(Dig, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other: _____

Casing: Cast 0 ft. to 16 ft. Type Square Size 3 x 3 feet

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 3 to 20 feet Surface feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 3 to 20 1/2 feet at 6 gal. per min.

How tested: with supply pump pressure 300 and free flow

Length of test: longest continuous run approximately 1/2 day

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
also use this well to supply barnhouse

RECEIVED

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 2 S. R. 9 E
County Park

WATER WELL LOG

	x	

Owner W.S. Killorn Address Livingston Mont
 Driller Self Address Same
 Date Started June 1957 Date Completed June 1957
 Location: Sec. 26 T. 2 S R. 9 E 1/4 sec. Northwest

Type of well Dug Equipment used _____
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other: _____

Casing Park Shing ft. to 0 - 16 ft. Type Square Size 3 x 3 feet

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 2 to 16 Seasonal feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level Depth of test feet at 200 gal. per min.

How tested: irrigation Pump rated at 1760 gal per hour

Length of test: Continuous pumping - sometimes as much as 72 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Dry well from October to late in May - will continue on down to a depth where in Feb or March probably 23 to 24 feet and pour cement casing later

(over)

T. 2 R. 5 N. 9 E

County **RECEIVED**
MAY 20 1961

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

WATER WELL LOG

Owner Tom Owen Address 318 S 2nd St

Driller Van Dyken Drilling Co Address Bozeman

Date Started 1/23/61 Date Completed 1/26/61

Location: Sec 36 T. 2 R. 9 1/4 sec. LOT NO 34 SEC 4

Type of well Drilled Equipment used Cable Tools
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 0 ft. to 41 6' ft. Type perforated Size 6 3/4" OD 7" ID

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 21 feet at 25 gal. per min.

How tested: Beaker

Length of test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 2 South R. 9 East

County PARK

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

WATER WELL LOG

STATE ENGINEER

Owner Paradise Builders Inc. Address Livingston, Mont.

Driller UNKNOWN Address _____

Date Started UNKNOWN Date Completed UNKNOWN

Location: Sec. 26 T. 2-S R. 9-E $\frac{1}{4}$ sec. N.W

Type of well Drilled Equipment used UNKNOWN
(dug, driven, bored, or drilled) (chain, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 6 ft. to 68 ft. Type UNKNOWN Size 6 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet at _____ gal. per min.

How tested: Not Tested

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

RECEIVED
FEB 9 1959

T. _____ R. _____
County Park

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner J. C. & Marie D. Simpson address Hoffman Ave.
Driller Hobson Hercules Address Clyde Park
Date Started Nov 1955 Date Completed Nov 1955
Location: Sec. 26 T. 25 R. 9E ¼ sec.

Type of well drilled Equipment used Churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 47 ft. to _____ ft. Type steel Size 6"
Casing: _____ ft. to _____ ft. Type _____ Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 24 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 43 feet at 7 2/3 gal. per min. @ 20# pressure

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Doc. # 122695

Mailed this 17th day of
November A. D. 1971
3:35 P. M.

By Lilly Jones
City - Richmond

Fee \$2.00

File No.

CONSERVATION BOARD

T. 25 R. 9E

DUPLICATE

NOV 20 1966

County Park

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Top of Ground
(Elev. above sea level)
0-3 soil & rock
3-20 clay & rock
20-26 rock
26-29 gravel
29-50 gravel & water
30-32 clay
32-44 sand, rock & water
42 Bottom of well
(4 ft-water)

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Paul H. Lockridge Address Box 258 Livingston Mont
Driller Harold Hulbert Address Route 1, Roseman

Date of Notice of appropriation of groundwater.....


Date well started Oct 11, 1966 Date completed Oct 12, 1966

Type of well Drilled Equipment used Churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	19 lb 6 5/8 O.D.	5 above	32			
				NONE		



Static Water Level for non-flowing well 26 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 28 feet
at 20 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested..... 2 hrs.

Length of Test..... 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

1/4 Sec 26 T. 25 R. 9E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Domestic and Irrigation 10.1.8

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Harold B. Hulbert
Driller's Signature

41,371

#107909

Filed this 29th day of

November A. D. 1966

at 11.56 o'clock A. M.

Margaret Brumical
Clerk and Recorder.

By _____ Deputy,

file # 2⁰⁰

SEARCHED
SERIALIZED
INDEXED
FILED

File No.

T. 2 S R 9 E

DUPLICATE

County Park


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. LIVINGSTON MARBLE & GRANITE WORKS, Inc., of Box 851 Livingston,
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 26 T2S R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Commercial and industrial

3. Date or approximate date of earliest beneficial use; and how continuous the use has been June 4, 1958
Use continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) Ten (10") miners inches

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well with electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June 4, 1958

8. The depth of water table Forty-four feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Six inch interior diameter standard pipe
Pumping water level of forty-four feet

10. The estimated amount of groundwater withdrawn each year Unknown

11. The log of formations encountered in the drilling of each well if available Unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Livingston Marble & Granite Works, Inc.

Signature of Owner C.E. Lyons
President

Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

201-23

Doc # 98162

Filed this 31st day

Dec. A. D. 1963

at 1:11 o'clock P. M.

Marquet Monroel

County Clerk and Recorder.

By Betty Jane Doe

Deputy.

Fee \$2.00

127565

Filed this 26th day of

March A. D. 1922

at 1:50 o'clock P. M.

Margaret Monice
County Clerk and Recorder.

By Fee 2⁰⁰ Notary

File No.

T. 250 R. 9E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Emil P. Ricci of Hoffman Route Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. Lot 17

1/4 Sec. 26, T. 250 R. 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. For lawn, garden, livestock and pasture

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Approximately 1952 and continuous ever since

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 25 miner's inches

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Lot 17, Sec. 26, T. 250 R. 9E east owned by Emil Ricci

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Two hand pumps (one shallow and one deep) on basement of house. Submersible pump pump beside house

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Either 1951 or 1952 on deep well. 1959 on shallow well

8. The depth of water table. First water at 22 feet - Second water at 37 feet at lowest water level

9. So far as it may be available, the type, size, and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well with 4 inch casing approximately 40 feet deep. Auger well with 3.0" casing casing 20 feet deep packed during high water table

10. The estimated amount of groundwater withdrawn each year. 16,500 gallons

11. The log of formations encountered in the drilling of each well if available. Unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Emil P. Ricci

Date 1/30/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

98026

Filed this 30th day of
December A. D. 1963
at 1.51 o'clock P. M.
Margaret Monahan

County Clerk and Recorder.
Louisa Powell
Fees \$ 2.00


File No. STATE WATER CONSERVATION BOARD

T2 S2 R 9E
County Park

DUPLICATE

JUN 10 1965

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Stanley Regedahl Address Livingston, Montana

Driller M. E. Jones Address Bozeman, Montana

Date of Notice of Appropriation of Groundwater

Date well started 8/5/64 Date Completed 8/6/64

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 3/4" OD x 19#	1' above ground	44'	NONE		

Static Water Level for non-flowing Well 15 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 45 feet at 40 gal per minute.

Discharge in gal. per min. of flowing well

How Tested Pump Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

N 1/4 Sec 26 T2S R9E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

17
Driller's License Number
Milton E. Jones
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

41126

106496

Filed this 9th day of
June A. D. 1966
at 11:55 o'clock a. M.
by Margaret Monical
County Clerk and Recorder.

By Jee J 2nd Deputy

26

File No.

T. 25 R. 9E

TRIPPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 26 1963
STATE ENGINEER

1. Mrs. Fred Kristensen, of Box 33 Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Part of Lot 5 in Acreville
Subdivision
1/4 Sec. 26 T. 28 R. 9E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based. House, Lawn,
Garden and Trees

3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been. Since 1952 - Continuous Use

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 30 Gallons per minute

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
One Half Acre
Mrs. Fred Kristensen

6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal.
Electric Pump and Pipe

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater. 1952

8. The depth of water table. 20 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater. 40 ft. depth, 6 inch casing

10. The estimated amount of groundwater withdrawn each year. 150,000 gallons of water

11. The log of formations encountered in the drilling of each well if available. Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record. None

Signature of Owner Mrs. Fred Kristensen

Date December 26, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

13626

Doc 97804

Filed this 26 day of

Dec A. D. 1963

at 3:56 o'clock P. M.

Margaret Mowal
County Clerk and Recorder.

By _____ Deputy

Joe # 200

File No.

T. 26 R. 9E

DUPLICATE

County Park

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

RECEIVED
 DEC 13 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Cornel M. Koch of Livingston Montana
 (Name of Appropriator) (Address) (Town)
 County of Park State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

			X		

Lot 39, Acreville in
 NE $\frac{1}{4}$ Sec. 26 T. 2 S. R. 9 E.

Indicate point of appropriation
 and place of use, if possible.
 Each small square represents 10
 acres.

2. The beneficial use on which the claim is based.....
Household & irrigation

3. Date or approximate date of earliest beneficial use; and how con-
 tinuous the use has been..... 1920 continues from this
date

4. The amount of groundwater claimed (in miner's inches or gallons
 per minute)..... 50 gallons per minute

5. If used for irrigation, give the acreage and description of the lands
 to which water has been applied and name of the owner thereof
2 acres in Lot 39 of Acreville, in Township
2, South, Range 9 East, Section 26

6. The means of withdrawing such water from the ground and the
 location of each well or other means of withdrawal.....
2 electric pumps

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
 drawal of groundwater..... started in 1919 and completed in 1920

8. The depth of water table..... 15 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
 works for the withdrawal of groundwater.....
hand dug well rocked up wells
4 feet square
24 feet deep

10. The estimated amount of groundwater withdrawn each year..... 365,000 gallons per year

11. The log of formations encountered in the drilling of each well if available.....
gumbo and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
 reference to book and page of any county record.....

Signature of Owner Jean M. Koch

Date December 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
 located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
 of Mines and Geology, and Quadruplicate for the Appropriator.

8996

Doc. # 97494

Filed this 12th day of
December A. D. 1963
at 9:35 o'clock A. M.
Margaret Monreal
County Clerk and Registrar
by Dorothy Jones Lee
Deputy
fee \$ 2.00

File No.

DUPLICATE

T 25^o R 9E


County Park

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER
Declaration of Vested Groundwater Rights
 (Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JUN 24 1963

STATE ENGINEER

1. Keith G Carter of Five acre tract Livingston
 (Name of Appropriator) (Address) (Town)
 County of Park State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 38¹/₄ Sec 26 T25^oR 9E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household use and lawn irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been about 1940 thru to present time continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 to 45 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 4 acres for lawn & crops and landscaped area so subdivided Keith Carter

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric job with pump (Woods)

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown back past 1940

8. The depth of water table 18' feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater jet (iron pipe type) shallow well made model no 44 HM 92521A shallow water level 22 1/2' to 35' depth of well 47' 0"

10. The estimated amount of groundwater withdrawn each year 16,500 gallons per year

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none and in engineering records but as noted on sketch details perched and other information

Signature of Owner Keith Carter

Date 1/19/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

94392

Filed this 22nd day of

January A. D. 1963

at 4:45 o'clock P. M.

Margaret Ironical
County Clerk and Recorder.

By _____ Deputy.

22nd 4 2⁰⁰

137251

Filed this 20th day of

February A. D. 1923

at 4:55 o'clock P. M.

Margaret Monical
County Clerk and Recorder.

By _____ Deputy.

Fee \$ 2.00

File No.

T. 25 R. 25

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JUL 10 1962
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Melvin A. Hochhalter & Katherine E. Hochhalter of Billson Lane Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE corner Lot 33
1/4 Sec. 21, T. 25, R. 25E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household Use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1955 Continuous Use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 Gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
1 Acre Lawn and Garden
Melvin A. & Katherine E. Hochhalter

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Electric Pump
Well located in basement

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater July 1955 Completed

8. The depth of water table 18 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 5 1/2" pipe - 20' deep

10. The estimated amount of groundwater withdrawn each year 200,000 gallons per year Approx.

11. The log of formations encountered in the drilling of each well if available Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Melvin A. Hochhalter
Katherine E. Hochhalter
Date 11-2-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

93873

Filed this 4th day of
December A. D. 1962
at 2:20 o'clock P. M.
Margaret Monreal
County Clerk and Recorder.
by Henry James Lee Deputy.
Fee \$ 2.00

File No.

T. 25 R. 9E

DUPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAY 13 1964

Notice of Completion of Groundwater Appropriation by Means of Well ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Owner Joyce M. Heraut Hoffman Rd
North of E. D. Heraut Address Livings 507

Driller Harold Hulbert Address Route 1 Boggs

Date of Notice of Appropriation of Groundwater

Date well started April 9, 1964 Date Completed April 10, 1964


Type of well Drilled Equipment Used Churn
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Top of Ground
(Elev. above sea level.....)
0-2' Soil & Rock
2-11' Rock
11-12 gravel & water
12-20 Rock & Clay
20-24 Rock & Sand
Bottom of well & water course

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8 O.D. 15 lb.	0	23	None		



..... 1/4 Sec. 26. T. 25. R. 9E.
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well..... 10 feet.

Shut-in Pressure for Flowing Well..... -

Pumping Water Level..... 12 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well..... -

How Tested Boiler Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

None

Driller's License Number

Driller's Signature

47
Harold P. Hulbert

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

99616

Filed this 11th day of May
May A. D. 1964
at 3:30 o'clock P. M.
Margaret M. Mansel
County Clerk and Recorder.
By Lamma Boswell
Deputy.
Fees \$2.00

File No.

Sec 26
Pc. in lot 28 T. 25 R. 9 E.

TRIPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 20 1963


Declaration of Vested Groundwater Rights
STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Thomas C. Bradley

1. Vera B. Bradley, of Lot 28 - Livingston
(Name of Appropriator) (Address) (Town)

County of Park State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 26, T. 25, R. 9 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Lawce 2 yard

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
Drilled Apr. 6 - 1949.
Each day.

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
124 gal per day

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
one acre

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
Apr. 5 - 1949

8. The depth of water table.....
15 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
Drilled - concrete casing
11 ft depth

10. The estimated amount of groundwater withdrawn each year.....
45,000

11. The log of formations encountered in the drilling of each well if available.....
rocks just of
10 ft sand & smaller rocks just size.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
in the appropriation when the
original water was being used but would now be withdrawn 300 ft
of the top of our well.

Signature of Owner Thomas C. Bradley
Vera B. Bradley

Date Dec. 20 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Doc 97794

filed this 26 day of
December A. D. 1963
at 3:00 o'clock P. M.
Margaret Monical
County Clerk and Recorder.

by file 200 Deputy

File No.

RECEIVED
MAY 28 1964

T. 26, R. 9E

TRIPPLICATE

County Park

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground STATE ENGINEER
(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

0' --- 44' Heaving fine sands.

44' --- 45' Clean sand and gravels (water)

Owner: Marie E. & Victor L. Hall Address: Livingston, Mont.

Driller: Van Dyken Drilling Co. Address: Bozeman, Mont.

Date of Notice of Appropriation of Groundwater: none

Date well started: June 12/59 Date Completed: June 14/59


Type of well: Drilling rig Equipment Used: Cable tools.
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as s, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5 5/8" O.D. 17#	0	45'	none		



Indicate location of well and place of use, if possible. Each small square represents 10 acres.
S. 437.8' and N. 107.6' of N. 17h' of Lot 13 & E. 142.4' of Lot 14 of ~~Section 26, T. 2 S., R. 9 E.~~
Acreville, a subdivision of Section 26, T. 2 S., R. 9 E.

Static Water Level for non-flowing Well: 6' feet.
Shut-in Pressure for Flowing Well: none
Pumping Water Level: 8' feet at 28 gal. per minute.
Discharge in gal. per min. of flowing well: none
How Tested: Bailer Length of Test: 1 Hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Victor L. Hall
Marie E. Hall

License No. I
Driller's License Number

Bert Van Dyken
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Doc # 99783

~~March~~ 27th 1964

May A.D. 1. 1964

4:05 ~~PM~~ P.M.

Marquet Moncel

County Clerk and Registrar

By Betty Jane [Signature]

1967-1968

Fee 2.00