

GW

File No.

DUPLICATE

T. 30 N R. 31 E 33
County Phillips


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1962)

1. Delbert Salberg of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N. 5 Sec. 33, 34, 31

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stockwater

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1900 continuous flow

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal spring flow

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown

8. The depth of water table level

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater flow

10. The estimated amount of groundwater withdrawn each year 8,600 gal

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Delbert Salberg
Date Dec. 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.


18020

15717
15717

236687

Filed: 30 1963
at: 1 7 AM
7 11

Ronald W. Meloney
Ch. 1



15717
15717

15717
15717

File No. _____

T. 30^N R 3^E
County Phillips

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 20 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Josephine M. Carlson of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

1/4 Sec. T. R.
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based.....
Domestic
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
1925
Continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
Unknown
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
Yard
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Electric Pump


- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
Unknown
- 8. The depth of water table.....
Unknown
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
Unknown
- 10. The estimated amount of groundwater withdrawn each year.....
Unknown
- 11. The log of formations encountered in the drilling of each well if available.....
Unknown
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Josephine M. Carlson
Date 11-19-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Misc # 15453

235947



State of Montana,

County of Phillips,

Filed for Record this 19 day
of Nov A. D. 1923 at 11:00
o'clock A. M. and duly Recorded in book

By Rosalind Matney
County Recorder

By 8200

Return:

STATE OF MONTANA
COUNTY OF PHILLIPS
RECORDED

File No.

T. 30^N R. 31^E

DUPLICATE

County... Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 19 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Kristen Sundseth, of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



10 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.
Domestic - stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1912 continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gals per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
No

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pressure pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1912

8. The depth of water table 37 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
drilled 5 1/2 steel casing 54 feet

10. The estimated amount of groundwater withdrawn each year 400,000 gals

11. The log of formations encountered in the drilling of each well if available
Unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record no

Signature of Owner Kristen Sundseth
Date December 17, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.


Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

10451

Misc # 15541

236397



State of Montana, }
County of Phillips, }

Filed for Record this 17 day
of Dec 1963 at 2:50
o'clock P.M. and duly Recorded in book

By Rosalind Maloney

Fee \$2.00

Return.....

23

File No. _____

T. 30^N R. 32^E

DUPLICATE

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. James Salaty (Name of Appropriator), of Malta (Address),
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



- 2. The beneficial use on which the claim is based stockwater
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1941 continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump

S.W. 1/4 Sec. 3 T. 30 R. 32
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1941
- 8. The depth of water table 1 ft
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 5 in casing with pump to tank
- 10. The estimated amount of groundwater withdrawn each year 86,000
- 11. The log of formations encountered in the drilling of each well if available not available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner James Salaty
Date Dec 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

18026

Misc # 15723

286693


Filed: Dec 30, 1963

At: 1:47 P.M.

Fee 2.00

Rosalind W. Maloney

Clerk + Recorder



Small, illegible text in the upper right corner, possibly a stamp or official notice.

Small, illegible text in the lower right corner, possibly a stamp or official notice.

File No. _____

RECEIVED
SEP 8 1965T. 30^N 32^W
County Phillips

DUPLICATE

REFERRED TO—STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Thomas P. Schurr, of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

Phillips
T. 30 R. 32
Sec. 1

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based stock & domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. June 1944, continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 5 gal. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Hand pump & gas motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. June 1944

8. The depth of water table. 10 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled, 5 in., 78 ft.

10. The estimated amount of groundwater withdrawn each year. 3,000,000 gallons

11. The log of formations encountered in the drilling of each well if available.
Gravel 20 ft., 38 ft shale, 20 ft. of sand (sort of quicksand).

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Thomas P. Schurr

Date _____

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 39539

241230

State of Montana, 19...
 County of Phillips.
 Filed for use of *Sept 25* day
 of *September* 19*35*
 o'clock...
 By *Joelene M. Maloney* County Recorder
 Fee. *2.00*
 Return.....

DEPARTMENT OF REVENUE
 STATE OF MONTANA
 RECEIVED

1935
 SEP 25
 1935

File No. _____

T.30N R.32E

DUPLICATE

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 257, Montana Session Laws, 1961)

STATE ENGINEER

1. James Salabuy of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Mont.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



By James Salabuy
T.30N Sec. 4 T.30E R.32E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based household and stockwater @ stockwater
- Date or approximate date of earliest beneficial use; and how continuous the use has been April 1941 used continuously @ 1938
- The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal per minute with cattle
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pressure pump @ flow through pipe to trough @ clear pump to tank
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater @ 1941 @ 1938
- The depth of water table @ 10 ft @ 3 ft
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater @ 5 in casing 70 ft @ 6 in casing 42 ft
- The estimated amount of groundwater withdrawn each year 86,000 gallons
- The log of formations encountered in the drilling of each well if available not available
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner James Salabuy
Date Dec 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.


Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quaduplicate for the Appropriator.

18024

Misc # 15721

236691



Filed: Dec. 30, 1963
At: 1:45 P.M.
File # 2, 00

Rosalind Malmey
Clerk & Recorder

ENGINEER

RECEIVED
DEC 30 1963

RECEIVED
DEC 30 1963

File No. _____

T. 30^N R. 32^E
County Phillips


DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

W.C. & Edith McCall, of Malta,
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SW Sec. 5 T. 30 R. 32

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based Stock & Domestic
- Date or approximate date of earliest beneficial use; and how continuous the use has been June 5 - 1958
- The amount of groundwater claimed (in miner's inches or gallons per minute) 2.5 gal per min
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Partial garden irrigation
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June 4 - 1958 started
Completed June 5 - 1958
- The depth of water table Static 15' Pumping water level 22'
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled - 56 ft deep
Type screw joint
Size 4 1/4 in
- The estimated amount of groundwater withdrawn each year 50,000
- The log of formations encountered in the drilling of each well if available
0-3 - Brown clay
3-32 Brown clay sand & gravel rocks
32-52 Grey clay & gravel rocks
52-56 rd water
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Edith J McCall
Date Dec 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.


29167

Miss #15867

236895

Filed: Dec 31, 1963
at: 8:26 A.M.
Jul 6 7. 10

Rosalind Maloney
Clerk & Recorder



PLEASE PRINT IN CAPITAL LETTERS
YOUR NAME AND ADDRESS
AND THE NAME AND ADDRESS OF THE
PERSON TO WHOM THIS CHECK IS TO BE PAID

THIS CHECK IS VALID ONLY IF THE SIGNATURE OF THE ISSUING OFFICER IS PRESENT AND THE CHECK IS NOT CANCELLED BY THE ISSUING OFFICE

RECEIVED
JUL 29 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. 30 R. 32
County Phillips

5

WATER WELL LOG

	5	
X		

Owner Henry C. McCall Address Malta, Montana
 Driller R. C. Siggeon Address Malta, Montana
 Date Started June 4, 1958 Date Completed June 9, 1958
 Location: Sec. 5 T. 30 R. 32 1/4 sec. N.W. S.W.

Type of well drilled Equipment used rotary
 (Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other: _____

Casing: 9 ft. to 34 ft. Type screw joint Size 4 1/2

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations none

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 22 feet at 25 gal. per min.

How tested: pumped

Length of test: one hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. _____

DUPLICATE

T30 N B32
County Phillips
RECEIVED
JAN 10 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. H. C. McCall & Edith of Malta
(Name of Appropriator) (Address) (Town)

County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SE Sec. 6 T30. R32

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based fish and domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Aug 7 - 1951
every day

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 16 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Partial garden irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
Started Aug 6 - 1951
Completed Aug 7 - 1951

8. The depth of water table 12 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Dug well Depth 60 ft.
Depth 4 in.

10. The estimated amount of groundwater withdrawn each year 100,000

11. The log of formations encountered in the drilling of each well if available
0-6 Brown clay 34-38 Blue clay rocks
6-18 Brown clay & water 38-48 sandy blue clay
18-22 Brown clay rocks 48-56 sand & gravel water

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Edith J. McCall
Date Dec 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

29166

Misc #15866

236894

Filed: Dec. 21, 1963
At: 8:25 A.M.
File # 2, 00

Rosalind Maloney
Clerk & Recorder


RECEIVED
JUL 29 1958

T. 30 R 32

County Phillips

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG



Owner Henry C. McCall Address Butte, Montana
Driller L. C. Simpson Address Butte, Montana
Date Started August 6 1951 Date Completed August 7, 1951
Location: Sec. 6 T. 30 R. 32 ¼ sec. N.W.S.E

Type of well drilled Equipment used churn
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 6 ft. to 40 ft. Type screw joint Size 4 1/2 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations none

Static Water level, for non-flowing well: 3 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 12 feet at 16 gal. per min.

How tested: bailey

Length of test: one hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No.

T. 30^N R. 32^E

DUPLICATE


County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 10 1962

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Roy E. Kindle, of Hardy Bldg. Mtn
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 7, T. 30 R. 32

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
stockwater

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1959 continuously since

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gal per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
FW flows thru a pipe 8" below ground level

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1959

8. The depth of water table 8 inches

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
drilled well, 6 in. steel casing 26 ft. deep flowing well

10. The estimated amount of groundwater withdrawn each year 2,500,000 gal

11. The log of formations encountered in the drilling of each well if available
do not have drillers log copy

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Roy E. Kindle
Date Dec. 31, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

29513

Misc. No. 16013

237041

Phillips Co.

Filed 12-31-63

At 10:45 A.M.

Fee \$ 2.00

R. V. Maloney
Clerk & Recorder.

RECORDED & INDEXED

DEC 31 1963

THIS OFFICE IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS DOCUMENT

File No. _____

T 30 R 32 7
N. M. Mails

DUPLICATE

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER
JAN 3 1962
RECEIVED
STATE ENGINEER

Top of Ground
(Elev. above sea level _____)

0 - 22 brown clay rocks
22 - 47 brown clay
47 - 53 sand gravel water

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner ROY E. KIBBLE Address HALTA, MONTANA

Driller SIMPSON DRILLING CO Address HALTA, MONTANA

Date of Notice of appropriation of ground water _____


Date well started DEC 27, 1962 Date Completed DEC 27, 1962

Type of well DRILLED Equipment used CAUSE
(dug, driven, bored or Churn, drill, rotary or
drilled) other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6	4 inch 116	0	53			



Static Water Level for non-flowing well 16 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 21 feet
at 21 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested pumped

Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) _____

S.W. 1/4 Sec 7 T30 R32
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Driller's License Number 15

R. C. Sanjman
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for Appropriator.

Misc # 15307

223686

State of Montana,
County of Phillips,


Filed for Record this 9th day
of Dec. A. D. 1922 at 2:40
o'clock P.M. and duly Recorded in book

Page of
Recorded in book

By Rosalind M. Nelson Recorder

Fee \$2.00

Return



[Faint, mostly illegible text and markings on the left side of the page, possibly a survey description or deed text.]

[Faint, mostly illegible text on the right side of the page, possibly a recording notice or legal disclaimer.]

RECEIVED
DEC 27 1957
STATE ENGINEER

T. 30N R. 32E
County Phillips

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	X	

Owner Ray E. Kindle Address Malta, Montana

Driller R. O. Simpson Address Malta, Montana

Date Started Dec. 23, 1957 Date Completed Dec. 24, 1957

Location: Sec. 7 T. 30 R. 32 1/4 sec. NE 1/4

Type of well drilled Equipment used churn drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other: _____

Casing: 0 ft. to 70 ft. Type screw joint Size 6 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 67 to ft. 70 Ft. _____ to ft. _____

Type of screen or perforations 5/32 drilled holes

Static Water level, for non-flowing well: 5 inches from ground feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 10 feet at 30 gal. per min.

How tested: bailey

Length of test 30 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

R
STATE ENGINEER

T. 30 R. 32 **9**
County Phillips

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	X	

Owner James Salbery Address Malta, Montana
 Driller R. G. Simpson Address Malta, Montana
 Date Started January 19, 1958 Date Completed January 20, 1958
 Location: Sec. 9 T. 30 R. 32 ¼ sec.

Type of well drilled Equipment used cable tool rig
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other: screw joint 6 inch O.D.

Casing: 0 ft. to 70 ft. Type _____ Size _____
 Casing: _____ ft. to _____ ft. Type _____ Size _____
 Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____
 Type of screen or perforations 3/16 holes drilled close to gather on bottom three feet

Static Water level, for non-flowing well: 6 inches above ground feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 12 feet at 30 gal. per min.
hailer

How tested: _____
 Length of test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. _____

T. 30 N. R. 32
County Phillips

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1968

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Jama (Name Salisbury), of _____ (Address) Watta
County of Phillips State of Montana
have appropriated _____ water according to the Montana laws in _____ January 1, 1962, as follows:



Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based stockwater
- Date or approximate date of earliest beneficial use; and how continuous the use has been. 1952 1956
continually flow
- The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump and flow
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1952 1954
- The depth of water table. 1 ft 9 in above ground
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6 in casing 101 ft deep
2 in casing 81 ft deep
- The estimated amount of groundwater withdrawn each year. 86,000
- The log of formations encountered in the drilling of each well if available. not available
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none

Signature of Owner Jama Salisbury
Date _____

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.


Trac # 15720

238690

Filed: Dec 30, 1963
at: 1:40 P.M.
Fee \$ 2.00

Rosalind Maloney
Clerk & Receiver

RECEIVED



FILED
DEC 30 1963
FBI - MEMPHIS

RECEIVED
DEC 30 1963
FBI - MEMPHIS

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4326

File No. _____

30 N 32 E 9

DUPLICATE

County Phillips

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER SEP 29 1964

RECEIVED
STATE ENGINEER

Top of Ground

(Elev. above sea level 2880)

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

- 0-4 Clay + Gravel
- 4-20 Sandy Yellow Clay
- 20-53 Blue Clay
- 53-67 Very Sandy Blue Clay
- 67-71 Sand Water
- 71-80 Course Sand
- 80-82 " " + gravel

Owner James Salisbury Address Malta

Driller Carl Palm Address Saco

Date of Notice of appropriation of groundwater _____


Date well started 8/19 Date completed 8/22/64

Type of well Drilled Equipment used CHURN
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Foot)	To (Foot)	PERFORATIONS		
				Kind	From (Foot)	To (Foot)
7"	5" ID 11 LB	Top	82			



Static Water Level for non-flowing well 15 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 30 feet at 50 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested balin g

Length of Test 1 1/2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

Sec. 9, T.30, R.32
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No-25
Driller's License Number

Carl A Palm
Driller's Signature

38497

True 16200

238914
238944

State of Montana, } ss.
County of Phillips, }

Filed for Record this 21 day
of Sept. A. D. 1951 1:10
o'clock P.M. and duly Recorded in book
Page of

Rosalind M. Matney Recorder
By

Fee 2.00
Returns

NOTICE: This document is a public record. It is subject to the provisions of the Montana Public Access Law, which allows anyone to view and copy this document. If you have any questions, please contact the County Clerk's Office.

RECORDED
INDEXED
FILED
COUNTY OF PHILLIPS
MONTANA
SEP 21 1951

RECEIVED
DEC 27 1957
STATE ENGINEER

T. 30 R 32 E
County Phillips

17

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	X	

Owner Ray E. Kindle Address Malta, Montana
Driller R. C. Simpson Address Malta, Montana
Date Started December 20, 1957 Date Completed Dec 22, 1957
Location: Sec. 17 T. 30 R. 32 1/4 sec. NE 1/4

Type of well drilled Equipment used churn drill
(Dig, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 0 ft. to 59 ft. Type screw joint Size 5 3/16

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 52 to ft. 59 Ft. _____ to ft. _____

Type of screen or perforations drilled 5/32 holes

Static Water level, for non-flowing well: 14 feet feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 14 1/2 feet at 5 gal. per min.

How tested: WWP also bailed 15 gpm at 16 feet

Length of test one hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. _____

T. 30 N. 32 E. 17

DUPLICATE


County _____
RECORDED
JAN 10 1963

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1 OSBORNE KAASA, of MALTA,
(Name of Appropriator) (Address) (Town)

County of Blaine State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 7, T. 30, R. 32

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. stock & house hold
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1920 steady use
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). seven (7) gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. jet pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920
- 8. The depth of water table. 25 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. drill, 6 inch casing 4.5 feet deep
- 10. The estimated amount of groundwater withdrawn each year. 200,000 gallons
- 11. The log of formations encountered in the drilling of each well if available. unknown
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Osborne A. Kaasa
Date Dec 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 29217

Misc. # 15919

236947


Phillips Co.

Filed 12-31-63

at 9:17 A.M.

Fee \$ 2.00

R. J. Maloney
Cl. & Rec.



UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C. 20535

RECEIVED
FEB 11 1964
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C.

12 31 63

SEARCHED
SERIALIZED
INDEXED
FILED
FEB 11 1964
FBI - MEMPHIS

File No.

DUPLICATE

T. 30 N R. 32 E 17

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1963


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Roy E. Kindle, of Clark Rte. Malta
(Name of Appropriator) (Address) (Town)

County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



- ③ NW 1/4 SW 1/4 Sec. 17 T30 R32
- ② SE 1/4 SE 1/4 Sec. 17 T30 R32
- ① SW 1/4 NE 1/4 Sec. 17 T30 R32

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based
 - ① stock water - household use
 - ② stock water ③ stock water household use
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been
 - ① since 1941 at all times
 - ② Feb. 1949 continuously since
 - ③ 1942 continuously since
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)
 - ① 5 gal. per min.
 - ② 5 gal. per min. ③ 8 gal. per min.

If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
 - ① electrical pressure pump
 - ② flows thru a pipe at ground level

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
 - ① The place in 1941
 - ② Feb. 1949 ③ 1942

- 8. The depth of water table
 - ① approximately eight 18 ft
 - ② above level ③ approximately 8 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
 - ① drilled well, 6" steel casing, 5.5 ft deep
 - ② drilled well, 6" steel casing 11.0 ft deep, flows thru a pipe at ground level
 - ③ drilled 1/2" steel casing 50 ft deep

- 10. The estimated amount of groundwater withdrawn each year
 - ① 5,500,000 gal. ③ 1,500,000 gal.
 - ② 2,500,000 gal.

- 11. The log of formations encountered in the drilling of each well if available
 - ① a copy of drilled log ③ do not have copy of drillers log
 - ① re-drilled in 1957
 - ② do not have copy of drillers log. Drilled in 1949

- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Roy E. Kindle
Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

29312

16012
Misc. No. 16012
237040


Phillips Co.

Filed 12-31-63

at 10:44 A.M.

Fee \$2.00

R. V. Maloney
Clerk & Recorder



RECEIVED
DEPARTMENT OF REVENUE
STATE OF MISSISSIPPI
JAN 1 1964
RECORDS SECTION

MISSISSIPPI DEPARTMENT OF REVENUE
RECORDS SECTION
JAN 1 1964
RECORDS SECTION

RECEIVED
JUN 17 1958
STATE ENGINEER

T. 30 R. 32 31
County Phillips

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	31	
	X	

Owner Clay Hales Address Malta, Montana
Driller Self Address " "
Date Started July 6, 1954 Date Completed July 12, 1954
Location: Sec 31 T. 30 R. 32 ¼ sec SWSE

Type of well Dug Equipment used Shovel & pick.
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: _____ ft. to 24 ft. Type Wood Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of ~~screen~~ perforations holes in casing.

Static Water level, for non-flowing well: _____ 4'3" feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: PUMP

Length of test 30 minutes.

Remarks: ~~66666666~~, cementing, packers, type of shut-off, depth of shut-off
Gravel Packing.

(over)

RECEIVED
JUN 4 1960

T. 30 R. 32 31
County Phillips

STATE ENGINEERMONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	31	

Owner CLAY Hales Address.....
Driller Robert C SIMPSON Address MALTA, MONT
Date Started June 24 Date Completed June 26, 1960
Location: Sec. 31 T. 30 R. 32 1/4 sec. S.E.S.W.

Type of well DRILLER Equipment used ROTARY
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other:.....

Casing:..... ft. to 124 ft. Type casual found Size 4"

Casing:..... ft. to..... ft. Type..... Size.....

Casing:..... ft. to..... ft. Type..... Size.....

Perforated or Screened: Ft..... to ft..... Ft..... to ft.....

Type of screen or perforations none

Static Water level, for non-flowing well: 19 feet.

Shut-in pressure, for flowing well:..... lb./sq. in. on:..... (date)

Pumping water level 22 feet at 12 gal. per min.

How tested: Backs

Length of test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. _____

T. 30th R. 32^d E. 31

DUPLICATE

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 10 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Clay Hales, of Malta
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 31 T. _____ R. _____

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Household & livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1959

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
18.9 gpm

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Hand lift Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
1959

8. The depth of water table
21 Feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drill & 4" steel casing 123 feet

10. The estimated amount of groundwater withdrawn each year
475,000

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Clay Hales
Date 12/20/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

29187


Mem # 15887

236915

Filed Dec 31, 1963
at 8:46 A.M.

Fee # 2.00

R. V. Maloney
Clerk + Recorder




RECEIVED
DEC 31 1963
U.S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D.C.

File No.

T. 30ⁿ R. 33^e 19
County Phillips


DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Roy E. Kindle, of Herb Rie Meets
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 19 T. 30 R. 33

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Stock water & household use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1913 continuously since

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
5 gal. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Flowing well flows thru pipe

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
1958 re-drilled approximately

8. The depth of water table
ground level

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
drilled flowing well 6 in. steel casing 25 ft deep

10. The estimated amount of groundwater withdrawn each year
2,500,000 gal.

11. The log of formations encountered in the drilling of each well if available
do not have copy of driller's log.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Roy E. Kindle
Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Misc. 16014
237042

Phillips Co.

Filed 12-31-63

at 10:46 A.M.

Fee \$ 2.00

R.V. Maloney
Clerk & Recorder.

File No. _____

T. 30^N R. 33^E
County _____

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. George H. Anderson, of Olney
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 SW Sec 22 T. 30 R. 33

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based water for livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been thru 1961

4. The amount of groundwater claimed (in miner's inches or gallons per minute) five gallons

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal water from

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater construction in 1961

8. The depth of water table thru 1961

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater spring

10. The estimated amount of groundwater withdrawn each year thru 1961

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner George H. Anderson
Date Dec 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Misc. # 15925

236953

Phillips Co.


Dated 12-31-63

at 9:22 A.M.

Fee 2.00

R. V. Maloney

Ch. & Rec.



RECEIVED

RECEIVED
RECEIVED
RECEIVED

RECEIVED
RECEIVED
RECEIVED

RECEIVED
SEP. 19 1958

T. 30 R. 34 3
County *Phillips*

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

X		
	3	

Owner *Blairna Lorentzen* Address *Leis*
 Driller *Langson Duly* Address *Malta*
 Date Started *Sept 15 - 58* Date Completed *Sept 16, 1958*
 Location: Sec. *3* T. *30* R. *34* ¼ sec. *NW NW*

Type of well *drilled* Equipment used *Churn drill*
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other: _____

Casing: *0* ft. to *85* ft. Type *steel* Size *4"*

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. *83* to ft. *85* Ft. _____ to ft. _____

Type of screen or perforations *Holes drilled in pipe*

Static Water level, for non-flowing well: *60* feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level *65* feet at *9* gal. per min.

How tested: *ailer*

Length of test *1/2 hr*

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

GT

Approved Stock Form—State Publishing Co., Helena, Montana—38496

File No.

T. 30 R. 34

DUPLICATE

County. Phillips


55555

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
FEB 19 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Alice Lorentzen of Lucas
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 4
1/4 Sec. 3 T. 30 R. 34

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
1958 Continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
10 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
no

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
gas motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
October - 1958

8. The depth of water table.....
82 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
6" steel casing with 3" steel perforated sand point
Drilled 85 ft deep

10. The estimated amount of groundwater withdrawn each year.....
185,500

11. The log of formations encountered in the drilling of each well if available.....
0 - 74 - light quartz
74 - 85 - sand + gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
None

Signature of Owner Alice Lorentzen

Date Feb. 14, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Misc # 15189

230922

10
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

State of Montana,

County of Phillips,

ss.
Filed for Record this 14 day
of Feb. A. D. 1962 at 1:20
o'clock P. M. and duly Recorded in book

Page of
D. Lowell Maloney County Recorder

By

Fee \$ 0 0

Return:

GW

File No.

DUPLICATE

T. 30 R. 34

County Phillips


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
FEB 19 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Alice Larentz, of Jess
(Name of Appropriator) (Address) (Town)
County of Phillips State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NWSE 1/4 Sec. 6 T. 30 R. 34

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based used 1920-1930

3. Date or approximate date of earliest beneficial use; and how continuous the use has been about 1920 not used since 1930

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gal min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof No

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920

8. The depth of water table 20 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled 20 ft deep - 6" steel casing

10. The estimated amount of groundwater withdrawn each year 92,250

11. The log of formations encountered in the drilling of each well if available unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Alice Larentz

Date Feb. 14, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.


Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1756

misc # 15191

230924



WRE
RECORDED
INDEXED
FEB 21 1970
COUNTY CLERK
PHILIPS

State of Montana, }
County of Phillips, } ss.

Filed for Record this 14 day
of Feb A. D. 1970 1:30
o'clock P.M. and duly Recorded in book

Page of
Kathleen Malone County Recorder

By

Fee 2.00

Return:

Notary Public for the State of Montana
My Commission Expires on _____
I hereby certify that the foregoing is a true and correct copy of the original as the same appears in the records of the County of Phillips, Montana.
Notary Public
[Signature]

GW2

File No.

T. 32 R. 24

DUPLICATE

County Phillips

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
OCT 20 1962

Notice of Completion of Groundwater Appropriation by Means of Well ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level. 2100)

0-32 Sand + SILT

32-70 Blue Clay

70-89 coarse water sand

89-90 Sand + Gravel + water

Owner George Lamb Address Saco

Driller Carl Palm Address Saco

Date of Notice of Appropriation of Groundwater


Date well started 10/20 Date Completed 10/22/62

Type of well Drilled Equipment Used Churn
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 11 LB BLK	TOP	90			



SW 1/4 Sec. 1 T. 32 R. 24
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 30 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level CONNT Lower feet at 40 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Boiling Length of Test 1 1/2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

No-25
Driller's License Number

Carl G. Palm
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

misc # 15288

232994

State of Montana,
County of Phillips, } ss.

Filed for Record this... 29... day
of... Oct... A. D. 1962 at 9:00
o'clock A.M. and duly recorded in book

Page... of...
By Rosalind Meloy, Recorder

Fee \$2.00

Return.....

Handwritten notes: 8-2-60, 29th, 9:00, 1962, 232994, 15288, Phillips, Montana

Vertical handwritten notes: 29th, 9:00, 1962, 232994, 15288, Phillips, Montana

Handwritten notes: 29th, 9:00, 1962, 232994, 15288, Phillips, Montana

Vertical text on the right edge: 29th, 9:00, 1962, 232994, 15288, Phillips, Montana


T. 20 R. 34 10
County *Phillips*

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

WATER WELL LOG

STATE ENGINEER



Owner *Lawrence Taylor* Address *Saco*

Driller *Carl Palmer* Address *"*

Date Started *7/13* Date Completed *7/14/61*

Location: Sec *10* T. *20* R. *34* 1/4 sec *22 22*

Type of well *Drilled* Equipment used *Churn*
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: *TCP* ft. to *63* ft. Type *C. 7.5 LB. D. 4* Size *4 1/2 ID*

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: *12* feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Flooding water level *18* feet at *8* gal. per min.

How tested: *PUMPING*

Length of test *2 hrs.*

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)