

#5-449

I certify that I received and filed this
instrument on this 7th
day of July 19 21 at 3:00
o'clock P.
F. G. Moran
COUNTY RECORDER
By Fee 2.00
DEPUTY

GW 2

File No.

DUPLICATE

Doc. No. 5253

Filed for record

this 3 day of AprilA. D. 19 70, at 1:02o'clock P. M.

Approved Stock Form—State Publishing Co., Helena, Montana—4855.

T. _____ R. _____

County Ravalli

LOG

Top of Ground

(Elev. above sea level _____)

2'-Topsoil

23'-Sand Gravel and
Large Boulders35'-Clay and Sand
B3#1740'-Sand clay and
Gravel, Intermittent
Water BearingSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Leonard Pfau Address Stevensville, Mont.

C. F. Wroble


Driller Ravalli Drilling Co. Address Victor, Mont.

Date of Notice of appropriation of groundwater _____

Date well started April 1, 1970 Date completed April 2, 1970Type of well drilled Equipment used churn
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 #/ft.	0	40	3/16x6	13	18
				3/16x6	31	40

Static Water Level for non-flowing well
.....29 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....37 feet
at.....8 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Baled-2 hoursLength of Test pumped-1 hourRemarks: (Gravel packing, cementing, pack-
ers, type of shutoff).....

S5S1SW4 Sec 33 T. 10 R. 19
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.

62

Driller's License Number

C. F. Wroble

Driller's Signature.

46302

#5253

I certify that I received and filed this
instrument on this 3rd
day of April, 1970, at 1:00
o'clock P.M.

E. S. Moore
COUNTY RECORDER

Fee 2.00
DEPUTY

MONTANA WATER RESOURCES BOARD

RECEIVED

APR 6 1970

File No.

T. 12 N. R. 19

DUPLICATE

County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

JAN 17 1964
STATE ENGINEER

1. Andrew Longley, of Stevensville, Mont.
(Name of Appropriator) (Address) (Town)
County of Havalli State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N $\frac{1}{2}$ of NE quarter
1/4 Sec. 33, T. 10 R. 19

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.
1 for household use 1 for stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Apr. 1952
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 to 50 gal. per min.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
not used
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
1 Elect. Pump
1 Hand pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Apr. 1952
8. The depth of water table 15 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 1 well 12 ft deep
1 " 30 Ft "
10. The estimated amount of groundwater withdrawn each year not known
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record not known

Signature of Owner Andrew Longley

Date Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

37373

#2909

I certify that I received and filed this
instrument on this 31st
day of Dec., 1963, at 11:39
o'clock A. M.
F. G. Moore
COUNTY RECORDER
By Shirley Keith
DEPUTY

File No.

T 10 R 19

DUPLICATE

Ravalli County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


JAN 31 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Emmett Harper of Rt. 1 Stevensville
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



24 1/2 Sec. 33 T. 10 R. 19
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based house-
hold and livestock water
garden
3. Date or approximate date of earliest beneficial use; and how
continuous the use has been unknown
use constant
4. The amount of groundwater claimed (in miner's inches or gal-
lons per minute) 4.0 gal per min
5. If used for irrigation, give the acreage and description of the
lands to which water has been applied and name of the owner
thereof
6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal Electric Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater unknown
8. The depth of water table unknown
9. So far as it may be available, the type, size and depth of each well or the general specifications of any
other works for the withdrawal of groundwater Dug well depth 28 feet
10. The estimated amount of groundwater withdrawn each year 494,000 gal
11. The log of formations encountered in the drilling of each well if available unavailable
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, includ-
ing reference to book and page of any county record

Signature of Owner

Emmett Harper

Date Dec. 16, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is lo-
cated.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines
and Quaduplicate for the Appropriator.

37879

4318

I certify that I received and filed this
instrument on this.....15th
day of.....Jan., 19. 64, at 9:00
o'clock.....A.....M.

F. H. Moore
COUNTY RECORDER

By.....
DEPUTY

File No. _____

T. 10 N. R. 19 W. 33

DUPLICATE

County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED

FEB 14 1964

STATE ENGINEER

1. Howard "Jim" Eldon Hess, of B-1 Stevensville
(Name of Appropriator) (Address) (Town)
County of Beavert State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



South East 1/4
1/4 Sec. 33 T. 10 N. R. 19 W.

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based Farm - Dairy
Irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous From 1940
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30 gal Per Min
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lawn
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Rotary Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown
8. The depth of water table 16-FT
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 65 FT deep, 2" Rotary Pump
10. The estimated amount of groundwater withdrawn each year unknown
11. The log of formations encountered in the drilling of each well if available unknown
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record unknown

Signature of Owner Howard E. HessDate 2-8-64

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

34916

4400

I certify that I received and filed this
instrument on this 13th
day of Feb, 1964, at 11:56
o'clock A.M.

F. S. Moore

COUNTY RECORDER

By _____
DEPUTY

Fee \$2.00

G.

Approved Stock Form—State Publishing Co., Helena, Montana—42234

File No.

T 10 N R 19 W

DUPLICATE

County Ravalli


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 17 1966

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Jessie M. Humble, of Stevensville
(Name of Appropriator) (Address) (Town)
County of Ravalli State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S 1/2
1/4 Sec. 32 T 10 N R 19 W

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based Household use, stockwater, irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Unknown, but it has been continuous since 1956.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 70 miner's inches
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 60 acres as shown on section plat. Owner, Jessie M. Humble
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Wells are on pumps. Water is captured from flowing springs and distributed by ditches to 60 acres as shown.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Dates unknown, but prior to 1956.
8. The depth of water table Variable. Two springs are flowing.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well #1 - 24', cased 4". Well #2 - 16', dug. Springs flowing.
10. The estimated amount of groundwater withdrawn each year 180 acre feet.
11. The log of formations encountered in the drilling of each well if available Unknown.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Unknown.

Signature of Owner

Jessie M. HumbleDate December 30, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

37850

4287

I certify that I received and filed this
instrument of this 7th
day of Dec 1964 at 4:44
o'clock P.M.
F. G. Moore
COUNT RECORDER
By Stirling Keith
DEPUTY

GW 2

Doc. No. 5250

Filed for record

Approved Stock Form—State Publishing Co., Helena, Montana—48557

File No. this 3 day of AprilA. D. 19 70, at 1:05T. R.

DUPLICATE

o'clock P. M.County Ravalli

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Howard
Owner Jim Hess Address North of Stevensville
C. F. WrobleDriller Ravalli Drilling Co. Address Victor, Montana

Date of Notice of appropriation of groundwater.....

Date well started March 31, 1970 Date completed April 1, 1970Type of well drilled Equipment used churn
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground


(Elev. above sea level.....)

4'—Topsoil

19'—Tight pressed sand
Gravel and Boulders12'—Intermittent layers
Sand Gravel and Clay50'—Sand and Gravel
Water Bearing

56'—Clay

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 #/ft.	0	56	3/16x6	41	56

Static Water Level for non-flowing well
.....40 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....50 feet
at.....10 gal. per minute.Discharge in gal. per min. of flowing well
.....How Tested Baled 6 hoursLength of Test pumped 12 hoursRemarks: (Gravel packing, cementing, pack-
ers, type of shutoff).....Two feet of gravel pack

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.62
Driller's License NumberC. F. Wroble
Driller's Signature.

46300

#5250

I certify that I received and filed this
instrument on this 3rd
day of April, 19 70, at 1:05
o'clock P.M.
F. L. Moore
COUNTY RECORDER
By Lee 2.00
DEPUTY

MONTANA WATER RESOURCES BOARD
RECEIVED
APR 6 1970

GW 2

Doc. No. 5251

Filed for record

Approved Stock Form—State Publishing Co., Helena, Montana—42329

File No. _____ this 3 day of AprilA. D. 19 70, at 1:06

DUPLICATE

o'clock P. M.

T. _____ R. _____

County Beaumont

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Well at 3 Mile

Owner Howard Jim Hess Address N.E. of StevensvilleDriller Glenn Camp 705 Alder Address Missoula, Mont.

Date of Notice of appropriation of groundwater _____

Date well started 9/23/65 Date completed 10/5/65Type of well Drilled Equipment used Churn Drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground

(Elev. above sea level _____)

0 to 13' Gravel & clay

13' to 19' Gravel

19' to 30' Clay & gravel

30' to 48' Sand, clay &

some water

48' to 51' Sand & water


51' to 83' Clay

83' to 89' Sand, clay &

a little water

89' to 195' Clay some sand

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 17' casing		40'-7'	None		

SE 1/4 Sec. 33 T. 10 R. 19
Indicate location of well and place of use, if possible. Each small square represents 40 acres.Static Water Level for non-flowing well
_____ 36 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level _____ 35 feet

at _____ 24 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested Test pumpLength of Test 11 hoursRemarks: (Gravel packing, cementing, packers, type of shutoff) No water tomake a well at 195' so pulled the casing back to 40' and found a little water.Pumped it for 11 hours and still a little silty

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Licence # 7

Driller's License Number

Driller's Signature

46301

#5-25-1

I certify that I received and filed this
instrument on this 3rd
day of April 19 70 at 1:06
o'clock P.M.
F. G. Moore
COUNTY RECORDER
By Free 1.00
DEPUTY

MONTANA WATER RESOURCES BOARD
RECEIVED

APR 6 1970

County Kavalli

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MONTANA WATER RESOURCES BOARD DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Emmett Harper

Address Stevensville, Mont.

For Administrator's Use

File June 30, 1970

11:30 A.m

Date well started April 27, 1970

GW 1 5291

completed April 27, 1970

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Chure Drill

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWAL unknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 lbs. per ft.	0	35	3/16x5	25	35

Static water level 18 ft.*
Pumping water level 32 ft.*
at 8 gallons per minute,
measured 180 minutes after pumping
began.

*Measured from ground level.
Well developed by ~~pumping &~~
for 3 hours.

Power..... Pump..... HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

..... 1/4 1/4 Sec. 33
T. 10 N R. 19 E
S Lat 9 W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature C. F. Wohle Ravalli Drilling Co.

Driller's Address ... **Box 27**

Victor, Montana..... LICENSE NO. 62

Top of Ground (Elev. above sea level) _____

[illegible]

35 ft. Show exact depth of bottom

46628

#5291

I certify that I received and filed this
instrument on this 30th
day of June, 19 70, at 11:30
o'clock A.M.
D. S. Moore
COUNTY RECORDER
By Lee 2.00
DEPUTY

G

File No. 1931T 10 N R 19 W

DUPLICATE

Ravalli County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 13 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

We, Ray Isaac Berryman, Alice Mary Berryman, Esther E. Berryman of Route 1, Stevensville and P.O. Box 1094 Missoula
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 34 T. 10 N R. 19 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and stock water, piped to house and barn
3. Date or approximate date of earliest beneficial use; and how continuous the use has been August, 1958 and has been in continuous operation.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) Bailed at rate of 40 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 3/4 Hp. Electrip Pump in pump house adjoining hse. 100' of steel pipe, 1 1/2" and 1 1/4" dia.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Well started in June, 1954 and drilled to a depth of 76' and unfinished until August, 1958, drilled to depth of 276'
8. The depth of water table First water at 28' and second water at 156'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 5" steel casing to depth of 276'
10. The estimated amount of groundwater withdrawn each year 200,000 Gallons
11. The log of formations encountered in the drilling of each well if available 4' Topsoil, 3' sand and gravel, and the rest was mostly clay and sand.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Ray Isaac Berryman
Alice Mary Berryman
Esther E. Berryman

Date November 26, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

7960

I certify that I received and filed this
instrument on this 12
day of Dec 19 63 at 9:25
o'clock A.M.

F. S. Moore
COUNTY RECORDER

By _____
DEPUTY

RECORDED

101

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MONTANA WATER RESOURCES BOARD
RECEIVED

OCT 5 1971

10N 19W
County, Ravalli

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Adam Ben Felde

Address Stevensville, Mont.

For Administrator's Use

File 5509
October 5, 1971
11:25 AM

Date well started Sept. 23, 1971 GW 1

completed Sept. 26, 1971

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Churn Drill

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL unknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17 lbs. per ft.	0	98	3/16x5	88	98



NE 1/4 SW 1/4 Sec. 34
T. 10 N R. 29 E
S 8 W

Static water level 75 ft.*
Pumping water level 90 ft.*
at 2 gallons per minute,
measured 130 minutes after pumping began.

*Measured from ground level.

Well developed by baling
for 3 hours.

Power..... Pump..... HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Charles W. [Signature] Ravalli Drilling Co.

Driller's Address Box 27, Victor, Montana

LICENSE NO. 200

Top of Ground		(Elev. above sea level)
From (Feet)	To (Feet)	
0	11	Topsoil
11	13	Gravel
13	55	Sand, clay, gravel mixed - brown
55	58	Intermittent layers Clay, gravel
		Water bearing - 1 pt.
58	93	Clay, gravel - mixed
93	95	Intermittent layers Sand, clay, gravel
		Water bearing
95	98	Clay

98

Show exact depth of bottom

49193

#5509

I certify that I received and filed this
instrument on this 4th
day of Oct, 19 71, at 11:25
o'clock A.M.
F. G. Moore
COUNTY RECORDER
By Fee 2.00
DEPUTY

STATE WATER CONSERVATION BOARD

File No.

JAN 5 1966

T. 10 N. R. 19 W.

County. Ravalli

DUPLICATE

Bille _____ Mr. Darnett _____

Butcher _____ Mr. Nally _____

C. L. _____ _____

D. L. _____ _____

STATE OF MONTANA


ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Developed After January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961)



N.W. 1/4 N.W. 1/4
Sec. 35 T. 10 N. R. 19 W.
Indicate point of appropriation
and place of use, if possible.

- Date of Appropriation of Groundwater 1873
- Owner Joseph J. Bates address P.O. Stearnsville Mont
- Contractor (if any) self
- Address of Contractor _____
- Date Started 1873 Date Completed _____
- Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Spring runs by gravity to Gray House creek thence to 3 mi. creek to diversion of appropriator.
 - Means of withdrawing water (gravity, pump, canal, etc.) gravity, canal.
 - Depth of water table ground level
 - Use of the water agricultural purpose, irrigation.
 - Amount of groundwater claimed (in miner's inches, or gallons per minute) 60 miner's inches
 - If used for irrigation, give number of acres and description of land 160 A. W 1/2 NE E 1/2 NW Sec. 4 T. 9. R. 19.
 - Estimate amount of water used each year full flow
Three irrigation seasons -
stock water rest for 1 year.
- Signature of Owner Joseph J. Bates
- Date 12/31/1965

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

STATE WATER CONSTRUCTION BOARD

File No.

JAN 5 1965

T. 10 N. R. 19 W.

County. Ravalli

DUPLICATE

Billed M. Darnett

Billed M. Darnett

Billed M. Darnett

Billed M. Darnett

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Developed After January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1873

Owner Joseph J. Bates Address P.O. Stevensville, Mont

Contractor (if any) self

Address of Contractor

Date Started 1873 Date Completed

1) Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Spring runs by gravity to Gray Horse creek thence to 3 mi creek to diversion of appropriator

2) Means of withdrawing water (gravity, pump, canal, etc.) gravity, canal

3) Depth of water table ground level

4) Use of the water agricultural purpose, irrigation


5) Amount of groundwater claimed (in miner's inches, or gallons per minute) 60 miner's inches

6) If used for irrigation, give number of acres and description of land 160 A. W 1/2 NE E 1/2 NW Sec 4 T. 9. R. 19

7) Estimate amount of water used each year full flow

Signature of Owner Joseph J. Bates

Date 12/31/1965



N.W. 1/4 N.W. 1/4 Sec 35 T. 10 N. R. 19 W

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

4787

I certify that I received and filed this
instrument on this 31
day of Dec, 1965 at 2:35
o'clock P.M.

J. L. Moore
COUNTY RECORDER

By J. L. Moore
DEPUTY

File No.

STATE WATER CONSERVATION BOARD

T. 10N R. 19W 35

JAN 16 1967

DUPLICATE

County. Ravalli

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground Approx.
(Elev. above sea level) 3801'

Formations Log:

0 - 23 Clay mixed in gravel.
23 - 26 Clay.
26 - 37 Clay bound gravel.
37 - 47 Coarse gravel & clay.
47 - 49 Granitic sand & gravel. Some water.
49 - 50 Tan clay.
50 - 52 Granitic sand & gravel. Some water.
52 - 64 Tan & brown clay.
64 - 73 Gravel & sand. Some water. Materials too fine to successfully develop well.
73 - 83 Gray clay.
83 - 90 Granitic sand mixed with tan clay.
90 - 98 Fine brown sandy clay.
98 - 103 Fine tan sandy clay.
103 - 112 Fine silty sand. Some water.
112 - 142 Tan sandy clay.
142 - 148 Fine silty sand & some clay stringers.
148 - 159 Coarse silty sand, some clay.
159 - 168 Silty sand & gravel.
168 - 170 1/2 Brown clay.
170 1/2 - 178 Gravel mixed in gray clay.

Water rises in the well 120 ft. from surface.

Show exact depth of bottom.
Bottom of hole 178'

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Irene L. &/or

Owner John R. Edwards Address Stevensville, Mont.

Driller Liberty Drilling Co. Address Missoula, Montana

Date of Notice of appropriation of groundwater. None filed


Date well started 10/20/66 Date completed 11/4/66

Type of well Drilled Equipment used Cable Tools
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5"	6 5/8" OD x 1/4"	+186"	148	Johnson wire wound	148	168
				5 9/16" OD tailpipe	168	178



Static Water Level for non-flowing well 120 feet.

Shut-in Pressure for Flowing Well Non-flowing

Pumping Water Level 145 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well Non-flowing

How Tested pump test

Length of Test 4 1/2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) A Johnson wire wound screen is set from 148 ft. to 168 ft. A 5 9/16 inch OD tailpipe is welded to the bottom of the screen & extends from 168 to 178 ft. A steel plate is solidly welded in the bottom of the tailpipe. The top of screen is fitted with a

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Lot 4 except South 106' of West 150' all of Lot 5, Block 16, Sunny Side Orchards #4

52

Driller's License Number

William E. Colman
Driller's Signature.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

lead packer and tightly swaged to the inside of six inch casing.
Slot openings in the Johnson water well screen are as follows: 80/1000
slot openings from 148 feet to 163 feet. 100/1000 slot openings from
163 feet to 168 feet. All water entering well is coming through the
slots in the screen.

I certify that I received and filed this
instrument on this 13th
day of Jan, 1967, at 11:53
o'clock PM.
F. L. Moore
COUNTY RECORDER
By Feb 2, 00
DEPUTY

#4894

File No. 1923T. 10N R. 19W

DUPLICATE


County Ravalli

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 11 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Wallace & Irene Henderson, of Stevensville
(Name of Appropriator) (Address) (Town)
County of Ravalli State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$ Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Place of appropriation is
Lot 6, Block 5, Sunnyside Orchard No. 1. Use is on Lots 6, 7, 8, 27, & 28, Block 5.

2. The beneficial use on which the claim is based irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been May 2, 1961. Use has been approx half time during irrigation season.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 miners inches

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 15 acres. Legal owners are Clovis and Agnes Swatfigure. Equitable owners are the appropriators. Used on Lots 6, 7, 8, 27 and 28, Block 5, Sunnyside Orchards No. 1

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal an electric pump and irrigation sprinkler system.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater May 2, 1961

8. The depth of water table three approximately six feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater a dug hole or sump approximately 60 feet long, 30 feet wide and nine feet deep.

10. The estimated amount of groundwater withdrawn each year 56 acre feet of water

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Wallace Henderson

Date Dec. 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

8508

I certify that I received and filed this
instrument on this 10th
day of Dec., 1963, at 3:15
o'clock P.M.

F. H. Moore
COUNTY RECORDER

By _____
DEPUTY

GW 3

File No. 1923

DUPLICATE

T. 10 N. R. 19 W.

County Ravalli

RECEIVED
DEC 11 1963

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER


Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater May 1, 1961
Owner Wallace and Irene Henderson Address Stevensville, Mont.
Contractor (if any) Kenneth Gardner
Address of Contractor Corvallis, Montana

Date Started May 1, 1961 Date Completed May 1, 1961

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. sub irrigation and other natural processes which bring water into a natural slough or pond. The slough or pond was cleaned out, widened and deepened by the contractor.



1/4 Sec. 1 T. 10 R. 19

Indicate point of appropriation and place of use, if possible.

Place of appropriation is Lot 15, Block 7, Sunnyside Orchard No. 1, and place of use Lot 15, Block 7 and Lot 1E, Block 6, Sunnyside Orch.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

40 inches of water used to irrigate through pump and irrigation system with 79 heads. Use intermittently, one week on and one off during irrigation season.

Signature of Owner Wallace Henderson

Date Dec. 9, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I certify that I received and filed this
instrument on this 10th
day of Dec, 19 63, at 3:20
o'clock P.M.

F. H. Moore
COUNTY RECORDER

By _____
DEPUTY

File No.

MONTANA WATER RESOURCES BOARD
RECEIVED

T. 10N R. 19W Sec. 19

DUPLICATE

FEB 16 1970

County. Ravalli

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner. Walter Scherer Address. Missoula, Montana
C. F. WrobleDriller. Ravalli Drilling Co. Address. Victor, Montana

Date of Notice of appropriation of groundwater.


Date well started. Dec. 26, 1969 Date completed Dec. 29, 1969Top of Ground
(Elev. above sea level.)

5'-Open Hole

66'-Intermittent layers Type of well. drilled Equipment used. churn
Sand pea gravel and clay (Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐68'-Brown clay and gravel Indicate on the diagram the character and thickness of the different strata
met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show
66'-Sand and pea gravel depth at which water is encountered, thickness and character of water-bearing
tight pressed strata and height to which the water rises in the well.92'-Sand gravel loose and
coarse Water bearing

93'-Sand

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	19#/ft.	0	93	1/2x5	78	93

Doc. No. 5234
Filed for record
this 13 day of February 1970
A. D. 10 20 at 10:15 w
o'clock a m.

Lot 2-Vernons Ranchette # 2

1/4 Sec. T. R.
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.Static Water Level for non-flowing well
79 feet.

Shut-in Pressure for Flowing Well.

Pumping Water Level. 83 feetat 15 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested. Baled-2 hoursLength of Test. pumped-3 hoursRemarks: (Gravel packing, cementing, pack-
ers, type of shutoff)7 1/2 feet of gravel pack

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.

62

Driller's License Number

C. F. Wroble
Driller's Signature.

46174

#5-234

I certify that I received and filed this
instrument on this 13th
day of Feb., 1920, at 10:15
o'clock A.M.
J. G. Moore
COUNTY RECORDER
By See 2.00
DEPUTY

T 101 R 194200

County.....

RECEIVED
JAN 8 1964

ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

County of Ravalli State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

[illegible]

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.
Sprinkling a garden and lawn.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been.
June 10, 1963 -- 4 months summer use.
4. The amount of groundwater claimed (in miner's inches or gallons per minute).
25 gallons per minute.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
40' x 150' -- Ray R. and Maxine Fay
Vegoren.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Electric pump in basement of home.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June 10, 1963.
8. The depth of water table 10 feet.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Hand dug sump hole 9 feet below basement floor.
10. The estimated amount of groundwater withdrawn each year 28,800 gallons per year.
11. The log of formations encountered in the drilling of each well if available Rock and gravel.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Ray A. Rogers

Date Dec. 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

2749

#2681

I certify that I received and filed this
statement on this 30th
day of Dec. 63 at 4:09
P. M.
F. H. Moore
Shirley Keith

File No.

T. 10N R. 19W

DUPLICATE

County of Blaine

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER FEB 18 1964

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level. Approx.)
3500'

0 - 42 Hand dug well
42 - 73 Decomposed granite.
Clay and sand.
73 - 82 Decomposed granite.
Silt and sand.
82 - 132 Silty tan clay.
Some scattered
gravel. Seeps of
water.
132 - 138 1/2 Clean granitic
sand. Water.
138 1/2 Tan clay.

Water rises to 79 1/2 ft
from surface.

Owner: Robert J. Haake Address: Stevensville, Mont.

Driller: Liberty Drilling Co. Address: Missoula, Montana

Date of Notice of Appropriation of Groundwater: None filed

Date well started: 7/13/62 Date Completed: 7/27/62


Type of well: Drilled (dug, driven, bored or drilled) Equipment Used: Cable tools (Churn, drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Other ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Stock ☒

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4"	6 5/8" OD by 17#.	0	132	NONE		

6" Wire Wound Well Screen set from 132' to 138 1/2'. Lead collar welded to top of screen and swaged to 6" casing. Slot openings varied from 60 to 100 thousandths of an inch.



1/4 Sec. 32 T. 10N R. 19W
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Lots 5, 6, & 7 Block 15 of
Stevensville, Blaine County, Montana

Bottom of well 138 1/2 ft.

Static Water Level for non-flowing Well: 79 1/2 feet.

Shut-in Pressure for Flowing Well: Non-flowing

Pumping Water Level: 106 1/2 feet at 24 gal. per minute.

Discharge in gal. per min. of flowing well: Non-flowing

How Tested: Bailor Length of Test: 0.1

Remarks: (Gravel packing, cementing, packers, type utoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

Driller's License Number

William F. Osborne
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

34971

4403

I certify that I received and filed this
instrument on this.....14th.....
day of.....Feb....., 1964..... at.....2:30
o'clock.....P.M.

F. S. Moore
COUNTY RECORDER

By..... DEPUTY

CIVIL ENGINEER
JAN 14 1964

GROUNDWATER INDEX

Page 1 of 1

County Ravalli Twp. 9 North Rge. 21 West

[illegible]

File No.

T. R.

DUPLICATE

County Beauregard

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner William Anderson Address Victor, Mont

Driller William Anderson Address Victor, Mont

Date of Notice of appropriation of groundwater


Date well started July 13-72 Date completed July 19-72

Type of well drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	250 wall 6 in	0	98	—	—	—



Static Water Level for non-flowing well 35 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 60 feet at 10 gal. per minute.

Discharge in gal. per min. of flowing well 15 GPM

How Tested sub pump

Length of Test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

William Anderson
Driller's Signature.

51,086

RECEIVED

File No.

AUG 4 1972

T. R.

DUPLICATE

County. Blaine

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner. William Anderson Address. Victory MontDriller. William Anderson Address. Victory Mont

Date of Notice of appropriation of groundwater.


Date well started. July 13-72 Date completed. July 1972Type of well. drilled Equipment used. churn drill

(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	250 wall 6 in	0	98	—	—	—



Doc. No. #5684
 Filed for record this 3rd day of August
 A. D. 19 72 at 1:05
 o'clock P. M.

Static Water Level for non-flowing well 35 feet.

Shut-in Pressure for Flowing Well.

Pumping Water Level. 60 feetat 1.0 gal. per minute.Discharge in gal. per min. of flowing well 15 GPMHow Tested. sub pumpLength of Test. 1 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

h E 1/4 Sec. 1 T. 7 N. R. 21 W.
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

.....(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

William Anderson

Driller's Signature.

5/086

#5684

I certify that I received and filed this
instrument on this 3rd
day of Aug, 1972, at 1:05
o'clock P.M.

F. S. Moore
COUNTY RECORDER

Fee 2.00
DEPUTY

Department of Natural Resources and Conservation
Water Resources Division
Engineering Bureau
Groundwater Section
Sam W. Mitchell Building
Helena, Montana 59601

Owner _____
Address _____
Location T. 9N R. 21W Sec. 1
Doc. No. 5684

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.


Special Instructions:

Please provide, as indicated in red on the attached form, the owner's name and address for the groundwater right appropriation.

Thank you.

strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	250 wall 6 in	0	98	—	—	—



Static Water Level for non-flowing well _____ feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level _____ feet at _____ gal. per minute.

Discharge in gal. per min. of flowing well 15 GPM

How Tested sub pump

Length of Test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

h NE
E 1/4 Sec. 1 T. 9N R. 21W
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Doc. No. #5684
Filed for record 3rd day of August 1972
at 1:05 P.M.

RECEIVED

SEP 12 1972

MINISTERS DEPARTMENT OF NATURAL RESOURCES

Show exact depth of bottom.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Acreage).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

33
William B. Brown

File No.

T. R.

DUPLICATE

County.

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)


Owner: Robert M. Young Address: N.W. of HamiltonDriller: William Anderson Address: Victory, Mont.

Date of Notice of appropriation of groundwater.

Date well started July 13-72 Date completed July 1972Type of well drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	From (Feet)	To (Feet)	PERFORATIONS		
			Kind Size	From (Feet)	To (Feet)
6 in	0	98	—	—	—



Doc. No. #5684
Filed for record
this 3rd day of August
1972 at 1:05
clock P.M.

RECEIVED

SEP 12 1972

RECEIVED
DEPARTMENT OF NATURAL
RESOURCES

Show exact depth of bottom.

Static Water Level for non-flowing well
.....feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....feet
at.....gal. per minute.Discharge in gal. per min. of flowing well
15 GPMHow Tested sub pumpLength of Test 1 hrRemarks: (Gravel packing, cementing, pack-
ers, type of shutoff).....

Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Ad-
junction).

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be
returned.

Driller's License Number

Driller's Signature

County Ravalli Twp. 9 North Rge. 20 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
1	Stuart, Vivian Edwin	GW-4	2565	
1	" " "	" "	2564	
1	Moody, Ted	GW-2	5435	
1	" " "	GW-2	5749	
1	" " "	GW-2	5506	
1	Moody, Roland W.	GW-4	4059	
1	" " "	GW-3	4058	
1	Drwine, Robert W. & B. H.	GW-4		
1	McAnroy, Robert & Janice	GW-2	5897	
1	" " "	GW-2	5896	
1	Anderson, Stephen J.	GW-4	2030	
1	" " "	well log		
2	Robbins, A. H. & Lucile Marion		1927	
2	" " "		1926	
3	U.S. Fish & Wildlife Service	GW-2	173248	
3	" " "	GW-2	5009	
4	Feromato, Mario	GW-2	4924	
4	" " "	GW-2	5754	
8	Tadd, Robert L.	well log		
10	Trube, Ray W. & Clara A.		2762	
10	" " "		2761	
10	Canton, James		2475	
10	Canton, Joe	GW-4	8476	
11	Hagen, Harold M.		3040	
11	McElmaney, R. C.	GW-3	4303	
11	Anderson, Stephen J.	well log		
11	Howard, J. E.	GW-3	4182	
12	Higgins, James D. & Rosetta		6049	
12	" " "		6048	
12	" " "		6051	
12	Anderson, Stephen J.		2035	
12	" " "		2033	
12	" " "		2032	
12	Drwine, Robert W. & Elizabeth		2395	
12	Shell, Raymond H. & Doris		3005	
12	Anderson Stephen J.	well log		
12	" " "	GW-4	2031	
12	Antrim, Joel P. & Mary	" "	1908	
13	Mattibarger, James R.	GW-2	5354	
13	Mayes, James E.	GW-2	5735	
13	Anderson, Steve	GW-2	5093	
13	Ray, Edward	GW-2	164605	
14	Brown, James W.		2488	
14	Brozier, B. H.	GW-2	1784	
14	Walt, Otto Josephine	GW-4	2009	
15	Sipes, Glen & Helen Della	GW-2	2407	

County RavalliTwp. 9 NorthRge. 20 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
15	Ollendahl, A. T.		2537	
15	Stephens, Herman A.		4398	
15	Matusick, Walter J.	GW-2	5348	
16	Kates, Henry R.		2735	
16	" "		2734	
16	Thomas, Robert G. & Darro	GW-2	6044	
16	" "	GW-2	6043	
16	Tanner, C. P.	GW-2	5314	
16	Karis, Henry	GW-2	5341	
16	Entzel, Gene W.	GW-2	5442	
16	Bronallo, Bob	GW-2	5793	
16	Hill, Edwin C.	GW-2	5614	
16	Bendewold, Alana C. & Esten	GW-2	5883	
16	Barker, Berklep	GW-2	5463	
16	Smith, Lee Ray	GW-2	5169	
16	Sipes, Clarence R.	GW-2		
17	Hollison, Magdaline	GW-2	4709	
17	" "	GW-3	2171	
17	" "	GW-3	2170	
17	Howard, Ivan	GW-2	1824	
19	Martin, Albert & Kath.	GW-4	2593	
19	Flanagan, W. & Florence	GW-4	4423	
19	McLean, Clyde	GW-2	5711	
19	McElmney, R. C.	GW-2	4887	
19	Bishop, Herman E.		3054	
20	Howard, F. E.	GW-2	4183	
20	Ellingson, James	GW-2	5351	
20	Nickerson, Paul	GW-2	5457	
20	Larimer, Robert	GW-2	5434	
20	Bell, Fred O.	GW-2	5926	
20	Allen, Harold A.		4325	
20	Jalk, Jim	GW-2	5696	
20	Allen, Harold A.	GW-2	4324	
20	Owen, Mary Ann Est. M.	GW-2	5935	
20	Spaul, Mary S.	well log		
20	Hellwetz, Rodney W.	GW-2	5366	
21	Lacke, Robert & Merle	GW-2	5638	
21	Emely, Oscar E.	GW-2	4533	
21	Stewart, Charles	GW-2	183729	
21	Wilson, Earl & Anne	GW-2	5022	
21	" "		5023	
21	Snea, Daniel J.		4046	
22	" "		4046	
23	Harrington, Helena B.		4334	
23	Parter, Lee A. & Ruth		2065	
23	Baldwin, Z.B. & Maude		3024	

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
24	Hornbick, Dan	GW-2	5249	
24	Andrim, Paul & Marie	GW-3	1915	
24	Sawhill, Donald G.	GW-4	4391	
24	" "	GW-4	4392	
24	Thomas, Robert G.	well log	1322	
24	Hughes, Louis	GW-2	5470	
24	" "	GW-2	5243	
25	Wood, Ann E. / Hill, D. G.		4203	
25	" "		4218	
25	" "	GW-3	4205	
25	Rhodes, John W.	GW-4	4198	
25	Sewerson, Elmer D.		4384	
26	Hartley, Leslie H.		3027	
26	Firemist Services, Inc.		2693	
26	The Sisters Farm	GW-2	5734	
26	Bassitt, Byron F. & Lillian	GW-2	5499	
26	Johnson, Claude M.		1789	
26	Williamson, F. J. & Mary	GW-4	4734	
26	Boal, Joe D.	GW-2	5745	
26	Miller, Charles W.	GW-2	190805	
26	Johnson, Claude M.	GW-3	1788	
26	C. & W. Carst. & Mfg. Co.		2642	
26	Ellison, A. C.		4333	
26	Ruppard, Ralph & Anna		4055	
26	McKay, James & M. Joe	GW-2	181427	
26	Hornbick, Bill	GW-2	190837	
26	Kelley, Alan	GW-2	5228	
26	Ellison, A.	GW-2	1635	
27	Chaff, C. R.	GW-2	5335	
27	Whitaker, Theodore E. & Edna	GW-3	2177	
27	Anderson, Stephen J.		2034	
27	Tuommi, Ruben	GW-2	6045	
27	City of Stevensville	GW-2	5049	
27	Stevensville Cemetery	GW-2	1700	
27	City of Stevensville	GW-2	1698	
27	Thick, Fred T.	GW-4	1694	
27	More, Charles F.	GW-2	160316	
27	McGinnis, Mabel E.		2538	
27	Lackridge, Dayton	GW-2	5203	
27	Kester, Davis E.	GW-2	5852	
27	Martens, Mervin	GW-2	5481	
27	St. Mary's Mission	GW-2	5277	
27	Stephen J. Anderson	well log		
27	Murray, Mal	GW-2	5153	
28	Johnson, Elvira		4043	
28	Whitaker, Donald P.	GW-2	6017	

County Ravalli Twp. 9 North Rge. 20 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
28	Montgomery, Mabel E.	GW-2	2539	
28	Mare, Keith	GW-2	5527	
28	Martin, Earl	GW-2	5477	
28	Bark, Dale	GW-2	5510	
28	Skellmon, Fred	GW-2	4897	
28	Roberts, Dab	GW-2	5498	
28	Derrick, Jack & Charles	GW-2	5516	
28	Reineke, Warren	GW-2	5479	
28	Estalans, Rocco	GW-2	5411	
29	Baldwin, Edith & Harney		3025	
29	Petty, William	GW-2	5934	
31	Baldwin, Earl W. & Harney		3022	
31	" "		3023	
31	Hsie, Joseph & Jay M.	GW-2	3049	
32	Barbier, Dennis	GW-2	5771	
32	Shannon, Carroll	GW-2	5700	
32	Faust, Vernon E.	GW-4	1682	
32	Peterson, William	GW-2	5748	
32	Frank, Diane	GW-2	5737	
32	Faust, Vernon E.	well log		
32	" "	well log		
32	Shannon, Carroll	GW-2	5699	
34	Bratton, Phillip	GW-2	5050	
34	Frazier, Geo. F. & Hazel G.		2087	
34	" "		2086	
34	Deer, Beulah A.		4710	
34	Frazier, Geo. F. & Hazel	GW-2	6015	
34	" "	GW-2	6014	
34	" "	GW-2	6013	
34	" "	GW-2	6012	
34	Enebo, Oscar E.		2659	
34	Brinkerhoff, Kull	GW-2	4273	
34	Whitesitt, J. E. & Emily L.	GW-4	1762	
34	" "		1761	
34	Whitesitt, Roy D.		1844	
34	Taylor, Frederick	GW-4	1804	
34	Campbell Edgar W.	GW-4	1955	
34	Campbell Floyd H.	GW-4	4366	
35	Demegen, Francis	GW-2	4536	
35	" "	GW-2	5608	
35	Brown, Ralph F. & Dorothy	GW-4	3020	
35	Hyslop, Lee	GW-2	5940	
35	" "	GW-2	5939	
35	Brown, Ralph F. & Dorothy		3019	
35	" "		3021	
35	Wigona, Otto & Elizabeth	GW-2	6011	

Ravalle

9 North

Rge.

20 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
35	Rue, Kenneth B.	GW-4	1968	
35	Tadlock, Jim	GW-2	191608	
35	McEarnick, Eva	GW-2	5438	
35	Brown, Robert	GW-2	5778	
36	Bennett, Stuart	GW-3	2109	
36	Cravin, Daniel W.			
36	Bennett, Stewart	GW-2	5755	
36	" "		2108	
36	Cravin, Daniel W.	GW-3	2409	
36	Dexter, W. H. & Dorothy	GW-3	2289	
36	" "	GW-2	1680	
36	" "	GW-2	5489	
36	" "	GW-2	1699	
36	City of Stevensville	GW-2	4849	
	Morris, Leo W. & Kathryn	GW-3	1891	
	Brown, James S.	GW-4	2001	
	Anderson, Stephen J.	GW-3	2002	
	" "	GW-3	1999	
	" "	GW-3	6050	
	Higgins, James D. & Rose	GW-4	1792	
	Lea, Walter W.		1821	
	Mosely, Raymond V.	GW-3	4337	
	Leary, Walter & Mabel	GW-4	5151	previously included
26	Anderson, Jack	GW2	2771	
26	Evans, James R.	GW4	2540	
27	Montgomery, Mabel E.	GW4	4365	
27	Reich, Jacob	GW3	4446	
27	Robinson, Maxine	GW4	4200	
27	Schmidt, Henry J.	GW4	5276	
27	Stearrett, Charles	GW2		

File No.

DUPLICATE

T. 9 N. R. 20 W.

County.....

JAN 3 1963


ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Vivian Irvin Stuart, of Route 1, Stevensville, Montana
(Name of Appropriator) (Address) (Town)
County of Beavertail State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. T. R.

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based Irrigation water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1937, intermittent use since then

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 miner's inches

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
NESE Sec. 1 T. 9 N. R. 20 W.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal gas driven pump, well located on upper end of field

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Hand dug well, in August, 1937

8. The depth of water table 5 1/2 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand - dug well, 2 x 12 planking for casing in 10 x 12 hole, 25 ft deep

10. The estimated amount of groundwater withdrawn each year 9000 cu. feet

11. The log of formations encountered in the drilling of each well if available 4 feet topsoil, remainder sand and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Vivian Irvin Stuart

Date Dec. 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27373

#2545

I certify that I received and filed this
document on the 30th
day of Dec. 63. 2112
at Q.
F. H. Moore
Clerk
Shirley Keith
Deputy

File No.

T. 9 N. R. 20 W.

DUPLICATE

County.


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 8 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Vivian Irvine Stuart, of Route 1, Stevensville, Montana
(Name of Appropriator) (Address) (Town)
County of Beavert State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 1 T. 9 N. R. 20 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and irrigation water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1935 used continuously since
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 600 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof NWSE Sec. 1 T. 9 N. R. 20 W.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1 horsepower electric pump, well located in basement of house
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Commenced and completed in March of 1935
8. The depth of water table 5 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Hand-dug well, 4 feet in diameter, concrete casing, 20 feet deep
10. The estimated amount of groundwater withdrawn each year 10 million gallons
11. The log of formations encountered in the drilling of each well if available 4 1/2 feet of topsoil, remainder sand and gravel
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Vivian Irvine StuartDate Dec 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27372

#2564

I certify that I received and filed this
instrument on this 30th
day of Dec. 63 at 2:11
o'clock P.M.
F. H. Moore
COUNTY CLERK
By Shirley Keith
DEPUTY

County Hawaii

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Ted Moody

Address Three Mile

Stevensville, Mont.

Date well started May 5, 1971

completed May 12, 1971

Type of well Drilled

.....
(Dug, driven, bored or drilled)

Equipment used Churn Drill

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/lawn ☐

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWALunknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 ¹¹	17 lbs. per ft.	0	142	3/16x5	132	142



Static water level 130 ft.*
Pumping water level 135 ft.*
at 15 gallons per minute,
120 minutes after pumping
began.

*Measured from ground level.

Well developed by balloons

for 2 hours.

Power..... Pump..... HP

Remarks: (Gravel packing, cementing,

packers, type of shutoff)

18 inches of gravel

pack.....

.....

.....

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Charles W. Helle Ravalli Drilling Co.

Driller's Address Box 27, Victor, Montana

LICENSE NO. 200

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

142 Show exact depth of bottom

48478

#5435

I certify that I received and filed this
instrument on this 14th
day of May, 19 71, at 4:58
o'clock P.M.
F. L. Moore
COUNTY RECORDER
By Fee 2.00
DEPUTY

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Joe Wood
Address Butte, Mont.
Date well started Oct 13, 1972
completed Oct 15, 1972

For Administrator's Use
File # 5249
Nov. 15, 1972 2:25 p.m.
GW 1

Type of well drilled
(Dug, driven, bored or drilled)


Equipment used churn drill
(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe _____
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL _____

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17.5#	0	44	1/2"	51	44



Static water level 32 ft.*
Pumping water level 41 ft.*
at _____ gallons per minute,
measured _____ minutes after pumping began.
*Measured from ground-level.
Well developed by _____
for _____ hours.
Power _____ Pump _____ HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature _____

Driller's Address _____

LICENSE NO. _____

County Butte

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level) _____

From (Feet)	To (Feet)	
0	3	Top of well
3	10	Hard and dry gravel
10	44	Hard and gravel

Show exact depth of bottom

51,822

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Red Moody

Address Stevensville, Mont.

Date well started July 13, 1972

completed July 20, 1972

Type of well Grilled

(Dug, driven, bored or drilled)

Equipment used churn drill

(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17.1/ft	0	44	3/16x5	37	44



1/4 N.W. 1/4 Sec. 1

T. 9 N. R. 2 D. W. E

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address

Raylli Drilling Co. Victor, Mont.

LICENSE NO. 250

County Raylli

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	3	topsoil
3	10	sand and pea gravel
10	44	sand and gravel

44 Show exact depth of bottom

5,822

#5749

I certify that I received and filed this
instrument on this 15th
day of Nov., 1972, at 2:15
o'clock PM M.

F. S. Moore
COUNTY RECORDER

By Fee 2.00

RECEIVED

RECEIVED

County Navajo

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner **Ted Moody**

Address Stevensville, Mont.

Date well started Aug. 25, 1971

completed Aug. 26, 1971

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Churn Drill

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWAL ~~unknown~~

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17 lbs. per ft.	0	42	3/16x5	32	42



Static water level 20.....ft.*
Pumping water level 40.....ft.*
at 10.....gallons per minute,
measured 120.....minutes after pumping
began.

*Measured from ground level.
Well developed by baling.....
for 2 hours.

Power..... Pump..... HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

NW 1/4 NE 1/4 Sec. 1
T. 9 N R. 20

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Charles W. Washburn Ravalli Drilling Co.

Driller's Address Box 27, Victor, Montana

LICENSE NO. 200

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

42 Show exact depth of bottom

49174

#5-5-06

I certify that I received and filed this
Instrument on this 30th
day of Sept., 1921, at 2:06
o'clock P.M.
F. G. Moore
COUNTY RECORDER
By F. L. 2.00
DEPUTY

File No.

T 9 N R 20

DUPLICATE

Ravalli County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


JAN 17 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Roland V. Moody of Montana, R.F.D.#1, Stevensville.
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



LOTS 3 and 4 1-2-34
Approx. N 365 ft. of S₂ NW. 1-2-34

..... 1/4 Sec. T. R.
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Cullinary use, and Stock water.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1913 to the present time.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 40 inches
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electrical system and pump.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1913
8. The depth of water table 40 feet down to the water and 16 feet of water.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is approximately four feet by four feet wide and forty feet deep.
10. The estimated amount of groundwater withdrawn each year 200,000 gallons
11. The log of formations encountered in the drilling of each well if available Limestone sand, gravel, and clay.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Roland V. Moody

Date

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

37623