







GW 2

File No. 1807

T CW R 21<sup>W</sup> 25

DUPLICATE

STATE OF MONTANA **RECEIVED**  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER AUG 14 1963  
Ravalli County

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Leslie P. Peterson Address 1220 S. 8th

Driller Bill Anderson Address P.O. Box 516 Hamilton


Date of Notice of Appropriation of Groundwater

Date well started July 29, 63 Date Completed July 31, 63


Type of well drilled Equipment Used churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

← Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4 in	4 1/2 pound 4 in			-	-	-



S. 1/4, 1/4, 1/4 Sec. 25, T. 21 N., R. 21 W.  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom

Static Water Level for non-flowing Well 12 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 15 feet at 15 gal. per minute.

Discharge in gal., per min. of flowing well 30 gal per min

How Tested  Pump  Length of Test  24 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, Location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

Driller's License Number  
Bill Anderson  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

5399

GW 2

File No. 1807

T SN R 21W 25

DUPLICATE

STATE OF MONTANA **RECEIVED**  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER AUG 14 1963  
Ravalli County

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Idoy Paton Address 420 S 8th

Driller Bill Anderson Address Rt 1, Box 512 Hamilton

Date of Notice of Appropriation of Groundwater \_\_\_\_\_

Date well started July 29, 63 Date Completed July 31, 63

Type of well drilled Equipment Used Churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal ( ) Stock ( ) Irrigation ( )  
Industrial ( ) Drainage ( ) Other ( )

← Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4 in	9 1/2 pound 4 in line					

Static Water Level for non-flowing Well 12 feet

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 15 feet at 15 gal per minute

Discharge in gal. per min. of flowing well 30 gpm

How Tested Pump Length of Test 24 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, Location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

33  
Driller's License Number  
Bill Anderson  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

5299



File No. ....

T. 6<sup>N</sup> ..... R. 27<sup>W</sup> 23

*Druple*

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


DEC 17 1964  
Ravalli County

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

1. EDWARD R. AND/OR HOLLY M. PATZER, of 324 So. 8th..... HAMILTON.....  
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

2. The beneficial use on which the claim is based. IRRIGATION AND HOUSE USE.....



SE 1/4 SW Sec 75 T. 6 R. 1

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. CONTINUOUS SINCE APRIL OF 1955.....

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 100 GALLONS PER MINUTE.....

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. LESS THAN 1 ACRE. LAWN & GARDEN USE. EDWARD R. AND/OR HOLLY M. PATZER.....

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. PUMP.....

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. APRIL 1955.....

8. The depth of water table. 15 TO 47 FT.....

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. ELECTRIC PUMP. APP. 1000 GALLON PER HR.....

10. The estimated amount of groundwater withdrawn each year. 500,000 GALLONS (EST.).....

11. The log of formations encountered in the drilling of each well if available. NOT AVAILABLE.....

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. NONE.....

Signature of Owner. *Edward R. Patzer*  
Date. Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#2760

I certify that I received and filed this  
instrument on this 3rd  
day of Dec. 1963 at 9:06  
o'clock A. M.

F. G. Moore  
COUNTY RECORDER  
By Shirley Keith  
DEPUTY

Residing at.....  
My Commission expires....., 19.....

Case No. Cop.

T. 25 R. 6 S. 21

County. Ravalli


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

JAN 17 1964

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1963) STATE ENGINEER

I, **Elsie W. Oliva**, of **118 So. 5th St., Hamilton**  
(Name of Appropriator) (Address) (Town)  
County of **Ravalli** State of **Montana**

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot #1 Old 32 Hamilton  
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. **the irrigation of lots 20, 21 and 22. Original townsite of Hamilton**
- Date or approximate date of earliest beneficial use; and how continuous the use has been. **May 1960 continuous use April through Sept., each year**
- The amount of groundwater claimed (in miner's inches or gallons per minute). **1 horsepower motor, 1 inch pipe**
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. **used for irrigating 3.30 x 150 ft. lots owner - Elsie W. Oliva**
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. **1 one horsepower motor, 1 inch pipe, well located in center of lots**
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. **April 15th to May 1st, 1960**
- The depth of water table. **25 feet**
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. **1 one horsepower motor, 1 1-inch pipe, 25 feet depth of well**
- The estimated amount of groundwater withdrawn each year.
- The log of formations encountered in the drilling of each well, if available. **well was drilled through ordinary gravelly soil.**
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner **Elsie W. Oliva**  
Date **December 30, 1963.**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Op. No.

T. 25 R. 6-21

County. Ravalli


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

JAN 17 1964

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1963) STATE ENGINEER

**Elsie W. Oliva** of **118 So. 5th St., Hamilton**  
(Name of Appropriator) (Address) (Town)  
County of **Ravalli** State of **Montana**

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 21, Sec. 32 Hamilton  
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. **the irrigation of lots 20, 21 and 22. Original townsite of Hamilton**
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. **May 1960 continuous use April through Sept., each year**
4. The amount of groundwater claimed (in miner's inches or gallons per minute). **1 horsepower motor, 1 inch pipe**
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. **used for irrigating 3 30 x 150 ft. lots owner - Elsie W. Oliva**
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. **1 one horsepower motor, 1 inch pipe, well located in center of lots**
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. **April 15th to May 1st, 1960**
8. The depth of water table. **25 feet**
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. **1 one horsepower motor, 1 1-inch pipe, 25 feet depth of well.**
10. The estimated amount of groundwater withdrawn each year.
11. The log of formation encountered in the drilling of each well if available. **well was drilled through ordinary gravelly soil.**
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner **Elsie W. Oliva**  
Date **December 30, 1963**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

STATE OF MONTANA, )  
County of Hill ) ss.

I, Elsie W. Oliva \_\_\_\_\_ having first been duly sworn, deposes and says that she is of lawful age and is the appropriator and claimant of the order and water right mentioned in the foregoing declaration of vested groundwater rights and the person whose name is subscribed thereto, as the appropriator and claimant and that she knows the contents of said foregoing notice and that the matters and things therein stated are true.

Subscribed and sworn to before me this 31st day of December, 1963.

\_\_\_\_\_  
Notary Public for the State of Montana

Residing at

My Commission expires

I certify that I received and filed this instrument on this 31st day of Dec. 1963, at Hill, S. Dak. M.  
F. H. Moore  
COUNTY RECORDER  
By: *Shirley Keith*  
DEPUTY

#291

File No. *Sup.*

T. 6N. R. 24W. 7E  
County... **Ravalli**

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 17 1964

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

**Miles Romney and Ruth Romney**  
1. **Edgar Brooks and Esther Brooks** of **Hamilton** **Montana**  
(Name of Appropriator) (Address) (Town)  
County of **Ravalli** State of **Montana**

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4  
S W 1/4 Sec 25 T. 6N. R. 24W. MPM

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. **for irrigation and household uses, et cetera**
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. **Since well was drilled in March, 1954 and continuously as needed since**
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). **40 gallons per minute**
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. **Lots 7, 8, 9 and 10 Block 9 South Side Addition to City of Hamilton, Montana**
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. **electric pump**
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. **March, 1954, 1954.**
- 8. The depth of water table. **data not available; always ample water to this date.**
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. **well is 24 feet deep and has a five inch casing; electric pump draws water from well.**
- 10. The estimated amount of groundwater withdrawn each year. **4,320,000 gal. or more as needed**
- 11. The log of formations encountered in the drilling of each well; if available **not available as well driller William H. Maki is deceased and access to his records, if any for this well, is not open to appropriators.**
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. **amount of water is computed on estimated use of half a year for ten hours daily. This could be much more or less as the well is used; the estimate being hypothetical.**

*Miles Romney*  
Signature of **Edgar F. Brooks**  
Date **31 December 1963.**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

37258

#2795

I certify that I received and filed this

Statement of 31st  
day of Dec. 63 9:41  
at A.

By F. G. Moore  
Shirley Keith  
DEPUTY

T. 6 R. 21  
County Ravalli

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 4 1966

WATER WELL LOG

STATE ENGINEER


Owner John T. & Irene L. Parker Address Hamilton, Montana  
Driller Joe Iten Address Hamilton, Montana  
Date Started 1956 Date Completed 1956  
Location: Sec. 25 T. 6N R. 21W ¼ sec. NE

Type of well Dug (Dug, driven, bored, or drilled) Equipment used Back Hoe (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: 1 ft. to 15 ft. Type cement Size 4"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: \_\_\_\_\_

Static Water level, for non-flowing well: 10 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: 12 feet at 1000 gal. per min.

How tested: pumped

Length of test: 12 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

packed with large rocks

(over)

File No. \_\_\_\_\_  
DUPLICATE

T. 6N R. 21W

STATE WATER CONSERVATION BOARD

County Ravalli

LOG


OCT 20 1966

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)



Owner FRANCIS E. CHURCH Address \_\_\_\_\_

Driller KEVIN WILLIAMS Address HAMILTON, MONT. 1523 5th. MISSOULA, MONT

Date of Notice of appropriation of groundwater \_\_\_\_\_


Date well started JUNE 13, 66 Date completed JUNE 14, 66

Type of well DRILLED Equipment used CHURN  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	5/8 OD 17 lbs. per ft. 4" side wall	ground level	33'			



Static Water Level for non-flowing well \_\_\_\_\_ 10.9' feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level \_\_\_\_\_ 28' feet  
at \_\_\_\_\_ 60 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested compressor

Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

Lots 9 & 10, 21 & 22  
Block 12 Westview Addition  
NW 1/4 Sec. 25 T. 6N R. 21W  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 151

Kevin J. Williams  
Driller's Signature

41,537

#4868

170967

I certify that I received and filed this instrument on this 18th day of Oct. 1966 at 2:05 o'clock P.M.

F. G. Moore

COURT RECORDER

*[Signature]*  
Deputy

Fee \$2.00

DEPARTMENT OF REVENUE  
DIVISION OF REVENUE  
RECORDS SECTION  
COURT RECORDS  
STATE OF TEXAS  
SAN ANTONIO

INDEXED  
SERIALIZED  
FILED  
OCT 18 1966  
FBI - SAN ANTONIO

SEARCHED  
SERIALIZED  
INDEXED  
FILED  
OCT 18 1966  
FBI - SAN ANTONIO

SEARCHED	SERIALIZED	INDEXED	FILED
INDEXED	SERIALIZED	INDEXED	FILED
INDEXED	SERIALIZED	INDEXED	FILED
INDEXED	SERIALIZED	INDEXED	FILED
INDEXED	SERIALIZED	INDEXED	FILED

State of Texas, County of Bexar, San Antonio, Texas

File No. D&P

T...6.N...R...21...25

County: Ravalli

JAN 8 1964

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


STATE ENGINEER

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. John T. Parker, of Hamilton  
(Name of Appropriator) (Address) (Town)

County of Ravalli State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NW Sec. 25 T6N R21W  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based... Pasture & Crop
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been... continuous since 1954
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)... 200 miners inches
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof... 67 acres pasture... John T. Parker, Owner
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal... SE Corner of NW 1/4 Sec. of Sec. 25 T6N R21W
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater... 1954
- 8. The depth of water table... 5 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater... 6' Dia. Dug Well... 25' Deep with Rock Sides
- 10. The estimated amount of groundwater withdrawn each year... Approx. 300,000,000 gals.
- 11. The log of formations encountered in the drilling of each well if available... Soil approx 6' Rock formation to 25'
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner... Date... December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27524

# 2714

I certify that I received and filed this  
instrument on this 31st  
day of Dec 1963 at 8:20  
o'clock A.M.

F. H. Moore

COUNTY RECORDER

By Shirley Keith  
DEPUTY

GW 2

File No. ....

T. 6N R. 21W 25

DUPLICATE

County Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater  
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)



Top of Ground  
(Elev. above sea level 3475)

Owner School District # 3 Address Hamilton, Montana

Driller Gerald Quigley Address Hamilton, Montana

Date of Notice of Appropriation of Groundwater June 1, 1950


Date well started April 14, 1962 Date Completed April 17, 1962

Type of well Drilled Equipment Used Drill  
(dug, driven, bored or (Churn, drill, rotary or  
drilled) other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	Standard	6'	61 1/2'	None		



Lots 1&2, 10-1.8, inclusive, Block 13,  
Westview Site, Hamilton  
NE 1/4 SW Sec. 25 T. 6N R. 21W  
Indicate location of well and  
place of use, if possible. Each  
small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well ..... feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 30 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well 2250 G. P. H.

How Tested Compressor Length of Test Unknown

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) .....

Used for turf irrigation at Haynes Field

on South Ninth St. and surrounding property

owned by School Dist. # 3.

203  
Driller's License Number

Mrs. Gerald Quigley  
Driller's Signature  
S/ Mrs. Gerald Quigley

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

37626



File No. \_\_\_\_\_

MONTANA WATER RESOURCES BOARD  
**RECEIVED**

T. \_\_\_\_\_ R. \_\_\_\_\_

DUPLICATE

LOG MAR 5 1970

County Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

**Notice of Completion of Groundwater  
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Ray Seerup Address Hamilton, Montana

C. F. Wroble

Driller Ravalli Drilling Co. Address Victor, Montana

Date of Notice of appropriation of groundwater \_\_\_\_\_

Date well started Feb. 23, 1970 Date completed Feb. 23, 1970

Type of well Drilled Equipment used churn  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground  
(Elev. above sea level.....)  
2'-Topsoil

28'-Sand and Gravel  
Water Bearing

Doc. No. 5238  
Filed for record  
this 4 day of March  
A. D. 19 70 at 10:40  
o'clock a.m.

Size of Drilled Hole	Size and Weight of Casin.	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 #/ft.	0	28	3/16x6	23	28



Static Water Level for non-flowing well  
..... 13 feet.

Static Pressure for Flowing Well.....

Pumping Water Level..... 14 feet

at..... 15 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Baled-1 1/2 hours

Length of Test pumped-1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

1 foot of gravel pack in the bottom of the well

1/4 Sec. T. R.  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

62  
Driller's License Number

C. F. Wroble  
Driller's Signature.

46232

#5238

I certify that I received and filed this instrument on this 4th day of Mar, 1970, at 10:40 o'clock A.M.

D. G. Moore  
COUNTY RECORDER

Fee 2.00  
DEPUTY

SECTION TO STATE  
REPUBLICAN PARTY  
COUNTY RECORDER

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

DECLARATION TO REGISTER TO VOTE  
HOW TO REGISTER BY MAIL  
SEE 1 YEARLY PERIOD

MONTANA WATER RESOURCES BOARD  
Groundwater Division  
Mitchell Building  
Helena, Montana 59601

Recently a copy of a groundwater appropriation form,

- GW 1, Notice of Appropriation of Groundwater
- GW 2, Notice of Completion of Groundwater Appropriation by means of Well
- GW 3, Notice of Completion of Groundwater Appropriation without Well
- GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)

was forwarded to this office by the County Clerk and Recorder.

This form is identified by

Owner Ray Seerup Address Hamilton, Montana 59840  
Location \_\_\_\_\_ Document No. 5238

The form is complete as filed. This is to inform you that your GW form has been received and no further action is necessary on your part.

The form is incomplete. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena. Request information if available.

Please indicate exact location of well site by Township, Range, and Section.

Other.

County recording information is missing. Please forward this information to the Montana Water Resources Board in Helena.

MONTANA WATER RESOURCES BOARD  
RECEIVED

APR 1 1970

*Douglas G. Smith*

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

62  
Driller's License Number

*C. F. Wroble*  
Driller's Signature.

46232

MONTANA WATER RESOURCES BOARD  
**RECEIVED**

DATE \_\_\_\_\_  
 LOG MAR 5 1970

T. \_\_\_\_\_ R. \_\_\_\_\_  
 County Ravalli

STATE OF MONTANA  
 ADMINISTRATOR OF GROUNDWATER CODE  
 STATE WATER CONSERVATION BOARD

**Notice of Completion of Groundwater  
 Appropriation by Means of Well**  
 DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Jay Eagan Address Hamilton, Montana  
G. F. Wroble  
 Driller Ravalli Drilling Co. Address Victor, Montana

Date of Notice of appropriation of groundwater \_\_\_\_\_

Date well started Feb. 23, 1970 Date completed Feb. 23, 1970

Type of well Drilled Equipment used above  
 (Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground  
 (Elev. above sea level \_\_\_\_\_)  
2'-Topsoil

26'-Sand and Gravel  
 Water Bearing

Doc. No. 5238  
 Filed for record  
 this 4 day of March  
 A. D. 19 70 at 10:40  
 o'clock a.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 1/2"	0	28	1/16"	23	28



Static Water Level for non-flowing well \_\_\_\_\_ 13 feet.  
 Shut-in Pressure for Flowing Well \_\_\_\_\_  
 Pumping Water Level \_\_\_\_\_ 14 feet  
 at \_\_\_\_\_ 15 gal. per minute.  
 Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested Reid-1 1/2 hours  
 Length of Test pumped-1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff)  
1 foot of gravel pack in the bottom of the well

E 1/2 W 1/2 SE 1/4  
1/4 Sec 25 T. 16 N. R. 21 W  
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(M.M. Mont. Territory)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

62  
 Driller's License Number  
C. F. Wroble  
 Driller's Signature

46232

August 24, 1972

Ms. Susie Wilkinson  
Route 2, Box 177  
Hamilton, Montana 59840

Dear Ms. Wilkinson:

This is in reference to the enclosed GW-4 form, Declaration of Vested Groundwater Rights, that was filed on June 22, 1972 at 11:21 AM (document number 5643) at Hamilton, Montana.

The Declaration of Vested Groundwater Rights form was intended for appropriators to file on vested groundwater rights for a certain period of time only. That period was from January 1, 1962 to January 1, 1966. Therefore, after January 1, 1966, according to the Groundwater Code, the GW-4 form was invalid and could not legally be used as an appropriation form.

The proper form to use for completed wells, filed on or after January 1, 1966, is the Notice of Completion of Groundwater Appropriation By Means of Well, GW-2 form. One set of the GW-2 form is enclosed for your own use. Please complete all blanks as accurately as possible and attach any proof that the date of first beneficial use did actually date back to November, 1952 as indicated on the enclosed GW-4 form. It is to your advantage to file and attach additional proof, if available, in case there is a dispute over the groundwater in your area.

On the enclosed GW-4 form, we note that you signed your name and dated the form December 30, 1963. Why then was the form not filed in 1963, instead of June 20, 1972 almost nine years later?

If we can be of further assistance, please feel free to contact us at any time.

Sincerely,

Ronald J. Guse  
Groundwater Rights Coordinator  
WATER RESOURCES DIVISION

RJG/lk

Enclosures (2)

Doc. No. #5643  
Filed for record  
this 22<sup>nd</sup> day of June  
A. D. 1972, at 11:21  
o'clock A.M.

Signature of Owner Susie Wilkinson  
Date December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

50,661

DUPLICATE RECEIVED  
JUN 23 1962

T 6N R 21W 13  
Ravalli County


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

MONTANA DEPARTMENT OF NATURAL RESOURCES  
REQUIREMENTS FOR GROUNDWATER RIGHTS

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. Susie Wilkinson of Montana Hamilton  
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 13 T. 6 R. 21  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based house hold use
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Nov. 5 2
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) has not been in use for several years
- 5. If used for irrigation, give the acreage and description of lands to which water has been applied and name of the thereof not for irrigation
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal hand drawn, near house

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Nov. 5 2
- 8. The depth of water table 30'
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater shallow, sand/gravel
- 10. The estimated amount of groundwater withdrawn each year
- 11. The log of formations encountered in the drilling of each well if available silt, gravel, sand
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Doc. No. #5643  
Filed for record this 22nd day of June A. D. 1962, at 11:21 o'clock A.M.

Signature of Owner Susie Wilkinson  
Date December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

50,661

#5643

I certify that I received and filed this  
instrument on this 22nd  
day June, 1972, at 11:21  
o'clock A. M.

F. S. Moore  
COUNTY RECORDER

Fee 2.00

DPFUYZ

GW 2

Approved Stock Form - State Engineering Co., Helena, Montana - 4564.

File No. ....

STATE WATER CONSERVATION BOARD

T. 10th R. 20th W.

DUPLICATE

MAR 22 1967

*CN 21W*

County RAVALLI

LOG  
Bill McDermott  
Butcher McNelly  
Coyne McDon  
Darlington Sullivan  
Dickert \_\_\_\_\_  
STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


0	top soil
1	
1	tan clay, sand, gravel and boulders
14	
14	surface water, sand, and gravel
21	
21	tan clay, sand and gravel
24	
24	sand, gravel and water
28	

**Notice of Completion of Groundwater Appropriation by Means of Well**  
DEVELOPED AFTER JANUARY 1, 1962  
(Under Chapter 237, Montana Session Laws, 1961)

Owner George Hieronymus Fullerton Plumbing Address Hamilton, Mont.  
 Driller KEN WILLIAMS Address 1558 So. 5th W. MISSOULA, MONT.  
 Date of Notice of appropriation of groundwater \_\_\_\_\_  
 Date well started MARCH 13, 67 Date completed MARCH 15, 67  
 Type of well drilled Equipment used churn  
 (Dug, driven, bored or drilled) (Churn drill, rotary or other)  
 Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	5 7/8" O.D. 17 lbs. 3/4" side wall	ground level	27' 8"			



Static Water Level for non-flowing well 14 feet.  
 Shut-in Pressure for Flowing Well \_\_\_\_\_  
 Pumping Water Level 25 feet at 30 gal. per minute.  
 Discharge in gal. per min. of flowing well \_\_\_\_\_  
 How Tested bail and pump test  
 Length of Test 3 hours

*CN 21W* →

*Lot 1 - Block 4 River view  
 Fullerton, Missoula, Mont.  
 Indicate location of well and place of use, if possible. Each small square represents 40 acres*

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

(Continue on reverse side)

USE - If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

151  
 Driller's License Number

*Kenneth J. Williams*  
 Driller's Signature.

#4913

172 367

I certify that I received and filed this instrument on this 20<sup>th</sup> day of March, 1967 at 9:50 o'clock A.M.

J. S. Moore  
COUNTY RECORDER

Fee 2.00  
DEPUTY

RECORDED UNDER THE  
PROVISIONS OF THE  
ACTS OF THE LEGISLATURE  
APPROVED MARCH TWENTY  
NINE LAST AND  
PUBLISHED IN THE  
STATUTES OF THE STATE OF  
MISSISSIPPI

MISSISSIPPI  
COUNTY RECORDER  
RECEIVED  
MARCH TWENTY  
NINE 1967  
9:50 AM

DATE	TIME	BY	REMARKS
MAR 20 1967	9:50 AM	J. S. MOORE	FILED

Mississippi State Archives

County Ravalli Twp. 6 North Rge. 21 West  
 Folder # 3

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
26	Schmitt, Eugene J. & Lillian	GW-3	168028	
26	Hood, Stan	GW-2	5686	
26	Carruthers, Helen P.	GW-2	5931	
26	Ebin, Ted	GW-2	5078	
26	Jay, Bernard J.	well log		
26	"	well log		
26	Mettler, Dallas	well log		
26	Wrightson, Gene	GW-2	4912	
26	Mulherson, Fred & Tina	GW-3	2071	
26	Milne, Kersey G. & Davis	GW-3	2996	
26	"		2997	
26	Hollickson, Ronald		2803	
26	Foster, Willard		4075	
26	Batzman, Jake	GW-3	2570	
26	Bridges, Lloyd	GW-2	4888	
26	"	GW-3	173176	
26	Dunn, Pat	GW-2	4978	
26	Dank, George	GW-2	5670	
26	Daily, Wayne S.	GW-3	4619	
26	"		4618	
26	Bates, William & Mary	GW-3	4755	
26	Nelson, Curtis S.		4181	
26	"	GW-2	5048	
26	Reed, G. W. & Shirley A.		2778	
26	Peterson, Ken	GW-2	5076	
26	Spencer, Ralph W.		2349	
26	Singleton, Richard & Sandra	GW-2	4825	
26	Sherwin, Steve	GW-2	189204	
26	Singleton, Armes	GW-2	6025	
26	Blattler, Elma Ruth D.	GW-2	6052	
26	"	GW-2	5960	
26	Reddock, Irene		3028	
26	Pagenkopf, Charles A.		2672	
26	"	GW-3	2671	
26	Rause, Shrup	GW-2	5036	
27	Rough, Joseph M.	GW-2	5887	
27	Badt, Harvey	GW-2	5441	
27	Burbank, Harry	GW-2	5571	
27	Swearingen, C. Wayne	GW-2	5521	
27	Thomas, Donald R.	GW-2	4712	
27	McDonald, Dale H.	GW-2	4442	
27	Daily, Wayne S.	GW-2	4523	
27	Book, Delbert, Bud & H.		4240	
27	Schwarz, L. L.	GW-2	5846	
28	Sawyer, Therman G.		2274	
28	Cannet, W. M. & Nellie	well log		

County Ravalli Twp. 6 North Rge. 20 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
31	Aesodiki, Jacob E.		2798	
31	Paul, Ray	GW-2	1781	
33	Oliver, Max J.	GW-3	198390	
33	Book, Wesley M.	GW-3	198317	
33	Haldeman, Glenn	GW-3	1770	
33	Wood, Floyd	GW-3	2680	
34	Grant, Don	GW-2	5406	
34	Mims, Carl B. & Ruth J.	GW-3	5392	
34	"	GW-2	5242	
34	Grant, Henry H.	GW-3	4220	
34	"	GW-3	4222	
34	Barnes, Shirley	GW-3		
34	"	GW-2	4531	
34	Anderson, Jerry	GW-2	5323	
35	Downing, Sam A.		2947	
35	Milligan, Jerry A.	GW-2	4395	
35	Uning, C. E. & Alma Rose	GW-4	2967	
35	Milligan, Jerry A.		4328	
35	"		4326	
35	"		4327	
35	Downing, Sam A.		2944	
35	"		2945	
35	Tang, Wanda		2739	
35	Downing, Sam A.		2946	
36	AWACKER, Melvina M.		2250	
36	Wright, Fred	GW-2	5409	
36	"	GW-2	167357	
36	"		2943	
36	Steiner, Robert W.	GW-2	6023	
36	Ritter, Daniel B.	well log		
36	Smaus, Ray	well log		
36	Schultz, Herald D. & Mrs.		2990	
36	Cory, Jack	well log		
36	Ritter, Daniel B. & Smaus		1965	
36	Parshall, Maxwell	GW-2	5246	
36	Gray, D. C. & Conroy, D'Arcy	well log		
36	Craw, Leland	GW-2	5373	
36	"	GW-2	175034	
36	"	GW-2	4473	
36	Hill, Larry	well log		
36	Ray, James & Kay, Thomas P.	well log		
36	Dish, Warren Walter	GW-4	4257	
36	Bell, Marvin	GW-2	5637	
36	Davis, Lloyd & Melvin		1763	
36	Downing, Samuel A.	GW-4	2948	
36	Fels, C. Jr.	GW-2	5588	

County Ravalli Twp. 6 North Rge. 21 West

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
36	U.S. Public Health Service	GW-4	4178	
36	" "			
36	Jackson, James M.	GW-2	4504	
36	Le Duc, L. D.	GW-2	4751	
36	Marugg, Phil Lemm	GW-2	4831	
36	Long, Lillie H.	GW-4	1876	
36	Moss, Hamed Rq Helen H.	GW-4	2864	
36	Stoenner, Herbert G.	well log		
36	Taylor, George B.	well log		
36	Muhamel, Simon J. & Lillian J.	GW-4	2653	
24	Unters, Rld O.	"	2016	
24	" "	GW-2	2000	
31	Staub, J. A.	GW 4	2316	
	Smu, Ronald B.		1992	
24	Sinclair, Lela		2499	
25	Ravalli County Bank	GW-2	1691	
25	Ravalli County		4805	
	Pile, James F.	GW-4	1939	
	Carroll, Clifford & Minnie		1927	
	Bennett, Harriet M.	GW-2	1689	
32	Dawden, R. J.	GW-4	1885	
32	" "		1886	
25	Drimes, Edward	GW-2	1746	
	Hughes, Stanley McMillen		2959	
	Gelinell, Gilbert L.		2168	
	Went, Dick	GW-2	1716	
25	Merkelbe, A. C.		2053	
	Shane, H. S.	GW-4	1712	
	" "	GW-4	1711	
25	" "	GW-4	1710	
25	Thorne, Elsie May		2115	
	Wright, Earle C. & Myrtle	GW-4	1800	
24	Pratt, Grant	GW3	2163	previously mislabeled as N.Z.D.'s
22	Mackay, Bob & Nadine	GW2	5070	
23	Boche, John	GW2	5000	
23	Kohls, Glen M.	GW2	4991	
23	Lawrence, K. J.	GW2	5117	
24	Clarence, Thomas H.	GW4	2931	
24	Cole, William W. & Alice Jean	GW2	2599	
24	Cole, William W. & Alice Jean	GW4	2600	
24	Lahinden, Eugene & Gladys	GW3	4922	
24	Emelio, Lorene H.	GW4	2893	
24	Kilpatrick, Judson W.	1962	No #	
24	Kilpatrick, Judson W.	1962	No #	
24	Owring, Ralph C.	GW4	4457	
24	Roth, George W.	GW4		



File No. DEC 22 1965

T. 6N R. 21W

DUPLICATE \_\_\_\_\_ McDermott \_\_\_\_\_

County Rawalli

Butcher \_\_\_\_\_ McNulty \_\_\_\_\_

STATE OF MONTANA

Coyle \_\_\_\_\_ Morton \_\_\_\_\_

ADMINISTRATOR OF GROUNDWATER CODE

Darlington \_\_\_\_\_

Dickert \_\_\_\_\_

OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater May 1, 1951

Owner Eugene J. Schmitt Address R. 1. Box 335 Hamilton


Contractor (if any) none

Address of Contractor \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring

Water level 4' inch



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. about

5 Months per year

for irrigation

1/4 Sec. 26 T. 6N R. 21W

Indicate point of appropriation and place of use, if possible.

E 1/2 W 1/2 S 1/2 N 1/2 SW NW Spring recess 4 Gallons per Minute

E 1/2 W 1/2 N 1/2 S 1/2 SW NW

Le 1/2 W. 125 ft. a 8250 ft

Signature of Owner Eugene J. Schmitt

Date Dec 20 - 1965

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

40114

#4668

168028

STATE WITNES CONCERNING THE  
RECORDING OF THIS INSTRUMENT  
BY THE COUNTY RECORDER  
ON THIS DATE  
1965  
AT  
10:50  
A.M.

I certify that I received and filed this  
instrument on this 20th  
day of Dec., 1965, at 10:50  
o'clock A.M.

F. G. Moore

COUNTY RECORDER

By Mary M. [Signature]  
DEPUTY

Fee \$2.00

RECEIVED

County Beaumont

AUG 8 1972

DRILLER'S LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner STAN HOOD

Address

W. OF HAMILTON, MONTANA

Date well started APRIL 24, 1972

completed APRIL 27, 1972

Type of well DRILLED

Equipment used CHURN

Water Use: Domestic  Municipal  Stock  Irrigation


Industrial  Drainage  Other \* Garden/Lawn

\*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	6-5/8" OD 17 lbs. 2" side-wall	ground level	104' 6"	none	none	none



Static water level 29 ft.\*  
Pumping water level 103 ft.\*  
at 6 gallons per minute,  
measured 120 minutes after pumping  
began.  
\*Measured from ground level.  
Well developed by ball test  
for 4 hours.  
Power          Pump          HP  
Remarks: (Gravel packing, cementing,  
packers, type of shutoff)         

S. 1/4 N. 1/4 Sec. 26  
T. 6 N. R. 31 E  
8 W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Herman L. Williams

Driller's Address 1558 So. 5th. W. MISSOULA, MONTANA

LICENSE NO. 151

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
01	8'	tan clay, gravel & boulders
8'	19'	tan clay, sand & gravel
19'	20'	water, sand & gravel
20'	46' 6"	tan clay, sand & gravel
46' 6"	48'	sand, gravel & seep of water
48'	73'	tan clay, sand & gravel
73'	104'	tan clay & sand with water seeps
104'	104' 6"	sand, gravel & water

104' 6" Show exact depth of bottom

51,096

25-686



I certify that I received and filed this  
 instrument on this 7<sup>th</sup>  
 day of Aug, 1972, at 9:40  
 o'clock A.M.  
F. J. Moore  
 COUNTY RECORDER  
 BY F. J. Moore  
 DEPUTY

RECORDED

INDEXED

FILED

SEP 11 1972

CLERK OF SUPERIOR COURT

STATE OF ALABAMA

MOBILE COUNTY

MOBILE

RECEIVED 6 21  
County Beaumont

JUN 8 1973

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Steven A. Caruthus

Address HAMILTON, MONT

For Administrator's Use	
File	<u>5931</u>
Date	<u>JUNE 5, 1973</u>
GW	<u>1 9:00 a.m.</u>

Date well started Feb 29 1972  
completed March 19, 1972

Type of well Drilled  
(Dug, driven, bored or drilled)


Equipment used Cable Tool  
(Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe \_\_\_\_\_  
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). \_\_\_\_\_

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6 inch</u>	<u>2 1/2 inch PRIME Steel</u>	<u>0</u>	<u>65</u>	<u>NA</u>		



Static water level 9 ft.\*  
Pumping water level 58 ft.\*  
at 4 gallons per minute,  
measured 20 minutes after pumping began.

\*Measured from ground level.  
Well developed by PUMP  
for 5 1/2 hours.  
Power ELECT Pump 3/4 HP  
Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

N.W. 1/4 S. 1. 1/4 Sec. 26  
T. 6 N. R. 21 E.  
8 W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature J. A. Jackson

Driller's Address 509 1/2 Main St.  
HAMILTON MONT LICENSE NO. 194

Top of Ground		(Elev. above sea level)
From (Feet)	To (Feet)	
<u>0</u>	<u>18</u>	<u>Rock Sand gravel</u>
<u>24</u>	<u>31</u>	<u>Clay</u>
<u>31</u>	<u>45</u>	<u>Near decomposed granite</u>
<u>45</u>	<u>59</u>	<u>Blue Clay</u>
<u>59</u>	<u>67</u>	<u>Clay bound Sand</u>
<u>67</u>	<u>67 1/2</u>	<u>Gravel and water</u>

64 ft 6 inches Show exact depth of bottom

53,403

5931

I certify that I received and filed this  
instrument on this 5th  
day of June 1973 at 9:00  
o'clock A.M.

Carlton E. Hughes  
COUNTY RECORDER

Fee 2.00  
DUES

*[Faint, mostly illegible text and markings on the left side of the page, possibly bleed-through from the reverse side.]*

*[Vertical handwritten text on the right side of the page.]*

*[Small handwritten mark or symbol at the bottom right.]*

GW 2

File No. ....

T 6 R 21

DUPLICATE

Ravalli County

MONTANA WATER RESOURCES BOARD  
**RECEIVED**

SEP 25 1968

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Tad Ekin Address Blodgett Heights  
C. F. Wroble Address Hamilton, Montana  
Driller Ravalli Drilling Co. Address Victor, Montana

Date of Notice of Appropriation of Groundwater .....

55' - Decomposed granite  
Sands, Tight Pressed  
Sedimentary Boulders  
Date well started Sept. 14, 68 Date Completed Sept. 16, 68


Type of well Drilled Equipment Used Churn  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic () Municipal ( ) Stock ( ) Irrigation ( )

88' - Intermittent layers of  
Sand and Gravel  
Industrial ( ) Drainage ( ) Other ( )

← Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 lbs. per ft.	0	88	3/16x5	82'	88'



NW 1/4 NW Sec. 26 T. 6 R. 21

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom

Static Water Level for non-flowing Well 58 feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 14 feet at 20 gal. per minute.

Discharge in gal., per min. of flowing well .....

How Tested Baled Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, Location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....

62  
Driller's License Number

C. F. Wroble  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

44,607



1-2

T. 6. North R. 21. West

County, Ravalli.

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 4 1932

STATE ENGINEER

WATER WELL LOG

	X	

Owner Bernard L. Jay, R.R. 1 Box 346 Address Hamilton, Montana

Driller Mr. Little, previous owner Address same

Date Started about 1910 Date Completed 1910

Location: Sec. 26 T. 6. N. R. 21. W. 1/4 sec. NW 1/4 SE 1/4

Type of well Dug Equipment used Hand  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other: About 12 Feet across

Casing: 2 ft. to 21 ft. Type Planking Size 21 feet deep.

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations.

Static Water level, for non-flowing well: From 2 feet of the surface to 6 feet. feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: Not Tested feet at gal. per min.

How tested: With storage Have pumped at 60 G.P.M. for appx.

Length of test: 5 or 6 Hours in Irrigation season when water table is highest.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

The storage is appx. 20ftn wide by 60 feet long, 6 to 9 ft. deep

(over)

1-2

T. 6. North R. 21. West

County Beavill.

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 4 1962

STATE ENGINEER

WATER WELL LOG


Owner Bernard L. Jay. R.R. 1 Box 346 Address Hamilton, Montana

Driller Mr. Little <sup>previous owner</sup> Address same

Date Started about 1910 Date Completed 1910

Location: Sec. 26 T. 6. N. R. 21. W. 1/4 sec. NW 1 SE 4

Type of well Dug (Dug, driven, bored, or drilled) Equipment used Hand (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage

Casing: 2 ft. to 21 ft. Type Plain Size about 12 feet across  
21 feet deep.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: \_\_\_\_\_

Static Water level, for non-flowing well: From 2 feet of the surface to 6 feet. feet

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: Not Tested feet at \_\_\_\_\_ gal. per min.

How tested: With storage Have pumped at 60 G.P.M. for Appx.

Length of test: 5 or 6 Hours in Irrigation season when water table is Highest.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

The storage is Appx 20ftn wide by 60 feet long, 6 to 9 ft. deep

(over)

2-2

T. 6. North R. 21. West

County. Havill...

RECEIVED  
JAN 4 1910

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

STATE ENGINEER

WATER WELL LOG


Owner. Bernard L. Jay. R. R. 1, Box 346 Address. Hamilton, Montana.

Driller. Mr. Little. A previous Owner Address. Same

Date Started. About 1910 Date Completed. 1910

Location: Sec. 26 T. 6. N. R. 21. W. 1/4 sec. NW 1 SE 1

Type of well. Dug Equipment used. Hand  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other: \_\_\_\_\_

Casing: surface ft. to 18 ft. Type. Rock Walled Size. 6 ft. across 18ft. deep.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations. \_\_\_\_\_

Static Water level, for non-flowing well: 3ft. to 6 ft. depending on season. feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: Not tested

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)

RECEIVED  
OCT 25 1957

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

T. 6N R. 21W  
County Beavalli

WATER WELL LOG

		X

Owner Delos Mettler Address HAMILTON  
 Driller William E. Maki Address Corvallis  
 Date Started July 22, 1957 Date Completed July 25, 1957  
 Location: Sec. 24 T. 6N R. 21W 1/4 sec. SE 1/4 NE 1/4

Type of well Drilled (Dug, driven, bored, or drilled) Equipment used Spudger (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other: \_\_\_\_\_

Casing: 3 ft. to 80 ft. Type Std. P.E. Size 5" Seamless Blk.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: \_\_\_\_\_

Static Water level, for non-flowing well: 17' feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: 17 feet at 400 gal. per hr. gal. per min. \_\_\_\_\_

How tested: Baller

Length of test: 3 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

(over)

RECEIVED

OCT 25 1957

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

T. 6N R. 21W

County Beavalli

WATER WELL LOG

			X

Owner Delos Mettler Address Hamilton

Driller William H. Maki Address Corvallis

Date Started July 22, 1957 Date Completed July 25, 1957

Location: Sec. 24 T. 6N R. 21W 1/4 sec. SE 1/4 NE 1/4

Type of well Drilled Equipment used Spudder  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other: \_\_\_\_\_

Casing: 3 ft. to 80 ft. Type Std. P.E. Size 5" Seamless Blk.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: \_\_\_\_\_

Static Water level, for non-flowing well: 17' feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: 17 feet at 400 gal. per hr. gal. per min.

How tested: Boiler

Length of test: 3 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



File No. ....

MAR 20 1967

T. .... R. ....

DUPLICATE

LOG

Billie \_\_\_\_\_ McDermott \_\_\_\_\_  
Eutaw \_\_\_\_\_ (Mott) \_\_\_\_\_  
Coye \_\_\_\_\_ Markon \_\_\_\_\_  
Darlington \_\_\_\_\_ Sullivan \_\_\_\_\_  
Dickert \_\_\_\_\_

County Missoula

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

0	Top of Ground (Elev. above sea level.....)
1	top soil
14	tan clay, sand, gravel and boulders
14	surface water, sand and gravel
23	
23	tan clay, sand, gravel and boulders
37	
37	sand, gravel and water
42	

### Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner GENE WETZSTEON Address HAMILTON, MONTANA

Driller KEN WILLIAMS Address 1558 So. 5th. W. MISSOULA, MONTANA

Date of Notice of appropriation of groundwater.....


Date well started MARCH 6, 67 Date completed MARCH 13, 67

Type of well drilled Equipment used churn  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	5/8" O.D. 17 lbs. 1/2" side wall	ground level	42'			



Static Water Level for non-flowing well ..... 17 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 40 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested test submersible pump

Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NE 1/4 Sec 26, T. 1, R. 21  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

151  
Driller's License Number

Kenneth L. Williams  
Driller's Signature.

41810

#4912

1967

I certify that I received and filed this  
Instrument on this 16<sup>th</sup>  
day of March, 1967, at 3:45  
o'clock P.M.

E. J. Moore  
COUNTY RECORDER

Wes. Co  
DEPUTY

THIS INSTRUMENT WAS FILED IN THE PUBLIC RECORDS OF THE COUNTY OF WESMONT, MISSISSIPPI, ON MARCH 16, 1967, AT 3:45 P.M.

GW 3

Approved Stock Form—State Publishing Co., Helena, Montana—42199

File No. 2071

T. L. R. 210

DUPLICATE

County Beaumont

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 23 1963

### Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater September 23, 1958

Owner Fred E. Wilkerson Address Route 1, Box 362A  
and Tina Leona Wilkerson Hamilton, Montana.

Contractor (if any) none

Address of Contractor

Date Started unknown Date Completed unknown


Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Pond supplied with water

by spring and waste water

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

10<sup>8</sup> guess  
estimate approximate lengths of periods of use

used in summer months



Indicate point of appropriation and place of use, if possible.

Signature of Owner Fred E. Wilkerson  
Tina Leona Wilkerson

Date December 19, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I certify that I received and filed this  
instrument on this 20th  
day of Dec. 19 63 at 4:02  
o'clock P M.

F. N. Moore  
COUNTY RECORDER

By \_\_\_\_\_ DEPUTY

GW 3

Approved Stock Form—State Publishing Co., Helena, Montana—42199

26

File No. ....

T. 6N R. 21W

DUPLICATE

County Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 17 1964

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Sept., 1912


Owned KELSEY C. MILNER Address Rt. 1, Box 355

Contractor (if any) none

Address of Contractor .....

Date Started not applicable Date Completed not applicable

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. There are two flowing springs; also subirrigation by seepage water. (Subirrigated areas surround springs.)



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. The springs provide sufficient water for year round maintenance of 20 head of stock. Approximately 1.5 acres of land (orchard & pasture) are subirrigated by seepage.

NW 1/4 NE 1/4 Sec. 26 T. 6N R. 21W

Indicate point of appropriation and place of use, if possible.

Signature of Owner Kelsey C. Milner

Date Dec. 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner. Doris H. Milner

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

37460

2996

I certify that I received and filed this  
Instrument on this 31st  
day of Dec., 1963 at 1:05  
o'clock P.m.

F. G. Moore

COUNTY RECORDER

By Shirley Keith  
DEPUTY

*[Faint, illegible text and markings, possibly a stamp or handwritten notes, located on the right side of the page.]*

File No. ....

T. 6 N R. 21 W

DUPLICATE

County. Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER & CODE  
OFFICE OF STATE ENGINEER


JAN 17 1964

Declaration of Vested Groundwater Rights

(Under Chapter 287, Montana Session Laws, 1961)

and DORIS H. MILNER STATE ENGINEER  
WEST OF  
1. KELSEY C. MILNER, of Route 1, Box 355, HAMILTON  
(Name of Appropriator) (Address) (Town)

County of RAVALLI State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NE 1/4 Sec. 26 T. 6 N R. 21 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based *House water supply, irrigation of lawn and garden.*
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been *ca July 1, 1913. In continuous use since that date.*
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) *12 gallons per minute.*
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *Applied to approx. 1 acre nearest well (as indicated in diagram) on 16.9-acre tract owned by Kelsey C. and Doris H. Milner.*
- 6. The means of withdrawing such water from the ground, and the location of each well or other means of withdrawal *By pumping from the single well indicated.*

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *Completed approx. July 1, 1913.*
- 8. The depth of water table *40 feet.*
- 9. So far as it may be available, the type, size, and depth of each well or the general specifications of any other works for the withdrawal of groundwater *A drilled well, 12 feet deep, with 4-inch casing. Pump at 10-foot depth.*
- 10. The estimated amount of groundwater withdrawn each year *1 to 2 million gallons.*
- 11. The log of formations encountered in the drilling of each well if available. *Not available.*
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner *Doris H. Milner*  
*Kelsey C. Milner*  
Date *Dec - 30, 1963.*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

37461

2997

I certify that I received and filed this  
instrument on this 31st  
day of Dec. 19 63 at 1:06  
o'clock P.M.

F. G. Moore

COUNTY RECORDER

By

*Shirley Keith*  
DEPUTY

File No. ....

T. 6. R. 26

Ravalli County

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECORDED  
JAN 17 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

1. *Ronald H. Chickson*, of *Rt. Box 351 Hamilton*  
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

2. The beneficial use on which the claim is based. *House and Garden*



SE 1/4 Sec 26 T. 6. R. 21.  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. *Sept. 1949*  
*Year around for house*  
*and full garden*

4. The amount of groundwater claimed (in miner's inches or gallons per minute). *One thousand gallons per hour*

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. *Smith's Mt. Chickson Co.*

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. *Electric Pump and Wellhead in the garden*

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. *Date not known*

8. The depth of water table. *40 ft.*

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. *6 in pipe 44 feet deep*

10. The estimated amount of groundwater withdrawn each year. *24,34,000 gallons*

11. The log of formations encountered in the drilling of each well if available. *None*

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. *None known*

Signature of Owner *Ronald H. Chickson*  
Date *Dec 31 1963*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

37266

#2803

I certify that I received and filed this  
instrument on this 31st  
day of Dec. 63 at 9:48  
o'clock A. M.

F. H. Moore  
COUNTY RECORDER

By Shuley Keith  
DEPUTY

File No.  
DUP.

T. 6 N. R. 21 W. 26  
County.....


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER JAN 17 1964

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. Willard Foster..... of HAMILTON Mont. ....  
(Name of Appropriator) (Address) (Town)

County of RAVALELLI..... State of MONTANA.....

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.  
NW 1/4 SE 1/4 Sec 26 T. 6. R. 21. MM. of S. E. 7 Sec. 26, Town Ship 67 Range 21, M.M.

- 2. The beneficial use on which the claim is based House Use AND IRRIGATION AND Stock WATER
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been April 12, 1950
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 GALLONS PER MINUTE
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 2 ACRES LOCATED IN THE NW 1/4 S. E. 7 Sec. 26, Town Ship 67, RANGE 21, M.M.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC WATER PUMP
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater April 12, 1950
- 8. The depth of water table 20 Ft. FROM ground level
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 20 feet FROM ground level 6 inch drilled to a depth of 58 Ft.
- 10. The estimated amount of groundwater withdrawn each year 800,000 gallon
- 11. The log of formations encountered in the drilling of each well if available CLAY with WATER BEARING WATER SEAMS AT VARIOUS DEPTHS
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Willard Foster  
Date Jan 7 1964

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

4075

I certify that I received and filed this  
instrument on this 31st  
day of Dec. 19 63 at 4:04  
o'clock P. M.

F. H. Moore

COUNTY RECORDER

By

Shirley Keith

DEPUTY

26

File No. ....

T. 6N R. 21W

DUPLICATE

County: Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 8 1964  
STATE ENGINEER

### Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1922

Owner Jake Brotzman Address W of Hamilton

Contractor (if any) Not applicable

Address of Contractor N.A.

Date Started N.A. Date Completed N.A.

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Natural spring

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.

25 gal per min, estimated on basis of rate of continuous flow, which is 10 to 15 inches

Signature of Owner Jake Brotzman


Date Dec 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



NW 1/4 NW Sec 26 T6N R21W

Indicate point of appropriation and place of use, if possible.