

6045

I certify that I received and filed this  
instrument on this 29th  
day of June, 1923, at 4:27  
o'clock P. M.

Charles E. Hughes  
COUNTY RECORDER

By Wm. J. O'Connell  
DEPUTY

File No. ....

MONTANA WATER RESOURCES BOARD  
**RECEIVED**

T. .... R. ....

DUPLICATE

County Ravalli

LOG JUL 11 1968

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

Top of Ground  
(Elev. above sea level.....)

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner City of Stevensville Address Stevensville, Mont.  
C.F. Wroble Box 27

Driller Ravalli Drilling Co. Address Victor, Mont.

Date of Notice of appropriation of groundwater.....

1 ft. Topsoil

Date well started Feb. 8, 1968 Date completed Feb. 13, 1968

10ft. Sand, Gravel

Type of well Churn Drilled Equipment used Churn Drill  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

29 ft. Sand, Gravel, Large glacial boulders, Tight pressed

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	32 lbs. per ft.			1/4x4	36	56

56 ft. Sand, Gravel, Loose, Water Bearing



Static Water Level for non-flowing well ..... 30 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 36 feet  
at 300 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested Baled

Length of Test..... 3 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff)..... Well to be

pumped to capacity at the  
rising of the water table.

(Cor. Ravalli St. & South Av.)

NW 1/4 Sec. 27, T. 9, R. 20.

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

62  
Driller's License Number

C.F. Wroble  
Driller's Signature.

443 11

#5049

I certify that I received and filed this  
instrument on this 8<sup>th</sup>  
day of July 1968 at 10:46  
o'clock AM  
F. J. Moore  
COUNTY RECORDER  
By F. J. Moore  
DEPUTY

File No. 1700

T. 9 N R. 20

DUPLICATE

County Ravalli

STATE OF MONTANA RECEIVED ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER FEB 18 1963

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground (Elev. above sea level) 0 to 2' Top soil 2' to 27' Sand, clay gravel & boulders 27' to 35' Sand, gravel & water 35' to 42' Sand, gravel some clay & water 42' to 48' Clay 48' to 54' Sand, gravel & water.

Owner Stevensville Cemetery Address Stevensville, Mont

Driller Glenn Camp 705 Alder Address Missoula, Montana

Date of Notice of Appropriation of Groundwater


Date well started 12/3/62 Date Completed 12/6/62

Type of well Drilled Equipment Used Churn drill (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic [ ] Municipal [ ] Other [ ] Irrigation [ ] Industrial [ ] Drainage [ ] Stock [ ] Cemetery

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



SW 1/4 SE 1/4 Sec. 27 T. 9 R. 20 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 20' from G.L. feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 32 feet at 100 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Compressor Length of Test 5 1/2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

License # 7 Driller's License Number Glenn Camp Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

1700

I certify that I received and filed this  
instrument on this 13th  
day of February, 19 63, at 10:52  
o'clock A. M.

F. J. Moore  
COUNTY RECORDER

By \_\_\_\_\_

No Fee

File No. 1698

T. 9<sup>n</sup> R. 20<sup>v</sup>

DUPLICATE

County Roavelli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER  
**RECEIVED**  
FEB 18 1963

**Notice of Completion of Groundwater Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

117' to 130' Clay & sand.  
130 to 131' gravel & sand  
131' to 140' Clay & sand  
140 to 141' Gravel, sand  
some water  
141' to 150' Clay & sand  
150 to 164' Sand, some clay  
164' to 174' Sand, small  
heaving gravel  
174' to 178' Hard clay &  
grit.  
178' to 190' Brown clay  
with grit  
190' to 219' Granite, some clay  
219' to 231' Clay Mixed with  
gravel  
231' to 239' Gravel some clay  
239' to 275' Clay with grit  
275' to 284' granite  
284' to 305' Clay with grit  
305' to 314' granite  
314' to 319' clay  
319' to 324' Granite  
324' to 330' Sand, small  
gravel  
330' to 344' Sand  
344' to 347' Peat  
347' to 350' Clay  
350' to 357' Clay  
357' to 370' Sand with  
gravel (perforated) Water  
370' to 380' Clay  
380' to 389' Gravel & sand  
389' to 412' Clay  
412' to 413' Granite

Owner City of Stevensville Address Stevensville, Mont

Driller Glenn Camp 705 Alder Address Missoula, Mont

Date of Notice of Appropriation of Groundwater.....


Date well started 12/29/56 Date Completed 3/1/57

Type of well Drilled Equipment Used Churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock  **City**

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
		1' above G.L.				
10"	10" 33 lbs to foot		455'-4"	3/8 by 1"	362	370
				16 holes to the foot		



SE 1/4 Sec. 27 T. 9. R. 20  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

415' to 415' clay  
Show exact depth of bottom.

416' to 417' granite  
417' to 427' Clay  
427' to 428' Nealy sand  
428' to 434' Granite  
434' to 438' Clay & sand  
438' to 440' Sand

440' to 453' Granite  
453' to 460' Clay & sand  
460' stopped drilling in clay & sand

Drillers licence # 7  
Driller's License Number  
Glenn Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

1698

I certify that I received and filed this  
instrument on this 13th  
day of February, 1963 at 10:50  
o'clock A. M.

L. A. Moore  
COUNT RECORDER

By \_\_\_\_\_  
DEPUTY

No Fee

This is the log on the first 117 feet of the city well drilled by John Farrell. The rest of the 413 feet are on the following sheets.

From surface.  
2' soil.  
2'-17' heavy gravel.  
17'-25' little water sand and gravel.  
25'-40' heaving sand little water.  
40'-67' gray clay.  
67'-75' decomposed granite and water.  
75'-105' heaving sand.  
105'-110' red clay.  
110'-115' medium to coarse sand and water.  
Clay under neath 2' of casing above surface.  
Total depth of well 117 feet from top of casing to the bottom.

Tested by compressor. 65 to 75 gallon per minute.

Completed by John Farrell permit number 185 April 8, 1956.

There was not enough water for our use that is why we went deeper.

Fred W. Odlin

Water Commissioner

Town of Stevensville.



File No. ....

RECEIVED

T 9 R 20

DUPLICATE

Ravalli County

STATE ENGINEER  
STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED


**Declaration of Vested Groundwater Rights**

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Fred T. Porch of Stevensville Mont.  
(Name of Appropriator) (Address) (Town)

County of Ravalli, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 2, T. 9, R. 20  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based House use WATTE Ring Turbine
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been about 30 years about 50 years
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gpm for domestic
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Pump NOT used for irrigation
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump in Basement

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater I don't know
- 8. The depth of water table up and down 20 in
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater one well 33 ft depth, drilled with rock, 14 ft width across
- 10. The estimated amount of groundwater withdrawn each year I guess 4,650,000
- 11. The log of formations encountered in the drilling of each well if available DON'T KNOW
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record DON'T KNOW

Signature of Owner

Fred T. Porch

Date

Dec 7 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#1694

RECORDED on this 29th  
day of Jan., 19 63, at 1:50  
o'clock P. M.

G. G. Moore  
COUNTY RECORDER  
By Leiland R. Chene  
DEPUTY

File No.....

T. 9<sup>n</sup> R. 20<sup>w</sup> 27

DUPLICATE

County.....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

0 to 4' Top soil

4' to 22' Clay, sand &  
large & small gravel

22' to 26' Sand, gravel &  
large gravel

26' to 28' Sand, gravel &  
water

28' to 32' Sand & gravel

32' to 36' Sand, clay &  
gravel

36' to 49' Sand & clay

49' to 55' Clay, sand &  
gravel

Owner Charles F. Moore Address Stavenville, Mont

Driller Glenn Camp 705 Alder Address Missoula, Mont

Date of Notice of Appropriation of Groundwater.....


Date well started 5/13/65 Date Completed 5/28/65

Type of well Drilled Equipment Used Churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
55' to 100' Clay & sand	6"	6" I.D.	2' above G.L.			
100' to 108' Clay & gravel		18.97 #	to 111'-7"		None	
108' to 109'-7" gravel & water		to ft				



SE 1/4 SE Sec. 27, T. 9, R. 20  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 54' from G.L. feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 58 feet at 12 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Test pump Length of Test 24 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Licence # 7

Driller's License Number

Glenn Camp  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#4808

168316

I certify that I received and filed this  
instrument on this..... 6th  
day of Jan., 19. 66, at 2:35  
o'clock P.M.

F. G. Moore

COUNTY RECORDER

By *Margaret M. Dinkley*  
DEPUTY

fee \$2.00

File No. ....

T. 9N R. 20W

DUPLICATE

County .....


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 2 1963  
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Mabel E. Montgomery, of Stevenville  
(Name of Appropriator) (Address) (Town)  
County of Beavertail State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 SW Sec 27 T. 9 R. 20

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based house use lawn + stock water
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1890 continuous use
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gals. per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
S.E. 1/4 SW Sec. 27 T. 9 R. 20  
Lawn + Stock + Stock Water on  
J. B. Franklin (1/2 acres) corral
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric  
pump S.E. 1/4  
South side of house at back porch

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1890

8. The depth of water table 42'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
6" casing 52' deep drilled well

10. The estimated amount of groundwater withdrawn each year 2 million gallons

11. The log of formations encountered in the drilling of each well if available  
no log

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Mabel E. Montgomery  
Date 12/27/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27346

#2538

I certify that I received and filed this  
instrument on the 30th  
day of Dec. 1945  
at P.  
F. G. Moore  
COUNTY RECORDER  
Shirley Keith  
DEPUTY

File No. 5203

T. \_\_\_\_\_ R. \_\_\_\_\_

DUPLICATE

County Ravalli

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

10'-Open Hole

38'-Sand Gravel and  
Boulders, Water Bearing

Owner Dayton Lockridge Address Stevensville, Mont.  
C. F. Wroble

Driller Ravalli Drilling Co. Address Victor, Mont.

Date of Notice of appropriation of groundwater.....


Date well started Oct. 7, 1969 Date completed Oct. 7, 1969

Type of well drilled Equipment used churn  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 #/ft.	0	38	3/16x5	33	38



Static Water Level for non-flowing well 5 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 10 feet at 40 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Baled-2 hours

Length of Test pumped-12 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NE 34 Sec. 27 T. 9 R. 20

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

62  
Driller's License Number

C. F. Wroble  
Driller's Signature

45767

#5203

#181495

FILED October 24, 1969  
at Los Angeles  
Ed. Moore  
County Clerk and Recorder  
Shirley A. S. ...  
County Clerk and Recorder  
JUL 2 1969





5952

I certify that I received and filed this  
instrument on this 15<sup>th</sup>  
day of June, 1873, at 2:10  
o'clock P.M.

Charles E. Hughes  
COUNTY RECORDER

BY Her J. Co  
DEPUTY



#5481

I certify that I received and filed this  
instrument on this 20<sup>th</sup>  
day of Aug, 1971, at 3:20  
o'clock P M.  
F. J. Moore  
COUNTY RECORDER  
By F. J. Moore  
DEPUTY

**RECEIVED**

County Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

JUN 4 1970

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

**NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner St. Mary's Mission

Address Stevensville, Mont

For Administrator's Use		
File	<u>June 3, 1970</u>	
	<u>11:05 P.M.</u>	
	<u>5277</u>	

Date well started May 21, 1970

completed May 21, 1970

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Churn Drill

(Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation


Industrial  Drainage  Other \* Garden/Lawn

\*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL unknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	15 lbs. per ft.	6	40	3/16x5	25	40



S E 1/4 14 1/4 Sec. 27  
T. 9 N. R. 2 D. 8 W

Static water level 14 ft.\*  
Pumping water level 15 ft.\*  
at 50 gallons per minute,  
measured 60 minutes after pumping began.  
\*Measured from ground level.  
Well developed by balling & pumping  
for 2 hours.  
Power..... Pump..... HP  
Remarks: (Gravel packing, cementing, packers, type of shutoff) Gravel pack from 37 to 40 feet.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	16	Open Hole
16	28	Sand, Gravel, Clay Intermittent layers
28	40	Sand, Gravel Water bearing

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature C. J. W. Ravalli Drilling Co.

Driller's Address Box 27, Victor, Montana

LICENSE NO. 62

40 Show exact depth of bottom

46518

#5277

I certify that I received and filed this  
instrument on this 3rd  
day of June, 1970, at 1:05  
o'clock P.M.

J. S. Moore  
COUNTY RECORDER

By Lee J. Co  
DEPUTY

RECEIVED

JUN 1 1970

T. 9 N. R. 20 W.

County Ravalli

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 2 1959

STATE ENGINEER

Sec. 27

WATER WELL LOG

			X
	27		

Owner Stephen J. Anderson Address Stevensville

Driller Stephen J. Anderson Address Stevensville

Date Started Sept. 10, 1959 Date Completed Sept. 12, 1959

Location: Sec. 27 T. 9 N. R. 20 W. 1/4 sec. NE1 NE1 of Sec. 27

Type of well hand dug (Dug, driven, bored, or drilled) Equipment used Hand shovel (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: sprinkle lawn

Casing: 0 ft. to 5 ft. Type lumber cribbing Size 4 ft. sq.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. none to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations none

Static Water level, for non-flowing well: 3 feet (2 feet from top) feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 3 feet at 100 gal. per min.

How tested: with pump

Length of test one hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
Gravel packing, gravel bottom -- open well

(over)





File No. ....

T. .... R. ....

DUPLICATE

County Ravalli

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

**Notice of Completion of Groundwater  
Appropriation by Means of Well**  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)



Top of Ground  
(Elev. above sea level.....)

30'-Open Hole May 23 1969

40'-Sand Gravel and boulders

44'-Yellow clay

77'-Intermittent layers  
Sand gravel clay and  
some boulders

83'-Sand and Gravel  
Water bearing

Owner Mae Murray Address Stevensville, Mont.  
C. F. Wroble  
Driller Ravalli Drilling Co. Address Victor, Montana

Date of Notice of appropriation of groundwater.....


Date well started May 14, 1969 Date completed May 15, 1969

Type of well drilled Equipment used churn  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17 lbs. per ft.	0	83	3/16x5	78	83



Static Water Level for non-flowing well ..... 29 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 63 feet  
at..... 15 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested Baled -1 hour

Length of Test Pumped -1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SE 1/4 Sec. 27 T. 9 R. 20  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

.....(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

52  
Driller's License Number  
C. F. Wroble  
Driller's Signature.

45, 260

#5152

I certify that I received and filed this  
instrument on this 22<sup>nd</sup>  
day of May, 1969, at 2:00  
o'clock P. M.

J. S. Moore  
COUNTY RECORDER

By J. S. Moore  
DEPUTY

File No. ....

T. 9 N R. 20 W

DUPLICATE

County .....


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Claire Johnston, of Box 215 Stevensville  
(Name of Appropriator) (Address) (Town)

County of Ravalli State of Mont.  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 of Sec. 28 T. 9 R. 20 W

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Crop & Pasture

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1959 continuous during growing seasons

4. The amount of groundwater claimed (in mixer's inches or gallons per minute) Sixty (60) gallons per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 8 ac. Claire Johnston

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Elec. pump in center of tract

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Started May 1959 - completed July 1959

8. The depth of water table 5' to 8'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Dug Well - 12 Feet gravel

10. The estimated amount of groundwater withdrawn each year 1 acre ft over 7 acres

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Claire Johnston

Date 12/26/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

4043

I certify that I received and filed this  
instrument on this 31st  
day of Dec, 1963, at 3:32  
o'clock 0 P. M.  
F. G. Moore  
COUNTY RECORDER  
By Shirley Keith



6017

I certify that I received and filed this  
instrument on this 29th  
day of June 19 23, at Wido  
o'clock A. M.

Darlene E. Haghe  
CLERK & RECORDER

By Herzog  
DEPUTY

File No.....

T. 9 N R. 20 W

DUPLICATE

County MISSOULA

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

JAN 8 1964

STATE ENGINEER

Notice of Completion of Groundwater Appropriation  
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Mar. 1960

Owner Mabel E. Montgomery Address Stevensville, Mont.


Contractor (if any) C. N. Const. & Mfg. Co.

Address of Contractor Stevensville, Montana

Date Started Mar. 1960 Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Lump 50' x 100'

approximately 14' deep



N.W. 1/4 SE Sec. 28 T. 9 R. 20

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

150" Used during approx. 9 mos. of each year

Signature of Owner Mabel E. Montgomery

Date Dec 27, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#2539

I certify that I received and filed this  
instrument on the 20th  
day of Dec. 6<sup>3</sup>, 1946  
at P.

F. G. Moore  
COUNT RECORDER

BY Shirley Keith  
DEPUTY





#5522

I certify that I received and filed this  
instrument on this 4<sup>th</sup>  
day of Nov, 1971, at 5:50  
o'clock P. M.  
F. G. Moore  
COUNTY RECORDER  
By Fee 2.00  
DEPUTY



#5-477

I certify that I received and filed this  
instrument on this 16<sup>th</sup>  
day of Aug, 1971, at 10:45  
o'clock A.M.

F. G. Moore  
COUNTY RECORDER

By Fee 2.00  
DEPUTY



#5510

I certify that I received and filed this  
instrument on this 4th  
day of Oct, 1971, at 1:10  
o'clock P.M.  
F. G. Moore  
COUNTY RECORDER  
By Fee 2.00  
Deputy

GW 2

File No. ....

STATE WATER CONSERVATION BOARD

T ..... R .....

DUPLICATE

Ravalli County

FEB 7 1967

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Bill...  
Elev...  
Coyls...  
Dalinton...  
District...

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Fred Skilman Address Victor Mont

Driller Bill Anderson Address Grantdale Mont


Date of Notice of Appropriation of Groundwater .....

Date well started 11-10-66 Date Completed 11-11-66


Type of well drilled Equipment Used Churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic (X) Municipal ( ) Stock ( ) Irrigation ( )  
Industrial ( ) Drainage ( ) Other ( )

← Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4 in	9 pound 1 1/2 in 6 in	03	34			



N.W. 1/4 S.E. Sec. 28 T. 9 N R. 20 W

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom

Static Water Level for non-flowing Well 5 feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 10 feet at 12 gal. per minute.

Discharge in gal., per min. of flowing well 20 per min

How Tested pump Length of Test 2 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, Location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....

33  
Driller's License Number

Bill Anderson  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

11692

#4897

I certify that I received and filed this  
instrument on this 30<sup>th</sup>  
day of Jan., 1967, at 10:30  
o'clock A.M.  
F. G. Moore  
COUNTY RECORDER  
By Lee 2.00  
DEPUTY





#5 498

I certify that I received and filed this  
instrument on this 20<sup>th</sup>  
day of Sept, 1921, at 2:00  
o'clock P.M.  
F. J. Moore  
COUNTY RECORDER  
By Fee 2.00  
DEPUTY









#5479

I certify that I received and filed this  
Instrument on this 29<sup>th</sup>  
day of Aug, 1921 at 10:25  
o'clock AM.  
F. G. Moore  
COUNTY RECORDER  
F. G. Moore  
DEPUTY

9 20 County Ravalli

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD  
**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, last copy to be returned, otherwise the form may be returned.

Owner Rocco Catalano

Address Stevensville, Mont.

Date well started April 7, 1971

completed April 8, 1971

For Administrator's Use	
File	<u>5411</u>
	<u>April 14, 1971</u>
	<u>11:30 a.m.</u>
	<u>GW 1</u>

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Churn Drill

(Churn drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation


Industrial  Drainage  Other \* Garden/Lawn

\*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL unknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	17 lbs. per ft.	0	28	3/16x5	23	28



Lot 7 NK 3112 Creek Acres  
SE 1/4 NW 1/4 Sec 28  
T. 9 N. R. 20 E  
S 8 W

Static water level 7 ft.\*

Pumping water level 19 ft.\*

at 20 gallons per minute,

measured 60 minutes after pumping

began.

\*Measured from ground level.

Well developed by baling &

for 1 hours. pumping

Power..... Pump..... HP

Remarks: (Gravel packing, cementing,

packers, type of shutoff) 3 foot gravel pack

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Charles Webb, Ravalli Drilling Co.

Driller's Address Box 27, Victor, Montana

LICENSE NO. 200

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	1	Topsoil
1	29	Intermittent layers Sand, gravel Water bearing

29 Show exact depth of bottom

48347



#5411

I certify that I received and filed this  
instrument on this 14<sup>th</sup>  
day of April 19 71 at 11:30  
o'clock A.M.  
F. G. Moore  
COUNTY RECORDER  
By Lee 2.00  
DEPUTY

Case No.

T. 9<sup>th</sup> R. 20<sup>th</sup>  
County... Rav...

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


JAN 27 1962

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. <sup>dwd</sup> CARL W. FLORENCE-BALDWIN of Stearns (Town)  
(Name of Appropriator) (Address)

County of Rav State of Mont

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 SW 1/4 c. 29 T. 9. R. 20  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. House Stock: 2 ACRES

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1910 Continuous

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 2 ACRES Cur Baldwin

SE 1/4 SW 1/4 29-9-20

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1910

8. The depth of water table. 30 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other work for the withdrawal of groundwater. 100' 4 in. casing

10. The estimated amount of groundwater withdrawn each year. 630,000 gal

11. The log of formations encountered in the drilling of each well if available. Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Cur Baldwin  
Date 12-31-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

#3025

I certify that I received and filed this  
instrument on this 31st  
day of Dec., 1963, at 1:34  
o'clock P.M.  
F. W. Moore  
COUNTY RECORDER  
By Shirley Keith  
DEPUTY

RECEIVED

County Bauman

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE 11-1913  
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL  
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.


Owner William Petty  
Address St. Paul  
Date well started 1/12/73 completed 1/19/73  
Type of well drilled  
Equipment used drill (cable)  
Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

For Administrator's Use  
File 5934  
June 7, 1973  
GW 1 2:00 p.m.

\*Describe House well  
US: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 3 gal per min

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind	From (Feet)	To (Feet)
<u>1 3/4"</u>	<u>6" 10 lb 6500 # .025 17 # pipe</u>	<u>2 1/2'</u>	<u>126'</u>	<u>none</u>		



N 1/2 E 1/4 NE 1/4 NW 1/4 Sec 29  
T. 9 N R. 20 E

Static water level 23' ft.\*  
Pumping water level 1.5 ft.\*  
at 4 gallons per minute,  
measured 60 minutes after pumping began.  
\*Measured from ground level.  
Well developed by drilling  
for 1 hours.  
Power: 1/2 HP Pump  
Remarks: (Gravel packing, cementing, packers, type of shutoff)

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level) 3750

From (Feet)	To (Feet)	Strata
0	1	soil
1	2	clay
2	30	fine sand
30	50	shale
50	100	clay shale
100	126	fine sand
126	127	drill hole
127	128	clay
128	129	clay
129	130	clay
130	131	clay
131	132	clay
132	133	clay
133	134	clay
134	135	clay
135	136	clay
136	137	clay
137	138	clay
138	139	clay
139	140	clay
140	141	clay
141	142	clay
142	143	clay
143	144	clay
144	145	clay
145	146	clay
146	147	clay
147	148	clay
148	149	clay
149	150	clay
150	151	clay
151	152	clay
152	153	clay
153	154	clay
154	155	clay
155	156	clay
156	157	clay
157	158	clay
158	159	clay
159	160	clay
160	161	clay
161	162	clay
162	163	clay
163	164	clay
164	165	clay
165	166	clay
166	167	clay
167	168	clay
168	169	clay
169	170	clay
170	171	clay
171	172	clay
172	173	clay
173	174	clay
174	175	clay
175	176	clay
176	177	clay
177	178	clay
178	179	clay
179	180	clay
180	181	clay
181	182	clay
182	183	clay
183	184	clay
184	185	clay
185	186	clay
186	187	clay
187	188	clay
188	189	clay
189	190	clay
190	191	clay
191	192	clay
192	193	clay
193	194	clay
194	195	clay
195	196	clay
196	197	clay
197	198	clay
198	199	clay
199	200	clay

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Howard J. Anderson  
Driller's Address 37, 1st St, U.S.A.  
U.S. Highway 100 LICENSE NO. 226

14' Show exact depth of bottom

5934

I certify that I received and filed with  
instrument on this 7th  
day of June 1973, at 2:00  
o'clock P.M.

Charles E. Hughes  
COUNTY RECORDER

J. S. J. O.  
Deputy

D.P.  
H.

S 31, T 9 N, R 20 W, County RAV

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


JAN 27 1963

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. CARL W. Florence BARDWIN, Jr. Stevensville  
(Name of Appropriator) (Address) (Town)

County of RAV State of MONT

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE Sec 31, T 9, R 20

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. House  
Stocks 1 ACRE Irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1900  
Continuous
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 5 gal. per min
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.  
SE 4, SE 4, 31-9-20  
1 acre Carl Bardwin
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  
Pump
- 7. The date of commencement and completion of the construction of the well; wells, or other works for withdrawal of groundwater. 1909
- 8. The depth of water table. 20 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 30 feet
- 10. The estimated amount of groundwater withdrawn each year. 30,000
- 11. The log of formations encountered in the drilling of each well if available. none
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Carl Bardwin  
Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise this form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

#3022

I certify that I received and filed this  
instrument on this 31st  
day of Dec., 1963, at 11:31  
o'clock P.M.  
F. H. Moore  
COUNTY RECORDER  
Shirley Keith  
DEPUTY

e No.

5-31 - T... 9<sup>N</sup>... R... 20<sup>W</sup> 31  
County... R.A.V...


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 17 1963

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. CARL W. and Florence Baldoni, of Revalle Stevenville  
(Name of Appropriator) (Address) (Town)

County of Beaumont State of Mont  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



... 1/4 Sec. ... T... R...  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based... House...  
..... 1 A.C.R.E. - Irrigation.....
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been... 1906...  
..... Continuous.....
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)... 5 Gallons... p.m......
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
..... 1 ACRE - NE, SW - 31-9-20.....
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal...  
..... Pump.....
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater... 1906...  
.....
- 8. The depth of water table... 30'...  
.....
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater... 30 feet Depth...  
.....
- 10. The estimated amount of groundwater withdrawn each year... 30,000...  
.....
- 11. The log of formations encountered in the drilling of each well if available...  
..... None.....
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record...  
..... None.....

Signature of Owner C.W. Baldoni  
Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



# 3023

I certify that I received and filed this  
instrument on this 31st  
day of dec, 1963, at 1:32  
o'clock P.M.  
F. G. Moore  
COUNTY RECORDER  
By Shirley Keith  
DEPUTY

GW 3

File No. \_\_\_\_\_  
*duplicate*  
~~QUADRUPPLICATE~~

T. *9 N* R. *20 W*  
County \_\_\_\_\_

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

*JAN 31 1964*  
*STATE ENGINEER*

**Notice of Completion of Groundwater Appropriation Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater November 13, 1926  
Owner Joseph L. Labrie  
and Fay M. Labrie Address Stevensville,  
Montana


Contractor (if any) \_\_\_\_\_

Address of Contractor \_\_\_\_\_

Date Started 11/13/26 Date Completed same

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable by natural process springs

come to surface in Sec. 6, T 8 N, R 20 W; and in  
1/2 SE 1/4 of Sections 31 and 32, T 9 N, R 20 W;  
and in Sec. 1, T 8 N, R 21 W, M.M., all in Ravalli  
County, Montana.



..... 1/4 ..... Sec. .... T. .... R. ....  
Indicate point of appropriation  
and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use is constant  
of both water arising from natural process  
and sub-coil. Quantity unknown.

Signature of Owner Joseph L. Labrie  
Fay M. Labrie  
Date December 28, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

37513

# 3049

I certify that I received and filed this  
instrument on this 31st  
day of Dec., 1963, at 1:58  
o'clock P. M.  
F. H. Moore  
COUNTY RECORDER  
By Shirley Keick  
DEPUTY

