


Form No. 18
8-60

T. 27N R. 46E 34

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1962



Water Well Log

STATE ENGINEER

Owner Joseph Day Address Wolf Point

Driller Verdon Address Poplar

Date Started 1934 Date Completed 1934

Location: Sec. 34 T. 27 R. 46 $\frac{1}{4}$ Sec. NE-NW

Type of well Drilled Equipment used Rotary
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 50 ft. Type Galv Size 4 inch

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.
Unknown

Type of screen or perforations Unknown

Static water level, for non-flowing well: 20 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level Unknown feet at gal. per min.

How tested: ☒

Length of test ☒

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

[illegible]File No. 173 Doc. No. _____

WATER WELL LOG

Joseph Day

to 210400

The Public

STATE OF MONTANA.
County of Roosevelt,

} ss.

Filed this 29th day of

~~December~~, A.D. 19~~61~~

at 1:30 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Deputy

~~FOUO~~

Received from Joseph Day

~~Wolf Point, Montana~~

Form No. 18
8-60

T. 27 N. R. 46 ³⁴

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1934

Water Well Log

STATE ENGINEER

Owner Joseph Day

Address Wolf Point

Driller Verdon

Address Poplar

Date Started 1934

Date Completed 1934

Location: Sec. 34 T. 27 R. 46 $\frac{1}{4}$ Sec. NE SW

Type of well Drilled Equipment used Rotary
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 50 ft. Type Galv Size 4 inch

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. Ft. to ft.

Type of screen or perforations Unknown

Static water level, for non-flowing well: 20 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level Unknown feet at gal. per min.

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

[illegible]

File No. 172 Doc. No. _____

WATER WELL LOG

Joseph Day

20 210399

The Public

STATE OF MONTANA. }
County of Roosevelt, } ss.

Filed this 29th day of
December, A.D. 19 61

at 1:30 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Deputy
~~Pro D.H.~~

Received from...~~Joseph Day~~

~~Wolf Point, Montana~~

County

Rosemead

Twp.

27N

Rge.

47E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
2	Exlund Bros., Inc.	well log	209667	
3	Berry, Robert L. & Helen M.	484	220299	
8	Spitzer, Fred L.	57 Well log	210305	
8	Spitzer, Fred L.	57 Well log	210306	
10	Wagmiller, Clifford O. & Phyllis A.			
	Simmons, Harold, Rich. M.	484	220424	
11	Meidinger, Adolph	57 Well log	210273	
12	Loon, Lee L.	484	228928	
12	Loon, Russell	57 Well log	210394	
12	Loon, Russell	57 Well log	210393	
13	Loon, Russell	57 Well log	210318	
13	Loon, Dean N.	57 Well log	210406	
13	Loon, Dean N.	57 Well log	210407	
13	Loon, Dean N.	57 Well log	210408	
13	Loon, Dean N.	57 Well log	210409	
14	Shadler, Amos	482	227055	
14	Shadler, Wayne N.	57 Well log	193341	
15	Detachke, John	57 Well log	210461	
16	Loon, Paul H.	482	253482	
16	Loon, Thomas	57 Well log	210489	
16	Strachan, Pauline K. & Richard	57 Well log	210282	
17	Smith, Kermit	481		
17	Smith, Kermit	481		
17	Smith, Kermit	481		
17	Smith, Kermit	481		
17	Smith, Kermit	481		
17	Smith, Kermit	484	220051	
19	Strachan, Richard	57 Well log	210284	
19	Strachan, R. & H. Muley	57 Well log	210283	
20	Loon, John D. & Delia	482	253486	
20	Loon, John	57 Well log	210322	
20	Smith, Richard	57 Well log	195738	
21	City of Half Point	57 Well log	210191	
22	Loon, Mark B.	482	225518	
22	Stennard, J. L.	57 Well log	207943	
22	Stennard, Theodore & Billy	57 Well log	207942	
22	City of Half Point	481		
23	Johnson, Walter L.	57 Well log	210353	
23	Johnson, Walter L.	57 Well log	210354	
30	O'Connor, J.	482	222109	
22	Davis, Sarah A.	GW H	217128	
-	Crause, Eva	well log	210455	
	Hickel, Albie, Est.	" "	210392	
	Immaculate Conception Church	" "	210351	
	Kruger, Clarence	" "	210380	
	" "	" "	210379	
22	Well Point, City of	" "	210188	

Rge. ~~N7E~~

[illegible]

Form No. 18
8-60

T. 27 N R. 50 E
County Beaumont

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
NOV 15 1961

WATER WELL LOG

STATE ENGINEER

Owner E. J. Johnson, Jr. Address 1010 1st St.
Driller Western Drilling Co. Address 1010 1st St.
Date Started 5-15-61 Date Completed 1-15-61
Location: Sec. 2 T. 27 N R. 50 E $\frac{1}{4}$ sec. 4
West of section 2, T. 27 N. R. 50 E.

Type of well drilled Equipment used drill
(Dug, driven, bored, or drilled) (Churn, drill, potter, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 11 ft. Type steel Size 4"
Casing: ft. to ft. Type Size
Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 11 to ft. 11. Ft. to ft.

Type of screen or perforations

Static Water level, for non-flowing well: 1.5 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 12 feet at 20 gal. per min.

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 27 N R. 50 E

County Prescott

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
NOV 15 1961

WATER WELL LOG

STATE ENGINEER

Owner C. Johnson & Sons, Inc. Address Payson, Mont.

Driller Weathering Co. Address Payson, Mont.

Date Started Oct. 15, 61 Date Completed Oct 15, 61

Location: Sec. 2 T. 27 N R. 50 E 1 sec.

West of Payson, Edinburg St 7-Block 4

Type of well Drilled Equipment used Rotary
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 66 ft. Type steel Size 4"

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 61 to ft. 66. Ft. to ft.

Type of screen or perforations

Static Water level, for non-flowing well: 1.5 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 18 feet at 20 gal. per min.

How tested: Running

Length of test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Doc. No.

[illegible]

Doc. No.

[illegible]

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 20th day of

~~November~~ _____, A.D. 19. ~~61~~

at 8:00 o'clock A M.

Klausur 2. Semester

County Recorder

Deputy
Joe D. J.

Received from _____

Western Drilling Co.,

Medicine Lake, Montana

[illegible]

File No.

T. 27 N., R. 47 E., M. 1.

DUPLICATE

County **ROOSEVELT**


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

ROBERT L. BEERY and with right of survivorship,
1. **ELIZABETH M. BEERY, as Joint Tenants/ of** **Wolf Point, Montana**
(Name of Appropriator) (Address) (Town)
County of **Roosevelt** State of **Montana**
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 3 T. 27 N. R. 47 E.

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based. **Household use, watering livestock, and irrigation.**
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. **Approximately 1950; Continuous since.**
4. The amount of groundwater claimed (in miner's inches or gallons per minute). **25 gallons per minute**
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. **1 acre in NW 1/4 Sec. 3, T. 27 N. R. 47 E., Robert L. Beery & Elizabeth M. Beery, as Joint Tenants with right of survivorship.**
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. **Electric jet pump, from drilled well, cased, 5" casing, adjacent to 3-27-47, Roosevelt Co.**
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. **Approximately 1950**
8. The depth of water table. **50 feet.**
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. **Drilled well, 5" casing, 100' in depth.**
10. The estimated amount of groundwater withdrawn each year. **500,000 gallons per year**
11. The log of formations encountered in the drilling of each well if available. **No log available**
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. **No other information**

Signature of Owner

Robert L. Beery
Elizabeth M. Beery

Date **December 30, 1963.**

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate to the Appropriator.

15761

File No. 473 Doc. No. 220299

DECLARATION OF VESTED
GROUNDWATER RIGHTS

Robert L. Beery and
Eleanor M. Beery

to

The Public

STATE OF MONTANA.
County of Roosevelt,

ss.

Filed this 30th day of

December, A.D. 1963

at 11:00 o'clock A.M.

Eleanor A. Schmeltzer

County Recorder

Margaret M. Brown

Deputy

Fee \$2.00 pd.

Received from

Robert Beery

Wolf Point, Montana

File No. 84 Doc. No. _____

WATER WELL LOG

Fred C. Spitzer

to 210305

The Public

STATE OF MONTANA.
County of Roosevelt, } ss.

Filed this 11 day of December 1961

at 8:30 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

For D.H. Deputy

Received from Fred C. Spitzer
Wolf Point, Montana

[illegible]

T. 27N R. 47E
County Roosevelt

County Roosevelt

RECEIVED
JAN 15 1964

STATE ENGINEER

OWNER *G. R. Lutz* Address *214 W. 11th*

Driller	Address
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

Date Started Date Completed

Location: Sec 54 NW T. 27 R. 47 1/2 Sec.

Type of well drilled Equipment used drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒

Industrial ☐ Drainage ☐ Other ☐

Casing: Top ft. to ~~150~~ 50 ft. Type _____ Size _____

Casing:	ft.	to	ft.	Type	Size
---------	-----	----	-----	------	------

Casing:	ft.	to	ft.	Type	Size
---------	-----	----	-----	------	------

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____.

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level	feet at	gal. per min.
10	10	10
20	20	20
30	30	30
40	40	40
50	50	50
60	60	60
70	70	70
80	80	80
90	90	90
100	100	100

How tested: _____

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well was on Place when
I bought it.

(over)

File No. 85 Doc. No. _____

WATER WELL LOG

Fred C. Spitzer

to 210306

The Public

STATE OF MONTANA.
County of Roosevelt,

88

Filed this 29th day of

December, A.D. 1961

at 8:30 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Deputy

Fee D.H.

Received from Fred C. Spitzer
Wolf Point, Montana

Wolf Point, Montana

File No. _____

T 27 N R 47

DUPLICATE

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
 JAN 10 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Clifford O. Wagnild, Phyllis A. Wagnild

1. Gerald Simensen, Ruth M. Simensen

Miles Wolf Point


(Name of Appropriator)

(Address)

(Town)

County of RooseveltState of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec 1/4 Sec 10 T 27 R 47

Indicate point of appropriation
 and place of use, if possible. Each
 small square represents 10 acres.

2. The beneficial use on which the claim is based to be used for
irrigation

3. Date or approximate date of earliest beneficial use; and how continu-
 ous the use has been Not used at present

4. The amount of groundwater claimed (in miner's inches or gallons
 per minute) unknown

5. If used for irrigation, give the acreage and description of the lands
 to which water has been applied and name of the owner thereof
to be used to irrigate about 50 acres

6. The means of withdrawing such water from the ground and the loca-
 tion of each well or other means of withdrawal
by pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
 drawal of groundwater Spring

8. The depth of water table 20 feet approximately

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
 works for the withdrawal of groundwater.
Approximate depth of well would be 20 feet

10. The estimated amount of groundwater withdrawn each year unknown at this time

11. The log of formations encountered in the drilling of each well if available none available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
 reference to book and page of any county record None available

Gerald Simensen
Ruth M. Simensen

Signature of Owner

Clifford O. Wagnild
Phyllis A. Wagnild

Date December 31st, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
 Mines and Geology, and Quadruplicate for the Appropriator.

30249

#587

DECLARATION OF VERIFIED GROUNDWATER RIGHTS

Gerald Simonsen, et al

to 220424

The Public

State of Montana, }
County of Roosevelt. } ss.
Filed this 31st day of
December A. D. 19 63
at 4:00 o'clock P. M.
Eleanor A. Schmeltzer
County Recorder
Margaret M. Brown
Deputy.

Fee \$2.00 pd.

Clifford Wagnild
Wolf Point, Montana

Form No. 18
8-60

T. 27N R. 47E
County Bozeman

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

RECEIVED

STATE ENGINEER

Owner ADOLPH WEIDINGER Address WOLF POINT, MONTANA

Driller OLIVER SIMONSEN Address WOLF POINT, MONTANA

Date Started UNKNOWN Date Completed UNKNOWN

Location: Sec. 11 T. 27 R. 47 $\frac{1}{4}$ sec. SW $\frac{1}{4}$

Type of well HAND DUG Equipment used SHOVEL AND SPADE
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐

Casing: 24(0) ft. to 15 ft. Type Tile Size 18"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. None to ft. ____ Ft. ____ to ft. ____

Type of screen or perforations Gravel bottom to bottom of tile

Static water level, for non-flowing well: Top of water 5 Feet below ground.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 10 feet at 8 gal. per min.

How tested: Pumped by pressure pump.

Length of test pump specifications.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Hand dug well with 18" curbing surrounded on bottom and sides by coarse gravel.

(over)

[illegible][illegible]

Log of Well

[illegible]

File No. 59 Doc. No.

WATER WELL LOG

Adolph Meidinger
to 210273
The Public

STATE OF MONTANA.
County of Roosevelt,

ss.

Filed this 28th day of

December, A.D. 19 61

at 1:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

For D. R. Deputy

Received from **Adolph Meidinger**
Wolf Point, Montana

File No.

T. 27 N. R. 47 E. 12
County Roosevelt

DUPLICATE
STATE WATER CONSERVATION BOARD


JAN 3 1965

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Lee E. Coon, of Wida RT Wolf Point
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 12 T. 27 R. 47

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based 2 wells for household & lawn use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been November 1961
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 12-27-47
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof LAWY & PRESS ON 3.14 ACRES TRACT S.E. 1/4 12-27-47
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Wells same as above
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Nov. 1961
8. The depth of water table APPROX 46 FT.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 110,000 gal.
10. The estimated amount of groundwater withdrawn each year 110,000 gal.
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

Lee Coon
Date 12-31-1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

46584

634

DECLARATION OF VESTED GROUNDWATER RIGHTS

Lee Coon

to
The Public

State of Montana,
County of Roosevelt.

County of Roosevelt. 31st day of
Filed this December A. D. 1965

at 4:00 o'clock P.M.

at Eleanor A. Schmeltzer County Recorder
Margaret M. Brown Deputy.

Fee \$2.00 pd.

Lee Coon, Wolf Point, Montana

228928

[illegible]

...to the ...
...the ...
...the ...

[illegible]

RECEIVED
JAN 10 1968

U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C.

TO THE DIRECTOR, BUREAU OF PLANT INDUSTRY
FROM THE CHIEF, BUREAU OF PLANT INDUSTRY
SUBJECT: [illegible]

[The rest of the document is illegible due to extreme blurriness.]

Form No. 18
8-60

T. 27N R. 47E 12

County MISSOULA

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1961

Water 100 STATE ENGINEER.

OWNER Russell

Address W. C. P.

Dr. 1914

Address 1914

Date Started 1914

Date Completed 1914

Location: Sec. 92

T. 27

R. 47

1/4 Sec. 12

Type of well

(Dug, driven, or drilled)

Equipment used

(Churn, drill, rotary, other)

Water use:

Domestic ☒

Municipal ☐

Stock ☐

Irrigation ☐

Industrial ☐

Drainage ☐

Other ☐

Casing: 20 ft. to 30 ft.

Type Sand Point Size 1 1/2

Casing: 10 ft. to 10 ft.

Type Size

Casing: ft. to ft.

Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static water level, for non-flowing well: feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level feet at gal. per min. 2 gal

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 27N R. 47E 12

County

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

JAN 15 1962

Water Use EST STATE ENGINEER.

OWNER

Russell Lowe

Address

Wolf Creek

Driller

Don J. Jensen

Address

Wolf Creek

Date Started

Dec 1, 1961

Date Completed

Jan 2, 1962

Location: Sec. 9E

T. 27

R. 47

Sec. 12

Type of well

(Dug, driven, or drilled)

Equipment used

(Churn, drill, rotary, other)

Water use:

Domestic

☒

Municipal

☐

Stock

☐

Irrigation

☐

Industrial

☐

Drainage

☐

Other

Casing:

20

ft. to

38

ft.

Type

sand point

Size

1 1/2

Casing:

ft. to

ft.

Type

Size

Casing:

ft. to

ft.

Type

Size

Perforated or screened: Ft.

to ft.

Ft.

to ft.

Type of screen or perforations

Static water level, for non-flowing well:

feet.

Shut-in pressure, for flowing well:

lb./sq. in. on:

(date)

Pumping water level

feet at

gal per min.

2 gal

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

File No. 167 Doc. No.

WATER WELL LOG

Russell Lowe

to 210394

The Public

STATE OF MONTANA. } ss.
County of Roosevelt, }

Filed this 29th day of

December, A.D. 1961

at 1:30 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Deputy

~~FOUO D.H.~~

Received from Russell Lowe-----

~~Wolf Point, Montana~~

Form No. 18
8-60

T. 27N R. 47E ¹²

County Bozeman

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 15 1961

Water Well Log

STATE ENGINEER

OWNER Russell Lowe Address Wolf Point

Driller Bob Harmon Address Wolf Point

Date Started Dec 5 Date Completed Dec 6

Location: Sec. 12 T. 27 R. 47 ¹ Sec. S4-S5-S6 ¹²

Type of well Drain Equipment Used Hand Hammer
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐

Casing: 20 ft. to 30 ft. Type sand Point Size 2 1/2 in

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static water level, for non-flowing well: feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level feet at gal. per min. 2 gal

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. 166 Doc. No. _____

WATER WELL LOG

Russell Lowe

to **210393**

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 19 61

at 1:30 o'clock P.M.

Eleanor A. Schmeltzer

County Recorder

Fee D.H.

Deputy

Received from Russell Lowe

Wolf Point, Montana


Form No. 18
8-60

T. 27N R. 47E 13
County ROOSEVELT

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

STATE ENGINEER



OWNER Charles L. Courchene Address WOLF POINT, MONTANA
Driller ROBERT GANSON Address WOLF POINT, MONTANA
Date Started MAY 1961 Date Completed MAY 1961
Location: Sec. 13 T. 27 R. 47 13 Sec. W2NW4NE4

Type of well DRIVEN Equipment used SAND POINT
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 21 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 31 feet at 50 gal. per min.

How tested: _____

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Electric pressure pump

(over)

[illegible]

A

4

Fine Loamy sand

5

7

Heavy CLAYS + Shale

7

9

SAND

9

10

HARD PAN + SHALE

70

75

FINE SAND

75

70

CLAYS

27

COARSE RED SAND

File No. 96 Doc. No.

WATER WELL LOG

Charles L. Courchene
to 210318
The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 1961

at 9:45 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Deputy

~~see Bill~~

Received from Charles L. Courchene
Wolf Point, Montana

TIME SHOWN
CLAYS
COARSE RED SAND

12 20
15 21

Form No. 18
8-60

T. 27N R. 47E¹³
County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

<u>N</u>		

Water Well Log

Owner DEAN K Olson Address Upper Pine

Driller SAVE Address _____

Date Started _____ Date Completed _____

Location: Sec. 13 T. 27 R. 47 & Sec. NWNE NW

Type of well Deep Driven Equipment used Shovel & Driver
(Dig, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet at _____ gal. per min. _____

How tested: _____

Length of test 10 yds.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Driven sand point 2" pipe.

(over)

File No. 179 Doc. No.

Water Well Log

Dean H. Olson

to 210406

The Public

STATE OF MONTANA. } ss.
County of Roosevelt, }

Filed this 29th day of

December _____, A.D. 19**61**

at 2:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Deputy
Joe D.H.

Received from Dean H. Olson

Wolf Point, Montana

Form No. 18
8-60

T. 27N R. 47E 13
County Bozeman

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

10		

Water Well Log

STATE ENGINEER

Owner DEAN M. Olson Address Rt 188
Driller Verdon Address Wolf Point, Mont.
Date Started 1941 Date Completed 1941
Location: Sec. 13 T. 27N R. 47E Sec. NW NE NW

Type of well Drilled Equipment used Cable Rig
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 94 ft. to ft. Type Steel Size 4 1/2"

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static water level, for non-flowing well: feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level feet at gal. per min.

How tested:

Length of test 20 days

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Driven By Cable tools to Course Sand.

(over)

File No. 180 Doc. No.

Water Well Log

Dean N. Olson

to 210407

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 19 **61**

at 2:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Free D.H. Deputy

Received from Dean N. Olson
Wolf Point, Montana

[illegible]

Form No. 18
8-60

T. 27N R. 47E 13
County ROOSEVELT

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

☒		

Water Well Log

STATE ENGINEER

Owner DEAN N. Olson Address Wolf Run

Driller SPMC Address _____

Date Started 1940 & 1942 Date Completed _____

Location: Sec. 13 T. 27 R. 47 $\frac{1}{4}$ Sec. NWNE, NW

Type of well Dug Driven Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other _____

Casing: 2 ft. to _____ ft. Type 1 1/4" pipe Size _____

Casing: _____ ft. to _____ ft. Type 1 1/4" pipe Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date) _____

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test 21 yrs & 20 yrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

2 wells use for Stock Corral water

(over)

File No. 181 Doc. No.

Water Well Log

Dean H. Olson
to 210408
The Public

STATE OF MONTANA.
County of Roosevelt, } ss.

Filed this 29th day of Feb

December, A.D. 1961

at 2:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

For D.H. Deputy

Received from Dean H. Olson
Wolf Point, Montana

[illegible]

Form No. 18
8-60

T. 27N R. 47E 13
County Deer

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

Owner DEAN N. Olson Address STATE ENGINEER

Driller SAINE Address _____

Date Started _____ Date Completed _____

Location: Sec. 13 T. 27 R. 47 $\frac{1}{4}$ Sec. _____

Type of well Dug & Drilled Equipment used ROSENE SW
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other _____

Casing: 1 1/4" pipe ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test 1961 on

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Sand point well no pressure

(over)

File No. 182 Doc. No.

Water Wall Log

Dean H. Olson
to 210409
The Public

STATE OF MONTANA. } SS.
County of Roosevelt,

Filed this 29th day of

at 2:45 o'clock P.M. on December, A.D. 19 61

Eleanor A. Schmeltzer
County Recorder

Deputy
For D.H.

Received from Earn H. Olson
Wolf Point, Montana

[illegible]

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4193

File No.

T 27 N 47 E 14

DUPLICATE

County—Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JUL 9 1965

**Notice of Completion of Groundwater
Appropriation by Means of WELL**

(Under Chapter 237, Montana Session Laws, 1961)

0 Top of Ground
(Elev. above sea level 1980)
30 Clay
60 Sand
64 Clay
98 Sand
106 Gravel
(Water)

Owner AMOS Shrader Address Wolf Point, Montana

Driller Boone Whitmer & Sons Address Wolf Point, Montana


Date of Notice of Appropriation of Groundwater MAY 10, 1965

Date well started April 24, 1965 Date Completed May 10, 1965

Type of well Drilled Equipment Used Cable Tool
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5-inch	5 1/2 OD 14#	0	106			



SW 1/4 Sec. 14 T27 R47

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 20 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level feet at gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailor Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

#83
Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39282

File No. 619 Doc. No. 227055

NOTICE OF COMPLETION OF
GROUNDWATER APPROPRIATION BY
MEANS OF WELL

Amos Shrader

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 8th day of

July, A.D. 1965

at 10:35 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from

Amos Shrader

Wolf Point, Montana

RECEIVED
SEP 29 1958

T. 27N R. 27E
County: Roosevelt

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner: Wayne A. Schrader Address: Wolf Point, Mont.
Driller: Ernest White Address: Wolf Point
Central Pump & Drilling Co.
Date Started: July 29, 1958 Date Completed: Aug 31, 1958
Location: Sec. 14 T. 27 R. 47 1/4 sec. 8 1/2 SW 1/4 SW 1/4

Type of well: Drilled (Dug, driven, bored, or drilled) Equipment used: Reverse Rotary (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 84 ft. Type: Cement Size: 1 1/2 X 2 1/2

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Perforated or Screened: Ft. 84 to ft. 104 Ft. _____ to ft. _____

Type of screen or perforations: Kelly Cement Perforated Casing

Static Water level, for non-flowing well: 16 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 56 feet at 1100 gal. per min.

How tested: Turbine Pump, 12" fouler, 8" Column

Length of test: 16 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Diameter of drilled hole is 36". O.P. of casing
22 inches. A gravel pack, average size, sand &
used for the entire depth.

(over)

FILE NO. 16 Doc. No.

WATER MILL LOG

Wayne A. Shrader

Depth, feet		Description of
From	To	
0	1	Top Soil
1	4	Clay
4	16	Fine Sand
16	26	Fine Sand & Clay
26	34	Blue Clay
34	39	Fine Sand
39	42	Clay
42	52	Fine Sand
52	58	Clay
58	62	Fine Sand
62	66	Sand Clay
66	68	Gravel
68	74	Fine Sand
74	76	Gravel
76	84	Fine Sand
84	104	Gravel
104	106	Shale

INDEXED

File No. 16 Doc. No.

WATER WELL LOG

Wayne A. Shrader
to 193341

The Public

STATE OF MONTANA, } ss.
County of Roosevelt,

Filed this 25th day of
September, A. D. 19 58
at 2:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder
Marjie M. Stennes
Deputy

Fee D.H.

Received from Wayne Shrader
Wolf Point, Montana

39	42	Clay
42	52	Fine Sand
52	58	Clay
58	62	Fine Sand
62	66	Sand Clay
66	68	Gravel
68	74	Fine Sand
74	76	Gravel
76	84	Fine Sand
84	104	Gravel
104	106	Shale

Form No. 18
8-60

T. 27N R. 47E 15
County Somerset

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

STATE ENGINEER

Owner John Nitschke Address Wofford, Mont
Driller Roll Drilling Address Wofford
Date Started July, 1958 Date Completed July 1958
Location: Sec. NE 4 NE 4 3/4 T. 27 R. 47 S. 15

Type of well Drilled Equipment used _____
(Dug, driven, or drilled) (Churn, (drill), rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☒ Drainage ☐ Other _____

Casing: 0 ft. to 60 ft. Type Steel Size 6 in

Casing: 0 ft. to 60 ft. Type Steel Size 6 in

Casing: 0 ft. to 23 ft. Type Steel Size 30 inch

Perforated or screened: Ft. 50 to ft. 60 Ft. 50 to ft. 60

Type of screen or perforations Copper

Static water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 30 feet at 8 gal. per min.

How tested: Jump

Length of test 8 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel packed

(over)

Log of Well

[illegible]

File No. 232 Doc. No. _____

WATER WELL LOG

John Nitschke

to **210461**

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 19 61

at 4:15 o'clock p. M.

Eleanor A. Schmeltzer
County Recorder

Deputy

Fee D.H.

Received from John Nitschke
Wolf Point, Montana

Show exact depth of bottom

INDEXED

File No. 719 Doc. No. 253482

**NOTICE OF COMPLETION OF GROUND-
WATER APPROPRIATION BY MEANS
OF WELL**

Paul G. Brown
to
The Public

STATE OF MONTANA. } SS.
County of Roosevelt,

Filed this 29th day of
June, A.D. 19 73
at 3:00 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown Deputy

Fee \$2.00 pd.

Received from.....
Paul G. Brown
Wolf Point, MT

1. ☒ Discharge
 2. ☐ Transfer
 3. ☐ Discharge
 4. ☐ Other
 5. ☐ Continued
 6. ☐ Revolving
 7. ☐ Revolving
 8. ☐ Revolving
 9. ☐ Revolving
 10. ☐ Revolving
 11. ☐ Revolving
 12. ☐ Revolving
 13. ☐ Revolving
 14. ☐ Revolving
 15. ☐ Revolving
 16. ☐ Revolving
 17. ☐ Revolving
 18. ☐ Revolving
 19. ☐ Revolving
 20. ☐ Revolving
 21. ☐ Revolving
 22. ☐ Revolving
 23. ☐ Revolving
 24. ☐ Revolving
 25. ☐ Revolving
 26. ☐ Revolving
 27. ☐ Revolving
 28. ☐ Revolving
 29. ☐ Revolving
 30. ☐ Revolving
 31. ☐ Revolving
 32. ☐ Revolving
 33. ☐ Revolving
 34. ☐ Revolving
 35. ☐ Revolving
 36. ☐ Revolving
 37. ☐ Revolving
 38. ☐ Revolving
 39. ☐ Revolving
 40. ☐ Revolving
 41. ☐ Revolving
 42. ☐ Revolving
 43. ☐ Revolving
 44. ☐ Revolving
 45. ☐ Revolving
 46. ☐ Revolving
 47. ☐ Revolving
 48. ☐ Revolving
 49. ☐ Revolving
 50. ☐ Revolving
 51. ☐ Revolving
 52. ☐ Revolving
 53. ☐ Revolving
 54. ☐ Revolving
 55. ☐ Revolving
 56. ☐ Revolving
 57. ☐ Revolving
 58. ☐ Revolving
 59. ☐ Revolving
 60. ☐ Revolving
 61. ☐ Revolving
 62. ☐ Revolving
 63. ☐ Revolving
 64. ☐ Revolving
 65. ☐ Revolving
 66. ☐ Revolving
 67. ☐ Revolving
 68. ☐ Revolving
 69. ☐ Revolving
 70. ☐ Revolving
 71. ☐ Revolving
 72. ☐ Revolving
 73. ☐ Revolving
 74. ☐ Revolving
 75. ☐ Revolving
 76. ☐ Revolving
 77. ☐ Revolving
 78. ☐ Revolving
 79. ☐ Revolving
 80. ☐ Revolving
 81. ☐ Revolving
 82. ☐ Revolving
 83. ☐ Revolving
 84. ☐ Revolving
 85. ☐ Revolving
 86. ☐ Revolving
 87. ☐ Revolving
 88. ☐ Revolving
 89. ☐ Revolving
 90. ☐ Revolving
 91. ☐ Revolving
 92. ☐ Revolving
 93. ☐ Revolving
 94. ☐ Revolving
 95. ☐ Revolving
 96. ☐ Revolving
 97. ☐ Revolving
 98. ☐ Revolving
 99. ☐ Revolving
 100. ☐ Revolving

Form No. 18
8-60


T. 27N R. 47E

County BUTTE

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

STATE ENGINEER



OWNER Thomas Cook Address W. of Point M.

Driller Self Address Box 26

Date Started 1946 Date Completed 1946

Location: Sec. 16 T. 27 R. 47 $\frac{1}{2}$ Sec. 175

Type of well _____ Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☒ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other drinking water

Casing: 10 ft. to 20 ft. Type _____ Size 6"

Casing: 10 ft. to 20 ft. Type _____ Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: Well pump continuously with pump

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

These two wells are practically the same about 300 ft apart

(over)

Water Well Log
Thomas Cook
to 210489
The Public

Filed this 25th day of
December, A.D. 1961
at 4:50 o'clock P. M.
Eleanor A. Schmeltzer
County Recorder

Received from Thos. Cook
Wolf Point, Montana

[illegible]

T. 27N R. 47E
County ROOSEVELT

RECEIVED
STATE ENGINEER

PAULINE K. STRACHAN
Owner RICHARD STRACHAN Address WOLF POINT MONT.

Driller SELF Address _____

Date Started Aug-20 1958 Date Completed Aug 25 1958

Location: Sec. 16 T. 27 R. 47E $\frac{1}{4}$ sec. ^{NE 1/4}

Type of well DUG & DRIVEN Equipment used PIPE PICK SHOVEL
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒

Industrial ☐ Drainage ☐ Other _____

Casing: 0 ft. to 9 ft. Type PIPE, Wood Size 4' X 4'

Casing: 9 ft. to 35 ft. Type PIPE Size 6" 10"

Casing:	ft.	to	ft.	Type	Size
---------	-----	----	-----	------	------

Perforated or screened: Ft. 302 to ft. 35 . Ft. _____ to ft. _____

Type of screen or perforations SAND POINT

Static water level, for non-flowing well: 26' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 26' feet at 90 gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

WELL IS PIPED ENTIRE DEPTH

(over)

Log of Well

[illegible]

File No. 66 Doc. No.

WATER WELL LOG

**Pauline K. Strachan
and Richard Strachan**

to 210282
The Public

STATE OF MONTANA. { ss.
County of Roosevelt,

Filed this 28th day of
December, A.D. 1961
at 3:00 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Fco D.H. Deputy

Received from Richard Strachan
Wolf Point, Montana


[illegible]

Notice of Appropriation of Groundwater (Under Chapter 237, Montana Session Laws, 1961)

17

1. I, HERMIT SMITH, of WOLF POINT, MONT.
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONTANA, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is DOMESTIC & STOCK
(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
4. The annual period (inclusive dates) of intended use YEAR ROUND
5. The probable or intended date of first beneficial use 1965
6. The probable or intended date of commencement and completion of the well or wells
7. The location, type, size and depth of well or wells contemplated 60' DEEP
8. The probable or estimated depth of the water table or artesian aquifer
9. Name, address and license number of the driller engaged
10. Give such other similar information as may be useful in carrying out the policy of this act

SEC. 17
N



NW 1/4 Sec. 17, T. 27N. R. 17E.
Locate well or other means of development as accurately as possible on the plat.

Notice of Appropriation of Groundwater (Under Chapter 237, Montana Session Laws, 1961)

17

1. I, HERALT SMITH, of WOLF POINT
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONT., intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.

2. The beneficial use to which water is to be applied is DOMESTIC
(describe lands to be benefited, if for irrigation)

3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN

4. The annual period (inclusive dates) of intended use YEAR ROUND

5. The probable or intended date of first beneficial use 1965


6. The probable or intended date of commencement and completion of the well* or wells*

7. The location, type, size and depth of well or wells contemplated 6.5' DEEP

8. The probable or estimated depth of the water table or artesian aquifer

9. Name, address and license number of the driller engaged

10. Give such other similar information as may be useful
in carrying out the policy of this act



SWNE 1/4 Sec. 17 T. 27N R. 43E
Locate well or other means of
development as accurately as
possible on the plat.


Notice of Appropriation of Groundwater (Under Chapter 237, Montana Session Laws, 1961)

17

1. I, KERMIT SMITH, of WOLF POINT, I
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONT, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is STOCK
(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
4. The annual period (inclusive dates) of intended use YEAR ROUND
5. The probable or intended date of first beneficial use 1959
6. The probable or intended date of commencement and completion of the well* or wells* _____
7. The location, type, size and depth of well or wells contemplated 50' DEEP
8. The probable or estimated depth of the water table or artesian aquifer _____
9. Name, address and license number of the driller engaged _____

10. Give such other similar information as may be useful in carrying out the policy of this act _____

SEC. 17
N



NW 36 1/4 Sec. 17 T. 22N. R. 7E.
Locate well or other means of development as accurately as possible on the plat.