

File No. ....

T. 27<sup>N</sup> R. 48<sup>E</sup> 11

DUPLICATE

County... Roosevelt

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER NOV 16 1964

RECEIVED  
STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level. 1790)

0-5 P.T.  
5-25 Clay  
25-42 Sandy Clay  
42-70 Vary Sandy Blue Clay  
70-76 Coarse sand  
76-77 " " + 6" sand

Owner Jas. Camrad Address Walt Point

Driller Carl L. Palen Address See

Date of Notice of appropriation of groundwater.....


Date well started 10/7 Date completed 10/16/64

Type of well Drilled Equipment used Churn  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

| Size of Drilled Hole | Size and Weight of Casing     | From (Feet) | To (Feet) | PERFORATIONS |             |           |
|----------------------|-------------------------------|-------------|-----------|--------------|-------------|-----------|
|                      |                               |             |           | Kind Size    | From (Feet) | To (Feet) |
| 5"                   | 4 1/2 IP<br>6: 25 LB<br>62 LB | TOP         | 77        |              |             |           |



Static Water Level for non-flowing well 26 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 26 feet at 16 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested balancing

Length of Test 1 1/2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

N 1/2 NE 1/4 Sec 11 T 27 R 15

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

trees and yard - garden

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Ne 25  
Driller's License Number

Carl L. Palen  
Driller's Signature

28659

File No. 611 Doc. No. 224225

**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

**Jos. Camrud**

to

**The Public**

STATE OF MONTANA }  
County of Roosevelt, } ss.

Filed this 13th day of

November, A.D. 1964

at 2:25 o'clock P.M.

**Eleanor A. Schmeltzer**

County Recorder

**Margaret M. Brown**

Deputy

Fee \$2.00 pd.  
**Jos. Camrud**  
**Wolf Point, Montana**

Received from \_\_\_\_\_

224225


*[Faint, mostly illegible text and a grid table are visible in this section. The text appears to be a continuation of the document or a separate page with a table structure.]*

**Notice of Appropriation of Groundwater**  
 (Under Chapter 237 Montana Session Laws, 1961, as amended)

USE  
RIGHT //

1. I, KENNETH HOLEN, of WOLF POINT  
 (Name of Appropriator) (Address) (Town)  
 County of ROOSEVELT, State of MONT, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is STOCK & DOMESTIC  
 (describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed ?
4. The annual period (inclusive dates) of intended use 365 DAYS
5. The probable or intended date of first beneficial use 1946
6. The probable or intended date of commencement and completion of the well\* or wells\*
7. The location, type, size and depth of well or wells contemplated 55' DEEP  
5 1/2" CASING
8. The probable or estimated depth of the water table or artesian aquifer
9. Name, address and license number of the driller engaged
10. Give such other similar information as may be useful in carrying out the policy of this act

.....  
 .....  
 .....  
 .....  
 .....



NESW 1/4 Sec. 11 T.27N. R.48E.  
 Locate well or other means of development as accurately as possible on the plat.

RECEIVED  
NOV 11 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

T. 27N R. 48E 11  
County Roosevelt

WATER WELL LOG

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner HARRY JOHNSTON Address WOLF POINT, MONT.

Driller E. WHITE - CENTRAL PIPE + IRRIG. CO. - WOLF POINT  
Address

Date Started SEPT. 1, 1958 Date Completed SEPT. 8, 1958

Location: Sec 11 T. 27 R. 48 1/4 sec. NW

Type of well Drilled Equipment used REVERSE ROTARY  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: 0 ft. to 32 ft. Type KELLEY CEMENT Size 24"

Casing: 32 ft. to 52 ft. Type CEMENT-PERFORATOR Size 24"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. 32 to ft. 52 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations CEMENT

Static Water level, for non-flowing well: 14 FEET feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 38 feet at 800 gal. per min.

How tested: 8" TURBINE PUMP @ 400 GAL. PER MIN TO 1100 G.P.M.

Length of test 48 HOURS

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

PACKED WITH WASHED AND SCREENED GRAVEL  
ENTIRE DEPTH.

(over)



INDEXED

File No. 17 Doc. No.

**WATER WELL LOG**

**Harry Johnston**

to 193485

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt, }

Filed this 3rd day of

October, A. D. 1958

at 3:45 o'clock P. M.

Eleanor A. Schmeltzer  
County Recorder

Marjle M. Stennes  
Deputy

Fee: D.H.

Received from **Harry Johnston**  
**Wolf Point, Montana**


WATER WIRE CLAY  
36 52 SAND AND GRAVEL  
52 52 SHALE







|                 |    |    |
|-----------------|----|----|
| Sand and Gravel | 76 | 04 |
| Sand            | 88 | 04 |



day of \_\_\_\_\_  
 A.D. 1961  
 o'clock P. M.  
 Eleanor A. Schmelzter  
 County Recorder  
 Marjie M. Stennes  
 Deputy  
 Fee D.E. \_\_\_\_\_  
 Received from \_\_\_\_\_  
 George Stensland  
 Wolf Point, Montana

MARJIE M. STENNES, DEPUTY  
 BETTY M. WILSON, CLERK  
 THELMA WILSON, CLERK

**COUNTY OF ROOSEVELT**  
 OFFICE OF  
**ELEANOR A. SCHMELTZER**  
 CLERK AND RECORDER  
 WOLF POINT, MONTANA  
 December 1, 1961

**RECEIVED**  
 DEC 1 1961  
**STATE ENGINEER**

Montana Bureau of Mines and Geology  
 Butte, Montana

Gentlemen:

We mailed copies of Water Well Log No. 28, filed November 28th, 1961, to your office, but Mr. Stensland gave us the wrong land description. It should read ~~N 1/2, NE 1/4~~, Sec. 14, Twp. 27, Rge. 48 rather than ~~NE 1/4, SE 1/4~~, Sec. 13, Twp. 27, Rge. 48. We have made the correction on our records.

Yours truly,

*Eleanor A. Schmelzter*  
 Eleanor A. Schmelzter  
 Clerk and Recorder



Form No. 18  
8-60


76

T. 27 N R. 48 E

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log



OWNER Thos Bicklerucki Address Wolf Point, Montana

Driller Self Address \_\_\_\_\_

Date Started July 1956 Date Completed July 1956

Location: Sec. 16 T. 27 R. 48  $\frac{1}{2}$  Sec. SE 1/4 SW 1/4

Type of well Driven Equipment used Sandpoint  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Sandpoint

Static water level, for non-flowing well: 11 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 26 feet at 100 gal. per min.

How tested: Pump

Length of test 12 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(over)





Form No. 18  
8-60

T. 27 R. 48E


76

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

STATE ENGINEER



OWNER Theo Bialorucki Address Wolf Point, Montana

Driller Self Address \_\_\_\_\_

Date Started July 1956 Date Completed July 1956

Location: Sec. 16 T. 27 R. 48  $\frac{1}{4}$  Sec. SE 38E 28N 2

Type of well Driven Equipment used Sandpoint  
(Dug, driven, or drilled) (Crown, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Sandpoint

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 28 feet at 100 gal. per min.

How tested: Pump

Length of test 12 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)








16

T. 27N R. 48 E. NPM  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

RECEIVED  
STATE ENGINEER



Owner Eleanor A. Schmeltzer Address Wolf Point, Montana  
Driller Address  
Date Started Jan. 1961 Date Completed March 1st, 1961  
Location: Sec. 16 T. 27N R. 48 1/4 sec. A tract of land owned

Type of well Driven Equipment used Auger  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other:

Casing: 0 ft. to 23 ft. Type Galvanized pipe Size 6"  
Casing: 23 ft. to 25 ft. Type Sand Point Size 1 1/2"  
Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations Sand Point, 80 screen

Static Water level, for non-flowing well: 23 feet

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: 23 feet at unknown gal. per min.

How tested: pump

Length of test: one hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)





GW2

File No. ....

T. 27 N R. 48 E 27

DUPLICATE

County... Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER  
OFFICE OF STATE ENGINEER

RECEIVED  
NOV 15 1963

Notice of Completion of Groundwater  
Appropriation by Means of Well STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

4 Top of Ground  
Clay  
(Elev. above sea level 1985.....)

50 Sand

55 Mud

101 Sand

119 Gravel  
Shale

Owner. Pershing District 3 Address Wolf Point, Montana

Driller. Boone Whitmer & Sons Address Wolf Point, Montana

Date of Notice of Appropriation of Groundwater .....


Date well started March 1963 Date Completed April 1963

Type of well Drilled Equipment Used Cable Tool  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other  School

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

| Size of Drilled Hole | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS                        |             |           |
|----------------------|---------------------------|-------------|-----------|-------------------------------------|-------------|-----------|
|                      |                           |             |           | Kind Size                           | From (Feet) | To (Feet) |
| 5-inch               | 5-inch ID<br>1 1/2" ft    | 0           | 116'      | 4-inch perforated pipe<br>6' length | 113         | 119       |



1/4 SW Sec. 17 T-27 R-48  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 14 feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 35 feet at 75 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested Pump Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....

83

Driller's License Number

*Boone Whitmer*  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

7096

File No. 371 Doc. No. 219490

**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

**Perishing District #3 et al**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 14th day of  
November, A.D. 1963  
at 10:15 o'clock A. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy

Fee \$2.00 pd.  
Robert Haugs  
Wolf Point, Montana

Received from .....

RECEIVED

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

T. 27 <sup>17</sup> R. 48 E  
County: Rosevald

WATER WELL LOG

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner: Mrs. Grace Talbert Address: Box 793 Wolf Point, Montana  
 Driller: A & B Drilling Co. Address: Seeley, Montana  
 Date Started: 10/30/57 Date Completed: 10/31/57  
 Location: Sec. 17 T. 27 R. 48 1/4 sec. NW

Type of well: drilled Equipment used: cable tool drilling machine  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other: \_\_\_\_\_

Casing: 0 ft. to 55 ft. Type: steel, tar coated Size: 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. 28 to ft. 45 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: torch slot

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: \_\_\_\_\_ feet at approx. 20 gal. per min.

How tested: bailer

Length of test: \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

(over)



File No. ....

T. 27 N 48 E 18

DUPLICATE


County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 26 1963

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. FRANK HARADA, of P.O. Box 487 WOLF POINT  
(Name of Appropriator) (Address) (Town)  
County of ROOSEVELT State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE 1/4 Sec. 18 T. 27 N. R. 48 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based HOUSEHOLD & GARDEN

3. Date or approximate date of earliest beneficial use; and how continuous the use has been OCT-1961 - CONTINUOUS SINCE

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 GALS/MIN.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater SEPT-1961 - OCT-1961

8. The depth of water table 21'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 78' DEEP - 5" CASING, TAKING WATER FROM - 70' - 75'

10. The estimated amount of groundwater withdrawn each year 220,000

11. The log of formations encountered in the drilling of each well if available 12' CLAY - 30' SAND 16' CLAY 10' PEA GRAVEL

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Frank Harada

Date Dec - 14, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.



File No. 424 Doc. No. 220188

**DECLARATION OF VESTED GROUNDWATER RIGHTS**

**Frank Harada**

**to**

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 23rd day of  
December, A.D. 1963

at 12:30 o'clock P. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy

Fee \$2.00 pd.

Received from Frank Harada


Wolf Point, Montana

Form No. 18  
8-60

T. 27 N R. 48 E 18

County Beaumont 100 D

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana



Water Well Log

STATE ENGINEER

Owner Robert E. Scott Address Wolf Point Mont.

Driller William B. Hays Address Motta, Mont.

Date Started June 1960 Date Completed June 1960

Location: Sec. 18 T. 27 N R. 48 E 18 Sec. 18

Type of well drilled Equipment used rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: 0 ft. to 46 ft. Type Steel Size 4 in.

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 30 to ft. 40. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations cut perforation

Static water level, for non-flowing well: 16 feet feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 110 feet at 8 gal. per min.

How tested: Running on gas engine with 2 in. line.

Length of test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)






T. 27 N R. 48 E 18  
County Beaumont

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

STATE ENGINEER



Owner Arne Traubert Address Way Point Mont  
Driller Carl Dick Address Way Point Mont  
Date Started 8-3-60 Date Completed 8-4-60  
Location: Sec. 18 T. 27 N R. 48 ¼ sec. SW ¼ NE ¼

Type of well Driven - sand point Equipment used \_\_\_\_\_  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to 13 ft. Type gab pipe Size 1 1/4

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static Water level, for non-flowing well: 16 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 17 feet at 10 gal. per min.

How tested: Custom pump

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



T. 27 <sup>18</sup> R. 48 E  
County Roosevelt

RECEIVED  
STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner Mrs Grace Talbert Address Box 793 Wolf Point, Montana  
Driller A & B Drilling Co. Address Scobey, Montana  
Date Started 10/30/57 Date Completed 10/31/57  
Location: Sec. 18 T. 27 R. 48 1/4 sec. NE 4

Type of well drilled Equipment used cable tool drilling machine  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: 0 ft. to 55 ft. Type steel, tar coated Size 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. 28 to ft. 45 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations torch slot

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at approx. 20 gal. per min.

How tested: bailer

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)





20

File No. ....

T. 27 N R. 13 E

DUPLICATE

County .....

STATE OF MONTANA. ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER


RECEIVED DEC 30 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Henry H. Arndt, of Vida, Route, Wolf Point (Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NE 1/4 Sec. 20 T. 27 N. R. 13 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household and irrigation.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been October, 1962 and continuous thereafter.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Water has not been applied yet, but will be applied to 5-acre tract in SE 1/4 NE 1/4, 20-17-18. Henry H. Arndt and Amber H. Arndt, owners.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal jet pump Well located in SE 1/4 NE 1/4, 20-17-18.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Well drilled and completed in October, 1962, by Derr Drilling Company, Wolf Point, Montana; Montana State license #63.

8. The depth of water table 22'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well cased with 10" casing, well is 70' deep.

10. The estimated amount of groundwater withdrawn each year 350,000 gallons

11. The log of formations encountered in the drilling of each well if available 0 to 15', clay, 15' to 58', sand, 58' to 70' gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Henry H. Arndt Date 12-18-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15715

File No. 427 Doc. No. 22194

**DECLARATION OF VESTED GROUNDWATER  
RIGHTS**

Henry H. Arndt

to

The Public

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 26th day of  
December, A.D. 19 63  
at 8:00 o'clock A. M.

Eleanor A. Schmeltzer  
County Recorder  
Margaret M. Brown  
Deputy

Fee \$2.00 pd.  
Henry Arndt  
Wolf Point, Montana

Received from

RECEIVED  
AUG 11 1958  
STATE ENGINEER

T. 27 N. R. 48 E. 20  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner Harry Rodenberg, Jr. Address Wolf Point, Montana

Driller Dodd Drilling Co. Address Wolf Point, Montana

Date Started 6-15-58 Date Completed 7-1-58

Location: Sec. 20 T. 27 N. R. 48 E. 1/4 sec. NW

Type of well Drilled Equipment used ROTARY  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other: \_\_\_\_\_

Casing: 7 ft. to 76 ft. Type steel Size 4 1/2 - 6 5/8"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. 77 to ft. 81 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations 4" fabricated of Everdur (Johnson well Screen) # 30 slot

Static Water level, for non-flowing well: 20 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 26 feet at 35 gal. per min.

How tested: 1st DUMP

Length of test 24 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



RECEIVED  
SEP 24 1958

T. 27 N R. 60 E 20  
County: Roosevelt

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner: R. W. Peterson Address: Half Point, Montana  
 Driller: E. P. White Address: Half Point, Mont  
Central Pump and Irrigation Co.  
 Date Started: August 22, 1958 Date Completed: August 27, 1958  
 Location: Sec. 30 T. 27 R. 60E 1/4 sec. 12, 13

Type of well: Drilled Equipment used: Covered Rotary  
(Dig, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other: \_\_\_\_\_

Casing: 40 ft. to 5.5 ft. Type: Cement Size: 10 1/2  
 Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type: \_\_\_\_\_ Size: \_\_\_\_\_

Perforated or Screened: Ft. 46 to ft. 60 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: Half Cement perforated casing, 10 1/2

Static Water level, for non-flowing well: 101.18 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: 44 feet at 1000 gal. per min.

How tested: Driller's Turbine Test Pump, 10' down, 0' column

Length of test: 3 days

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Seven inch washed and screened gravel placed between outside  
of casing and 40' hole

(over)

## Log of W

| Depth, feet |     | Description of Material Drilled |
|-------------|-----|---------------------------------|
| From        | To  |                                 |
| 0           | 5   | Top soil                        |
| 5           | 6   | Clay                            |
| 6           | 30  | Sand                            |
| 30          | 36  | Clay, sand and gravel           |
| 36          | 50  | Sand and Gravel                 |
| 50          | 52  | Clay                            |
| 52          | 58  | Clay and gravel                 |
| 58          | 63  | Sand and gravel                 |
| 63          | 65  | Clay                            |
| 65          | 70  | Sand                            |
| 70          | 80  | Sand and gravel                 |
| 80          | --- | Sand                            |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |
|             |     |                                 |

INDEXED

Doc. No. ....

93150

JUL 1950



File No. ....

T 27 N 48 E

DUPLICATE


County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

1. R. W. and Mrs. R. W. Sorenson, of Wolf Point, Montana  
(Name of Appropriator) (Address) (Town)  
County of Roosevelt State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec T R  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. Well # 1 Domestic house well. Well # 2 Stock and small irrigation.
- Date or approximate date of earliest beneficial use; and how continuous the use has been. Well # 1 1954. Well # 2 1956. Usage is continuous since drilling.
- The amount of groundwater claimed (in miner's inches or gallons per minute). Well # 1 - 20 gal. per min. Well # 2 - 95 gal. per min.
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Well # 2 - 5 acres in NE 1/4 of the SE 1/4 sec 20 Twp. 27, R. 48, S. 44, and Mrs. R. W. Sorenson.
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well # 1 - Deep well jet pump - house. Well # 2 - Centrifugal - stock.
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Well # 1 - Aug. 1, 1954. Well # 2 - May 15, completed May 17, 1956. (Completed Aug. 6, 1954)
- The depth of water table. 20 feet from surface - each well.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well # 1 - 4" steel casing drilled to 60 feet. Well # 2 - 6" steel casing drilled to 60 feet.
- The estimated amount of groundwater withdrawn each year. ??
- The log of formations encountered in the drilling of each well if available. Sandy loam 0 - 16 some clay. Sharp sand 16-32. small gravel 32 - 35; coarse sand 35-41; gravel medium 41-60; to heavy grade; Blue shale 60 feet. Wells # 1 and # 2 are within 200 feet of each so log essentially same for each.
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner R. W. Sorenson

Date December 26, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 15722



File No. 434 Doc. No. 220216

**DECLARATION OF VESTED  
GROUNDWATER RIGHTS**

**R. W. Sorensen**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt, }

Filed this 26th day of  
December, A.D. 19 63  
at 3:00 o'clock P. M.  
Eleanor A. Schmeltzer  
County Recorder  
Margaret M. Brown Deputy  
Fee \$2.00 pd.

Received from.....

R. W. Sorensen

Wolf Point, Montana

Form No. 18  
8-60

27

T. 2827 N R. 48 E


County Powder

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log

STATE ENGINEER



OWNER Albert J. Thomas Address Wolf Point

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started 1928? Date Completed \_\_\_\_\_

Location: Sec. 27 T. 27 R. 48  $\frac{1}{4}$  Sec. NW 4 SE 4

Type of well Driven Equipment used \_\_\_\_\_  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 16 ft. to \_\_\_\_\_ ft. Type STEEL Size 1 1/2"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Sand screen

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(over)







Form No. 18  
8-60

27  
36

T. 20N R. 49E  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

STATE ENGINEER

Water Well Log

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner Matt Budek Address Poplar, Montana

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started three wells Date Completed 1919 - 1926 & 1951

Location: Sec. 36 T. 28 R. 49 SE 1/4 NW 1/4 2 wells  
1 sec. N 1/4 1 well

Type of well Water (Dug, driven, or drilled) Equipment used Drill (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 42 ft. to \_\_\_\_\_ ft. Type Steel Size 6"

Casing: 42 ft. to \_\_\_\_\_ ft. Type Steel Size 6"

Casing: 42 ft. to \_\_\_\_\_ ft. Type Steel Size 6"

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations open pipe

Static water level, for non-flowing well: 18 feet on all three wells feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: not tested

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

no packing - no shut-offs

(over)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

|                                                 |                 |
|-------------------------------------------------|-----------------|
| File No. 69                                     | Doc. No.        |
| WATER WELL LOG                                  |                 |
| MATT BUDAK                                      |                 |
| TO                                              | 210285          |
| THE PUBLIC                                      |                 |
| STATE OF MONTANA. } ss.<br>County of Roosevelt. |                 |
| Filed this 28th                                 | day of          |
| December                                        | , A.D. 1961.    |
| at 3:00                                         | o'clock P. M.   |
| Eleanor A. Schmeltzer                           | County Recorder |
| Fee: D. H.                                      | Deputy          |
| Received from Matt Budak                        |                 |
| Poplar, Montana                                 |                 |

Form No. 18  
8-60

T. 27 N R. 49 E 2

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log

Owner George Budak

Address Poplar, Mont.


Driller Unknown

Address Unknown

Date Started March 20, 1959

Date Completed March 30, 1959

Location: Sec. 2 T. 27 N. R. 49  $\frac{1}{4}$  Sec. Lot 6



STATE ENGINEER

Type of well drilled Equipment used drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 0 ft. to 72 ft. Type Black Size 4"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 62 to ft. 72 . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Fine Screen Packed with gravel

Static water level, for non-flowing well: 20' from top of well casing \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level 20 feet at 500 gal. per min. \_\_\_\_\_

How tested: Suckiton Pump

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

File No. 161 Doc. No. \_\_\_\_\_

**WATER WELL LOG**

**George Budak**

**to 210388**

**The Public**

STATE OF MONTANA,        } ss.  
County of Roosevelt,

Filed this 29th day of  
December, A.D. 19 61

at 1:30 o'clock P.M.

Eleanor A. Schmeltzer  
County Recorder

\_\_\_\_\_  
Fee D.H. Deputy

Received from George Budak  
Poplar, Montana

Form No. 18  
8-60

T. 27 N R. 49 E <sup>2</sup>

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log


Owner George Budak Address Poplar, Mont

STATE ENGINEER

Driller Unknown Address Unknown

Date Started Unknown Date Completed Unknown

Location: Sec. 2 T. 27 R. 49  $\frac{1}{4}$  Sec. Lot 6



Type of well driven Equipment used Sand Bucket  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: 0 ft. to 50 ft. Type galvanized Size 4"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. None to ft. \_\_\_\_ . Ft. \_\_\_\_ to ft. \_\_\_\_

Type of screen or perforations None

Static water level, for non-flowing well: 20' from top of casing \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

File No. 160 Doc. No. \_\_\_\_\_

**WATER WELL LOG**

**George Budak**

to 210387

**The Public**

---

STATE OF MONTANA. | ss.  
County of Roosevelt,

Filed this 29th day of  
December, A.D. 1961

at 1:30 o'clock **P.M.**


Eleanor A. Schmeltzer  
County Recorder

\_\_\_\_\_  
Woe D.H. Deputy

---

Received from George Budak  
Poplar, Montana

27 Nov 1951 2



DECLARATION OF VESTED GROUND WATER RIGHTS

STATE ENGINEER

BE IT KNOWN That the undersigned DOES HEREBY PUBLISH AND DECLARE, in accordance with the provisions of Chapter 237, Laws of 1961 of the Legislative Assembly of the State of Montana, that the undersigned, by reason of beneficial use, claims and has acquired certain vested ground water rights and DOES HEREBY MAKE DECLARATION of vested ground water rights as follows:

1. Name and address of Claimant: A. K. HOLEN, Wolf Point, Montana
2. Beneficial use on which claim is based: Irrigation for agricultural purposes.
3. Date (or approximate date) of earliest beneficial use, and how continuous the use has been: Oct., 1951. Use May through October of each year.
4. Amount of ground water claimed: 1500 gallons per minute
5. Where beneficial use has been for irrigation, acreage, description of lands to which ground water has been applied, and name of owner thereof: 40 acres; NE1/4NW1/4 of Sec. 2, Twp. 27 N., Rge. 49, Roosevelt County, Montana; owner: A. K. Holen.
6. Description of means of withdrawing ground water from the ground and location of each well or other means of withdrawal: Deep well, 2-phase turbine pump on above described land.
7. Date of commencement and completion of construction of well, wells, or other works for withdrawal of ground water: October 1951
8. Depth of water table: 20 feet below surface.
9. To the extent available, the type, size, and depth of each well, or the general specifications of any other works for the withdrawal of ground water: Drilled well, 8" casing, 50' perforated casing, total well depth 105'.
10. Estimated amount of ground water withdrawn each year: 400,000,000 gal.
11. The log of formations encountered in drilling of each well: 20' top clay, 30' fine sand, 55' gravel.
12. Other information: \_\_\_\_\_

WITNESS my hand at Wolf Point, Montana, this 29 day of December, 1951

A. K. Holen

STATE OF MONTANA, )  
 ) ss.  
COUNTY OF ROOSEVELT )

On this 20th day of December, in the year nineteen hundred  
and sixty-one, before me, Baxter Larson,  
a Notary Public for the State of Montana, personally appeared \_\_\_\_\_  
A. K. HOLLEN

known to me to be the person whose name \_\_\_\_\_ is subscribed to the within  
instrument, and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Notarial  
Seal the day and year in this certificate first above written.

*Baxter Larson*  
Notary Public for the State of Montana, Resid-  
ing at Wolf Point, Montana. My  
commission expires February 3, 1962.

|                                                                        |                                                                                                              |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| File No. 279                                                           | Doc. No. 210509                                                                                              |
| REGULATION OF VEESSED GROUND<br>WATER RIGHTS                           |                                                                                                              |
| A. K. Hollen                                                           | to                                                                                                           |
| The Public                                                             |                                                                                                              |
| STATE OF MONTANA, )<br>County of Roosevelt, ) ss.                      | Filed this <u>29th</u> day of<br><u>December</u> , A.D. 19 <u>61</u><br>at <u>4:53</u> o'clock <u>P</u> . M. |
| Eleanor A. Schmeltzer<br>County Recorder                               |                                                                                                              |
| Fees \$2.00 pd. Deputy                                                 |                                                                                                              |
| Received from<br>Baxter Larson, Attorney at Law<br>Wolf Point, Montana |                                                                                                              |


**Notice of Appropriation of Groundwater**  
(Under Chapter 237 Montana Session Laws, 1961, as amended)

USE  
RIGHT

2

1. I, LLOYD HOLEN, of WOLF POINT  
(Name of Appropriator) (Address) (Town)  
County of ROOSEVELT, State of MONT, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is DOMESTIC & STOCK  
(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed.....
4. The annual period (inclusive dates) of intended use 365 DAYS
5. The probable or intended date of first beneficial use 1991
6. The probable or intended date of commencement and completion of the well\* or wells\*.....
7. The location, type, size and depth of well or wells contemplated 50' DEEP  
6" CASING
8. The probable or estimated depth of the water table or artesian aquifer.....
9. Name, address and license number of the driller engaged.....

10. Give such other similar information as may be useful in carrying out the policy of this act.....  
.....  
.....  
.....  
.....



SE 1/4 Sec. 2 T22N R. 29E  
Locate well or other means of development as accurately as possible on the plat.


**Notice of Appropriation of Groundwater**  
 (Under Chapter 237 Montana Session Laws, 1961, as amended)

USE  
RIGHT

2

1. I, LLOYD HOLEN, of WOLF POINT  
 (Name of Appropriator) (Address) (Town)  
 County of ROOSEVELT, State of MONT, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is DOMESTIC & STOCK  
 (describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed —
4. The annual period (inclusive dates) of intended use 365 DAYS
5. The probable or intended date of first beneficial use 1993
6. The probable or intended date of commencement and completion of the well\* or wells\* \_\_\_\_\_
7. The location, type, size and depth of well or wells contemplated 70' DEEP  
6" CASING
8. The probable or estimated depth of the water table or artesian aquifer \_\_\_\_\_
9. Name, address and license number of the driller engaged \_\_\_\_\_

10. Give such other similar information as may be useful in carrying out the policy of this act \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_




SE 1/4 Sec. 2 T27N R. 49E  
 Locate well or other means of development as accurately as possible on the plat.

**Notice of Appropriation of Groundwater**  
 (Under Chapter 237 Montana Session Laws, 1961, as amended)

USE  
RIGHT **6**

1. I, MIKE BOYSUN, of WOLF POINT  
 (Name of Appropriator) (Address) (Town)  
 County of ROOSEVELT, State of MONT., intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is STOCK  
 (describes lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed ?
4. The annual period (inclusive dates) of intended use 365 DAYS
5. The probable or intended date of first beneficial use 1966
6. The probable or intended date of commencement and completion of the well\* or wells\*.....
7. The location, type, size and depth of well or wells contemplated 6" CASING  
50' DEEP
8. The probable or estimated depth of the water table or artesian aquifer.....
9. Name, address and license number of the driller engaged.....

10. Give such other similar information as may be useful in carrying out the policy of this act.....  
 .....  
 .....  
 .....  
 .....




SESW 1/4 Sec. 6 T.27N R. 99E  
 Locate well or other means of development as accurately as possible on the plat.



**Notice of Appropriation of Groundwater**  
(Under Chapter 237 Montana Session Laws, 1961, as amended)

USE  
RIGHT

1. I, A. K. HOLEN, of (DECEASED)  
(Name of Appropriator) (Address) (Town) 6  
County of \_\_\_\_\_, State of \_\_\_\_\_, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is S-D  
\_\_\_\_\_  
(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed ?  
\_\_\_\_\_
4. The annual period (inclusive dates) of intended use 365 DAYS  
\_\_\_\_\_
5. The probable or intended date of first beneficial use 1940  
\_\_\_\_\_
6. The probable or intended date of commencement and completion of the well\* or wells\* \_\_\_\_\_  
\_\_\_\_\_
7. The location, type, size and depth of well or wells contemplated 6" CASING  
55' DEEP  
\_\_\_\_\_
8. The probable or estimated depth of the water table or artesian aquifer \_\_\_\_\_
9. Name, address and license number of the driller engaged \_\_\_\_\_  
\_\_\_\_\_
10. Give such other similar information as may be useful  
in carrying out the policy of this act \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



SESE 1/4 Sec. 6, T. 27N R. 49E  
Locate well or other means of development as accurately as possible on the plat.

**Notice of Appropriation of Groundwater** USE RIGHT  
 (Under Chapter 237 Montana Session Laws, 1961, as amended)

15

1. I, LLOYD HOLEN of WOLF POINT  
 (Name of Appropriator) (Address) (Town)  
 County of ROOSEVELT, State of MONT, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.

2. The beneficial use to which water is to be applied is STOCK  
 (describe lands to be benefited, if for irrigation)

3. The rate of use in gallons per minute or miner's inches of groundwater claimed ?

4. The annual period (inclusive dates) of intended use 365 DAYS

5. The probable or intended date of first beneficial use 1969


6. The probable or intended date of commencement and completion of the well\* or wells\*

7. The location, type, size and depth of well or wells contemplated  
6" CASING - 78' DEEP

8. The probable or estimated depth of the water table or artesian aquifer.

9. Name, address and license number of the driller engaged.

10. Give such other similar information as may be useful in carrying out the policy of this act.



NENE 1/4 Sec 15 T.22N R.42E  
 Locate well or other means of development as accurately as possible on the plat.