

Form No. 18
8-60

T. 29N R. 47E ⁵


County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana.

RECEIVED
JAN 15 1967

Water Well Log

STATE ENGINEER



OWNER John A. Tovar Address Wolf Point

Driller Redding Address _____

Date Started _____ Date Completed _____

Location: Sec. 5 T. 29 R. 47 ⁵ Sec. NE 1/4 SE 1/4

Type of well Drilled Equipment used rotary
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: 0 ft. to 30 ft. Type galvanized Size 5 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 30 to ft. 45. Ft. _____ to ft. _____

Type of screen or perforations perforated galvanized casing

Static water level, for non-flowing well: 30 ft. feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 32 feet at 4 gal. per min.

How tested: pumping

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel packing

(over)

Form No. 18
8-60

T. 29N R. 47E 6


County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1961

Water Well Log

STATE ENGINEER



OWNER John A Toavs Address Wolf, Point

Driller _____ Address _____

Date Started _____ Date Completed _____

Location: Sec. 6 T. 29 R. 47 $\frac{1}{4}$ Sec. SE $\frac{1}{4}$, SE $\frac{1}{4}$

Type of well Dug Equipment used hand dug
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 35 ft. Type _____ Size 6 in tile

Casing: 0 ft. to 35 ft. Type _____ Size 6 in tile

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 28 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 38 feet at 8 gal. per min.

How tested: pumping

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel packing

(over)

Form No. 18
8-60


T. 29N R. 47E

County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

Water Well Log



Owner Carl J. Rensvold Address Wolf Ranch

Driller Central Construction Address Wolf Ranch

Date Started June 1958 Date Completed June 1958

Location: Sec. 26 T. 29 R. 47 Sec. NE

STATE ENGINEER

Type of well drilled Equipment used rotary
(Dug, driven, or drilled) (Churn, driven, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 48 ft. to _____ ft. Type steel 1/2" Size 5 1/2 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 0 to ft. 30. Ft. _____ to ft. _____

Type of screen or perforations perforated 1/4 in mesh

Static water level, for non-flowing well: 22 ft feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 22 feet at 9 gal. per min.

How tested: run 1/2 in pipe through a 3/4 in hole
Length of test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
Shovel pack 24 ft from bottom

(over)

Form No. 18
8-60

T. 29 N R. 47 E

241


County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1958

Water Well Log

STATE ENGINEER



Owner Carl J. Reynolds Address 1110 Park St

Driller Central Irrigation Address 1110 Park St

Date Started June 1958 Date Completed June 1958

Location: Sec. 26 T. 29 R. 47 Sec. 12

Type of well _____ Equipment used General, auger, rotary, other
(Dug, driven, or drilled)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: 48 ft. to _____ ft. Type steel 1/2" Size 5/8 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations planned 1/2 in mesh

Static water level, for non-flowing well: 20 ft feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 22 feet at 9 gal. per min.

How tested: amount of water through a 3/4 in hole

Length of test 8 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel pack 24 ft from bottom


(over)

Form No. 18
8-60

T. 7 29 N R. 47 E 26
County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED



Water Well Log
Owner Carl J. Benson STATE ENGINEER
Address Wayland Mont.
Driller unknown Address _____
Date Started _____ Date Completed 1934
Location: Sec 26 T 29 R 47 1/4 Sec. NE

Type of well Hand dug Equipment used pick & shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 48 ft. to _____ ft. Type 2 inch tile Size 2 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 10 to ft. 12 . Ft. _____ to ft. _____

Type of screen or perforations gravel

Static water level, for non-flowing well: 22 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 15 feet at 7 gal. per min.

How tested: 35 gal in 5 minutes

Length of test every two hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
Gravel packing 24 ft

(over)

Form No. 18
8-60

21

T. 29N R. 47E
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

Water Well Log

X		

Owner William Robinson Address Wolf Point
Driller self Address _____
Date Started _____ Date Completed 1918
Location: Sec. 27 T. 29 R. 47 1/4 sec. S.W.

Type of well drilled Equipment used rotary
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 120 ft. to _____ ft. Type board Size 2 ft.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations round holes

Static water level, for non-flowing well: 60 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

GW 2

Doc. No. 243561 #678
Filed for record
this 9th day of April
A. D. 19 70, at 1:45
o'clock P. M.
LOG

Approved Stock Form—State Publishing Co., Helena, Montana—48557

T. 29N R. 47E

County Rosevelt

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Top of Ground ✓
(Elev. above sea level. 2000 ft *approximate*)
0
16
8 sand & gravel
15 Clay
2-4 gravel
2-9 sandy clay
33 gravel
36 had sand water
40 grey clay

Owner Earl Pensvold Address Wolf Point Mont

Driller Albert Andersen Address Medicine Lake Mont

Date of Notice of appropriation of groundwater March 25-70


Date well started March 24-70 Date completed March 25-70

Type of well drilled Equipment used rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 1/2 To 36 ft	4 inch I.D.	0	40	3/16 slots	30	36
4 1/2 To 40 ft	1 1/2 in.					



Static Water Level for non-flowing well 14 feet.

Skut-in Pressure for Flowing Well 0

Pumping Water Level 21 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well 0

How Tested bailer & pump

Length of Test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff) small gravel pack to 25 ft mud string on top

NE 1/4 Sec. 28 T. 29 R. 47
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

106
Driller's License Number

Albert Andersen
Driller's Signature.

46333


Form No. 18
8-60

T. 29 N R. 47 E
County Rosevelt

29

MONTEANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED



Water Well Log

Owner Quarite West Address Waypoint
Driller _____ Address _____

STATE ENGINEER

Date Started _____ Date Completed _____

Location: Sec. 29 T. 29 R. 47 1/4 Sec. NE 1/4

Type of well Dug Equipment used by hand
(Dug, driven, or drilled) (Crown, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: _____ ft. to 20 ft. Type Cement Size 3 1/2

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ 4 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: Hasn't been tested

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Cementing

(over)

Form No. 18
8-60

T. 29N R. 47E ²⁹

County Roosevelt **IVED**

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log


STATE ENGINEER

Owner Robert W. Rusche Address WOLF POINT

Driller _____ Address _____

Date Started approx 1920 Date Completed _____

Location: Sec. 29 T. 29 R. 47 $\frac{1}{4}$ Sec. SW SW



Type of well Drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: 200 ft. to 220 ft. Type galvanized Size 5"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 200 feet at 5 gal. per min.

How tested: Timed

Length of test 1 min - 1 hr



Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 29 N R. 47 E ³⁰
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water Well Log

Owner Robert W Rusche Address Wolf Point
Driller Bone Whitmer Address Wolf Point
Date Started MARCH 15-61 Date Completed 3-20-61
Location: Sec. 30 T 29 R. 47 + Sec. NW SE

Type of well _____ Equipment used Cable Tool
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: ~~0~~ ft. to ~~77~~ ft. Type _____ Size _____
Casing: 0 ft. to 40 ft. Type steel Size 6"
Casing: 0 ft. to 79 ft. Type steel Size 4"

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 100 feet at 8 gal. per min. _____

How tested: Turned

Length of test 1 min 1 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)


Form No. 18
8-60

T. 29 N R. 47 E
County Rosebud

31

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED



Water Well Log
Owner Earl J. Rossell STATE ENGINEER
Address Wagon
Driller unknown Address _____

Date Started _____ Date Completed _____

Location: Sec. 31 T. 29 R. 47 1/4 Sec. SE

Type of well drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: _____ ft. to 140 ft. Type steel Size 5 in

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 0 to ft. 30. Ft. _____ to ft. _____

Type of screen or perforations perforated screen casing

Static water level, for non-flowing well: 48 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 40 feet at 10 gal. per min.

How tested: 30 gals water in 5 min.

Length of test 4 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Shovel pack first 60 ft.

(over)

GW: _____
 File No. _____

T. 29 N R. 47 E
 County Roosevelt

DUPLICATE

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER
 RECEIVED
 JUL 8 - 1963

Notice of Completion of Groundwater Appropriation by Means of Well
 STATE ENGINEER


(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
 (Elev. above sea level.....)
 0
 20
 Drift
 121
 Sand (tight)
 146
 Water Sand

Owner Earl J. Rensvold Address Wolf Point, Montana
 Driller Boone Whitmer & Sons Address Wolf Point, Montana
 Date of Notice of Appropriation of Groundwater June 5, 1962
 Date well started June 1, 1962 Date Completed June 3, 1962
 Type of well Drilled Equipment Used Cable Tool
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)
 Water Use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5-inch	5 1/2" OD 14#	0	121			



SE 1/4 Sec 31 T. 29 N. R. 47 E
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well 106 feet.
 Shut-in Pressure for Flowing Well _____
 Pumping Water Level 125 feet at 10 gal. per minute.
 Discharge in gal. per min. of flowing well _____
 How Tested Bailer Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) _____
25 feet Gravel Pack Screen

Show exact depth of bottom.

83
 Driller's License Number
Boone Whitmer
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Form No. 18
8-60

35

T. 29N R. 47E
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
MAY 15 1952

Water Well Log

STATE ENGINEER
OWNER George Muller Address Wrightmont
Driller Dodd Address 11 11
Date Started May 1952 Date Completed May 1952
Location: Sec. 33 T. 29 R. 47 Sec. SE 1/4 SW 1/4

Type of well drilled Equipment used drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Casing: 110 ft. to _____ ft. Type galvanneal Size 6 in
Casing: _____ ft. to _____ ft. Type _____ Size _____
Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations no screen

Static water level, for non-flowing well: _____ 20 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 90 feet at _____ gal. per min. 4

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel Packing

(over)

Form No. 18
8-60

35

T. 29 N R. 47 E


County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1962

Water Well Log

STATE ENGINEER



OWNER Chester M. Erickson Address Half Point, Mont

Driller Unknown Address _____

Date Started about 1935 Date Completed ?

Location: Sec. 35 T. 29 R. 47 1/4 Sec. NE

Type of well Drilled Equipment used Drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 110 ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 110 to ft. 130. Ft. _____ to ft. _____

Type of screen or perforations ?

Static water level, for non-flowing well: 60 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at 4 1/2 gal. per min.

How tested: timed with gallow pail

Length of test 1 minute

Remarks: (Gravel packing, cementing, peckers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 29N R. 47E

County Rosevelt

35

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1956

Water Well Log

OWNER Chester A. Erickson Address Wolf Creek, Mont.
 Driller Lyndby Nelson Address Poplar, Mont.
 Date Started Dec. 1955 Date Completed Jan. 1956
 Location: Sec. 35 T. 29 R. 47 Sec. NE

Type of well Drilled Equipment used Drill
 (Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other _____

Casing: 0 ft. to 112 ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 112 to ft. 148. Ft. _____ to ft. _____

Type of screen or perforations 8" x 1/4" slots

Static water level, for non-flowing well: 80 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 110 feet at 6 gal. per min.

How tested: slush bucket

Length of test 1/2 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

36

File No. _____

T 29 R 47 E

DUPLICATE

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAY 13 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Martin E. Fossen, of 420 Johnson Street Wolf Point
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

- The beneficial use on which the claim is based
domestic
- Date or approximate date of earliest beneficial use; and how continuous the use has been
temporarily out of use - past 4 or 5 years
- The amount of groundwater claimed (in miner's inches or gallons per minute)
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
hand pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
about 1920
- The depth of water table
possibly one foot
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
110 feet deep with curbing
- The estimated amount of groundwater withdrawn each year
none recently
- The log of formations encountered in the drilling of each well if available
no information
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

SM 4, Sec. 36, T. 29, R. 47
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Signature of Owner Martin E. Fossen

Date December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

38033

#536

EXPLANATION OF VERBED GRADUATION RIGHTS

220364

Martin E. Fosson

to

The Public

State of Montana, }
County of Roosevelt. }

Subscribed and sworn to before me this _____ day of _____

_____ A. D. 19__

at _____ o'clock _____

Eleanor A. Schmeltzer _____

8100 County Recorder

Margaret M. Brown _____

Deputy.

Fee \$2.00 pd.

Martin E. Fosson
Wolf Point, Montana

File No. _____

T-29 R42E

DUPLICATE

County: Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1963


Declaration of Vested Groundwater Rights

(Under Chapter 227, Montana Session Laws, 1961)

STATE ENGINEER

James R. Matejarsky, Scubey Rt. Wolf Point
(Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S E 1/4 Sec 3 R 9 E 2

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based: house
2. stuck water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been: 1. 1939 2. 1940
continuously

4. The amount of groundwater claimed (in miner's inches or gallons per minute): 1. 5 g.p.m. for domestic use
2. 25 g.p.m. for irrigation

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal: 1. 2
S.E. 1/4 Sec 13 T29 R4E

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater

8. The depth of water table: 1. 35 ft. 2. 80 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater: 1. 4" casing 35 ft.
2. 4" casing 80 ft.

10. The estimated amount of groundwater withdrawn each year: 30000 gal. 2. 20000 gal.

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including references to book and page of any county record

Signature of Owner: James R. Matejarsky
Date: Dec 31, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

36234

File No. 572 Doc. No. 220407

**DECLARATION OF VESTED
GROUNDWATER RIGHTS**

James R. Matejovsky

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 31st day of

December, A.D. 19 63

at 1:40 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from _____

James R. Matejovsky

Wolf Point, Montana

Form No. 18
8-60

T. 29 R. 48

County Roosert

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1962

Water Well Log

STATE ENGINEER

OWNER Mrs. Huldah Karge Address Wolf Point

Driller Albert Karge Address 11 11

Date Started _____ Date Completed _____

Location: Sec. 4 T. 29 R. 48 $\frac{1}{4}$ Sec. SE 1/4 of SE 1/4
SE 1/4 SE 1/4

Type of well Dug Equipment used Pick & shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 1 ft. to 18 ft. Type steel Size 12 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 16 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: Not

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 29 R. 48

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 10 1964

Water Well Log

STATE ENGINEER

OWNER Hilda Mrs. Albert Kange Address Wolf Point

Driller Albert Kange Address " "

Date Started _____ Date Completed SE 1/4

Location: Sec. 4 T. 29 R. 48 SE 1/4

Type of well Dug Equipment used pick & shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 1 ft. to 18 ft. Type wood Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 16 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: When water came in too fast to shovel layer

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 29 R. 48
County Rooserele

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1962

Water Well Log

STATE ENGINEER

OWNER Mrs Huldah Kongo Address Wolf Point

Driller Albert Kongo Address " "

Date Started _____ Date Completed _____

Location: Sec. 4 T. 29 R. 48 Sec. SE 1/4 of SE 1/4

Type of well Dug Equipment used Dick & Shorel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 1 ft. to 18 ft. Type Steel Size 12 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 16 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test 125

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

RECEIVED
AUG 7 1958

T. 29 R. 48

County Roosevelt

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner Mrs. Albert Karge Address Wolf Point

Driller Hall Drilling Co. Address Wolf Point

Date Started 7-20-58 Date Completed 7-25-58

Location: Sec. 52-8 T. 29 R. 48 1/4 sec.

Type of well Drilled Equipment used Rotary
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other: _____

Casing: 0 ft. to 350' ft. Type steel Size 4 1/2

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 265' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 280' feet at 7 gal. per min.

How tested: Bailed set test pump

Length of test: 8 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel packed 265-350'


(over)

Form No. 18
8-60

T. 29 R. 48

County Roosevelt

N 48



MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

RECEIVED
STATE ENGINEER

Owner Carl Karge Address Wolf Point, Montana

Driller Hand Dug by Carl Karge Address Wolf Point, Montana

Date Started April 1938 Date Completed April 1938

Location: Sec. 9 T. 29 R. 48 $\frac{1}{4}$ Sec. SE NE

Type of well Dug Equipment used Shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: 0 ft. to 18 ft. Type Galvanized Size 12 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 6 to ft. 18 . Ft. _____ to ft. _____

Type of screen or perforations Perforated Casing

Static water level, for non-flowing well: _____ 4 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)


Form No. 18
8-60

T. 29N R. 48E ⁹

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 13 1954



Water Well Log

STATE ENGINEER

Owner Carl Karge Address Wolf Point, Montana

Driller Seismograph Address 7 Wolf Point, Montana

Date Started Sept. 1954 Date Completed Sept. 1954

Location: Sec. 9 T. 29 R. 48 $\frac{1}{4}$ Sec. SE EE

Type of well Drilled Equipment used Seismograph Drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other _____

Casing: 0 ft. to 40 ft. Type Galvanized Size 6 INCHES

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations Perforated casing

Static water level, for non-flowing well: _____ 22 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

29N-48E 11
RECEIVED
JAN 15 1952

DECLARATION OF VESTED GROUND WATER RIGHTS ENGINEER

BE IT KNOWN That the undersigned DOES HEREBY PUBLISH AND DECLARE, in accordance with the provisions of Chapter 237, Laws of 1961 of the Legislative Assembly of the State of Montana, that the undersigned, by reason of beneficial use, claims and has acquired certain vested ground water rights and DOES HEREBY MAKE DECLARATION of vested ground water rights as follows:

1. Name and address of Claimant: John B. Stensland and Dolores M. Stensland
2. Beneficial use on which claim is based: Household and Livestock
3. Date (or approximate date) of earliest beneficial use, and how continuous the use has been: approximately 1945, continuous use
4. Amount of ground water claimed: Household--5000 gallons per month;
Livestock--36,000 gallons per month.
5. Where beneficial use has been for irrigation, storage, description of lands to which ground water has been applied, and name of owner thereof:
NE 1/4 sec. 11-Township 29 N., Range 48 EMM, Roosevelt County, Montana
owners--John B. Stensland and Dolores M. Stensland
6. Description of means of withdrawing ground water from the ground and location of each well or other means of withdrawal: drilled wells on
NE 1/4 sec. 11, T. 29 N., R. 48 EMM, Roosevelt County, Montana.
7. Date of commencement and completion of construction of well, wells, or other works for withdrawal of ground water: Approximately 1945
8. Depth of water table: Unknown
9. To the extent available, the type, size, and depth of each well, or the general specifications of any other works for the withdrawal of ground water: Drilled Wells, (two)
10. Estimated amount of ground water withdrawn each year: 500,000 gallons
11. The log of formations encountered in drilling of each well: Unavailable
12. Other information: _____

WITNES our hands at Wolf Point, Montana, this 29th day of December, 1951.

John B. Stensland
Dolores M. Stensland

STATE OF MONTANA,

)
: ss.

COUNTY OF ROOSEVELT)

On this 29th day of December, in the year nineteen hundred
and sixty-one, before me, Barter Larson

a Notary Public for the State of Montana, personally appeared John B.
Stensland and Dolores M. Stensland

known to me to be the persons whose names are subscribed to the
within instrument, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Notarial
Seal the day and year in this certificate first above written.

Barter Larson
Notary Public for the State of Montana. Resid-
ing at Wolf Point, Montana. My commission
expires Feb. 3, 1962.

File No. <u>222</u> Doc. No.	
DECLARATION OF VESTED GROUND WATER RIGHTS	
210512	
John B. Stensland Dolores M. Stensland	
to	
The Public	
STATE OF MONTANA. } ss. County of Roosevelt	
Filed this <u>29th</u> day of December, A.D. 19 <u>61</u>	
<u>4:53</u> o'clock P. M. <i>Barter Larson</i> County Recorder	
Fee <u>\$2.00</u> pd.	Deputy
Received from	
<u>Barter Larson, Attorney at Law, Wolf Point, Montana</u>	

GW.

File No.

T. 29 N. R. 48 E. 26

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1931)

STATE ENGINEER

1. Anna Magnusson, of 7247 S 129th Seattle 98148
(Name of Appropriator) (Address) (Town)

County of Beaverhead State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



w/1/2 Sec. 26 T. 29 R. 48
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Home hold & stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1934 9 months out of each year

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.

8. The depth of water table 75 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 100 ft deep 3 ft diameter

10. The estimated amount of groundwater withdrawn each year 60,000 gal

11. The log of formations encountered in the drilling of each well if available unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record unknown

Signature of Owner Anna Magnusson
Mehi H Magnusson
Date Dec 30 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30197

File No. 533 Doc. No. 220350

DECLARATION OF VESTED GROUNDWATER RIGHTS

Malvin Magnuson, et al

vs

The Public

STATE OF MONTANA }
County of Roosevelt, } ss

Filed this 30th day of
December A.D. 1963
at 4:30 o'clock p. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.
Malvin Magnuson
Poplar, Montana

Received from _____


Form No. 18
8-50

T. 29 R. 48E

29 21


County Moosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water Well Log

STATE ENGINEER



OWNER Donald B. Anderson Address Wolf Point, Montana

Driller _____ Address _____

Date Started _____ Date Completed _____

Location: Sec. 29 T. 29 R. 48E & Sec. 1

Type of well Drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

The well was on the place when bought.

(over)

RECEIVED

GW-1 Revised 1969
1901-16/69

STATE OF MONTANA
DEPARTMENT OF NATURAL RESOURCES
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES DIVISION

County _____

31

August 28, 1972

Mr. Thomas Heidner
Wolf Point
Montana 59201

Dear Mr. Heidner:

This is in reference to the enclosed GW-1 form, Notice of Appropriation of Groundwater, that was filed in the Roosevelt County Courthouse at Wolf Point, Montana on June 30, 1972 (document number 790-250350).

The Notice of Appropriation of Groundwater form is simply a "notice" form, which is filed in advance of the commencing of the well construction. Upon well completion the GW-2 form, Notice of Completion of Groundwater Appropriation By Means of Well should be filed.

The GW-1 form, that you have filed does not legally give you or protect your groundwater right. The Groundwater Code specifically states that, "Until a notice of completion (GW-2 in this case) is filed with respect to any use of groundwater instituted after January 1, 1962, no right to that use of water shall be recognized."

Enclosed is one set (5 sheets to a set) of the GW-2 form in order that you may file your groundwater right properly. Complete the form as accurately and completely as you can and take it to the County Clerk & Recorder for filing.

Also enclosed is a pamphlet entitled Appropriation and Regulation of Groundwater. Please pay special attention to the areas underlined in red in the first three and one-half pages.

If we can be of further assistance, please feel free to contact us at any time.

Sincerely,

Re. ald J. Guse
Groundwater Rights Coordinator
WATER RESOURCES DIVISION

RJG/lk

Enclosures (3)

Signature of Owner

Thomas Heidner

Date June 30th, 1972

50-286