

RECEIVED

3 GW 3 Revised 1969
191-1500-10/69

JUL 3 1972

County Roosevelt

31

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION
STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 710-250.351

June 30, 1972 9:20 a.m.

GW 1 _____

Owner Thomas Heidner

Address Wolf Point, Montana, 59201 SR237-Box 12

Contractor (if any) Roosevelt County Soil Conservation Dist.

Address of Contractor Culbertson, Montana, 59218

Date Started June 20th Date Completed June 30th, 1972

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.)

Stock Water Dam

2. Means of withdrawing water (gravity, pump, canal, etc.)

3. Depth of water table

4. Use of the water Watering Livestock

5. Amount of groundwater claimed (in miner's inches or gallons per minute) ten acre feet

6. if used for irrigation, give number of acres and description of land

7. Estimate amount of water used each year


unknown

8. Months of year spring flows

March thru November

Signature of Owner Thomas Heidner

Date June 30th, 1972



SW 1/4 1/4 Sec. 31

T. 29 N R. 48 E

S W

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE. Elevation of spring, if known or estimated _____

50,786

RECEIVED

File No. 710 Doc. No. 250351

NOTICE OF COMPLETION OF GROUND-WATER APPROPRIATION WITH OUT WELL

Thomas Heidner
to
The Public

STATE OF MONTANA } ss.
County of Roosevelt,

Filed this 30th day of
June, A.D. 192
at 9:20 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder
Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from Thomas Heidner
Wolf Point, Montana

Form No. 18
8-60

T. 29 R. 48

County Roosevelt

MONTEANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1932

Water Well Log

STATE ENGINEER

OWNER Elise Herting Est. Address Wolf Point, Montana

Driller George Hunt Address Wolf Point, Montana

Date Started ----- Date Completed 1916

Location: Sec. 34 T. 29 R. 48 $\frac{1}{4}$ Sec. SE $\frac{1}{4}$ NW $\frac{1}{4}$

Type of well Drilled Equipment used Rotary
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Casing: 0 ft. to 120 ft. Type Tile Size 18 inch

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations -----

Static water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level ----- feet at ----- gal. per min. -----

How tested: Never Tested

Length of test -----

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)


Form No. 18
8-60

T. 29N R. 51E³
County Roos.

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 15 1955

Water Well Log



Owner David Smith Address Staplar

Driller _____ Address _____

Date Started not known Date Completed 1955

Location: Sec. 3 T. 29 R. 51 $\frac{1}{4}$ Sec. SE 1/4 NW 1/4

Type of well drilled Equipment used diaphragm
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 80 ft. to _____ ft. Type Iron Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 30 feet at 6 gal. per min.

How tested: hand pump

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)


Retired
W.E.

Form No. 18
8-60

T. 29N R. 51E³

County Bozeman
RECEIVED
JUN 15 1962

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water Well Log STATE ENGINEER
Owner David Smith Address Poplar
Driller Lies graph Address unknown
Date Started 1954 Date Completed 1954
Location: Sec. 5 T. 29 R. 51 $\frac{1}{4}$ Sec. SE/4 SW/4 NW/4

Type of well drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: _____ ft. to 55 ft. Type Iron Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 20 feet at 5 gal. per min.

How tested: Electric Pump

Length of test 24 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Butte


Form No. 18
8-60

T. 29N R. 51E⁴
County Beaverhead

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1961

STATE ENGINEER



Water Well Log

Owner David Smith Address Poplar

Driller not known Address _____

Date Started not known Date Completed _____

Location: Sec. 4 T. 29 R. 51 $\frac{1}{4}$ Sec. NW/4

Type of well drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 70 ft. to 80 ft. Type Iron Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 28 feet at 6 gal. per min.

How tested: hand pump

Length of test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Smoggen


Form No. 18
8-60

T. 29N R. 51E
County Blaine

9

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED



Water Well Log

STATE ENGINEER

Owner Amelia Smith Address Poplar

Driller _____ Address _____

Date Started 1/17 Date Completed 1/17

Location: Sec. 9 T. 29 R. 51 + Sec. N 1/4 SW 4

Type of well Dug Equipment used Aug. bit
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: _____ ft. to 14 ft. Type wood Size 11" x 4"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 4' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 5 feet at 6 gal. per min.

How tested: hand pump

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)


Form No. 18
8-60

T. 29 N R. 51 E 9

County Beaver

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 18 1927



Water Well Log

STATE ENGINEER

Owner David Smith Address Poplar

Driller _____ Address _____

Date Started 1927 Date Completed _____

Location: Sec. 9 T. 29 R. 51 Sec. NW 1/4 SE 1/4

Type of well Dug Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other _____

Casing: _____ ft. to 30 ft. Type Iron Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations none

Static water level, for non-flowing well: 20 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 20 feet at 5 gal. per min.

How tested: hand pump

Length of test 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)


(over)

Form No. 18
8-60

T. 29N R. 51E 9

County ROBERTS
MAY 15 1962

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water Well Log

STATE ENGINEER

Owner David Smith Address Poplar

Driller David Smith Address _____

Date Started 1937 Date Completed _____

Location: Sec. 9 T. 29 R. 51 1/4 Sec. SW 4 SE 4

Type of well Dug Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 7 ft. to 6 ft. Type Galvanized Size 3 1/2"

Casing: _____ ft. to 12 ft. Type 1/2" Well pipe

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations 4 ft. sand point

Static water level, for non-flowing well: 6' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 5 feet at 6 gal. per min.

How tested: hand pump

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)


(over)

Form No. 18
8-60

T. 29N R. 51E 10
County Blaine RECEIVED

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER



Water Well Log

Owner David Smith Address Poplar

Driller Francis Baldwin Address not known

Date Started _____ Date Completed 1929

Location: Sec. 10 T. 29 R. 51 1/4 Sec. SE 1/4 SW 1/4

Type of well driven Equipment used churn
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: _____ ft. to 80 ft. Type Iron Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 80 to ft. 90 . Ft. _____ to ft. _____

Type of screen or perforations perforated iron

Static water level, for non-flowing well: 40 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 35 feet at 8 gal. per min.

How tested: 3/4 horse electric

Length of test 24 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. _____

T. 29 N R. 51 E

DUPLICATE

County ROOSEVELT

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE SEC 31 1963
OFFICE OF STATE ENGINEER


STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, GRACE R. DEHNER, of Poplar, Montana, (Name of Appropriator) (Address) (Town)

County of Roosevelt, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based... ~~household and livestock use~~

3. Date or approximate date of earliest beneficial use; and how continuous the use has been... ~~prior to 1920--continuous use when buildings are occupied.~~

4. The amount of groundwater claimed (in miner's inches or gallons per minute)... ~~20 gals. per minute~~

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof... ~~Not used for irrigation~~

Sec. 14, T. 29 N R. 51 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal... ~~Pump on windmill, SW 1/4 SW 1/4 Sec. 14, T. 29 N, R. 51 E, Mt. Roosevelt County, Montana~~

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater... ~~prior to 1920~~

8. The depth of water table... ~~Approximately 175 feet.~~

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater... ~~Drilled well; approximately 5 inch casing; approximately 190 feet deep.~~

10. The estimated amount of groundwater withdrawn each year... ~~150,000 gal. per year~~

11. The log of formations encountered in the drilling of each well if available... ~~No log available.~~

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record... ~~None~~

Signature of Owner *Grace R. Dehner*

Date: December 30, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 16800

File No. #517 Doc. No. 220344

**DECLARATION OF VERIFIED
CREDITOR'S RIGHTS**

Grace E. Dehner

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 30th day of
December, A.D. 1963

at 2:50 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from _____

Grace E. Dehner

Poplar, Montana

RECEIVED
DEC 14 1957

T. 29N R. 51E 16
County Roosevelt

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

	16	
		x

Owner Murphy Corporation Address Poplar, Montana
Driller A & B Drilling Co. Address Scobey, Montana
Date Started Oct. 28, 1957 Date Completed Oct. 29, 1957
Location: Sec. 16 T. 29N R. 51E 1/4 sec. 34/32

Type of well drilled Equipment used cable tool drilling machine
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other:

Casing: 0 ft. to 30 ft. Type steel Size 4"

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 25 to ft. 30 Ft. to ft.

Type of screen or perforations torch slot

Static Water level, for non-flowing well: 15 feet

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level: 23 feet at 6 gal. per min.

How tested: bailer

Length of test:

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Notice of Appropriation of Groundwater
(Under Chapter 237, Montana Session Laws, 1961)

20 30

1. I, ORPHEY LIEN, of POPLAR
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONT., intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is STOCK
(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
4. The annual period (inclusive dates) of intended use YEAR ROUND
5. The probable or intended date of first beneficial use 1958
6. The probable or intended date of commencement and completion of the well* or wells*
7. The location, type, size and depth of well or wells contemplated 78' DEEP
8. The probable or estimated depth of the water table or artesian aquifer
9. Name, address and license number of the driller engaged

10. Give such other similar information as may be useful in carrying out the policy of this act

.....


.....

.....

.....

.....

.....




N1/4 Sec. 20 T29N R. 51E.
Locate well or other means of development as accurately as possible on the plat.

Notice of Appropriation of Groundwater

(Under Chapter 237 Montana Session Laws, 1961, as amended)

20

- I, ORFHEY LIEN, of POORAR
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONT., intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
- The beneficial use to which water is to be applied is DOMESTIC
(describe lands to be benefited, if for irrigation)
- The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
- The annual period (inclusive dates) of intended use YEAR ROUND
- The probable or intended date of first beneficial use 1948
- The probable or intended date of commencement and completion of the well* or wells*
- The location, type, size and depth of well or wells contemplated 78' DEEP
- The probable or estimated depth of the water table or artesian aquifer
- Name, address and license number of the driller engaged
- Give such other similar information as may be useful in carrying out the policy of this act



NW 1/4 Sec. 20 T. 29 N. R. 51 E.
Locate well or other means of development as accurately as possible on the plat.

Notice of Appropriation of Groundwater
(Under Chapter 237, Montana Session Laws, 1961)

21 21

1. I, ORPHEY LIEN, of POPPIAR
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONTANA, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is STOCK & DOMESTIC
(describe lands to be benefited, if for irrig.)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
4. The annual period (inclusive dates) of intended use NOT USED NOW
5. The probable or intended date of first beneficial use 1950
6. The probable or intended date of commencement and completion of the well* or wells*
7. The location, type, size and depth of well or wells contemplated 15' DEEP
8. The probable or estimated depth of the water table or artesian aquifer
9. Name, address and license number of the driller engaged

10. Give such other similar information as may be useful in carrying out the policy of this act


.....

.....

.....

.....

.....



30 N.E. 1/4 Sec 24, T. 22 N. R. 51 E.
Locate well or other means of development as accurately as possible on the plat.


Notice of Appropriation of Groundwater
(Under Chapter 237, Montana Session Laws, 1961)

21

1. I, ORPHAY LIEN, of POPLAR
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT, State of MONTANA, intend to appropriate groundwater in accordance with Chapter 237, Montana Session Laws of 1961.
2. The beneficial use to which water is to be applied is DOMESTIC & STOCK

(describe lands to be benefited, if for irrigation)
3. The rate of use in gallons per minute or miner's inches of groundwater claimed UNKNOWN
4. The annual period (inclusive dates) of intended use NOT USED at PRESENT
5. The probable or intended date of first beneficial use 1960
6. The probable or intended date of commencement and completion of the well* or wells*
7. The location, type, size and depth of well or wells contemplated 12' DEEP
8. The probable or estimated depth of the water table or artesian aquifer
9. Name, address and license number of the driller engaged
10. Give such other similar information as may be useful in carrying out the policy of this act

.....
.....
.....
.....
.....



NW 1/4 Sec 21 T21N R51E
Locate well or other means of development as accurately as possible on the plat.

.....
.....

Form No. 18
8-60

3

T. 29N R. 52E

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

STATE ENGINEER

Water Well Log

x		

Owner MOEFARM CORPORATION Address POPLAR, MONTANA.

Driller HIMES DRILLING SERVICE Address WOLFPOINT, MONTANA.

Date Started JUNE 10, 1961 Date Completed JUNE 16, 1961

Location: Sec. 3 T. 29 R. 52 $\frac{1}{4}$ sec. TWELFTH

Type of well DRILLED Equipment used ROTARY
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 90 ft. to 94 ft. Type STEEL Size 4"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 84-86 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

3

T. 29 N R. 52 E

County ROOSEVELT

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

STATE ENGINEER

Water Well Log

x			

Owner MOE FARM CORPORATION Address POPLAR, MONTANA

Driller ALEX VERDON Address DECEASED

Date Started 1942 Date Completed 1942

Location: Sec. 3 T. 29 R. 52 $\frac{1}{4}$ sec NW $\frac{1}{4}$

Type of well DRILLED Equipment used DRILL
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 94 ft. to 96 ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: Approx. 90 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No.

T. 29 N. R. 2 E

DUPLICATE

County Roosvelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Schnitzler Corporation, of Froid
(Name of Appropriator) (Address) (Town)
County of Roosvelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

		X	

NE 9 T. 29 R. 52
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based.....
Household & farm
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been..... land purchased from Melvin Eagles in 1959
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute)..... 20 gpm
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
none
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Pump
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater..... None available
- 8. The depth of water table..... 20 ft.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater..... 1/2 inch casing 200 ft.
- 10. The estimated amount of groundwater withdrawn each year..... 8,000
- 11. The log of formations encountered in the drilling of each well if available..... None available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record..... None available

Schnitzler Corporation
Signature of Owner Quentin French Secy-Treas.
Date 12/26/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30223

1561

DECLARATION OF TRUST CONTRACTOR RECORD

Schriteler Corporation

to

The Public

220396

State of Montana }
 County of Park }
 at _____
 this _____ day
 19____ A. D. 19____
 Eleanor A. Schriteler }
 Margaret M. Brown } County Clerk
 _____ }
 _____ } Deputy

Fee \$2.00 pd.

**Schriteler Corporation
Froid, Montana**

Log of Well

19 N 13

Depth, feet		Description of Material Drilled
From	To	
5/13		
		Mr. Kroll
13		ROBERT EVANS
		7/15/44
		13 29 52
		SW of SW 1
		Drilled
		X
		Steel
		20
		20 25
		Domestic Pump
		2 Hours

RECEIVED
STATE ENGINEER

California State Engineer
7/15/44

File No. 273 Doc. No.

WATER WELL LOG

Mr. Krall

to 210503

The Public

STATE OF MONTANA, } ss.
County of Roosevelt,

Filed this 29th day of
December, A.D. 19 61.

at 4:50 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Fee D.N. Deputy

Received from

Mr. Krall

Calbertson, Montana

14

No. _____
DUPLICATE

T. 29 N R 52 E
County Roosevelt


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
APR 26 1962
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, Anderson Public School, of Box 458 Poplar
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 14 T29N R52E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
school water system

3. Date or approximate date of earliest beneficial use; and how continuous the use has been using at present,
used ten months per year

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
well pump electric

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater not known

8. The depth of water table 100'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled wells 4" casing 120'

10. The estimated amount of groundwater withdrawn each year 15,000 gallons

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner M. Duane Adams

Date 4/13/62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

INDEXED

File No. 300 Doc. No.

**DECLARATION OF VESTED
CIRCUMSTANCES**

Inderson Public School

to 212094

The Public


STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 24th day of
April, A.D. 1962
at 8:00 o'clock A. M.

County Recorder

Eleanor A. Schmeltzer
Deputy
Fee: \$2.00 pd.

Received from
W. Dana Adams
Poplar Public Schools
Poplar, Montana



[Faint, illegible text, possibly a signature or official stamp, located in the right-hand section of the document.]

Form No. 18
8-60

T. 29 N R. 52 E 33

County BEAUFORT

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
MAY 15 1944

Water Well Log

STATE ENGINEER

	X	

OWNER ALVIN S OLIVER LIEN Address BROOKTON

Driller SELF Address BROOKTON

Date Started 1944 Date Completed 1944

Location: Sec. 33 T. 29 R. 52 1/4 Sec. 34

Type of well DUG Equipment used GRAND CAPPER
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 50 ft. Type steel Size 8"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 50 to ft. 60 . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 40 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 40 feet at 1.0 gal. per min.

How tested: measure & pump back

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
gravel packing

(over)

Form No. 18
8-60

T. 29 N R. 52 E 33

County BROOKS

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 15 1962

Water Well Log

STATE ENGINEER

	X	

OWNER ALVIN & OLIVER LIEN Address BROOKTON

Driller SELF Address BROOKTON

Date Started 1944 Date Completed 1944

Location: Sec. 33 T. 29 R. 52 Sec. 33

Type of well DIVES Equipment used CABLE OPERATED
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other

Casing: 0 ft. to 50 ft. Type Steel Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 50 to ft. 60 ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 40 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 40 feet at 10 gal. per min.

How tested: measure & pump jack

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
gravel packing

(over)

Form No. 18
8-60

T. 29 N R. 52 E

County Roosevelt

34

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

Water Well Log

STATE ENGINEER

Owner Ted Johnson Address Brockton, Mont.

Driller Ted Johnson Address Brockton, Mont.

Date Started 1st September, 1961 Date Completed 5th Sept. 1961

Location: Sec. 34 T. 29 R. 52 $\frac{1}{4}$ sec. west

Type of well Dug with Sand Point Equipment used Sand Point
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 5 ft. Type Wood Size 4" x 4"

Casing: 5 ft. to 8 ft. Type Pipe driven in ground, 12"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations Sand Point

Static water level, for non-flowing well: 5 ft. feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 5 feet at 5 gal. per min.

How tested: Pump

Length of test 4 hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. 46 Doc. No. _____

WATER WELL LOG

Ted Johnson
to 210250
The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 27th day of
December, A.D. 1961

at 4:00 o'clock P M.

Eleanor A. Schmeltzer
County Recorder

Fee D.H. Deputy

Received from _____
Ted Johnson
Brockton, Montana

Eleanor A. Schmeltzer

Form No. 18
8-60

T. 29N R. 33E
County Bozeman

6

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 2 1962

Water Well Log

STATE ENGINEER

Owner Arvid Salberg Address Bozeman
Driller Edna Billie Address Bozeman
Date Started September 1954 Date Completed 02, 1954
Location: Sec. 2 T. 29N R. 33E $\frac{1}{2}$ sec. 7

Type of well filled Equipment used at 70
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: 0 ft. to 140 ft. Type live 1 1/2 in Size 6 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 75 feet at _____ gal. per min. _____

How tested: _____

Length of test 5 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
gravel packing

(over)

File No. _____

T. 29 N. R. 53 E. 28

DUPLICATE

County _____


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Vitaly + Irene Jaumotte of Rte 2 Box 169A Bozeman
(Name of Appropriator) (Address) (Town)

County of Hallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Roosevelt County
S. 5 1/2 Sec. 28 T. 27 N. S. 1 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. household use some scack water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. not known

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 1 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and names of the owner thereof. not used for irrigation on edge of county

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. cylinder and pump rod

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. not known

8. The depth of water table. 48 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. cylinder and pump rod

10. The estimated amount of groundwater withdrawn each year. 10000 gal

11. The log of formations encountered in the drilling of each well if available. not known

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none available

Signature of Owner: Vitaly Jaumotte
Irene Jaumotte
Date: DEC 27 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

File No. 456 Doc. No. 220270

**DECLARATION OF VESTED
GROUNDWATER RIGHTS**

**Vital J. Jaumotte and
Irene Jaumotte**

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 30th day of
December, A.D. 1963
at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from _____
Vital Jaumotte
Rm. 2 Box 169 A
Bozeman, Montana

File No. _____

T 29 N R 53 E

DUPLICATE


County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

Vital & Irene Jaumotte, of Rte 2 Box 169A Bozeman
(Name of Appropriator) (Address) (Town)
County of Gallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Roosevelt County
S.E. 1/4 SW 1/4 Sec. 28 T29N R. 53E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based stock water and garden irrigation
- Date or approximate date of earliest beneficial use; and how continuous the use has been not known
- The amount of groundwater claimed (in miner's inches or gallons per minute) 30 gal per minute
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof next to well
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal jet pump
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater not known
- The depth of water table 60 feet
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater jet pump 6 in casing 148 ft deep
- The estimated amount of groundwater withdrawn each year 200,000 gal
- The log of formations encountered in the drilling of each well if available not known or available
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Vital Jaumotte
Signature of Owner
Date DEC 27 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 15743

File No. 455 Doc. No. 220269

**DECLARATION OF VESTED
GROUNDWATER RIGHTS**

**Vital J. Jaurotte and
Irene Jaurotte**

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 31st day of
December, A.D. 1963
at 8:00 o'clock A. M.

Fleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy
Fee \$2.00 pd.

Received from _____
Vital Jaurotte
Box 2 Box 159 A
Edmonton, Montana

[Faint, mostly illegible text and a grid pattern, likely representing a survey or map area.]

29

File No.

T. 29 N. R. 53 E.

DUPLICATE

County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

Vital and Irene Jaurmette, of Boyeman Mont. Rte. 2,
(Name of Appropriator) (Address) (Town)

County of ~~Bozeman~~ Gallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Roosevelt County

Sec. 29, T. 29 N., R. 53 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. household and lawn use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. not known

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2.5 gal per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. lawn around house

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. submersible electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. not known

8. The depth of water table. 86 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 hp submersible pump 6 in steel casing 86 ft deep

10. The estimated amount of groundwater withdrawn each year. 400,000 gal

11. The log of formations encountered in the drilling of each well if available. none available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none available

Vital J. Jaurmette
Signature of Owner

Date Dec. 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15742

File No. 454 Doc. No. 220268

**DECLARATION OF VESTED
GROUNDWATER RIGHTS**

**Vital J. Jannotte and
Irene Jannotte**

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 30th day of

December, A.D. 1963

at 8:00 o'clock A. M.


Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from _____

Vital Jannotte
Rte 2 Box 169 A
Bozeman, Montana



[Faint, illegible handwritten notes and signatures in the right margin, possibly including names like 'Margaret M. Brown' and 'Eleanor A. Schmeltzer']

29

File No. _____

T. 29 N R. 53 E

DUPLICATE

County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Vitalford Irene Jaumotte, of Rt 2 Box 169A Bozeman
(Name of Appropriator) (Address) (Town)

County of Hallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Roosevelt County
S8SW1/4 Sec 29 T29N R53E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based gen. use for tractor spray and garden irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1960 all farming season
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gal per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof small garden approximately 2 acres
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric jet pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater spring of 1960
- 8. The depth of water table 80 ft
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 5 h.p. jet pump 1 in casing 100 ft deep
- 10. The estimated amount of groundwater withdrawn each year 250,000 gal.
- 11. The log of formations encountered in the drilling of each well if available none available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Vital Jaumotte
Signature of Owner Irene Jaumotte
Date DEC 27 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15745

[Faint, mostly illegible text and markings on the left side of the document, possibly bleed-through from the reverse side.]

File No. 457 Doc. No. 220271

**DECLARATION OF VESTED
CONDOMINIUM RIGHTS**

**Vital J. Jannotte and
Irene Jannotte**

to
The Public

STATE OF MONTANA,
County of Roosevelt, } ss.

Filed this 3rd day of
December, A.D. 19 63
at 8:00 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from _____
Vital Jannotte
Box 2 Box 159 A
Bozeman, Montana

GW

File No.

T. 29 N. 54 E. 8

DUPLICATE

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Schnitzler Corporation, of Billings, (Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based.....
Household & farm

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
1951

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
20 gpm

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Pump

SE 1/4 Sec. 8 T. 29 R. 54

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
1951/10/29/51 completed Nov. 1951

8. The depth of water table.....
16 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
136 foot well with 4 inch casing

10. The estimated amount of groundwater withdrawn each year.....
8,000

11. The log of formations encountered in the drilling of each well if available.....
None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
None available

Schnitzler Corporation
Signature of Owner [Signature] Secy-Treas
Date 12/28/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30225

#563

DECLARATION OF VERIFIED CREDITORS RIGHTS

Schnitzler Corporation

to **220398**

The Public

State of Montana,
County of Roosevelt }
Filed this December 31st day of 1935
11:25 A. D. 1935
Eleanor A. Schnitzler Clerk
Margaret M. Brown County Recorder.
Deputy.

Fee \$2.00 pd.


Schnitzler Corporation
Froid, Montana

RECEIVED
AUG 1 1958

T. 29N R. 54E - 10
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
STATE ENGINEER Butte, Montana

WATER WELL LOG



Owner: David Heikel Address: Froid Montana
Driller: Western Well Drillers Co. Address: Medicine Lake, Mont
Date Started: May 2 Date Completed: May 5
Location: Sec. 10 T. 29 R. 54 1/4 sec. S.E.

Type of well: Drilled (Dug, driven, bored, or drilled) Equipment used: Drill (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 0 ft. to 68" ft. Type: 1/2" steel Size: 5

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Casing: _____ ft. to _____ ft. Type: _____ Size: _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 30' feet at _____ gal. per min. 3 gpm

How tested: Slush bucket + Pump

Length of test: 1/2 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Depth, feet		Description of Material Drilled
From	To	
0	14	Sand
14	18	Sand gravel
18	20	Yellow clay
20	30	Sand clay
30	68	Sand & blue clay
68	73	Coal
73	80	Blue clay
80	84	Sand
84	94 1/2	Clay
94 1/2	96	Shale rock
96	108	Clay
108	114	Coal
114	126	Clay
126	133	Sand clay

No.