

File No. _____

ORIGINAL *Supplied*

RECEIVED
JAN 8 1964
County _____


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Bill E Pinkerton of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE NE 1/4 S 2 39E
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use of which the claim is based GRAZING
- Date or approximate date of earliest beneficial use; and how continuous the use has been June 1963
6 MONTHS PER YR
- The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gal PER MIN
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC MOTOR PUMP JACK
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June 1963 PUMP JACK 1 1/2 in PIPE
- The depth of water table 6 ft.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 in casing 14 ft depth
- The estimated amount of groundwater withdrawn each year 200,000 gal Per yr.
- The log of formations encountered in the drilling of each well if available Drilled by hand
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Bill E Pinkerton
Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

180091

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
31, 1963, AT ~~10~~ AM, CO. CLERK

*Saward List
by: Ellen Clark, Dep.*

File No.

T. 2N R. 39E

DUPLICATE

County. Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mrs. Genie Palmer & Mary Genie Dowlan Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NW Sec. 10 T. 2N R. 39E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Stock Water Well

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been..... July 1947
when over stock are in that pasture

4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 7 Gal per min at 115 feet

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof

None

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater..... July 1947

8. The depth of water table..... Water level 75 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater..... 4 in Casing 130 feet (40 feet Perm.) 1/2 in Casing
1 1/4 in pipe, 3/8 in sucker rod, 1 1/4 in drop pipe

10. The estimated amount of groundwater withdrawn each year..... Do not know

11. The log of formations encountered in the drilling of each well if available..... 0 to 33 Sandy clay
33 to 38 Sandrock, 38 to 82 Hard blue shale, 82 to 118 Sandrock,
118 to 130 Sandy gray Shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record..... W.C.H. LOG AT RANCH

Signature of Owner

Mary Genie Dowlan

Date Dec 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.


Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

13762

179715

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC
26th, 1963, AT 7:30 PM, CO. CLERK

Howard Lutz
2nd pd by: Ellen Clark, Secy.



NOTICE TO THE PUBLIC
This document is a public record and is available for inspection and copying by any person at any time and place. The fee for a copy of this document is \$1.00 per page plus a charge of \$1.00 per page for each page over 100 pages. The fee for a copy of this document is \$1.00 per page plus a charge of \$1.00 per page for each page over 100 pages.

RECORDED
INDEXED
DEC 26 1963
COUNTY CLERK
ROSEBUD, MONTANA

File No.

T. 2N R. 39E

DUPLICATE


County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Genie Fulmer and Mary Genie Dowlin, of Forsyth, Montana
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 12 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Stock, irrigation and etc
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Sept 1928
Off and on as needed
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 35 Gal Per Min
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Lawn and Trees in Yard at Ranch
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Pump Jack and Motor
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Sept 1928
8. The depth of water table. 35 feet
9. So far as it may be available, the type, size, and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6 in casing, 1 1/2 well pipe, 7/16 rod
3 in Cylinder
10. The estimated amount of groundwater withdrawn each year. Do Not No
11. The log of formations encountered in the drilling of each well if available. 0 to 8 Top Soil
8 to 57 Sandrock, 51 to 71 Sandy (Water 20 Gal Per Min)
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
None

Signature of Owner Genie Fulmer Dowlin
Date Sept 25, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13768

179721

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
24, 1963, AT 2:30 PM, CO. CLERK

20 p.

Unrecorded List

By: Ellen Clark, Secy.

File No.

T. 24 R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER


RECEIVED
 DEC 27 1963

Declaration of Vested Groundwater Rights

STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Genie Fulmer & Mary Genie Dowlin, of Forsyth,
 (Name of Appropriator) (Address) (Town)
 County of Rosebud State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based. House water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. July 15, 1958
All the time for house use.
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 Gal. per min. at 173 feet (Soft water)
20 Gal. per min. at 71 feet (Hard water)
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Windmill ~~and~~ pump to tank on hill for
force in house

SW 1/4 SW Sec. 12 T. 24 N. R. 39 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. July 15, 1958
8. The depth of water table. 71 foot (hard water), 173 foot (Soft water)
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 4 1/2 in casing, 2 in well pipe, wooden pump rod, 2 in working bamboo flender
10. The estimated amount of groundwater withdrawn each year. Do not know
11. The log of formations encountered in the drilling of each well if available. 0 to 8 Top soil
8 to 51 Sandrock, 51 to 71 Sandy water, 71 to 74 Coal, 74 to 102 Sandy Shale
102 to 106 Coal, 106 to 156 Dark shale, 156 to 159 Light shale, 159 to 173
Sandy water, 173 to 175 Coal, 175 to 177 Shale
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
Well Log at Ranch

Signature of Owner Mary Genie Dowlin

Date Sept. 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

179720

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26, 1963, AT 2³⁰ PM, CO. CLERK
2nd fl Howard J. ...

CLERK
COUNTY
ROSEBUD
MONTANA

12

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

I Gene Fulmer and Mary Gene Dowlin, of Forsyth
(Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 12, T2N, R. 39E
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Live Stock water well

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been May 23, 1960

4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 35 Gal per Min at 20 feet

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Pump Jack and Motor

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater..... May 23, 1960

8. The depth of water table..... 17 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater..... 6in casing, 1 1/2 in well pipe, 7/16 rod
2 1/2 in cylinder

10. The estimated amount of groundwater withdrawn each year..... Do not know

11. The log of formations encountered in the drilling of each well if available..... 0 to 10 Sandy dirt
10 to 13 gravel and Black muck, 13 to 17 Blue sandrock, 17 to 21 water
sand (35 gal per Min.)

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.....
Log at Ranch

Signature of Owner Mary Gene Dowlin
Date Sept 9 25 / 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

13755

179708

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC
26th, 1963, AT 2:30 P.M., CO. CLERK

200 pl

*Unpaid Suit
by: Edna Clark, Dep.*

STATE OF MONTANA
COUNTY OF ROSEBUD
CLERK OF DISTRICT COURT

File No.

T. 2N R. 39 E

DUPLICATE

County... Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Genie Fulmer & Mary Genie Dowlin, of Forsyth
(Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 14, T. 2N R. 39 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based...
House water and Livestock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been... June 10, 1962
All the time for house and Stock

4. The amount of groundwater claimed (in miner's inches or gallons per minute)... 10 Gal per min at 160 feet

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal...
Pump and Motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater... June 1962

8. The depth of water table... 30 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater... 6 in. casing, 1/2 in. casing, well pipe submersible pump

10. The estimated amount of groundwater withdrawn each year... Do Not, No

11. The log of formations encountered in the drilling of each well if available... 0 to 20 Clay, 20 to 25 Mud Shale, 25 to 35 Shale, 35 to 45 Water Sand, 45 to 104 Shale, 104 to 110 Sandy water, 110 to 160 Light water (10 Gal per Min) 160 to 176 Shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record...
None

Signature of Owner... Mary Genie Dowlin

Date... Sept. 25, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13151

179710

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26th, 1963, AT 2:20 PM, CO. CLERK

Thomas Lait
by: Ellen Clark, Det.

File No.

MONTANA WATER RESOURCES BOARD
RECEIVED

T. R.

DUPLICATE

FEB 27 1970

County Rosebud

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. above sea level.....)

0' - 22' Brown Sand

22' - 26' Hard yellow sand

26' - 30' Yellow clay

30' - 52' Brown sand

static level
52' - 55' Hard yellow sand

55' - 73' Blue sand
(20 gal. per min.)

73' - 74' Blue Clay

pass level

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Northern Pacific Ry. Co. Address St. Paul, Minn.

Driller Elbert Folkerts Address Forsyth, Mont.

Date of Notice of appropriation of groundwater.....

Date well started 11/16/67 Date completed 11/25/67


Type of well Drilled Equipment used Churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5" I.D. Steel 1 1/2" per ft.	0	74	1/2" round	55	74

Doc. No. 194572
Filed for record
this 26 day of February
A. D. 19 70, at 9:30
o'clock a. M.



Static Water Level for non-flowing well 56 feet.

Shut-in Pressure for Flowing Well Not applicable

Pumping Water Level..... 64 feet
at 20 gal. per minute.

Discharge in gal. per min. of flowing well
not applicable

How Tested..... Drilled

Length of Test..... 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....
not applicable

..... 1/4 Sec. 15 T. 2 R. 38
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).
not applicable

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

104
Driller's License Number

Driller's Signature

46209

194572

STATE OF MONTANA } 38
COUNTY OF ROBERTS }

Filed on the 26th day of Feb.

1974 at 9:30 o'clock A.M.

Howard Lait

County Clerk & Recorder

Betty M. Jordan

#2-06

Exhibit

File No.

MONTANA WATER RESOURCES BOARD

T. 2N R. 39E

DUPLICATE


RECEIVED

County Beaumont

LOG

DEC 2 1967

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

0' - 22' Brown Sand

22' - 36' Hard Yellow Sand

26' - 30' yellow clay

50' Static Level 30' - 52' Brown Sand

52' - 55' Hard Yellow Sand

55' - 73' Blue Sand
(20 gal. per min.)

73' - 74' Blue Clay

Owner Bill Linkerton Address Joseph, Mont.

Driller Elbert Falkert Address Joseph, Mont.

Date of Notice of appropriation of groundwater.....


Date well started 11/16/67 Date completed 11/23/67

Type of well Drilled Equipment used Skinner
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5" 2.10 Steel 14" pipe	0	74	1/2" round	55	74



Static Water Level for non-flowing well 50 feet.

Shut-in Pressure for Flowing Well Not Applicable

Pumping Water Level 64 feet at 200 gal. per minute.

Discharge in gal. per min. of flowing well Not Applicable

How Tested Failed

Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

1/4 Sec. 15 T. 2N R. 39E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Not Applicable

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Not Applicable

Show exact depth of bottom.

74'

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

104
Driller's License Number

Elbert Falkert
Driller's Signature

by Margaret Falkert
42,643

188970

STATE OF MONTANA, }
COUNTY OF ROBERTS } SS.

Filed on the 6th day of Dec
1967 at 4:05 o'clock P.M.

Howard Lait
County Clerk & Recorder

By Betty M. Fontaine
Deputy

19

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 9 1963
STATE ENGINEER

1. Northern Pacific Railway Company, of 5th & Jackson Sts, St. Paul, Minn.
(Name of Appropriator) (Address) (Town)
County of Ramsay State of Minnesota
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 19 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based watering livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since 1945.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gallons per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Drilled in 1948.

8. The depth of water table 35 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 235 feet deep - 6-inch casing.

10. The estimated amount of groundwater withdrawn each year.....

11. The log of formations encountered in the drilling of each well if available No log available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No other information available.

Northern Pacific Railway Company
Signature of Owner By [Signature]
District Supervisor, Graz. & Cult.
Date.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

80 65

179870

STATE OF MONTANA (SS.
COUNTY OF ROSEBUD)

Filed on the 4th day of December

1944 at 2:55 o'clock P. M.

Howard Smith
County Clerk & Recorder

By *David Joseph Haddock*
Deputy

2.00

File No.

T. 2N R. 39E

DUPLICATE

County. Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mrs Genie Fulmer & Mary Genie Dowlin of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 16 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Stock water Well

3. Date or approximate date of earliest beneficial use; and how continuous the use has been..... July 1947
When cows stock are in pasture

4. The amount of groundwater claimed (in miner's inches or gallons per minute)..... 18 gal per min at 50 feet

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater..... July 1947

8. The depth of water table..... Water level 35 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater..... Cylinder 2 1/2 X 18 in, 1 1/2 in well pipe, 7/16 sucker rod, 1/2 in casing

10. The estimated amount of groundwater withdrawn each year..... Do not know

11. The log of formations encountered in the drilling of each well if available..... 0 to 9 surface, 1/2 9 to 31 Sand and gravel, 31 to 39 Blue Shale, 39 to 43 Sand rock 43 to 81 Sandy clay, 81 to 90 Sandrock, 90 to 100 Blue sandy shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Mary Genie Dowlin
Date.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

179716

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26th, 1963, AT 2:30 PM, CO. CLERK

200 PD

Dwight Lait
By: Ellen Clark, My

STATE OF MONTANA
COUNTY OF ROSEBUD
CLERK OF DISTRICT COURT
ROSEBUD, MONTANA

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mrs Genie Fulmer & Mary Genie Dowlin Forsyth
(Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 8W Sec. 2N T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Livestock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been July, 1947
All the time when stock are in the
pasture.

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....12 Gal per min at 60 feet

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Windmill, Pipes and stock tanks

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....July 1947

8. The depth of water table.....45 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....4 in Casing, 61 feet; 3 in Perf, 42 feet
61 feet of 1 1/2 in pipe, 61 feet of 3/8 sucker rod and 2 1/2 18 in Cylinder

10. The estimated amount of groundwater withdrawn each year.....????? Do not know

11. The log of formations encountered in the drilling of each well if available.....0 to 15 Surface
15 to 40 sand and gravel, 40 to 54 Blue Shale, 54 to 89 Sandrock
89 to 100 Sandy gray shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....Log of well at Ranch

Signature of Owner [Signature]

Date.....Sept 25, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

179707

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26th, 1963, AT 2:00 PM, CO. CLERK

2nd PD.

Howard J. Jant
by Ellen Clark, Dep.

STATE OF MONTANA
COUNTY OF ROSEBUD
CLERK OF DISTRICT COURT
ROSEBUD, MONTANA

File No.....

T. 2N R. 39E

DUPLICATE

County.....Rosebud.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Genie Palmer & Mary Genie Dowlin..... of..... Forsyth.....
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4..... Sec. 24 T. 2N R. 39E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
LiveStock Water Well

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been..... Feb. 6, 1959
When ever stock are in pasture

4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 15 Gal per Min at 32 feet

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof

None

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater..... Feb. 6 1959

8. The depth of water table..... 15 Gal per Min at 32 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater..... 4 1/2 in OD Casing, 1 1/2 pump pipe, 7/16 rod
Cylinder

10. The estimated amount of groundwater withdrawn each year..... Do no no

11. The log of formations encountered in the drilling of each well if available..... 0 to 8 Top Soil
8 to 25 soil, 25 to 32 Clay, 32 to 44 Blue Sandrock (water 15 Gal per Min)
44 to 6 Coal

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.....

Well Log at Ranch

Signature of Owner Genie Palmer Dowlin

Date..... Sept 25, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

13764

179717

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
20th, 1963, AT 2:20 PM, CO. CLERK

2-20-63

Hawaii Suit

By: Ellen Clark, Dep.

24

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

RECEIVED
 DEC 27 1963


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mrs Genie Fulmer & Mary Genie Dowlin Forsyth
 (Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 24 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....

Stock water Well

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....

Aug. 7, 1947

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....

15 gal. per min. at 80 feet

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....

None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....

Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....

Aug. 5. to Aug. 7, 1947

8. The depth of water table.....

Water level 50 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....

6in casing, 1 1/2 in pump pipe, 7/16 pump rod
 2in x 18in Cylinder

10. The estimated amount of groundwater withdrawn each year.....

Do not know

11. The log of formations encountered in the drilling of each well if available.....

0 to 54 Sandy clay and loose rock, 54 to 64 Coal, 64 to 138 Sandrock, 138 to 140 Blue green shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

LOG 4 T RANCH

Signature of Owner Mary Genie Dowlin

Date Apr 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.


13761

179714

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
26th, 1963, AT 2:30 PM, CO. CLERK

2.00

Howard Clark
By: *David Dean Hiltner, Dep.*



RECORDED
INDEXED
DEC 26 1963
COUNTY CLERK
ROSEBUD, MONTANA

RECORDED
INDEXED
DEC 26 1963
COUNTY CLERK
ROSEBUD, MONTANA

THIS DOCUMENT IS THE PROPERTY OF THE COUNTY CLERK AND IS TO BE RETURNED TO HIM UPON REQUEST.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MONTANA WATER RESOURCES BOARD
RECEIVED
DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Burlington Northern Inc.
 Address B. N. Building
St. Paul, Minnesota
 Date well started Unknown
 completed 12 June 64
 Type of well Drilled
 Equipment used Unknown
 Water Use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other * Garden/Lawn
 *Describe _____
 USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____


For Administrator's Use
 Filed July 1, 1970
9:50 A.M.
 GW 1 19.53.85

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	16	Sandy
16	25	Coal
25	44	Shale
44	77	Hard Rock
77	58	Light shale - Water
58	70	Shale
70	77	Coal
77	83	shale hard
83	112	shale sandy
112	120	Light shale
120	128	Sandy water 3/4 gal/min
128	136'	shale

ESTIMATED ANNUAL WITHDRAWAL Unknown

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)



Static water levelft.*
 Pumping water levelft.*
 atgallons per minute,
 measuredminutes after pumping
 began.
 *Measured from ground level.
 Well developed by
 forhours.
 Power..... Pump..... HP
 Remarks: (Gravel packing, cementing,
 packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature _____
 Driller's Address _____
 _____ LICENSE NO. _____

Show exact depth of bottom

195385

STATE OF MONTANA,)
COUNTY OF ROBERTS) SS.

Filed on the 1st day of July
1970 at 9:50 o'clock A. M.

Howard Lick
County Clerk & Recorder

By Betty M. Frazier
#2.00 Deputy

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD


MONTANA WATER RESOURCES BOARD
RECEIVED DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Burlington Northern Inc.
Address B. N. Building
St. Paul, Minnesota
Date well started Unknown
completed 12 June 64
Type of well Drilled
Equipment used Unknown
Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other Garden/Lawn
*Describe
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and-Addition).
ESTIMATED ANNUAL WITHDRAWAL 240,000 gal.

Type of Rig	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)



Static water levelft.*
Pumping water levelft.*
at H. gallons per minute
measured minutes after pumping
began.
*Measured from ground level.
Well developed by
for hours.
Power Electricity Pump 1/2 HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address Farneyth, Montana

LICENSE NO. 96

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	Description
0	16	Sandy
16	25	Coal
25	44	Shale
44	77	Hard Rock
77	58	Light shale - water
58	70	1 gal/min shale
70	77	Coal
77	83	Shale hard
83	112	Shale sandy
112	120	Light shale
120	128	Sandy water 3 gal/min
128	136	Shale

Show exact depth of bottom

File No.

T. 2 North R. 39 East 25

DUPLICATE

County Rosebud

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
FEB 23 1965

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)

0 to 16' Sandy

16' to 25' Coal

25' to 44' Shale

44' to 47' Hard rock

47' to 58' Light shale (water 1 gal. per min).

58' to 70' Shale

70' to 77' Coal

77' to 83' Shale hard

83' to 112' Shale sandy

112' to 120' Light shale

120' to 128' Sandy water (3½ gal. per min.)

128' to 136' 6" Shale

Show exact depth of bottom.

Owner MOR. PAC. Ry. Co. Address St. Paul, Minn.

Driller Rosebud Drilling Co. Address Forsyth, Mont.

Date of Notice of appropriation of groundwater.....


Date well started..... Date completed 6-12-64

Type of well Drilled Equipment used Rotary drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4½	4½-136'					



Static Water Level for non-flowing well 58 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 78 feet
at..... 3½ gal. per minute.

Discharge in gal. per min. of flowing well

How Tested..... Bailed.....

Length of Test..... 2 hrs......

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW¼NE¼ Sec 25 T. 2N. R. 39E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

96

Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

2517c

183288

STATE OF MONTANA,)
COUNTY OF ROSEBUD) SS.

Filed on the 18th day of Feb.

1965 10:00 o'clock A.M.

Howard J. Lail

County Clerk of Rosebud

By *Betty M. Stevens*
#2.05 Deputy

RECORDED
INDEXED
JAN 20 1965

ROSEBUD COUNTY

29

File No.....

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

Declaration of Vested Groundwater Rights


(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

Northern Pacific Railway Company, of 5th & Jackson Sts, St. Paul, Minn.
(Name of Appropriator) (Address) (Town)

County of Ramsay State of Minnesota

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW $\frac{1}{4}$ Sec. 29 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based watering livestock.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since 1959.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Drilled in 1959.

8. The depth of water table 50 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 110 feet deep - 6-inch casing.

10. The estimated amount of groundwater withdrawn each year.....

11. The log of formations encountered in the drilling of each well if available No log available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No other information available.

Northern Pacific Railway Company

Signature of Owner By L. S. Linton
District Supervisor, Graz. & Cult.

Date.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

6093

179378

STATE OF MONTANA,)
COUNTY OF ROSEBUD) SS.

Filed on the 6 day of December

1932 at 2:45 o'clock P.M.

Howard J. Pitt
County Clerk & Recorder

By _____
Deputy

209

File No. _____

T. 2N R 39E
County Rosebud

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE RECEIVED
OFFICE OF STATE ENGINEER

JAN 3 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961) ENGINEER

1. Winford Hays, of Hyskam
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Mont
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SW Sec 30 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based livestock & domestic

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Sept 1 1948

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Sept 1947

8. The depth of water table 100 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

6 in casing with 2 1/2 in cyl. 1 1/2 in pipe + pump head 200 ft deep

10. The estimated amount of groundwater withdrawn each year 200,000

11. The log of formations encountered in the drilling of each well if available

None

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Winford Hays
Date 12/30/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

179883

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT 1:25 PM, CO. CLERK

\$2.00

Edward Paul
By *Betty M. Jontane*
clerk

OW

Approved Stock Form—State Publishing Co., Helena, Montana—42234

31

File No.

T. 2 N. R. 39

DUPLICATE

County P. Beaufort

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

JAN 31 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Stanley Sloan, of Forsyth
(Name of Appropriator) (Address) (Town)

County of P. Beaufort State of Mont.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW
NE 1/4 Sec. 31 T. 2 N. R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1950

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2 wells 5 gal each

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pumps NE 1/4 & SW 1/4 Sec 31

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. June 1950

8. The depth of water table. Both 150 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well 6 in casing 2 in pipe open cylinder

10. The estimated amount of groundwater withdrawn each year. 400,000 gal

11. The log of formations encountered in the drilling of each well if available. not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. not known

Signature of Owner. Stanley Sloan

Date. 12/29/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

34775

180524

STATE OF MONTANA, CC
CT ROSEBUD SS. FILED
29th, 1964, AT 1:30 P.M., CO. CLERK

Howard Tait
By: Ellen Clark, Reg.

File No.

T. 20 R. 39E

DUPLICATE

County.


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 3 1964

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. BILL E PINKERTON, FORSYTH, of _____
(Name of Appropriator) (Address) (Town)
County of ROSEBUD State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S.E. 1/4 NE 1/4 Sec 34 T. 2 R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. STOCK + HOUSE USE

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. NOV 1957
year around

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 9.901 PER MIN.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 100 FT SQUARE GARDEN
BILL E PINKERTON

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. NOV 1957

8. The depth of water table. 40 FT

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 4 INCH 120 FT DEPTH
MYRES JET PUMP

10. The estimated amount of groundwater withdrawn each year. 255,500 gal Per yr

11. The log of formations encountered in the drilling of each well if available. NONE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Bill E. Pinkerton
Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

180096

STATE OF MONTANA, COUNTY
OF ROSEBUSH. FILED DEC
31, 1968, AT 4:30 PM, CO. CLERK

22.00

Howard Lail

David James Hall of Dep.

18

File No.

T. 2N R. 40-E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater... June 1957

Genie Fulmer

Owner... Mary Genie Dowlin address... Roxsyth, Montana

Contractor (if any)

Address of Contractor

Date Started... June 1957..... Date Completed... June 1957

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Dug out spring and installed

4 in. pipe and then galvanized pipe


for 200 feet so that water runs into large

stock tank

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

About 5 Gals per Min most of the time



SE 1/4 Sec. 18, T. 2N R. 40-E

Indicate point of appropriation and place of use, if possible.

Signature of Owner Mary Genie Dowlin

Date Sept 26, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179719

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26th, 1963, AT 2:00 PM, CO. CLERK

2nd pd.

Howard Lutz
by: *Eileen Clark, Dep.*

CLERK OF DISTRICT COURT
ROSEBUD, MONTANA

24

File No.

T. 2N R. 39E

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater July 1911

Genie Fulmer


Owner Mary Genie Dowlin Address Forsyth, Montana

Contractor (if any) None

Address of Contractor

Date Started July 1911 Date Completed July 1911

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Dug out spring so that there is a body of water at all times



SW 1/4 Sec. 24 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use

Signature of Owner Mary Genie Dowlin

Date Sept 26, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

13765

179718

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
26th, 1963, AT 2:20 PM, CO. CLERK

David L. ...

2nd pd. J. J. Ellen Clark, Rep.

1970
AUG 18 1970

Burlington Northern
MONTANA WATER RESOURCES BOARD
Water Resources Division
Mitchell Building
Helena, Montana 59601

25
MONTANA WATER RESOURCES BOARD
RECEIVED
AUG 18 1970

Recently a copy of a groundwater appropriation form,

- GW 1, Notice of Appropriation of Groundwater
- GW 2, Notice of Completion of Groundwater Appropriation by means of Well
- GW 3, Notice of Completion of Groundwater Appropriation without Well
- GW 4, Declaration of Vested Groundwater Rights (This form is obsolete and was limited by law to use only through 1965)

Handwritten initials

was forwarded to this office by the County Clerk and Recorder.

This form is identified by

Owner Burlington Northern Inc Address B. N. Building St. Paul, Minnesota

Location T, 2N R, 39E Sec. 25 Document No. 195385

This is to inform you that your GW form has been received and is complete as filed.

This is a request for additional information if available. Please complete the enclosed copy by providing information where indicated, or as noted here and return the corrected copy to the Montana Water Resources Board in Helena.

Please provide the estimated annual withdrawal; the yield of the well in gallons per minute, including test pump information; the drillers signature, address, and license number; and any additional information that may be available.

Other.

Handwritten note:
Ben H. ...
When indicated, the add. ...
information has been added ...
but his signature is so by ...
on sheet attached ...
I trust this provides the information you need.
Sincerely,
J. B. ...
Superior, ...
Cult ...

ORDER NO. _____

DATE June 12 1904

SHIP TO Roadbud Drilling Co.

AT Don Snyder

HOW SHIP well

TERMS no. 1

WHEN 4 3/16 I.D. casing

SALESMAN _____

BUYER 4 1/2 O.D. "

0	To 16 ft, sandy	21	ft.	-	in	perf.
16	" 25 " coal	23	"	1 1/2	in	perf.
25	" 44 " shale	14	"	4	in	not
44	" 47 " hard rock	24	"	9 3/4	in	not
47	" 58 " light shale water 1 gal. a min.	24	"	3 1/2	"	perf.
58	" 70 " shale	29	"	9	"	not
70	" 77 " coal	23	"	7	"	not
77	" 83 " shale hard	15 1/2	ft.	45 1/2	in.	
83	" 102 " shale sandy	3				
112	" 120 " light shale	15 1/2	ft	9 1/2	in.	
120	" 128 " sandy water 3 1/2 gal.	18	ft.	3	"	off
128	" 136 1/2 in. shale (a thin)	138	ft	6 1/2	in.	off
136	ft. 6 in. of casing drilling at #2. a ft.					\$ 277.00
138	" 6 " of casing at #2. a ft.					\$ 277.00
1 1/2	hr. Labor on pump at #10. a hr.					\$ 19.00
						\$ 565.00
105	ft. of 1 1/4 in pipe					
105	" of 3/4 in rod					
(1)	2 1/2 in. cylinder					
	License No. 96					
	Bill Green					

25

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

Notice of Completion of Groundwater Appropriation
Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater... 1911


Owner NOR. PAC. Ry. Co. Address St. Paul, Minn.

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable... Spring, used since 1911,



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use... Spring
flows 50 gallons per day, measured over a
period of time.

SE 1/4 Sec. 25, T2N, R. 39E

Indicate point of appropriation and place of use, if possible.

Signature of Owner... Northern Pacific Railway Company

By L. H. Williams
Dist. Supervisor, Gras. & Cult.

Date.....

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

6038

179338

STATE OF MONTANA,
COUNTY OF ROSEBUD)

Filed on the 6th day of Dec.

1963, 2:00 o'clock P. M.

Howard J. ...
County Clerk & Recorder

By Betty M. ...
#2.00

File No.....

DUPLICATE


T. 2 N 39 R
RECEIVED
JAN 3 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater... 1957
Owner... Bill E Pinkerton Address... Forsyth
Contractor (if any)... Walt Hicks
Address of Contractor... Forsyth, MONT
Date Started... JULY Date Completed... JULY



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. DUG LONG hole with Dragline

NE 1/4 Sec. 26 T. 2 R. 39 E
Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. NOT measured water comes in from bottom fast use year around approx 6 gal per min.
Signature of Owner... Bill E Pinkerton
Date... Dec 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.
Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.
Please answer all questions. If not applicable, so state, otherwise the form will be returned.
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

180093

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC
31, 1963, AT 2:45 PM, CO. CLERK

Howard Laid
By: Ellen Clark, Sec.

File No.

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1911.


Owner Nor. Pac. Ry. Co. Address St. Paul, Minn.

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring, used since 1911.



NW 1/4 Sec. 33 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use Spring flows

100 gallons per day, measured over a period of time.

Signature of Owner Northern Pacific Railway Company

By L. V. Liberman
Dist. Supervisor, Graz. & Cult.

Date.....

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

2094

179379

STATE OF MONTANA, } ss.
COUNTY OF ROSEBUD)

Filed on the 6 day of December
1913 at 2:00 o'clock PM.

Harold Jant
County Clerk & Ex-Officio

By L. G. _____
Deputy

File No.....

DUPLICATE

RECEIVED
COUNTY
JAN 3 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater..... 1962


Owner..... BILLE PINKSTON Address..... FORSYTH

Contractor (if any)..... NONE

Address of Contractor.....

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Dug Trench Orange burg Pipe + Plastic Inch PIPE TO 14 FT TANK



NW 1/4 NW 34 T. 2 R. 39E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. Measured with gt Jay 1901 Per Min. use most in winter MONTHS.

Signature of Owner..... Bill E Pinkston

Date..... Dec 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

180092

STATE OF MONTANA, COUNTY
ROSEBUD SS. FILED DEC.
31, 1963, AT 2:15 PM, CO. CLERK

*Laurel Lake
by Elean Clark, Sec.*

File No.....

T. 2N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater..... 1911.


Owner Nor. Pac. Ry. Co. Address St. Paul, Minn.

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring, used since 1911.



NW 1/4 Sec. 35 T. 2N R. 39E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use..... Spring flows

50 gallons per day, measured over a period of time.

Signature of Owner Northern Pacific Railway Company

By [Signature] Dist. Supervisor, Graz. & Cult.

Date.....

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179334

STATE OF MONTANA,
COUNTY OF ROSEBUD) ss.

filed on the 6th day of Dec.

1905 at 2:00 o'clock P. M.

Howard J. ...

County Clerk & Recorder

By *Betty M. ...*

12-2-05

Deputy


T. 2N R. 40

County Roobud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

WATER WELL LOG



Owner Jim Hagerman Address Goldstrip, Mont.
Driller P. M. Sernas Address Scraper, Mont.
Date Started 10/10/60 Date Completed 10/15/60
Location: Sec. 11 T. 20 R. 40 1/4 sec.

Type of well Drilled Equipment used Columb Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other: _____

Casing: 0 ft. to 1.30 ft. Type 20 gp. galv. Size 4" O.D.

Casing: 1 ft. to 1.30 ft. Type _____ Size 4" O.D.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 1.21 to ft. 1.30 Ft. _____ to ft. _____

Type of screen or perforations Vertical slotted

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 6.6 feet at 1.0 gal. per min.

How tested: Barber

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0	30	Clay
30	55	Grey Shale
55	65	Hard Lime
65	95	Blue Shale
95	105	Lime Rock
105	110	Shale
110	130	Hard (water)

STATE OF MONTANA,
 COUNTY OF ROBERTS), SS.
 Filed on the 3rd day of Sept.
 1906. 9 o'clock A.M.
 Bernard J. Ait
 County Clerk
 State of Montana
 No. 214

Dec. 11 - 271-40

171428

Form No. 18
8-60

T. 24 R. 10E

County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 29 1961

WATER WELL LOG

STATE ENGINEER

Owner Mrs. Lena F. MacDonald Address Forsyth, Montana

Driller Hand dug Address _____

Date Started _____ Date Completed in 1911

Location: Sec. 24 T. 24 R. 10E $\frac{1}{4}$ sec. SE

Type of well Hand dug Equipment used _____
(Dug, driven, bored, or drilled) (Chain, drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other _____

Casing: Steel ft. to about 30' ft. Type _____ Size Smaller type
Galvert Used in roads

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: around 22' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

This is a well with a 3" cylinder that is set about 4' in the water, has 1 1/2" pipe and 7/16" pump rod.

(over)

173823

CLAY CO. MONTANA)																				
TWENTY OF POSTHOLE																				
Filed on 27 th Dec 1961																				
19.6 lat. Little 10' P.																				
Sheward Late																				
County Clerk of Montana																				
By Betty M. Helmer																				
Deputy																				