

File No.

T. 3N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964

STATE ENGINEER
**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1961Owner Ashenhurst Ranch Inc Address ForsythContractor (if any) NONEAddress of Contractor —Date Started 1961 Date Completed —

Describe means of obtaining groundwater without a well "as by
sub-irrigation and other natural processes". Include depth to
water when applicable.

Spring - Tiled and PipedDepth - Approx - 4'

Quantity of water developed and used with explanation of method
used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use —3 1/2 gal per min - measuredUsed constantlySignature of Owner Ashenhurst Ranch Inc
Gene F. Ashenhurst Sec.Date 12-28-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179823

STATE OF MONTANA COUNTY
OF ROSEBUD SS FILED DEC
30, 1963, AT ^{10:00} M, CO. CLERK

Howard L. Lait
By: Ellen Clark, Dep

File No.

T. 3N. R. 39E

DUPLICATE


County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 8 1964

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Ashenhurst Ranch Inc., of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S.E. 1/4 Sec. 23, T. 3N. R. 39E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.....
watering live stock
3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been.....
9-22-56
constant use
4. The amount of groundwater claimed (in miner's inches or gallons
per minute).....48 gal per min
5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
.....
.....
6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal.....
Wind mill
constant
7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater.....
9-20-56 - 9-22-56
8. The depth of water table.....49'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater.....
Wind mill - 8" casing - 60'
10. The estimated amount of groundwater withdrawn each year.....
11. The log of formations encountered in the drilling of each well if available.....
0 - 10' - hard pan
10 - 24' - gravel
24 - 34' - clay
34 - 49' - water sand
49 - 60' - black shale
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.....

Signature of Owner.....

Ashenhurst Ranch IncDate 12-28-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

21065

179820

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT *Butte* M, CO. CLERK

Harold Lait
by: Ellen Clark, Dep

GW.

Approved Stock Form—State Publishing Co., Helena, Montana—42234

File No. _____

T. 3 N. R. 39 E.

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
FEB 3 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. William F. Gillen of Forsyth Mont.
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW $\frac{1}{4}$ Sec. 24 T. 3 N. R. 39 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based domestic and stock water use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been October 24 1946
Been in continuous use since Oct. 24 1946

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
electric jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
commencement - Oct 22 1946
completion - Oct 24 1946

8. The depth of water table 127 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
92 feet 4 inch casing
60 feet 3 inch casing

10. The estimated amount of groundwater withdrawn each year 150,000 gallons

11. The log of formations encountered in the drilling of each well if available 0' to 18' 50' sec
18' to 35' sand & gravel 35' to 46' blue-gray shale 46' to 116' sandrock
116' to 127' blue shale 127' to 135' sandrock 135' to 139' blue shale
139' to 143' sandrock 143' to 150' blue shale

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner William F. Gillen

Date December 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

34798

180530

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED JAN.
30th, 1964, AT 3:45 PM, CO. CLERK

Harriet Lint

by: Ellen Clark, Dep

GW

Approved Stock Form—State Publishing Commission, Montana—42234

File No.

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

T. Rosebud
CountyRECEIVED
JAN 8 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Helen M Schmaus, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

SW $\frac{1}{4}$ Sec. 26 T. 3 R. 39

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.
Stock Water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.

4. The amount of groundwater claimed (in miner's inches or gallons per minute).

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.

Hand pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.

UNKNOWN

8. The depth of water table.

UNKNOWN

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.

10. The estimated amount of groundwater withdrawn each year.

Not used recently

11. The log of formations encountered in the drilling of each well if available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Well was on place at time of purchase. Well water was used for years as drinking water, & for saddle horses, by country schoolhouse. Also neighbors hauled water for drinking.

Signature of Owner

Helen M SchmausDate Jan. 6, 1964.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

27540

0-180229

OFFICE OF POSTAL SERVICE
FACILITY OF POSTING

64 11/13 Check A. M.

Edward J. J.

By Betty M. Fortaine

6.2.00

File No.

T. 3N. R. 39E

DUPLICATE

County Rosebud


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Ashenburt Ranch Inc, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



3 wells

N.E. 1/4, Sec 28, T. 3N. R. 39E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based
live stock - house and yard

3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been. ① - UNKNOWN
② - 1959
③ - 1956
- CONSTANT USE

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) ① - 6 gal. per min.
② - 3 gal. per min.
③ - 5 gal. per min.

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal
All 3 are electric pumps

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater ① - UNKNOWN
② - 1959
③ - 1956

8. The depth of water table ① 25' ② 12' ③ 12'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater

① - electric pump - dug well - cement & rock casing - 25'
② - electric pump - culvert - 4' - 12' depth
③ - electric pump - culvert - 4' - 12' depth

10. The estimated amount of groundwater withdrawn each year

11. The log of formations encountered in the drilling of each well if available

UNAVAILABLE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record

Signature of Owner

Ashenburt Ranch Inc
Steve Ashenburt

Date 12-28-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

21054

179809

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
30, 1963, AT 10:41 AM, CO. CLERK

Harold L. Lait

by: Ellen Clark, Sec.

File No.

T. 3N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

JAN 8 1964

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater No Development

Owner Ashenhurst Ranch Address Forsyth

Contractor (if any) NONE

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Not developed

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use _____


Not developed

5 gal per minute - estimated

CONSTANT - USE

Signature of Owner Ashenhurst Ranch, Inc.

Date 12-28-63



NW 1/4 Sec. 30 T. 3N. R. 39E

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179824

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT ~~the~~ M, CO. CLERK

Edward Lint
by: Edward Clark, Esq.

File No.

T. 3N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 9 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Northern Pacific Railway Company, of 5th & Jackson Sts, St. Paul, Minn.
(Name of Appropriator) (Address) (Town)
County of Ramsey State of Minnesota
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based. watering livestock.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Continuous since 1948.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 15 gallons per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Pump

NE 1/4 Sec. 31 T. 3N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Drilled in 1948.

8. The depth of water table. 50 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 145 feet deep - 4-inch casing.

10. The estimated amount of groundwater withdrawn each year.

11. The log of formations encountered in the drilling of each well if available. No log available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No other information available.

Northern Pacific Railway Company
Signature of Owner By [Signature]
District Supervisor, Graz. & Cult.
Date

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

8063

179368

STATE OF MONTANA } SS.
COUNTY OF ROSEBUD }

Filed on the 1st day of December

1942 at 2:48 o'clock P. M.

Howard L. Tait
County Clerk & Recorder

By David J. Scott Attorney
D. J. S.

File No.

T 3N R 39E

DUPLICATE

County Bozeman

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE JAN 3 1964
OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1961Owner Aspenhurst Ranch, Inc. Address Bozeman, Mont.Contractor (if any) NONE

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

SPRING - Tiled to culvert and
PIPED from Culvert.

Depth - approx - 7'

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.

4 - gal. per minute - measured and timedUsed approx - 8 mos. per year.Signature of Owner Aspenhurst Ranch, Inc.
Gene T. AspenhurstDate 12/22/63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179822

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT ~~ROSEBUD~~ M, CO. CLERK

Howard L. Lott

Secy. Ellen Clark, Dep

T. 3N R. 39E

County Rosebud

RECEIVED
JAN 3 1964

rs Rights ENGINEER

061)

County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

2. The beneficial use on which the claim is based.....
water reg - live stock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been.... 6-60
constant u.s.c.
4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
6 gal per min
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
.....
.....
.....
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
windmill

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater..... *1 WK- June 1960*

8. The depth of water table..... *10'*

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
Windmill - Culvert - 4' - 12'

10. The estimated amount of groundwater withdrawn each year.....

11. The log of formations encountered in the drilling of each well if available.....
UNAVAILABLE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....
NONE

Date 12.28-63

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21055

179810

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
30, 1963, AT 10:00 AM, CO. CLERK

Deane & Lark
by: Ellen Clark, Dep

File No.

T. 31 R. 39 E

DUPLICATE

County Rosebud


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights DEC 27 1963

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
STATE ENGINEER

Genie Fulmer & Mary Genie Dowlin, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec. 36 T. 31 N. R. 39 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Livestock Water Well

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been Nov. 27, 1958
When over Stock are in Pasture

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 1 gal per min at 114 feet, 2 gal
per min at 224 feet

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof

None

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Windmill

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater Nov. 25, 1953 to Nov. 27, 1953

8. The depth of water table 114 1 gal p r min and 224 2 gal per min

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater 4 1/2 OD casing, 2 in well pipe, wood pump rod
Cylinder 1 13/16 in

10. The estimated amount of groundwater withdrawn each year Do not no

11. The log of formations encountered in the drilling of each well if available 0 to 12 soft sand rock
12 to 36 sticky shale, 36 to 54 Black shale, 54 to 60 hard rock (water)
60 to 97 Black sticky shale, 97 to 105 Black shale, 105 to 114 coal (water)
114 to 134 light shale (1 gal per min) 134 to 152 shale, 152 to 154 hard
rock, 154 to 163 shale, 163 to 179 shale dark, 179 to 186 light shale, 186
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record to 199 sandy shale, 199 to 220 light shale
220 to 224 hard rock, 224 to 230 sandy (water 2 gal per min) 230 to 235
Dark shale.

Log of well at Ranch

Signature of Owner

Mary Genie Dowlin
Date Sept 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

13759

179712

STATE OF MONTANA, COUNTY
CL. ROSEBUD SO. FILED DEC.
26 1963, AT 2:30 PM, CO. CLERK

cc rd

Howard Lint
by Ellen Clark, Dep.

36

File No.

T. 3 N R 39 E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE JAN 3 1964
OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well


(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 1956Owner Genie Philbrick Palmer
Mary Genie Dowlin Address Porsyth, MontanaContractor (if any) Self

Address of Contractor

Date Started June 1956 Date Completed June 1956

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Put in perforated
pipe and galvanized pipe to a large tank.
Dug down about 5 feet to spring.



S. 1/4 Sec. 36 T. 39 R. 39E
Indicate point of appropriation
and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use 1 gal per min

When ever stock are in that pasture

Signature of Owner Mary Genie Dowlin

Date Sept 23, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

180067

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
31, 1963, AT 3:35 PM, CO. CLERK

*Howard J. Smith
by: Ellen G. Smith, Dep.*

Form No. 18
8-60

✓
T. 3 N R. 39 E
County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

STATE ENGINEER

Water Well Log

Owner Joseph W. Smith (Contractor) Address Rosebud
Driller UNKNOWN Address _____
Date Started _____ Date Completed _____
Location: Sec. _____ T. 3 N R. 39 E 1 sec. _____

Type of well Drilled Equipment used UNKNOWN
(Dug, driven, or drilled) (Cable, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to _____ ft. Type 57-11 Size 4"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations UNKNOWN

Static water level, for non-flowing well: UNKNOWN feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level UNKNOWN feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

UNKNOWN

(over)

STATE OF MONTANA, SS.
COUNTY OF ROSSBUD,
Filed on the 28th day of March
1961 at 10:50 o'clock A. M.
Helen A. Smith
County Clerk & Recorder
By Betty M. Zaitene

By Betty M. Fortune

GROUNDWATER INDEX

Page 1 of

County ROSELAND Twp. 3 NORTH Rge. 40 EAST

[illegible]

File No.

T. 3N R. 40E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)


Date of Appropriation of Groundwater 1912Owner Francis & Adrienne Brewer Address Forayth, Montana

Contractor (if any)

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. both run down the creek



B. middle

A. SW $\frac{1}{4}$ Sec. 28 T3N R40E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. A. approx. 1/4 gallons

per minute used for 7 summer months

Approx. B. 1/2 gallons per minute, used for 7 summer months

Signature of Owner Francis BrewerDate December 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.


Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

179924

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT 3:41 P.M., CO. CLERK

\$2.00

Harold L. Lint
Donna Jean Hallett, Reg.



Mr. Francis Brewer, Forsyth, Montana

May 15, 1964

12/30/63

179923 & 179924

from a creek on each form

33

File No.

T. 5N R. 40E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)


Date of Appropriation of Groundwater.....1908Owner Nor. Pac. Ry. Co. Address St. Paul, Minn.

Contractor (if any)

Address of Contractor

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring, used since 1908.



SW 1/4 Sec. 55 T5N R. 40E

Indicate point of appropriation
and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....5-8 gallons
per minute, measured over a period of time.

Northern Pacific Railway Company
Signature of Owner By [Signature]
District Supr., Graz. & Cult.

Date.....

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

8037

179342

STATE OF MONTANA } ss.
COUNTY OF ROSSBUD }

on the 6th day of Dec
1963 at 2:00 o'clock P. M.

Howard L. Smith
County Clerk & Recorder
By Betty M. Fortson
#2.00

179517

STATE OF MONTANA, } ss.
COUNTY OF ROSEBUD }

Filed on the 18th day of Dec.

1962 at 4:20 o'clock P. M.

Howard J. ...
County Clerk & Ex-Officio


vs Betty M. Speltz

GROUNDWATER INDEX

Page 1 of 1

County ROSEBUD Twp. 3 NORTH Rge. 41 EAST

[illegible]



Jack L. Hammon

**MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION**

FORREST H. ANDERSON, GOVERNOR
GARY WICKS, DIRECTOR

MEMBERS OF THE BOARD
JOSEPH W. SABOL
DEAN HANSON
RILEY OSTBY
HERBERT HUENNEKENS

449-2611
325 FULLER AVENUE
HELENA, MONTANA 59601

p. o. box 217

September 26, 1972

Water Conservation Board
Water Resources Engineer
Sam W. Mitchell Building
Helena, Montana 59601

Dear Sir:

Enclosed you will find a copy of a release agreement for
the utilization of a fresh water well.

Operator Jake L. Hamon
Lease Name Burlington Northern
Well No. 1, Sec. 3, Twp. 3 N., Rge. 41 E.

Yours very truly,

Donald E. Chisholm
Donald E. Chisholm
Acting Administrator

DEC/ml

cc: Mr. W. Bond
Bureau of Mines and Geology
Butte, Montana 59701

RECEIVED

SEP 27 1972

PRINTED ON 100% RECLAIMED ECOLOGY BOND

APPROVED BY:

Oil and Gas Conservation Commission

Norman J. Peabody
Petroleum Engineer, Geologist, or Executive Secretary

Dated: Sept 25, 1972



51,467

OIL AND GAS CONSERVATION COMMISSION
OF THE STATE OF MONTANA

RELEASE AGREEMENT

KNOW ALL MEN BY THESE PRESENTS, that I, HOWARD D. VASSAN

 of the County of ROSEBUD in
the State of Montana, am the owner of the hereinafter described land upon which
a well for oil or gas was drilled, to-wit:

Operator JAKE L. HAMON

Lease Name BURLINGTON NORTHERN

Well No. 1 Sec. 3, Twp. 3 N., Rge. 41 E.

The well is located 1980 feet N of the SOUTH
line and 1980 feet E of the WEST line.

That, in accordance with Regulation 233.6, Order No. 1-1, November 30,
1953, I do hereby notify the Oil and Gas Conservation Commission of the State
of Montana of my desire to utilize said well as a fresh water well; and, that
if such utilization is approved, I do hereby release and discharge the operator
hereinabove named from any further work or responsibility in relation to the
plugging of said well.

Water Use: Domestic Municipal Stock X Other
Industrial Drainage Irrigation

Producing Depth 600 feet Producing Formation NA

Yield of well Annual Withdrawal

WITNESS my hand and seal this 7th day of September, 1972.

Howard D. Vassan (L.S.)
Landowner
Address
Forsyth, Montana

IN THE PRESENCE OF:

Donald J. Sanford Address Bozeman Mont
W.R. Howard Address Comstock Texas

APPROVED BY:

Oil and Gas Conservation Commission

Petroleum Engineer, Geologist, or Executive Secretary

Dated: Sept 25, 1972



51,467

File No.

DUPLICATE

T. 3N R. 41E

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

DEC 23 1963

STATE ENGINEER

1. J. R. Lee, of Forsyth (Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 20 T. 3N R. 41E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.
well #1 stock water
well #2 household use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. well #1 is old well
well #2 drilled about 1947
4. The amount of groundwater claimed (in miner's inches or gallons per minute). well #1 4 gallons per min.
well #2 4 gallons per min.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
6. The means of withdrawing each water from the ground and the location of each well or other means of withdrawal.
well #1 pumpjack and electric motor
well #2 windmill
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. well #1 - old
well #2 - 1947
8. The depth of water table. Do not know
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. drilled wells, 4 inch metal casing
do not know depth, pump well #1 from about 100 ft.
pump well #2 from about 60 ft.
10. The estimated amount of groundwater withdrawn each year. well #1 - 403,200 gallons
well #2 - 35,000 gallons
11. The log of formations encountered in the drilling of each well if available.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

J. R. LeeDate Dec. 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11929

179530

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
19, 1963 AT 10 AM, CO-CLERK
2nd Howard Fair

File No. _____

DUPLICATE

MONTANA WATER RESOURCES BOARD

RECEIVED

LOG

JAN 30 1970

T. 3 R. 41

County. Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 2970)

0-14 ft Surface Soil

14-21' Coal

21-43' Sandstone

43-45' rock

45-81' Sandstone

81-159' blue shale

159-191' Sandstone
(water bearing)

191-210' blue shale

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner. Tom Wimer Address. RT2 Forsyth, Mont

Driller. Bandy Drilling Address. Broadus, Mont.


Date of Notice of appropriation of groundwater. _____

Date well started. June 20 Date completed. June 23, 1967

Type of well. Drilled Equipment used. Rotary
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	5" 4" Heavy Black Coated Pipe	0	211	1/2 x 1	159	192



Static Water Level for non-flowing well

170 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level. 160 feet

at 8 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested. drill stem

Length of Test. 2 Hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Doc. No. 194375

Filed for record

this 29 day of January

A. D. 1970, at

o'clock M.

Windmill operated with working barrel for stock water (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

46124

194375

STATE OF MONTANA,
COUNTY OF POSEY

Filed on the 29th day of Jan
at 9:30 o'clock A.M.

Howard L. Laid
County Clerk of Posey
By Betty M. Montana
Deputy

\$2.00


GW

File No.

DUPLICATE

T. 3 R. 41
County RosebudSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERDeclaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)RECEIVED
JAN 15 1963

STATE ENGINEER

1. TOM WIMER of RT 2 FORSYTH
(Name of Appropriator) (Address) (Town)
County of ROSEBUD State of MONT.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

NE 1/4 Sec. 28 T. 3 R. 41

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based STOCK WATER
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1956 BY MYSELF SINCE
CONTINUOUS SINCE
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 8 G.P.M.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof NO.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC MOTOR and PUMP
WELL
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater NOT KNOWN. PROBABLY BEFORE 1920
8. The depth of water table 10 FT.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 FT ROUND. DIAM.
10 FT DEEP. ROCK CURB.
10. The estimated amount of groundwater withdrawn each year 20,000 GAL.
11. The log of formations encountered in the drilling of each well if available NOT AVAILABLE.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. NONE.

Signature of Owner

Date

Tom Wimer
Dec 15, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

3313

177123

STATE OF MONTANA
COUNTY OF ROSEBUD

Filed on the 14th day of June

1913 at 11:20 o'clock A.M.

Howard L. L.

County Clerk & Recorder

By Betty M. Fortaine

42.00

W 10 28 1/2 1

NOT RECORDED
RECORDED
INDEXED
FILED

RECORDED
INDEXED
FILED

RECEIVED

JAN 7 1958

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

WATER WELL LOG

Owner Shelving Cove Address Country, Mont.
Driller G. M. Turner Address Bozeman, Mont.
Date Started Oct. 25 Date Completed Oct. 29, 57
Location: Sec. 32 T. 3N R. 4E 1/4 Sec.

Type of well Water Equipment used Churn (Cable Tools)
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other: _____

Casing: 72 ft ft. to 72 ft ft. Type 20 Galv. Size 6 in
Casing: 6 in 29 ft ft. to 64 ft ft. Type Galv. Teflon Size 2 in Galv.
Casing: 64 ft ft. to 64 ft ft. Type Wood Size 1 1/2 in

Perforated or Screened: Ft. 15 ft to ft. 6 in Ft. 6 in to ft. 15 ft

Type of screen or perforations 6 in 20 galv. Factory

Static Water level, for non-flowing well: 30 ft feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 64 ft feet at 64 ft gal. per min. 8 gal per 3

How tested: Bailey Test

Length of test 3 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Depth, feet		Description of Material Drilled
From	To	
0	5	Clay
5	15	Shale
15	25	Shale
25	35	Shale
35	45	Shale
45	55	Shale
55	65	Shale
65	75	Shale
75	85	Shale
85	95	Shale
95	105	Shale
105	115	Shale
115	125	Shale
125	135	Shale
135	145	Shale
145	155	Shale
155	165	Shale
165	175	Shale
175	185	Shale
185	195	Shale
195	205	Shale
205	215	Shale
215	225	Shale
225	235	Shale
235	245	Shale
245	255	Shale
255	265	Shale
265	275	Shale
275	285	Shale
285	295	Shale
295	305	Shale
305	315	Shale
315	325	Shale
325	335	Shale
335	345	Shale
345	355	Shale
355	365	Shale
365	375	Shale
375	385	Shale
385	395	Shale
395	405	Shale
405	415	Shale
415	425	Shale
425	435	Shale
435	445	Shale
445	455	Shale
455	465	Shale
465	475	Shale
475	485	Shale
485	495	Shale
495	505	Shale
505	515	Shale
515	525	Shale
525	535	Shale
535	545	Shale
545	555	Shale
555	565	Shale
565	575	Shale
575	585	Shale
585	595	Shale
595	605	Shale
605	615	Shale
615	625	Shale
625	635	Shale
635	645	Shale
645	655	Shale
655	665	Shale
665	675	Shale
675	685	Shale
685	695	Shale
695	705	Shale
705	715	Shale
715	725	Shale
725	735	Shale
735	745	Shale
745	755	Shale
755	765	Shale
765	775	Shale
775	785	Shale
785	795	Shale
795	805	Shale
805	815	Shale
815	825	Shale
825	835	Shale
835	845	Shale
845	855	Shale
855	865	Shale
865	875	Shale
875	885	Shale
885	895	Shale
895	905	Shale
905	915	Shale
915	925	Shale
925	935	Shale
935	945	Shale
945	955	Shale
955	965	Shale
965	975	Shale
975	985	Shale
985	995	Shale
995	1005	Shale

162138

STATE OF MONTANA,
COUNTY OF ROSEBUD.

Filed on the 6th day of Jan.

1938

Harvard & Yale

County Clerk

75 John Marsh

790 fee

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0 -	5	Clay
5 -	15	Sandstone
15 -	32	Yellow clay
32 -	55	Sandstone
55 -	65	Blue water sand - water 8 ft. thick
65 -	72	Coal

162138

STATE OF MONTANA,
COUNTY OF ROBERTS

Filed on the 1st day of Jan.

1938 at 1 o'clock

Harold C. Jait

County Clerk

By Chas. Marsh

no fee

File No.

T. 3N R. 41E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

R

DEC 23 1963


D

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. J. R. Lee, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 33 T 3N R 41E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1956 used every year during certain periods
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump jack & gasoline motor also suction pump at times
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1956, new well in 1961
8. The depth of water table water about 10 ft from surface
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater drilled, 4 inch metal casing about 35 ft deep
10. The estimated amount of groundwater withdrawn each year 175000 gallons
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner J. R. LeeDate Dec. 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11930

179531

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
19, 1963 AT 10 AM, CO-CLERK
2nd Howard Tait

CV

File No.

DUPLICATE

3 R 41

County Rosebud


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Tom Wimer, of RT 2 Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of MONT.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N. E.
NW 1/4 Sec. 35 T. 3 R. 41

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Stock water & irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been MARCH 15, 1950
CONTINUOUS SINCE
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gals P.M.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof OWNER Tom Wimer
1/4 ACRE Garden
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC MOTOR AND PUMP
Deck.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater MARCH 10, 1950 COMPLETED MARCH 30, 1950
8. The depth of water table 65'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2" PIPE WITH 2" 4" STEEL CASING
CYLINDER.
10. The estimated amount of groundwater withdrawn each year 50,000 gal.
11. The log of formations encountered in the drilling of each well if available NOT AVAILABLE.
TOTAL depth. 105 FT.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner.

Date.

Tom Wimer
April 6, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the County in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

3311

177121

STATE OF MONTANA,) SS.
COUNTY OF ROSEBUD,)

Filed on the 14th day of June

1963 at 11:20 o'clock A.M.

Harold Lait
County Clerk & Recorder

By Betty M. Hartman
\$2.00 Deputy

GROUNDWATER INDEX

Page 1 of 1

County ROSEBUD Twp. 3 NORTH Rge. 12 EAST

[illegible]

File No.

T. 3N R. 42E

DUPLICATE

County Rosebud
Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
FEB 24 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

Rita R. Philbrick and/or Newell G. Philbrick of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 17 T3N R. 42E

Indicate point of appropriation
and place of use, if possible
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Stock Well

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
March 27, 1956

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
3 Gallons a minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
March 27, 1956 April 15, 1956

8. The depth of water table.....
320 Ft. 298 Ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
320 Ft. 1 1/2 cylinder with windmill

10. The estimated amount of groundwater withdrawn each year.....

11. The log of formations encountered in the drilling of each well if available.....

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner

Newell G. Philbrick
Rita R. Philbrick

Date February 25, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

3742.

177481

STATE OF MONTANA,)
COUNTY OF ROSEBUD) SS.

Filed on the 25th day of Feb.
1963 at 2:05 o'clock P. M.

Howard J. [Signature]
County Clerk & Recorder
by Betty M. Intine [Signature]
#2.00 Deputy

File No.....

T. 3N R. 42E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 5 1963

Notice of Completion of Groundwater Appropriation **ENGINEER**
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1955Owner Rita R. PhilbrickAddress Forsythand/or Newell G. PhilbrickContractor (if any) Walter HicksAddress of Contractor Forsyth, Montana


Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.....

Piped with 4 inch orangeberg to stock tank

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

3 gallons a minute used to water stock

NE 1/4 SW 1/4

Sec. 27. T. 3N. R. 42E

Indicate point of appropriation and place of use, if possible.

Rita R. Philbrick

Signature of Owner Newell G. PhilbrickDate March 1, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

177519

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 1st day of March

1962 at 4:30 o'clock P. M.

Howard J. J.
County Clerk & Recorder

By Betty M. J.
#200

File No. _____

T. 3N R. 42E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 5 1963

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1951
Owner Rita R. Philbrick
Address Forsyth, Montana
and/or Newell G. Philbrick
Contractor (if any) _____

Address of Contractor _____

Date Started _____ Date Completed _____

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

1 spring water level 2-forest ground levelexcavated to water level 8 feet

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use _____

Water 100 head of cattle. The spring is used8 months of the year.

Rita R. Philbrick
Signature of Owner Newell G. Philbrick


Date March 1, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



NW 1/4 Sec. 31 T. 3N R. 42E
Indicate point of appropriation
and place of use, if possible.

177521

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 1st day of Mar.

1963 at 4:30 o'clock P. M.

Howard J. Smith
County Clerk & Recorder

By Betty M. Dantine
#5.00

36

File No.

T. 3N R. 42E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAR 3 1963

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1951
Rita R. Philbrick
Owner Address Forsyth
and/or Newell G. Philbrick
Contractor (if any)

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

3 springs - Water Level at ground level

Excavated to 5 feet

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.

Water 100 head of cattle. The springs are

used 8 months of the year.

Rita R. Philbrick

Signature of Owner Newell G. Philbrick


Date March 1, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



NW 1/4 SW 1/4 32-3N-42
SW 1/4 NE 1/4
SW 1/4 NE 1/4 Sec 32 T. 3N. R. 42.

Indicate point of appropriation and place of use, if possible.

3810

177520

STATE OF MONTANA, } SS.
COUNTY OF ROSEBUD }

Filed on the 1st day of March

1963 at 4:26 o'clock P. M.

Howard R. R.

County Clerk of Rosebud

By Betty M. Postaine

#205

GW3

File No. *32*

DUPLICATE

T. *3* R. *42*County *Rosebud*

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 15 1963

Notice of Completion of Groundwater Appropriation Without Well STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater *1947*
Owner *Tom Wimer* Address *Forsyth*
Contractor (if any) ~~None~~ *Walt Hicks*
Address of Contractor ~~None~~ *Forsyth, Th.*
Date Started *OCT 1960* Date Completed ~~None~~ *OCT, 1960*

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to

water when applicable. *NATURAL SPRING*
Several springs along creek

Cleaned out by dragline
in 1960


Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

Used for sub-irrigating
meadows and for
stock water.

Large volume of water

Signature of Owner *Tom Wimer*

Date *Jan. 4, 1963*



1/4 Sec *32* T. *3* R. *42*

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

177117

STATE OF MONTANA.)
COUNTY OF ROSEBUD)

Filed on the 14th day of Jan

1911 at 11:30 o'clock P.M.

Howard L. Lark
County Clerk & Recorder

By Petty M. Mathews
#2.00 Secretary