GV

Approved Stock Form—State Publishing Co., Helena, Montana—41921

File No.....

T. 6 N R. 39 E

DUPLICATE

County.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Archie E Long (Name of Appropriator), of Forsyth (Address) Montana (Town)

County of Rosebud State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW ¼ SE ¼ Sec. 3 T. 6 N R. 39 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based No 1 well for house use, No 2 - for livestock.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 4/15/52 3/5/61

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gallons per minute on No 1 + No 2 wells.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 3 Electric pumps No 1 50 ft west of house No 2 - 100 ft east of barn.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater No 1 4/10/52 - 4/15/52 No 2 3/3/61 - 3/5/61

8. The depth of water table 5 ft on No 1, 6 ft on No 2

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater No 1 dug well with 24 in corrugated galvanized pipe casing 14 ft deep. No 2 the same.

10. The estimated amount of groundwater withdrawn each year No 1 + No 2 200,000 gal.

11. The log of formations encountered in the drilling of each well if available No 1 7' of sand, loam 3 ft of fine gravel, 4 ft of course gravel. No 2 4 ft of clay, 6 ft of sand, 4 ft of course gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Archie E Long

Date 12/30/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21097

179853

STATE OF MONTANA, COUNTY OF ROSEBUD SS. FILED DEC. 30, 1963, AT 11:50 AM, CO. CLERK

$2.00 Howard Dill
By Betty M. Fontaine
Dep.

3 GW 2 Revised 1969
13—3M—10/69

RECEIVED
NOV 22 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner K. D. Ranch

Address Forsyth

Date well started Aug 7, 1971

completed same

Type of well drilled (Dug, driven, bored or drilled)

Equipment used rotary (Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Feedlot Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). Feedlot well

ESTIMATED ANNUAL WITHDRAWAL

For Administrator's Use
File 2465
Nov. 21, 1972 9:30 a.m.
GW 1

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	7" stl.	0	27			
6"	none	27	40	slotted	22	27



SE ¼ SW ¼ Sec. 5
T. 6 (N) R. 39 (E)
S W

Static water level 10 ft.*
Pumping water level 24 ft.*
at 20 gallons per minute,
measured ___ minutes after pumping began.
*Measured from ground level.
Well developed by bailing
for 1 hours.
Power ..... Pump ..... HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

R.J.H.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES

Driller's Signature Ronald L. Baker

Driller's Address 215 N. Prairie, Miles City, Mont.

Montana Well Drillers LICENSE NO. 183

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	27	sand and gravel
27	40	sand

~~40 ft.~~ Show exact depth of bottom

51,870

2465

TATE OF MONTANA } SS.
OUNTY OF ROSEBUD }

ed on the 2nd day of Nov
72 at 9:30 o'clock A.M
Edward Tast
County Clerk & Recorder
Betty B. Fontaine
Deputy
$3.00

GW 2 Revised 1969
13—3M—10/69

RECEIVED
NOV 22 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner E D Ranch

Address Forsyth, Mont

Date well started Aug 7, 1971

completed same

Type of well drilled (Dug, driven, bored or drilled)

Equipment used rotary (Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). Feedlot well

ESTIMATED ANNUAL WITHDRAWAL

For Administrator's Use
File 2466
Nov. 21, 1972 9:30 a.m.
GW 1

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	7" steel	0	22			
6"	none	22	40	slotted	17	22



SE ¼ SW ¼ Sec. 5
T. 6 (N) R. 39 (E)
S W

Static water level 10 ft.*
Pumping water level 20 ft.*
at 40 gallons per minute,
measured minutes after pumping began.
*Measured from ground level.
Well developed by baling
for 1 hours.
Power Pump HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)
D.J.H.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ronald L. Ashley

Driller's Address 215 N. Prairie, Miles City, Mont

Montana Water Well Drillers LICENSE NO. 183

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	10	topsoil
10	25	sand and gravel
25	40	sand

40 ft. Show exact depth of bottom

51,869

2466

ATE OF MONTANA,
OUNTY OF ROSEBUD } ss.

ed on the 1st day of Dec.
. 7th 9:30 o'clock A. M.

Yeager Tail
County Clerk & Recorder

By Betty D. Fontain
Deputy

$2.00

GW 3

Approved Stock Form—State Publishing Co., Helena, Montana—42262

File No.

DUPLICATE

MONTANA WATER RESOURCES BOARD
RECEIVED
SEP 17 1969

T. 6 N. R. 39 E.

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Sept. 15, 1969

Owner Merle R. Krueger Address Forsyth

Contractor (if any)

Address of Contractor

Date Started 8-27-69 Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Pump from existing Yellowstone River slough.



SW, SESE¼ Sec. 5 T. 6 N R. 39 E.

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use 50,000 gallons per day, intermittent, for a 6 month irrigation season. Gallonage to be in conformity with the performance curve of the pump used.

Signature of Owner Merle R. Krueger

Date Sept 15 - 1969

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

45645

193478

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 15th day of Sept.
1969 at 3:10 o'clock P. M.

Edward Tait
County Clerk & Recorder

By Betty M. Inman
Deputy

$5.00

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—42329

STATE WATER CONSERVATION BOARD

MAY 4 1966

File No.....

T. 6 N R. 39

DUPLICATE

County Flathead

Bill McDermott
Dutton McNulty
Coyle Merton
Darnielle Sullivan
Dickert

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground

(Elev. above sea level.....)

0'-4' Gravel

4'-10' Brown Shale

10'-15' Blue Shale

16'-17' Rock (hard)

17'-23' Soft Sandrock

23'-25' Hard Sandrock

25'-35' Soft Sandrock (3 gal. per min.)

35'-103' Blue Shale

Static Level

Pump Level

Show exact depth of bottom.

103

Owner Robert F. Kercheval Address Kalispell, Mont.

Driller Elbert Jackson Address Kalispell, Mont.

Date of Notice of appropriation of groundwater.....

Date well started 4/19/66 Date completed 4/28/66

Type of well Drilled (Dug, Driven, bored or drilled) Equipment used Churn (Churn drill, rotary or other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐ Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
7"	6" O.D. Steel	0	16 3/4	1/4"	35	40
	4" O.D. Plastic	0	103		93	103

N
W E
S

Static Water Level for non-flowing well 35 feet.

Shut-in Pressure for Flowing Well Not Applicable

Pumping Water Level 84 feet

at 3 gal. per minute.

Discharge in gal. per min. of flowing well Not Applicable

How Tested Bailed

Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff) Not Applicable

SE ¼ Sec. 4 T. 6 R. 39

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Not Applicable

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

107

Driller's License Number

Elbert Jackson

Driller's Signature

41023

185924

STATE OF MONTANA }
COUNTY OF ROSEBUD } ss.

Filed on the 3rd day of May

1966 at 9:00 o'clock P. M.

Vernon Fink
County Clerk & Recorder

By Fabian Clark
Deputy

Approved Stock Form—State Publishing Co., Helena, Montana—41337

File No.....

T 6 N R 39 E

DUPLICATE

County Roosevelt

RECEIVED
JAN 3 1964
STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Dec. 27, 1963

Owner Merle R Kruger Address Forsyth, Mont.

Contractor (if any) none C - 1946

Address of Contractor — A B - 1913

Date Started self Date Completed 1946

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable A used 300 feet 1¼" pipe from Stungts tank
trench for pipe dug 4 feet deep and dug to six feet at tank
B spring fenced 10 feet pipe from spring to tank
C. 300 feet 6 tank - pipe from spring to tank



NE SW ¼ Sec. 6 T 6N R 39E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

A used steady since 1946 - 1200 gal 10 hrs.
B used - - 1913 - 1200 gal in
C used steady since 1946 - 300 gal in 12 hrs.

Signature of Owner Merle R Kruger

Date Dec. 27, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

21025

179771

STATE OF MONTANA, COUNTY OF ROSEBUD SS. FILED DEC. 27, 1963, AT 5 PM, CO. CLERK

2.00 Pd

Howard Tait

3 GW 2 Revised 1969
13—3M—10/69

RECEIVED
NOV 22 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

County Rosebud 7

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner K D Ranch

Address Forsyth, Mont

Date well started Nov 17, 1971

completed same

Type of well drilled (Dug, driven, bored or drilled)

Equipment used rotary (Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

For Administrator's Use
File 2461
Nov. 21, 1972 9:30 a.m.
GW 1

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	7" steel	0	20			
6"	4" plas	20	45	drilled	25	45



NW ¼ SW ¼ Sec. 7
T. 6 (N) R. 39 (E)
S W

Static water level 12 ft.*
Pumping water level 25 ft.*
at 15 gallons per minute,
measured minutes after pumping began.
*Measured from ground level.
Well developed by baling
for 1 hours.
Power Pump HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

R.J.B.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ronald L. Aakin

Driller's Address 215 N. Prairie, Miles City, Mont.

Montana Water well Drillers LICENSE NO. 183

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	20	sand and gravel
20	45	sand

45 ft. Show exact depth of bottom

51,868

2467

STATE OF MONTANA, } SS.
COUNTY OF ROSEBUD }

Filed on the 21st day of Dec.
19 72 at 9:30 o'clock A.M.

Sharon E. Tait
County Clerk & Recorder

By Betty M. Fontaine
Deputy

$2.00

GV

Approved Stock Form—State Publishing Co., Helena, Montana—42234

File No.....

T. 6 N R. 39

DUPLICATE

County Rosebud

RECEIVED JAN 3 1964 STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Merle R. Krueger, of Forsyth
(Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



.....¼..... Sec. 7 T. 6N R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based: Household and stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been: Oct. 1918

4. The amount of groundwater claimed (in miner's inches or gallons per minute): 8 gals per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal: Electric pump with metal pipe

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater: rebuilt remodel well in 1947
hand dug well - 28 feet deep with 36" culvert

8. The depth of water table: 28 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater: see above item

10. The estimated amount of groundwater withdrawn each year: 360,000 gals per year

11. The log of formations encountered in the drilling of each well if available:
dirt for 8 feet
gravel for 20 feet
sand and bottom with water

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner: Merle R Krueger

Date: Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21024

179770

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
27 ,1963, AT 5 PM, CO.CLERK
2.00 Pd Howard Tait

3 GW 2 Revised 1969
13—3M—10/69

RECEIVED
NOV 21 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner K D Ranch

Address Forsyth, Montana

Date well started Aug 15, 1972

completed same

Type of well drilled (Dug, driven, bored or drilled)

Equipment used rotary (Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

For Administrator's Use
File 2463
Nov. 21, 1972 9:30 a.m.
GW 1

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	8" steel	0	25	slotted	15	25



NE ¼ NW ¼ Sec. 8
T. 6 N/S R. 39 E/W

Static water level 8 ft.*
Pumping water level 15 ft.*
at 20 gallons per minute,
measured 30 minutes after pumping began.
*Measured from ground level.
Well developed by Baling
for 1 hours.
Power..... Pump..... HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

R.J.D.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ronald L. Eskew

Driller's Address 215 N. Prairie, Miles City, Mont.

Montana Water Well Driller's LICENSE NO. 183

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	25	sand and gravel

25 Show exact depth of bottom

51,867

2463

STATE OF MONTANA, } SS.
COUNTY OF ROSEBUD }

Filed on the 21st day of Nov.
A.D. 72 at 9:30 o'clock A. M.

County Clerk & Recorder

By Dorothy B. Fontan
Deputy

3 GW 2 Revised 1969
13—3M—10/69

RECEIVED
NOV 3 0 1972
MONTANA DEPARTMENT OF NATURAL RESOURCES & CONSERVATION

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner K. D. Ranch

Address Forsyth, Mont

house well

Date well started Aug 10, 1972

completed Aug 10, 1972

For Administrator's Use
File 2464
Nov. 21, 1972 9:30 a.m.

Type of well drilled (Dug, driven, bored or drilled)

Equipment used rotary (Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	7"	0	15			
5"	4" plastic	15	32	4" drilled	12	32



NE ¼ NW ¼ Sec. 8
T. 6 (N) R. 39 (E)
S W

Static water level 12 ft.*
Pumping water level 15 ft.*
at 20 gallons per minute,
measured minutes after pumping began.
*Measured from ground level.
Well developed by baling
for 1 hours.
Power Pump HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

R.J.B.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ronald L. Baskin

Driller's Address 215 N. Prairie, Miles City, Montana

Montana Water Well Driller's LICENSE NO. 183

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	32	sand & gravel

32 ft. Show exact depth of bottom

51,871

2464

STATE OF MONTANA }
COUNTY OF ROSEBUD } ss.

Filed on the 21st day of Nov.
19 72 at 9:50 o'clock A. M.

Vaness Lid
County Clerk & Recorder

By Betty B. Intani
Deputy

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—42

STATE WATER CONSERVATION BOARD

File No.....

NOV 29 1966

T. 6N R. 39E

DUPLICATE

County Roosevelt

Bills ..... McDermott .....
Butzerin ..... McNally ..... **STATE OF MONTANA**
Coyle ..... Morton **ADMINISTRATOR OF GROUNDWATER CODE**
Darlinton ..... Sullivan ..... **OFFICE OF STATE ENGINEER**
Dickert .....

LOG

Top of Ground

(Elev. above sea level.....)

0'- 10' Gumbo

10'- 32' Quick Sand

32'- 35' Gravel

35'- 38' Quick Sand

38'- 41' Gravel

41'- 45' Grey Shale

Static Level

Pump Level

Show exact depth of bottom.

45'

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner William Brockel Address Fairsyth, Mont.

Driller Elbert Folkers Address Fairsyth, Mont.

Date of Notice of appropriation of groundwater.....

Date well started 9/27/66 Date completed 9/30/66

Type of well Drilled (Dug, Driven, bored or drilled) Equipment used Churn (Churn drill, rotary or other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐ Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	8" I.D Steel	0	42	Vertical Slotted	38	41



.....1/4..... Sec. 19 T. 6N R. 39E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 6 feet.

Shut-in Pressure for Flowing Well Not Applic.

Pumping Water Level 35 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well Not Applicable

How Tested Bailed

Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff) Not Applicable

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition). Not Applicable

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

104
Driller's License Number

Elbert Folkers
Driller's Signature

41,368

186843

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 21st day of Nov

19 66 at 10:30 o'clock A. M.

Howard Ford
County Clerk & Recorder

By Betty M. Patten
Deputy

$12.00

G\ Approved Stock Form—State Publishing Co., Helena, Montana—42234 20

File No. T 6 North R 39

DUPLICATE County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED DEC 27 1963 STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. WALTER KNUDSON and EDNA KNUDSON (Name of Appropriator), of (Address) Roberts (Town)

County of Carbon State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE ¼ SW¼ Sec. 20 T. 6N R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based domestic and stock water.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1923; continuous.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 75 gallons per day.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not applicable.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump and Pressure system ~~[illegible]~~

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater May 4, 1923, commenced; May 18, 1923, completed.

8. The depth of water table 10 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 60 feet; electric pump and pressure system.

10. The estimated amount of groundwater withdrawn each year 27,375 gallons per year.

11. The log of formations encountered in the drilling of each well if available Not available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None.

Signature of Owner Walter Knudson
Edna Pollock Knudson

Date December 23, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13741

179682

STATE OF MONTANA,
COUNTY OF ROSEBUD } SS.

Filed for record the 26th day of Dec.
1963 at 8:55 o'clock A.M.

Howard Dart
County Clerk & Recorder

By Betty M. Patrick
Deputy

$2.00

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—40472

File No.....

T. 6 N. R. 39 E.

DUPLICATE

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
MAY 15 1964
STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

30' Static Level 0'-38' Topsoil, Clay

Pump Level 38'-46' Gravel

46'

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Raymond Nile Address Fairsyth, Mont.

Driller Elbert Folkerts Address Fairsyth, Mont.

Date of Notice of Appropriation of Groundwater.....

Date well started 5/6/64 Date Completed 5/8/64

Type of well Drilled (dug, driven, bored or drilled) Equipment Used Churn (Churn, drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐ Industrial ☐ Drainage ☐ Stock ☒

☞ Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
7"	6 5/8" I.D Steel - 18#	0	46	Not Applicable		



NE 1/4 NW Sec. 21 T. 6N R. 39 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 30 feet.

Shut-in Pressure for Flowing Well Not Applicable

Pumping Water Level 36 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well Not Applicable

How Tested Bailed Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

Not Applicable

104
Driller's License Number

Elbert Folkerts
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

38094

181487

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 18th day of May
1964 at 1:35 o'clock P. M.

Howard Lait
County Clerk & Recorder

Betty M. Fontain
Deputy

$2.00

Helena Independent Record

22

File No. ..... T. 6N R. 39E

DUPLICATE County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JUN 7 1962
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Mignon Tadsen (Name of Appropriator), of Forsyth (Town) (Address)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW ¼ Sec. 22 T. 6N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based January 1961

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1961

4. The amount of groundwater claimed (in miner's inches or gallons per minute)

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump jack and motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1961

8. The depth of water table 50'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6 and 4" casing - cased to bottom

10. The estimated amount of groundwater withdrawn each year 1600 gal. per day

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record SCS office may have some information

Signature of Owner Mignon Tadsen

Date June 20, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3152.

177049
177049

STATE OF MONTANA } SS.
COUNTY OF ROSEBUD }

Filed on the 2nd day of January
1963 at 1:40 o'clock P. M.

[illegible]
County Clerk & Recorder

By [illegible]
$2.00

G —Helena Independent Record

22

File No.....

T.....6N.....R.....39E.....

DUPLICATE

County.....Rosebud.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 9 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. M. W. Tadsen, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW ¼ 22 Sec. 22 T. 6N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based .....livestock.....

3. Date or approximate date of earliest beneficial use; and how continuous the use has been .....1951.....

4. The amount of groundwater claimed (in miner's inches or gallons per minute) .....—.....

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof .....none.....

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal .....Pump jack and motor.....

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater .....1951.....

8. The depth of water table .....40'.....

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater .....6" casing- cased to bottom.....

10. The estimated amount of groundwater withdrawn each year .....700 gal. per day.....

11. The log of formations encountered in the drilling of each well if available .....—.....

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....SCS office may have some information.....

Signature of Owner: M W Tadsen

Date.....Dec. 23 1962.....

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3240

177052

177052

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 2nd day of January

1942 at 1:55 o'clock P. M.

County Clerk & Recorder

By David Jared Hilbel
Deputy

$2.00

Approved Stock Form—State Publishing Co., Helena, Montana—42234

23

File No. ..... T. 6n R. 39

DUPLICATE

County .....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 13 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Peter J. Smith (Name of Appropriator), of Forsyth (Address) Mont. (Town)

County of ..... State of .....

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE ¼ Sec. 23 T. 6n R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household, garden + livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been About 1909. Continuous use from that date to this

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof .....

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pressure pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown

8. The depth of water table .....

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater dug well about 20 ft deep. About 4 ft. in diameter, lined with rock.

10. The estimated amount of groundwater withdrawn each year .....

11. The log of formations encountered in the drilling of each well if available unknown

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record .....

Signature of Owner Peter J. Smith

Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

31463

180343

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED JAN.
10th, 1964, AT 2:25 P.M. CO. CLERK
$2.00 Howard Dail
By Betty M. Fontaine
Dep.

Approved Stock Form—State Publishing Co., Helena, Montana—42234

File No. .....

T. 6N R. 39

~~ORIGINAL~~ Duplicate

County .....

RECEIVED
JAN 3 1964
ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Kevin F. & Jo Ann Brewer (Name of Appropriator) of (Address) Forsyth (Town)

County of Rosebud State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW NW ¼ Sec. 24 T. 6N R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based livestock and domestic use.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1949 and the use has been continuous.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 9 gallon per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof irrigate only lawn + garden.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal use jet pumps.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1949

8. The depth of water table 30 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater a drilled well with a 6 inch casing. a depth of 50 feet.

10. The estimated amount of groundwater withdrawn each year over one hundred thousand gallons

11. The log of formations encountered in the drilling of each well if available sand + gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record unknown.

Signature of Owner Kevin F. Brewer
Jo Ann Brewer

Date Dec. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator

21251

180621

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
31, 1963, AT 11:10 A.M., CO. CLERK
2:00 PM Howard Tait

For permanent address see back of sheet

3 GW 2 Revised 1969
STATE PUBLISHING COMPANY

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

AUG 9 1977

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Carlton H. Clark

Address Forsyth, Mont

For Administrator's Use
File 1437
August 2, 1977 2:05 p.m.
GW 1

Date well started 1904

completed 1904

Type of well Dug (Dug, driven, bored or drilled)

Equipment used Pick and shovel (Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)



NW ¼ NE ¼ Sec. 26
T. 6 N. (N/S) R. 39 (E/W)

Static water level 13 ft.*
Pumping water level 13 ft.*
at 45 gallons per minute,
measured minutes after pumping began.
*Measured from ground level.
Well developed by
for hours.
Power Pump HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Deceased

Driller's Address

LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
		This well was hand dug by the Homesteader of this land. It is nineteen (19) ft. deep. The water maintains a constant level of 6 ft. depth and escapes from a large split sand rock at the bottom. The water has been tested as to mineral content, is of excellent quality for domestic use. For many years the water has been hauled and used by residents of this community. This well is approx. 3½ ft. in diameter, lower 10 ft. is rock cribbed, balance to surface is cemented with vermin and dust proof cover over jet pump.

Show exact depth of bottom

51,102

14137

STATE OF MONTANA }
COUNTY OF ROSEBUD } ss.

Filed on the 7th day of Aug.
19 72 at 2:05 o'clock P M.

Howard Feil
County Clerk & Recorder

By Betty Jo Fottrian
Deputy

$2.00

Oscar M. Clark
Attorney at Law
Box 575
Bell Ranch, Calif. 93240

3

Approved Stock Form—State Publishing Co., Helena, Montana—41337

27

File No.....

T. 6 n R. 38E

DUPLICATE

County Rosebud

RECEIVED JAN 3 1964 STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Feb./1/1960

Owner Dotter Ranch Co. Address Forsyth, Montana

Contractor (if any) Walter Hicks

Address of Contractor Forsyth, Montana

Date Started June 8 1960 Date Completed June 8 1960

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Surface water springs



NWSSW ¼ S Sec. 27 T. 6N 38E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. A 30 gallon per hr. estimate. B 20 gallon per hr. estimate C 10 gallon per hr. estimate. Springs A B&C are used to water 100 head of cows for a period of three months per year.

Signature of Owner DotterRanch Co By Arthur W Dotter

Date Dec 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

21290

180063

STATE OF MONTANA COUNTY
OF ROSEBUD SS. FILED DEC
31, 1963, AT 1:32 P.M. CO. CLERK
Howard Tail
by: Ellen Clark, Dep.

Approved Stock Form—State Publishing Co., Helena, Montana—41337

29

File No.....

T 6 N R 38 E

DUPLICATE

County Rosebud

RECEIVED
JAN 3 1964
STATE ENGINEER

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Feb., 1 1960

Owner Dotter Ranch Co. Address Forsyth, Montana

Contractor (if any) None

Address of Contractor .....

Date Started Oct. 16, 1953 Date Completed Oct., 18, 1953

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable By cribbing out a spring A. Spring B was a pond.



SE & NE 1/4 S Sec. 29 T. 6 N R. 38 E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent, estimate approximate lengths of periods of use. Spring A flows 25 gallons per hour estimate. Spring B flows 20 gallon per hour estimate. These springs water 80 head of cattle. Used 4 to 5 months a year.

Signature of Owner Dotter Ranch Co. by Arthur W. Dotter

Date Dec. 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

21291

180064

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
31, 1963, AT 1:32 M, CO. CLERK
$3.00 Howard Hart
David Jean Hellel, dep.

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4232

File No. ..... STATE WATER CONSERVATION BOARD

T. 6N R. 39E

DUPLICATE

MAY 18 1966

County .....

LOG

Top of Ground

(Elev. above sea level.....)

Bille ..... McDermott .....
Butzerin ..... McNulty .....
Coyle ..... Morton .....
Darlington ..... Sullivan .....
Dickert .....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Klauer Mfg Co Address Dubuque Iowa ~~Fourth Mont.~~

Driller Elbert Folkers Address Fourth Mont.

Date of Notice of appropriation of groundwater.....

Date well started 4/7/66 Date completed 4/12/66

Type of well Drilled (Dug, Driven, bored or drilled) Equipment used Churn (Churn drill, rotary or other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐ Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

0'-6' Topsoil
6'-23' Sandy Clay
23'-25' Granite Rock
25'-42' Sandy Clay
42'-52' Gravel
52'-72' Yellow Clay — Static level
72'-79' Quick Sand
79'-84' Blue Shale — Pump level
84'-87' Soft Sand Rock (10 gals per)
87'-90' Gravel

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
7"	6" OD Steel 15# per ft	0	90	Perforated Rotation	81	87



NE¼ NE¼ Sec. 24 T. 6N R. 39E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 60 feet.

Shut-in Pressure for Flowing Well Not Applicable

Pumping Water Level 80 feet at 10 gal. per minute.

Discharge in gal. per min. of flowing well Not Applicable

How Tested Bailed

Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff) Not Applicable

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Not Applicable

Show exact depth of bottom.

90'

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, issue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

104
Driller's License Number

Elbert Folkers
Driller's Signature

41068

185985

STATE OF MONTANA,
COUNTY OF ROSEBUD } SS.

Filed on the 11th day of May
1946 at 10:10 o'clock A.M.

Howard Tait
County Clerk & Recorder

By Ellen Reed
Deputy.

1—Helena Independent Record

29

File No.....

T. 6N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
STATE ENGINEER

Declaraiion of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Mignon Tadsen, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE ¼ Sec. 29 T. 6N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1943

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump jack and motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1943

8. The depth of water table 40'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" casing ¾ cased to the bottom

10. The estimated amount of groundwater withdrawn each year Water about 50-75 head of cattle year round

11. The log of formations encountered in the drilling of each well if available not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record SCS office may have some information

Signature of Owner Mignon Tadsen

Date June 20, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3153

177050

177050

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 2nd day of January

1963 at 1:45 o'clock P. M.

Theresa L. Fox
County Clerk & Recorder

By Doris Jean Hallock
Deputy

$3.00

Approved Stock Form—State Publishing Co., Helena, Montana—39089 31

File No. .....

T. 6 N R. 39 E

DUPLICATE

County Treasure

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED JAN 3 1964 STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Cole Bros, of Sanders
(Name of Appropriator) (Address) (Town)
County of Treasure State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE ¼ Sec. 31 T. 6N R. 39E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Livestock well

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
Before 1932

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 15 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
pump, windmill & gas engine

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
Before 1932

8. The depth of water table 55 foot dug well 20 feet water

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
32 inch galvanized casing

10. The estimated amount of groundwater withdrawn each year 400,000 gallons used all year

11. The log of formations encountered in the drilling of each well if available
None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Cole Bros By Norris E. Cole

Date December 27 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21075

179831

Declaration of Vested
Groundwater Rights

Sec 31 T 6 N R 39 E

Cole Bros.

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT 10:20 AM, CO. CLERK
Howard Tait
By Betty M. Fontaine
Dep.

$2.00

1—Helena Independent Record

File No.....

T. 6N R. 39E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 9 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. M.W. Tadsen (Name of Appropriator), of Forsyth (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE ¼ Sec. 34 T. 6N R. 39

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based livestock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1955

4. The amount of groundwater claimed (in miner's inches or gallons per minute)

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pump jack and motor

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1955

8. The depth of water table 10'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" casing - cased to bottom

10. The estimated amount of groundwater withdrawn each year 1200 gal. per day for 8 months

11. The log of formations encountered in the drilling of each well if available —

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record SCS office may have some information

Signature of Owner M.W. Tadsen

Date Dec. 28 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3239

177051

177051

STATE OF MONTANA, }
COUNTY OF ROSEBUD } ss.

Filed on the 2nd day of January

19 62 at 1:50 o'clock P. M.

Thomas L. Tait
County Clerk & Recorder

By David Jerrel Hilliard
Deputy

$5.00

GROUNDWATER INDEX

County ROSEBUD Twp. 6 NORTH Rge. 41 EAST

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
1	MONTGOMERY, JAMES A	GW-4	179849	
1	MONTGOMERY, JAMES A	GW-4	179852	
2	LEE, A.G JR	GW-4	179528	
2	LEE RANCH	GW-2	189571	
3	SWART, E.L	GW-4	177003	
4	KENNEY, DENNIE E	GW-4	177262	
4	LEE, J.R	GW-4	179526	
4	SIMPSON, ARNOLD	GW-4	177025	
5	LEE, J.R	GW-4	179527	
8	DELMEIRE, GEORGE	GW-2	179101	
9	LEE, A.G. JR	GW-4	179529	
9	PATTERSON, H.E	GW-2	183996	
10	ERPELDING, KATHERINE	GW-3	179879	
10	LEE, J.R	GW-4	179525	
10	WOODWARD, JEAN A	GW-4	179795	
12	DAHLMAN, IVAN W	GW-4	180013	
13	DAHLMAN, IVAN. W	GW-3	180014	
14	DAHLMAN, IVAN W	GW-4	180010	
15	ERPELDING, KATHERINE	GW-4	179880	
16	BORER, R.J	GW-3	177038	
16	BORER, R.J	GW-4	177039	
16	PATTERSON, H.E	GW-4	179911	
17	PATTERSON, LINA	GW-3	179912	
18	LEISCHNER, LESTER P	GW-4	180201	
19	BREWER, FRANCIS & ADRIENNE	GW-3	179923	
19	MELCHER, J. D	GW-2	176295	
20	BREWER, FRANCIS & ADRIENNE	GW-3	179922	
20	BREWER, FRANCIS & ADRIENNE	GW-4	179921	
20	DAHLMAN, IVAN. W	GW-4	180011	
21	DAHLMAN, IVAN. W	GW-4	180009	
21	STATE OF MONT. HIWAY DEPT	GW-2	1682	
24	DAHLMAN, IVAN. W	GW-3	180015	
25	LARSEN, GEORGE & NEIL	GW-4	179100	
26	MATHERN, LUI	GW-4	180183	
27	DAHLMAN, IVAN. W	GW-4	180012	
28	MATHERN, LUI	GW-4	180184	
30	KURKOWSKI, JOHN	GW-3	177494	
32	SCHIFFER, ALVIN	GW-4	180192	
32	WOLFE, ELLIS	GW-3	179981	
34	MATHERN, LUI	GW-3	180185	
35	CLARK, WALTER L	GW-4	179640	
36	WOLFE, E.W	GW-4	179993	

GV

Approved Stock Form—State Publishing Co., Helena, Montana—38687

File No.....

T. 6 N R. 41 E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. James A Montgomery, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE ¼ Sec. 1 T. 6 R. 41

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
Stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
Possibly Around 1920
Constantly

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
4 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
X

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Artisian well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Not Known

8. The depth of water table Not Known

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Not Known

10. The estimated amount of groundwater withdrawn each year 2,102,400 gallons

11. The log of formations encountered in the drilling of each well if available
Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
None

Signature of Owner James A Montgomery
Date Dec 3x 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21093

179849

STATE OF MONTANA, COUNTY
OF ROSEBUD SS. FILED DEC.
30, 1963, AT 11:45 M, CO. CLERK
Howard Tait
by: Ellen Clerk, Dep.

GV

Approved Stock Form—State Publishing Co., Helena, Montana—38687

File No.....

T. 6N R. 4E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 3 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. James A Montgomery, of Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 1 T. 6 R. 41

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
House + Stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
Possibly Around 1920
Constantly

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
one gallon per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
X

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Artisian well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
Not Known

8. The depth of water table Not Known

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Not Known

10. The estimated amount of groundwater withdrawn each year 535,600 gallons

11. The log of formations encountered in the drilling of each well if available
Not Available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
None

Signature of Owner James A Montgomery

Date Dec 28 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21096

179852

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
30, 1963, AT 11:00 AM, CO. CLERK
Howard Lait
by: Ellen Clark, Dep

Approved Stock Form—State Publishing Co., Helena, Montana—41921

2

File No.....

T 6N R 41E

DUPLICATE

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. A.G. Lee Jr, of Forsyth
(Name of Appropriator) (Address) (Town)

County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



.....¼..... Sec. 2 T. 6N R. 41E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household use and stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been steady use since the 1920's

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal submersible pump for household and also pumps for stock water

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920's

8. The depth of water table

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater This is an artesian well which flows about 3 gallon per minute. A water system for household use is down in well and this system also pumps for livestock during periods of heavy use, which supplements the artesian flow

10. The estimated amount of groundwater withdrawn each year 550,000 gallons

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner A G Lee, Jr. by J. R. Lee

Date Dec. 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11927

179528

STATE OF MONTANA, COUNTY
OF ROSEBUD SS- FILED DEC.
19, 1963 AT 10 AM, CO-CLERK
Zoe Howard Zeik

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4232.

File No.....

T.....R.....

DUPLICATE

County.....

MONTANA WATER RESOURCES BOARD
RECEIVED
FEB 21 1968

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground

(Elev. above sea level.....)

0'-12' Surface Sand

Static Level 12'-19' Gravel

Pump Level 19'-26' Sand (35 gal per min)

26'-28' Blue Shale

Owner.....Address.....

Driller.....Address.....

Date of Notice of appropriation of groundwater.....

Date well started.....Date completed.....

Type of well.....Equipment used.....
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐ Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS Kind Size	From (Feet)	To (Feet)
8"	8" Steel 32# per ft.	0	28			



NE1/4..... Sec. 2..... T. 6..... R. 41E.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well .....15.....feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....22.....feet at.....25.....gal. per minute.

Discharge in gal. per min. of flowing well Not applicable

How Tested.....

Length of Test.....

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

Not applicable

.....(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Not applicable

Show exact depth of bottom.

28'

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

.....
Driller's License Number

.....
Driller's Signature

43,175

189571

STATE OF MONTANA,
COUNTY OF ROSEBUD } SS.

Filed on the 16th day of Feb.
1968 at 4:05 o'clock P M

Gerald Iot
County Clerk & Recorder

By Ellen Clark
Deputy

G—Helena Independent Record

File No.....

DUPLICATE

T. 6 N R. 41 E

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. E. L. Swart (Name of Appropriator), of Rosebud (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW¼ Sec. 3 T. 6 N R. 41 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based House

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Unknown

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gal per min

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof —

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal —

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Unknown

8. The depth of water table 5 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater dug well Ten feet deep

10. The estimated amount of groundwater withdrawn each year —

11. The log of formations encountered in the drilling of each well if available —

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record —

Signature of Owner Ena L Swart

Date Dec 26 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

2994

177003

STATE OF MONTANA, }
COUNTY OF ROSEBUD } SS.

Filed on the 27th day of Dec.
19 63 at 4:00 o'clock P.M.

Howard Tait
County Clerk & Recorder

By Betty M. Tatum
Deputy

$3.00

G—Helena Independent Record

File No.....

DUPLICATE

T. 6 N. R. 41 E.

County Rosebud

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 24 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. DENNIE F. KENNEY, of Rt. 2, Forsyth
(Name of Appropriator) (Address) (Town)
County of Rosebud State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



W½ SW ¼ Sec. 4 T. 6N R. 41E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been March 1, 1960--continuous since that time on a seasonal basis-approximately 7 months out of the year

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump jack with pump cylinder

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater commenced February 1, 1960 and completed

8. The depth of water table 8 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 18 inches galvanized casing--12 feet deep

10. The estimated amount of groundwater withdrawn each year 360,000 per year

11. The log of formations encountered in the drilling of each well if available 8 feet sand
4 feet gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Dennie F. Kenney

Date 1/18/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3396