

File No.

T 20<sup>N</sup> R 26<sup>W</sup>

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 30 1958  
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, Perry R. and Otha S. French, of Box 466 Plains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N.W. 1/4, Sec. 34, T. 20, R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based irrigation and stock water
- Date or approximate date of earliest beneficial use; and how continuous the use has been spring 1950 irrigation May through September and stock water all year every year since 1950.
- The amount of groundwater claimed (in miner's inches or gallons per minute) 250 gal. per. minute
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 20 acres lot 10 block D and lots 1, 2, 3 in block C sect 34 south Plains, Perry R + Otha S. French
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump. North west part of lot 2 block C sect. 34 south Plains
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater well constructed and completed in spring of 1950
- The depth of water table 15 feet from top of ground
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well dug six feet + drilled eleven feet. twelve inch casing and seventeen feet deep.
- The estimated amount of groundwater withdrawn each year 15,050,000 each year
- The log of formations encountered in the drilling of each well if available nine feet of soil and clay eight feet of sand and gravel
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Prior to 1950, stock water came from slough with dry land farming.

Signature of Owner Perry R French  
Date 12 23 58

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 15842

305  
Indexed

1 received 202 258

23 Dec  
63 11.45 A  
Taraety Tolson  
100 By  
Evelyn (D) and Dep

File No. ....

T. 20 R. 26 W

DUPLICATE

County Sanders


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER

1. Perry R. and Otha S. French of Box 486 Plains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S  
SW 1/4 NW 34 T. 20 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. irrigation  
stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. July 7, 1959  
irrigation. May, June, July, August +  
Sept every year since.  
Stock water year around.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 gal. per. minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied. 40 acres  
1, 2 + 3 in Block A section 34  
South Plains. Perry R. & Otha  
S. French

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. electric  
pump. Well in south water of lot 3,  
block B, sect 34.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. started well July 1, 1959  
July 6, 1959 struck water

8. The depth of water table. 15 ft from top of ground

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Dug well with 8 ft depth

10. The estimated amount of groundwater withdrawn each year. 30,070,000 each year

11. The log of formations encountered in the drilling of each well if available. about 5 feet sand and fine gravel

12. Such other information of a similar nature as may be available. Priority to Perry R. & Otha S. French in this area. Stock  
water to be pumped from the river and the land irrigated +  
irrigated. Pump broke, has clogged away making it  
impossible to water stock.

Signature of Owner Perry R. French  
Date 12 27 63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

706  
Indexed

now instrument for record on the

23 day of Dec

1963 at 11:47 A M

Harshy Nadeem

County Recorder

cc

By  
Evelyn Wood  
Jep

RECEIVED

File No. 766

JUN 24 1970

T. 30 R. 26

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)


Owner Anne M. Gebhardt & Allen Gebhardt Address Plains  
Driller Kane Water Well Drilling address St. Regis  
Date of Notice of Appropriation of Groundwater 8/11/63  
Date well started 8/14/63 Date Completed 8/15/63  
Type of well drilled Equipment Used churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)  
Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	8" id st'd	0	28 1/2	1/2 x 6	28	22



Top of Ground  
(Elev. above sea level.....)  
17' already dug  
11 1/2' sand, gravel, and water



N 1/2 Sec. 34 T. 20. R. 26  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well 12 feet.  
Shut-in Pressure for Flowing Well does not apply  
Pumping Water Level 9 feet at 50 gal. per minute.  
Discharge in gal. per min. of flowing well does not apply  
How Tested bailed and measured length of Test until clear  
Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

28 1/2

Show exact depth of bottom.

Doc. No. 118535  
Filed for record  
this 28 day of June  
A. D. 19 70, at 1:30  
o'clock P.M.

25  
Driller's License Number

Eugene J. Stone  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

46608

766  
DEXED

118535

I received and filed  
this instrument for record on the 25<sup>th</sup>  
day of June 1920  
at 11:30 o'clock AM  
Harold E. Fisher  
County Recorder  
Fee 3.00 by Harold E. Fisher  
Lipie Vaughn, Tax.

File No. ....

T. 20 N. R. 26 W. 34

DUPLICATE


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

County Landau  
**RECEIVED**  
JAN 14 1964

**Declaration of Vested Groundwater Rights** ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

1. Bill Hamilton, of Box 511 Hains  
(Name of Appropriator) (Address) (Town)

County of Landau State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N. 1/4 S. 40 Sec. 34 T. 20 N. R. 26 W.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based water for house, garden, yard & stock
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been We just bought it. As far as we can find out about 20 yrs.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 300 gal. per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof just for the yard & garden
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal small electric pump

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater about 20 years
- 8. The depth of water table about 50 feet
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 1 1/2 inch pipe with sandpoint
- 10. The estimated amount of groundwater withdrawn each year 7500 gal. just purchased lot.
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Bill Hamilton  
Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located. Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

32212

598

I received and filed  
the instrument for record on the  
14 day of Jan  
1964 at 8:06 o'clock A.M.  
Blairly Hudson  
County Recorder  
For me By  
Dixie Vaughn Skip



File No. ....

T. .... R. ....

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

3' clay type soil  
1' sand  
2' clay type soil  
2 1/2' pebble stone  
12 1/2' water, sand & gravel

Owner George Haven Address Plains  
Esne Water Well Drilling  
Driller [Signature] Address St. Regis

Date of Notice of Appropriation of Groundwater 8/11/62


Date well started 8/13/63 Date Completed 8/15/63

Type of well drilled Equipment Used churn drill  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	8" id st'd	0 1/2'	21	1/2"x6	21	13



NE 1/4 SW 1/4 Sec 24 T20N R26 W MPM

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

LOT 12 BLOCK D of South Plains  
Show exact depth of bottom.

Static Water Level for non-flowing Well 8 1/2 feet.

Shut-in Pressure for Flowing Well does not apply

Pumping Water Level 10 1/2 feet at 50 gal. per minute.

Discharge in gal. per min. of flowing well does not apply

How Tested pumped & bailed Length of Test until clear

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

23

Driller's License Number

[Signature]  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

114

*Ind. 101767*

101767

I received and filed  
 this instrument for record on the  
30 day of Sept  
 1963 at 10:00 o'clock A M  
Masathya Madson  
 County Recorder  
 For 100

File No. ....

T. 20 N. R. 26

DUPLICATE

County: Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 17 1963


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Edwin L. Johnson & Sons, of Box 268 Plains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based

Irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Began June, 1951, has been used June to October (inclusive) every year since

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 300 gal. per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof about 60 acres, in Blocks 7 and 1, South Plains Addition

Owner, Edwin L. Johnson & Sons

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

Electric motor and pump

2 1/2 Sec. 34 T. 20 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater completed system and started irrigating in June, 1951

8. The depth of water table Water comes up to about 10 ft. below top of well. In late season water table drops somewhat.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well 6 ft. in diameter, about 14 ft. deep, concrete lined

10. The estimated amount of groundwater withdrawn each year 9,000,000 gal. (approximate) varies with season depending on rainfall

11. The log of formations encountered in the drilling of each well if available about 5 ft. soil and hardpan, balance gravel and sand

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Date Dec. 10, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

181

*Subsided*

I received and filed  
this instrument for record on the

16 day of Dec

1962 at 8:12 o'clock PM

Marilyn Moulton  
County Recorder

Fee 1.00 By

*Wesley Vaughn*



899

128471

INDEXED

I received and filed

this instrument for record on the 27

day of June 1973

at 8:04 P.M.

Dixie Vaught

by

Linda Browne, Dep.

File No. ....

DUPLICATE

T. 201 R. 26W  
RECEIVED  
JAN 8 1964  
COUNTY


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. John R. & Patricia Nelson, of Box 357 P. Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$  Sec. 34, T. 201 R. 26 W  
Block E  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based  
Domestic use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been prior to 1923 and  
continuous since

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 60 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
Not used for irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  
electric pumps

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater  
dates unknown

8. The depth of water table 13 1/2 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
14 inch tile casing 16 feet deep

10. The estimated amount of groundwater withdrawn each year 150,000 gallons

11. The log of formations encountered in the drilling of each well if available  
not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record  
none known

John R. Nelson  
Signature of Owner Patricia Nelson  
Date 1/7/64

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

552  
Delayed

I received and read

the instrument for record

To the said Janney

1964 1117 P.M.

Dorothy Nelson

For 1000

By

Evelyn Wood  
Dep.



File No. \_\_\_\_\_

T. 20N R. 26W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED  
JAN 5 1964  
STATE ENGINEER

1. John R. & Patricia Nelson, of Box 357 (Name of Appropriator) Plains (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 34, T. 20N, R. 26W  
1st block E  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and irrigation around farm buildings.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been prior to 1923 and continuous since.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 gals per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof approximately 1 acre around buildings.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal electric pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater dates unknown.

8. The depth of water table 12 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
Roped up casing 2 feet in diameter  
16 feet deep.

10. The estimated amount of groundwater withdrawn each year 12-15 acre inches.

11. The log of formations encountered in the drilling of each well if available.  
Not available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.  
None known.

John R. Nelson  
Patricia Nelson  
Signature of Owner

Date 1/1/64

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

501  
Indepd

2nd January  
64. 11:14 #  
Dorothy Gibson  
By Evelyn Wood  
Dep

File No. ....

T 20 N R 26 W

DUPLICATE


County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 6 1964

Declaration of Vested Groundwater Rights ENGINEER  
(Under Chapter 237, Montana Session Laws, 1961)

1. Wendell Stephen, of 2056 Plain  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 of Sec 34 T20 R26  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based stock water and irrigation

3. Date or approximate date of earliest beneficial use, and how continuous the use has been 1954 continuous from that date

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 200 gallons per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 30 acres. See open outline on map at left. Owner Wendell Stephen

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal from SE 1/4 of NW 1/4 of Sec 34 T20 R26

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater April 1 to May 1 1954

8. The depth of water table 18 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

10. The estimated amount of groundwater withdrawn each year 4,000,000 gallons

11. The log of formations encountered in the drilling of each well if available None available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Wendell Stephen  
Date 12/30/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

499  
Indexed

I received and filed  
this instrument for record on the  
31st day of Dec  
1963 at 1:06 o'clock P.M  
Dorothy Dodson  
County Recorder  
Fee \$1.00

By  
Evelyn Wood  
Dep

File No. ....

T. 20N R. 26W

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 8 1963

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Sidney A Stipe, of Box 177 Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 24 T. 20 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Irrigation Well.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. June 1952

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 40 gallons per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. not in use at the present time.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. not in use at the present time. see location at left.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. The well was drilled in June of 1952

8. The depth of water table. 19.5 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. metal casing, 7 inch inside diameter, 21 ft. 6 inches deep.

10. The estimated amount of groundwater withdrawn each year. not in use at present time.

11. The log of formations encountered in the drilling of each well if available.  
0 - 4.5 feet dirt 15 - 18 feet hard sand  
4.5 - 7 feet sand 18 - 19 " hard pan  
7 - 15 " gravel 19 - " " gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None that I know of.

Signature of Owner Sidney A Stipe  
Date Dec. 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

347  
Indexed

I received and filed  
this instrument for record on the  
30th day of Dec  
1963 at 8:40 o'clock P. M  
Dorothy Dodson  
County Recorder  
Fee \$1.00

By  
Olfie Vaught  
Dep

File No. ....

T. 20 N. R. 26 W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 5 1962  
STATE ENGINEER

### Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Sidney A Stipe, of Flains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$  Sec. 34, T. 20, R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. household use and garden irrigation.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Continuous since 1924.
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 gallons per minute.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. .5 acre in sec. 34, T20N, R26W  
Owner: Sidney A. Stipe
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump at site, see location to the left.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1924.
8. The depth of water table. 22 feet.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. metal casing 5 inch inside diameter, 29 feet deep.
10. The estimated amount of groundwater withdrawn each year. 20,000 gallon
11. The log of formations encountered in the drilling of each well if available. 4 feet dirt.  
4 - 18 feet gravel and sand.  
18-19 feet hard pan.  
19 gravel.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Unknown.

Signature of Owner Sidney A. Stipe

Date Feb 27, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21462

351

Indeed

I received and filed  
this instrument for record on the  
30th day of Dec  
19. 63 at 8:46 o'clock P M  
Dorothy Dodson  
County Recorder  
Fee \$1.00

By  
Dixie Waught  
Dep



File No. ....

T. 20 N. R. 26 W

DUPLICATE


County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 9 1962

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

I, Sidney A. Stipe, of Box 177 Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 34, T. 20, R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Irrigation well.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Constructed December 1947 and in use since that time.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 75 gallons per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 8 acres of pasture and hay land, owned by myself, Sidney A. Stipe.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump, see location to left.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Constructed December 1947.

8. The depth of water table. 12 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. hand dug 6 ft. x 8 ft. well, cement casing for 15 feet, total depth is 20 feet.

10. The estimated amount of groundwater withdrawn each year. 5 million gallons

11. The log of formations encountered in the drilling of each well if available

0 - 3 feet dirt  
3 - 20 feet sand and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none that I know of.

Signature of Owner: Sidney A. Stipe  
Date: Jan 27, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator

348

Imperial

I received and filed

this instrument for record on the

30th day of Dec

1963 at 2:38 o'clock P. M.

Dorothy Johnson

County Recorder

Fee \$1.00

By  
Clive Naught  
Dep

File No. ....

T. 20N R. 26W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 5 1964

Declaration of Vested Groundwater Rights

STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Sidney A. Skips, of Box 177 Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 34, T.20, R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. used for watering stock and some irrigation.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. August 20, 1949, in use since that time.

4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 gal. per minute.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 25 acres in sec. 34, T20N, R26W. Owner Sidney A Skips

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Hand pump. Sec. 34, T20N, R26W. See location to the left.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Started construction in 1946 completed in 1949.

8. The depth of water table. 19 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. metal casing, 5 inch inside diameter, 25 feet deep.

10. The estimated amount of groundwater withdrawn each year. 2500 gallons.

11. The log of formations encountered in the drilling of each well if available.  
0 - 10 feet dirt to sand  
10-18 feet sand to gravel  
18-19 feet hard pan  
19 - feet gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. see that I know of.

Signature of Owner Sidney A Skips  
Date Dec, 27, 1964

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

350  
Indexed

I received and returned  
this instrument for record on the  
30th day of Dec  
1963 at 8:44 o'clock P M  
Dorothy Jackson  
County Recorder  
Fee \$1.00 By  
Dixie Naught  
Dep

File No. ....

T. 20N R. 26W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 3 1964

Declaration of Vested Groundwater Rights

STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Sidney A. Stipe, of Box 177 Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 34, T. 20, R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based. Irrigation well.
- Date or approximate date of earliest beneficial use; and how continuous the use has been. 1948
- The amount of groundwater claimed (in miner's inches or gallons per minute). 40 gallon per minute.
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. not in use at the present time.
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. not in use at the present time, see location to be left.
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1948 the well was constructed.
- The depth of water table. 15 feet.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. metal casing, 7 inch inside diameter, 20 feet deep.
- The estimated amount of groundwater withdrawn each year. not being used at present time.
- The log of formations encountered in the drilling of each well if available.
  - 0 - 9 feet dirt to sand
  - 9-17 feet sand to gravel
  - 17-18 feet hard pan
  - 18 - feet gravel
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none that I know of.

Signature of Owner Sidney A. Stipe

Date Jan 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

349

Indexed

I received and Read  
this instrument for record on the  
30th day of Dec  
19 63 at 8:42 o'clock P M  
Donath Dodson  
County Recorder  
For #100

By  
Opie Naught  
Dep

File No. ....

T. NR 26 W 35

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

STATE WATER CONSERVATION BOARD  
DEC 20 1965


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

By: \_\_\_\_\_  
Attest: \_\_\_\_\_  
Clerk: \_\_\_\_\_  
Director: \_\_\_\_\_  
Sullivan: \_\_\_\_\_

1. Diehl Lumber Co, Inc, of Plains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Mont.  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 35 T20 R26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Fire protection + Plant use

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Well #1 1954  
Well #2 1956

4. The amount of groundwater claimed (in miner's inches or gallons per minute) #1 - 500 GPM  
#2 - 1000 GPM

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pumps  
50HP & 100HP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater #1 1954  
#2 1956

8. The depth of water table 20'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater #1 dug, 8' casing 35' deep  
#2 dug, 8' casing 48' deep

10. The estimated amount of groundwater withdrawn each year #1 240,000,000  
#2 100,000,000

11. The log of formations encountered in the drilling of each well if available 8' clay balance gravel to 45' then clay again

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Stanley D. Diehl Sr  
Date 11/18/65

This copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

207  
2  
3  
4

11  
3  
5  
7

I received and filed  
this instrument for record on the 16  
day of June 19 68  
at 1:30 o'clock P. M.

W. W. H. H. H.  
County Recorder

Fee 10  
C. W. H. H. H.



GW 2

STATE WATER CONSERVATION BOARD

Approved Stock Form—State Publishing Co., Helena, Montana—4232a

File No. DFC 29 1965

T. N R W 35

DUPLICATE

By: \_\_\_\_\_  
Bd: \_\_\_\_\_  
Co: \_\_\_\_\_  
Date: LOG  
District: \_\_\_\_\_

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level.....)

2' bet top soil  
21' sand gravel clay  
10' sand gravel water

Notice of Completion of Groundwater  
Appropriation by Means of Well  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Richard Harwood address Plainmont

Driller Eugene L. Kane address St Regis Mont

Date of Notice of appropriation of groundwater.....


Date well started 11/26/65 Date completed 11/27/65

Type of well drilled Equipment used Churn  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6 5/8</u>	<u>19</u>	<u>1</u>	<u>34</u>	<u>4x5</u>	<u>27</u>	<u>34</u>



Static Water Level for non-flowing well 23 feet.  
Shut-in Pressure for Flowing Well.....  
Pumping Water Level 27 feet  
at 25 gal. per minute.  
Discharge in gal. per min. of flowing well.....

How Tested pumped & bailed  
Length of Test 3 hr  
Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NE 1/4 NW 1/4 Sec 35 T. 20. R. 26  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

APPROX. 500 YDS. E. OF RAINS ON HWY. U.S. 10A

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Irrigation and Domestic

34' Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23  
Driller's License Number

Eugene L. Kane  
Driller's Signature

40168

636  
2011

105.17

I received and filed  
this instrument for record on the 20  
day of Nov 19 6  
at 1:00 o'clock P M  
Randy R. Rader  
County Recorder  
Fee 1.00

By  
Alexia Vaughn

35

File No. ....

T. 20 N 26 W

DUPLICATE

County Sanders

STATE OF MONTANA RECEIVED  
 ADMINISTRATOR OF GROUNDWATER CODE  
 OFFICE OF STATE ENGINEER  
 AUG 28 1963

**Notice of Completion of Groundwater Appropriation by Means of Well**  
 STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Owner *By Contract Alfred Laurin* Address Plains

Driller *Kane Water Well Drilling* Address St. Regis

Date of Notice of Appropriation of Groundwater 8/16/63

Date well started 8/16/63 Date Completed 8/17/63

Type of well drilled Equipment Used churn drill  
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)


Water Use: Domestic  Municipal  Other  Irrigation   
 Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Top of Ground  
 (Elev. above sea level.....)  
 0' clay type soil  
 13' sand, gravel and water

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	3" id st'd	0	22	3/4 x 6	15	22



N  
 W  
 S  
 E  
 N.M. 1/4 SW Sec. 35 T. 20 R. 26  
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

21 Show exact depth of bottom.

Static Water Level for non-flowing Well 12 feet.  
 Shut-in Pressure for Flowing Well does not apply  
 Pumping Water Level 113 feet at 50 gal. per minute.  
 Discharge in gal. per min. of flowing well does not apply  
 How Tested bailed & pumped Length of Test until clear  
 Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) 6 Acres

23  
 Driller's License Number  
*Ernest R. Kane*  
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

5565

103

*Indefinite*

I received and filed  
this instrument for record on the

26th day of August

1923 at 11.00 o'clock A.M.

Lionel Hudson  
County Recorder

For 1.00 By

*Diana Knight*  
*Dy*

File No. ....

T. 20 N. R. 26 W.  
County Sanders

DUPLICATE


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 8 1964  
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, Donald E. & Inez O. Nelson, of Box 277, Plains  
(Name of Appropriator) (Address) (Town)  
County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec 35 T. 20 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Irrigation of hay land.
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1956 continuous use since development during irrigation season.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 400 gallon per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof SW 1/4 of SW 1/4 S35 T20 R26 W about 35 Acres NW 1/4 of S2 T19N R 26W about 100 acres, all owned by Donald R. and Inez O. Nelson
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump and overhead irrigation.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Began and finished in April, 1956

8. The depth of water table Varies with river, average 5 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 6 feet in diameter and 12 feet in depth.

10. The estimated amount of groundwater withdrawn each year 12 inches per acre per year 90. A acres

11. The log of formations encountered in the drilling of each well if available Well is dug 7 feet of top-soil and 5 feet of gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No information recorded

Signature of Owner [Signature]  
Date 12-26-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

25035

475  
Indexed

Received and filed

Instrument for record on the  
31st day of Dec  
1963 at 8:24 o'clock P.M.  
Dorothy Dodson  
County Recorder  
Fee \$1.00

By  
Dixie Vaughn  
Dep.

File No. ....

T. 20 N. R. 26 W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 8 1964  
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. D. R. and Inez O. Nelson, of Box 277 Flains  
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 SW 1/4 Sec. 35 T. 20 R. 26

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic use & yard & irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1927 continuous use to date. Drilled 4 feet deeper in 1948, due to surface contamination due to flooding.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 60 gallon per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof SW SW Sec. 35 20 26 & NW of NW S 2 19 26  
Approx. 10 Acres. Owned by D.R. & Inez O. Nelson

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pumps and overhead irrigation

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 17 ft dug in 1927 and drilled 4 feet deeper in 1948

8. The depth of water table 7 ft. average, varies with the depth of the river

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Original well 3 ft. in diameter of walled brick, drilled in 1948, is of 6" steel casing.

10. The estimated amount of groundwater withdrawn each year 200,000 gallon +

11. The log of formations encountered in the drilling of each well if available Topsoil, hardpan and gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None recorded

Signature of Owner D. R. Nelson

Date Jan 8 1964

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

25033

473  
Indexed

I received and filed  
this instrument for record on the  
31st day of Dec  
1963 at 2:20 o'clock P.M.  
Dorothy Dodson  
County Recorder  
For #102

By  
Dixie Vaughn  
Dep



File No. 696

JUN 14 1966

T 20N R 26W 26

DUPLICATE

LOG

Wells \_\_\_\_\_ McDermott \_\_\_\_\_  
Butcher \_\_\_\_\_ McNulty \_\_\_\_\_  
Coyne \_\_\_\_\_ Morton \_\_\_\_\_  
Dahlman \_\_\_\_\_ Sullivan \_\_\_\_\_  
Dickert \_\_\_\_\_

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
5' 66 ft. above sea level.....)

15' clay and gravel  
13' gravel, sand and water

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Alfred S. & Kathryn Ober address Plains

Driller Kane Water Well Drillings address St. Regis

Date of Notice of appropriation of groundwater..... 5/19/66


Date well started..... 5/23/66 Date completed..... 5/24/66

Type of well..... drilled Equipment used..... churn  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" x .250	0	33	1/2 x 5	27	32



Static Water Level for non-flowing well..... 17 feet.  
Shut-in Pressure for Flowing Well..... x  
Pumping Water Level..... 20 feet  
at..... 30 gal. per minute.  
Discharge in gal. per min. of flowing well..... x  
How Tested..... bailed & pumped  
Length of Test..... til clear

Remarks: (Gravel packing, cementing, pack-  
of block P of McGowan 2nd addition of Plains, type of shutoff).....

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

33 Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23  
Driller's License Number

Eugene S. Kane  
Driller's Signature

41137

#  
696

I received and filed  
this instrument for record on the 13<sup>th</sup>  
day of June 1966  
at 8:12 o'clock A.M.  
Dorothy Adams by  
County Recorder  
Fee 1.00 Doris Knight  
DJP

File No. NGV 22 1965

T. 20N R. 20W

DUPLICATE

Billie McDermott
Birt McNulty
Com. LOG Merton
Darlington Sullivan


County Sanders 26

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)



Owner Samuel Valles Address Plains

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 10/11/65


Date well started 10/14/65 Date completed 10/19/65

Type of well drilled Equipment used churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic [x] Municipal [ ] Stock [ ] Irrigation [x]
Industrial [ ] Drainage [ ] Other [ ]

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static Water Level for non-flowing well 13 feet

Shut-in Pressure for Flowing Well 2

Pumping Water Level 13 1/2 feet at 30 gal. per minute

Discharge in gal. per min. of flowing well 2

How Tested drilled and pumped

Length of Test till clear

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature: Eugene H. Kane

670  
1  
107821  
Inland

I received and filed  
this instrument for record on the 19  
day of November 1965  
at 10:00 o'clock A M  
Barbara A. Weston  
County Recorder  
Fee 1.00 By

Carley Lot 46p





4

File No.....

T. 20 N. R. 25 W

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

**Notice of Completion of Groundwater Appropriation Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater App. 1962


Owner Harvey Baker Address Plains, Montana

Contractor (if any) .....

Address of Contractor .....

Date Started Unknown Date Completed Unknown

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Dug out & Piped



N 1/4 Sec. 4 T. 20 R. 25

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

All it will produce

Signature of Owner Harvey Baker

Date 12-23-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

231

*Indexed*

I received and filed  
this instrument for record on the

23 day of Dec  
1963 at 3:24 o'clock P M

*Barbara Nelson*  
County Recorder

Fee 1.00 by *Dipie Vaughn*  
*Dep*

File No. 736

T. 20 R. 25

DUPLICATE

MONTANA WATER RESOURCES BOARD

County Sanders

LOG

RECEIVED

AUG 22 1968

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

3 soil  
 12' sand, gravel and boulders  
 75' clay and gravel  
 6' fine sand and water  
 10 sand, gravel and water

**Notice of Completion of Groundwater Appropriation by Means of Well**  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner William Koehler Address Plains

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 5/68


Date well started 7/68 Date completed 7/68

Type of well drilled Equipment used churn  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6 x .250	0	46	does not apply		



Static Water Level for non-flowing well 20 feet.

Shut-in Pressure for Flowing Well x

Pumping Water Level 21 feet

Discharge in gal. per minute 179 at 20 gal. per minute.

Discharge in gal. per min. of flowing well x

How Tested bailed and pumped

Length of Test til clear

Remarks: (Gravel packing, cementing, packers, type of shutoff)

§ 6-1/4 ff. Sec. 1-4, T. 20 R. 25  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

46 Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

23  
Driller's License Number

Eugene J. Davis  
Driller's Signature.

44,520



136

114041

I received and filed  
this instrument for record on the 21<sup>st</sup>  
August 1968  
at 8.00 o'clock A. M.  
Smithy Jackson  
County Recorder  
Fee 9.00

## GROUNDWATER INDEX

Page \_\_\_\_ of \_\_\_\_

County Dandera Twp. 20 N. Rge. 24 W.

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
1	Lidney Cross	57 Well Log	93924	
1	Lidney Cross	LW 4	340	Same as above
3	Arthur Lassen	LW 2	629	
4	Narvey Baker	LW 3	227	
8	Robert C. Peters	LW 3	225	
9	Kenneth Foy	LW 3	522	
10	Roy Jorgensen	LW 2	103591	
11	J. O. Pelley	LW 4	247	
14	J. O. Pelley	LW 4	248	Same as above
15	Orion + Loretta Pelley	LW 4	250	
18	Arthur Argo	LW 3	355	
20	Robert C. Peters	LW 3	226	Same as Dec 8
21	Merland & Doris Neiman	LW 2	762	
22	Arthur Argo	LW 3	357	Same as Dec 18
23	Arthur Argo	LW 3	858	Same as above
23	Herbert Cross	LW 3	639	
24	Arthur Argo	LW 2	99862	Same as Dec 23
24	Arthur Argo	LW 4	305	Same as above
26	L. L. Cross	LW 4	435	
<del>29</del>	<del>Arthur Argo</del>	<del>LW 3</del>	<del>356</del>	<del>Same as Dec 24</del>
27	L. L. Cross	LW 4	437	Same as Dec 26
27	H. S. Webber	LW 4	102476	
28	H. S. Webber	LW 4	102477	Same as above
29	Arthur Argo	LW 3	356	Same as Dec 25
29	Mrs. Nick Lassau	LW 2	119524	
29	H. S. Webber	LW 3	547	Same as Dec. 28
32	Lidney Cross	LW 3	339	Same as Dec. 1
32	James Holland	LW 3	522	
33	James Holland	LW 3	520	Same as above
33	James Holland	LW 3	521	" " "
34	L. L. Cross	LW 4	438	Same as Dec 27
35	L. L. Cross	LW 4	436	Same as above
35	Herbert Cross	LW 4	503	Same as Dec 21
35	Herbert Cross	LW 3	504	Same as above

RECEIVED

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

T. 20 R. 24  
County Sanders

WATER WELL LOG


SW 1/4  
Sec 1

Owner: Sidney Cross Address: Perma Mont  
 Driller: Paul Palmer Address: Marade Mont  
 Date Started: Nov 15 - 59 Date Completed: Nov 15 - 1959  
 Location: Sec. 1 T. 20 R. 24 1/4 sec. SW 1/4

Type of well: plug Equipment used: Back Hoe  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other: \_\_\_\_\_

Casing: 1 ft. to 8 1/2 ft. Type: 4 1/2" Culvert Size: 4 1/2" inch  
 Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type: \_\_\_\_\_ Size: \_\_\_\_\_

Perforated or Screened: Ft. 8 1/2 to ft. 14 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: Cast iron casing 4 1/2" dia

Static Water level, for non-flowing well: 6 ft from surface feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: 10 ft. feet at 500 gal. per min.

How tested: small pump 4" x 2"

Length of test: 14 hrs. Water level never changed

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well was dug about 15 ft dia, went down 8 1/2 ft  
hit large & small gravel, large body of water raised  
very fast. Spent some time about the size of a dime  
kept digging till hit reached about 10 ft down. Then we put  
in the casing & fell the rest of the hole

(over)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
1 ft	8 1/2 ft	Clay
8 1/2 ft	16 ft	large, small gravel mix with abundance of water
		S.C.S. Brill test shows 12613ft of water bearing gravel
		10 93924


I received and filed the instrument for record on the  
 29<sup>th</sup> day of Dec 1929 at 1:57  
*Dorothy Rodman*  
 County Recorder  
 Fee \$1.00  
*E. G. Johnston*  
 Deputy

File No. ....

T. 24 W

DUPLICATE


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER



Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Sidney Cross, of Prima,  
(Name of Appropriator) (Address) (Town)  
County of Sandus State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 1 T. 20 R. 24

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Household & stock water
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. The well's been here from 5 to 20 years. they've used continuously
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). There are 4 wells on our place here at times in the summer we use 100 gals a minute on our lawn & garden
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. about 1/2 acre lawn & garden beds & stock use Dec 1-20-24
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. there are 4 wells

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. one well was drilled by my grand father the other 3 are dug myself they are approx 8 to 12 ft deep
- 8. The depth of water table. 8 to 12 ft to water table is from 4 to 8 ft deep
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. all are dug to get water here in drill with a post hole auger. will give out the water table then put down the casing & that's our well
- 10. The estimated amount of groundwater withdrawn each year. my granddaddy would be hard to say but it doesn't seem to be any end to it.
- 11. The log of formations encountered in the drilling of each well if available. nothing at all 5 to 12 feet of gravel on top & then is the water
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Sidney Cross  
Date Dec 26-1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.

340  
L. D. Dyer

I rec<sup>d</sup> ~~rec~~ used

This instrument for record on the

30 day of Dec

1867 at 8:26 o'clock a M

Harvey Dyer

County Recorder

For 100 By

Walter Vaughn

File No. ....

T. 20<sup>N</sup> R. 24<sup>W</sup>

DUPLICATE

County Blaine Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
STATE ENGINEER  
APR 20 1964



Top of Ground  
(Elev. above sea level.....)  
3' clay  
33' boulder gravel and sandy clay  
6' red clay and boulder gravel  
trace of water  
28' red clay and boulder gravel  
4' fine sand, gravel, some water  
28' clay and boulder gravel  
6' water, sand and coarse gravel

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Arthur Graden Address Perma

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of Appropriation of Groundwater 3/14/64


Date well started 3/23/64 Date Completed 3/28/64

Type of well drilled Equipment Used spinner  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	6" id 19#	0	108	does not apply		



SE 1/4 SW 1/4 Sec. 3 T. 20<sup>N</sup> R. 24<sup>W</sup>  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

108'

Show exact depth of bottom.

Static Water Level for non-flowing Well 42 feet.

Shut-in Pressure for Flowing Well does not apply

Pumping Water Level 70 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well does not apply

How Tested bailed Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) 1

23  
Driller's License Number  
Edgar J. ...  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

356''

659

Incl. 1st

I received and filed  
this instrument for record on the

17 day of April

1964 at L.O.A. o'clock a M

Blasathy Rodas  
County Recorder

Fee 1.00  
By Dixie Vaughn, Dep



GW 3

Approved Stock Form—State Publishing Co., Helena, Montana—42199

File No. ....

T. 20 N. R. 24

DUPLICATE

County San Diego

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963  
STATE ENGINEER

### Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater App. 1949

Owner Harvey Baker Address Plains, Montana


Contractor (if any) .....

Address of Contractor .....

Date Started Unknown Date Completed Unknown

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Out of ground by means of

Springs



1/4 Sec. T. 20 R. 24

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

App. 5 thousand gallons

Signature of Owner Harvey Baker

Date 12-23-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

15864

227  
Indexed

I received and filed  
this instrument for record on the  
23 day of Dec  
1963 at 3:16 o'clock P M  
Barbara Anderson  
County Recorder  
Fee 1.00 by  
Dixie Vaughn  
DVP

8

File No.....

T. 20N R. 24N

DUPLICATE

County Sanders

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

STATE ENGINEER  
**Notice of Completion of Groundwater Appropriation  
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater May 1 - 1930


Owner Robert C. Peters Address Parma - Mont.

Contractor (if any) .....

Address of Contractor .....

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring dug out to approximately eight feet deep



SW 1/4  
W 1/2 SE 1/4 Sec. 8 T20N R24N

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. three springs in S.W. 1/4 each run 1/2 inch pipe continuously by gravity. Spring is W 1/2 of SE 1/4 runs 2" stream continuously by gravity

Signature of Owner Robert C. Peters

Date Dec. 23 - 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

225  
Indexed

I received and filed  
this instrument for record on the

23 day of Dec

1963 at 3:02 o'clock P M

Wendy Hanson  
County Recorder

Fee 1.00 By

Dipie Knight  
Atty