

File No. 699

STATE WATER CONSERVATION BOARD

T 21 R 29

DUPLICATE

AUG 25 1966

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. above sea level 2419)

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

John + Olive Kashuba, Thompson
Address

Driller Address

Date of Notice of Appropriation of Groundwater

Date well started July 1-66 Date Completed Aug 10-66

Type of well Dug well Equipment Used Shovel bucket
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic [] Municipal [] Other [] Irrigation []
Industrial [] Drainage [] Stock []

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.




struck water

Built pressure

4 ft. water all sand
2 in. plank sq. casing

25 ft Dept. Prov. County road



Sec. 5 T. 21 R. 29
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

10 in) 25 ft. Deep

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4 ft. sq.	4 ft	16 ft.				
2 in. plank sq.		to water				

Static Water Level for non-flowing Well 4 feet

Shut-in Pressure for Flowing Well

Pumping Water Level feet at gal. per minute

Discharge in gal. per min. of flowing well

How Tested water watched about 20 ft. by John Kashuba

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) small

Garden draw with bucket & rope until can put in pump.

Dug well
Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and filed

this instrument for record on the 24

day of August 1966

at 3:08 o'clock P.M

Sarahy Dodson

County Recorder

Fee \$1.00

by Charles Doty, Sup.

File No.

RECEIVED


T. 21 R. 29

QUADRUPLICATE

AUG 18 1967

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner *John & Olive Kashuba, Thompson* ^{Mont. Falls}

Driller..... Address.....

Date of Notice of Appropriation of Groundwater.....

Date well started *July 1-66* Date Completed *Aug 10 66*

Type of well *Dug well* Equipment Used *Shovel bucket*
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<i>4 ft sq.</i>	<i>1/2 in. plank & q. casin.</i>	<i>4 ft</i>	<i>16 ft</i>			

Static Water Level for non-flowing Well *1/2'* feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Levelfeet at.....gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested *water switched at 25 ft. by John Kashuba*

Remarks (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) *well*

garden draw with rope & bucket until can put in pump.

Dug well
Driller's License Number

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

over.

Asmistator of H round well code.

Dear sis, I believe I sent you & appli-
cation to file a claim on our well. I am
thinking I missed layed this paper & forgot
to send it in as I never received a copy
of ownership from any one.

if this isent filed right please notific
me.

your Turley
John A. Kashuba,
& Olive wife.

RECEIVED

AUG 28 1967

August 21, 1967

Mr. John H. Kashuba
 P. O. Box 362
 Thompson Falls, Montana 59873

Dear Mr. Kashuba:

Today we received a copy of a "Notice of Completion of Groundwater Appropriation by Means of Well" which you mailed. The information on the form is sufficient for our records. However, we note the absence of the County Clerk and Recorder's notation. If you have not yet filed this appropriation with the Clerk and Recorder of Sanders County, it would be to your benefit to do so as soon as possible.

Sincerely,

MONTANA WATER RESOURCES BOARD

A. J. Mancini

A. J. Mancini
 Geologist

AJM:pd

Gentlemen:

This instrument was filed at our office of the Clerk & Recorder on the 24th of August 1967 at 3:00 o'clock P. M., Dorothy Dodson, County Clerk & Recorder, by Pearl E. Doty, Deputy. A copy was mailed to the State Engineer and to the Montana Bureau of Mines & Geology at Butte, Montana.

Mrs. John Kashuba asked us to relay this information on to you.

Sincerely,

Dorothy Dodson

Dorothy Dodson, Clerk & Rec.
 by Pearl E. Doty, Deputy

699

WHERE WATER FLOWS — PROSPERITY GROWS

August 21, 1967

Mr. John H. Kashuba
P. O. Box 342
Thompson Falls, Montana 59873

Dear Mr. Kashuba:

Today we received a copy of a "Notice of Completion of Groundwater Appropriation by Means of Well" which you mailed. The information on the form is sufficient for our records. However, we note the absence of the County Clerk and Recorder's notation. If you have not yet filed this appropriation with the Clerk and Recorder of Sanders County, it would be to your benefit to do so as soon as possible.

Sincerely,

MONTANA WATER RESOURCES BOARD

A. J. Mancini
Geologist

AJM:pd

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Earl S. & Phyllis Raymond
Address Three Mile Falls, Mt.
Date well started May, 1971
completed Mar, 1972

For Administrator's Use	
File <u>916, 124689</u>	
<u>April 19, 1972 9:40 a.m.</u>	
GW 1	

Type of well drilled
(Dug, driven, bored or drilled)


Equipment used oburn drill
(Churn drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe _____
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" Id	280 x 5" Id	0	414	does not apply		



Static water level 379 ft.*
Pumping water level 383 ft.*
at 30 gallons per minute,
measured 210 minutes after pumping began.
*Measured from ground level.
Well developed by hoist & pump
for 6 hours.
Power 220 Pump 3 HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Raymond S. Keane
Driller's Address St. Helena, Montana

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground		(Elev. above sea level)
From (Feet)	To (Feet)	
0	6	sand
6	30	cobblestone gravel, sand
30	50	gravel, clay, sand
50	60	boulders, clay, sand
60	90	clay, gravel
90	150	clay, gravel, small boulders
150	175	boulders, clay
175	205	coarse gravel
205	255	gravel, clay, sand
255	315	coarse gravel, large boulders
315	360	gravel, clay
360	379	clay, gravel, moisture
379	414	sand, gravel, water

8/6
INDEXED 124689

I received and filed
this instrument for record on the 11th
day of April 1922
at 9.40 a.m.
Deputy Vaught
County Recorder
Fee 1.00


GW3

File No.

DUPLICATE

T. 21 N. R. 24 W.

County.....



STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Water in use since 1960

Date of Appropriation of Groundwater Property acquired Jan. 1961


Owner Lyle J. Smith Address Box 742 Thompson Falls

Contractor (if any)

Address of Contractor

Date Started Not applicable Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Water rises to surface in two locations and sub-irrigates about 12 acres



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Used entire year for stock water. During summer months for sub-irrigation purposes. Enough water used from two shallow wells or springs to water 50 head of livestock.

N. 1/4 Sec. 5 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. The upper two marks are the springs or shallow wells & the lower one is the pumped well. The outlined area is the approximate area of sub-irrigation.

year for stock water. During summer months for sub-irrigation purposes. Enough water used from two shallow wells or springs to water 50 head of livestock.

Signature of Owner Lyle J. Smith
Date January 17, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

65

INDEXED

this instrument for record on the
17 day of June
1963 at 9:00 o'clock a M.
Dorothy Madson
County Recorder
Fee 1.00 By Dixie Vaughn (S)

File No. STATE WATER CONSERVATION BOARD

T. 21^N R. 29^W 5

DUPLICATE

OFC 01 1965

County SANDERS

BOG _____ McDermott _____
 Butts _____ McNally _____
 Darlinton _____ Murton _____
 Sullivan _____

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

Top of Ground (Elev. above sea level) _____

0' SAND & SILT
 3' TAN CLAY, SAND, GRAVEL
 17' + Boulders
 17' TAN CLAY, SAND, GRAVEL
 69' TAN CLAY, SAND, GRAVEL
 233' + Boulders
 233' Ledge of Rock
 242' TAN CLAY, SAND, GRAVEL
 361' + Boulders
 361' TAN CLAY, SAND, GRAVEL
 389' SAND, GRAVEL & WATER
 390' Bed Rock

Notice of Completion of Groundwater Appropriation by Means of Well
 DEVELOPED AFTER JANUARY 1, 1962
 (Under Chapter 237, Montana Session Laws, 1961)

Owner EVELYN Wetzler Address 217 Wood St.

Driller Ken Williams Address 1219 Howard St.

Date of Notice of appropriation of groundwater _____


Date well started Aug. 17, 1965 Date completed Aug. 25, 1965

Type of well Drilled Equipment used Churn
 (Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
 Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" I.D.	6 3/8" O.D. 18.97 LBS P. & FOOT LEVEL	1 FOOT ABOVE GROUND LEVEL	390 FT.			



Static Water Level for non-flowing well 377 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 389 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested BAIL TEST

Length of Test 6 HOURS

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

NW 1/4 Sec. 5 T. 21^N R. 29^W
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 151

Driller's Signature Ken Williams

10024

5

r

57

1965

tion

ent strata
tc. Show
r-bearing

To
(Feet)

ing well
feet.

feet

ing well

ing, pack-

erse side)
lain, state
and Addi-

1

1

1

I received and filed
this instrument for record on the 30
day of Dec, 1965
at 11:10 o'clock A.M.
Wendy Gardner
County Recorder
Fee 1.00 Ben
Ben - Wendy Gardner

File No.

T. 21 N. R. 29

DUPLICATE

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 3 1962

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

I, Floyd G. Brotherton, of Thompson Falls
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 SW Sec. 6 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.....
Domestic & Garden irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been.....
1961 used continuously

4. The amount of groundwater claimed (in miner's inches or gallons per minute).....
App. 1000 gal. per min.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.....
Just for garden irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.....
Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.....
1951 started & completed

8. The depth of water table..... 42 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....
Electric jet pump

10. The estimated amount of groundwater withdrawn each year..... Unknown

11. The log of formations encountered in the drilling of each well if available.....

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

Signature of Owner Floyd G. Brotherton

Date 12-27-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

313
Indexed

Case Instrument filed and recorded on the
_____ 57 _____ Dec _____
1963 2:45 P.
Dorothy Carlson
Fee \$1.00
County Recorder

File No.....

T. 21 N. R. 29

DUPLICATE


County SANDERS

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
AUG 12 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. RICHARD J. COLE of THOMPSON FALLS
(Name of Appropriator) (Address) (Town)
County of SANDERS State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1963, as follows:



SE 1/4 SE Sec. 6 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based HOME, YARDS, GARDEN

3. Date or approximate date of earliest beneficial use; and how continuous the use has been WELL HAND DUG IN LATE 1800s, DRILLED DEEPER IN APPROX 1956

4. The amount of groundwater claimed (in miner's inches or gallons per minute) APPROX. 500 GAL PER HR.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof FOR YARD AND GARDEN IRRIGATION

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal REMOVED BY PUMP SYSTEM, LOCATED AT WELL SITE AS PER LARGE BLOCK ABOVE LEFT.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater WELL WAS DUG PRIOR TO 1900 FOR TIE CAMP. WAS DRILLED DEEPER AND CASED IN 1956.

8. The depth of water table APPROX 50 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater WELL DRILLED 50 FT. SIX INCH CASING INSTALLED PUMPED THRU 1 1/2 OR 1 3/4 IN PIPE

10. The estimated amount of groundwater withdrawn each year 600,000 GALS PER YEAR APPROX.

11. The log of formations encountered in the drilling of each well if available UNKNOWN

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record NONE KNOWN.

Signature of Owner Richard J. Cole

Date AUGUST 8, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

93

Judicial

I received and read this instrument for record on the

8 day of August

18. 63 at 1:45 o'clock P

Maryth Woodson

County Recorder

For \$1.00 By Evelyn Woodson

File No.

RECEIVED

T. R.

DUPLICATE

MAY 14 1973

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

transferred to Nancy Collins Sept. 18, 1968
Owner Donald Cox Address Thompson Falls

Driller Kane Water Well Drilling Address St. Regis

Date of Notice of appropriation of groundwater 8/66


Date well started 8/16/66 Date completed 8/31/66

Type of well drilled Equipment used churn
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6" id	already in bal.	rock		does not apply		



Static Water Level for non-flowing well 27 feet.

Shut-in Pressure for Flowing Well X

Pumping Water Level 125 feet

at 5 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested bailed and pumped

Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NE
Sec. 6 T. 21. R. 27
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—if used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).



Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Ernest H. Kane
Driller's Signature.

128694

886
INDEXED &

I received and filed

this instrument for record on the 16

day of May 1973

at 2:45 o'clock P.M.

Louis Bought
County Recorder

Fee 1.00

Linda Brown, Rep

File No.

T. 21 N. 29 W.

DUPLICATE

County. Sanders


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
OCT 25 1963
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, John E. & Daogene W. Britt of Thompson Falls
(Name of Appropriator) (Address) (Town)
County of Sanders State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. S. T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Domestic
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Jan. 14, 1958 Continuous uninterrupted
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). 10 Gal per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. The land area landscaped around residence approx 200 x 350
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric pump at residence

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Drilling begun June 12, 1958. And well completed June 14, 1958

8. The depth of water table. 1 Foot

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Casing Record: Size of pipe, 6" I.D. Kind and weight of material, 19 lbs. per foot seamless. From floor to basement - 5' to 41'. No perforations.

10. The estimated amount of groundwater withdrawn each year. undetermined

11. The log of formations encountered in the drilling of each well if available. 0 to 5 feet basement pit; 5' to 28' Cobblestones, gravel, and clay. 28' to 45' pure brown clay. 45' to 47' Gravel and water.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. John Herman and Michael Herman War. Deed, April 12, 1914, Ek. 21 Pgs 97 Introp, Lot 8, SWSE, part of SW 1/4 Sec 68 P 472 and Tr 30 x 450 Sec 68 P 470

Signature of Owner John E. Britt
Date October 23, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

121

Indepul

I received and filed
this instrument for record on the

24th day of Oct

1963 at 1:50 o'clock P M

Dorothy Wilson

County Recorder

Fee 1.00

By
Doris Knight
Clerk

File No.

T. 21 N. R. 29 W.

DUPLICATE

COUNTY RECEIVED
DEC 30 1963

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. C. A. Baxter, of Box 547, Thompson Falls, (Name of Appropriator) (Address) (Town)

County of Sanders State of Montana have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 SE Sec. 9, T. 21, R. 29.
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. Fire protection, industrial, household, irrigation
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Year 1946. This well was drilled and has been in continuous operation since for all above.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute). The capacity of our pump is 105 gallons per minute - but may need to be increased with expansion of our plant in the future.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. At present we are not irrigating but have pipe in place to irrigate 3 acres.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. By electric operated turbin pump. Location - 300 ft. northwesterly from SE corner of Section 9.
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. This well was drilled and completed in summer of 1946.
- 8. The depth of water table. Present water table 32 ft. - varies very little regardless of use.
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well - 8" oil casing - electric turbin pump - pressure tank capacity 600 gallons.
- 10. The estimated amount of groundwater withdrawn each year. During daytime in spring, summer and autumn pump is working at almost full capacity.
- 11. The log of formations encountered in the drilling of each well if available. Drilled through gravel, then through clay hardpan into water stream.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No water rights filed so far on this place.

Signature of Owner C. A. Baxter

Date December 17, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

5840

703
Indified

I received and filed

this instrument for record on the

23 day of Dec

1963 at 10:30 o'clock A M

Janet W. Mason
County Recorder

Fee 1.00 By

Patricia Vaughn
clerk

File No. 747T. 21 R. 39

DUPLICATE

MONTANA WATER RESOURCES BOARD

County Sanders

LOG

RECEIVED

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JUN 27 1969

to Top of Ground
(Elev. above sea level.....)15 ft. old hand dug well
probably clay boulders and
gravel. Gravel and 3/4 ft.
of water.

15 ft.

to gravel

18 ft.

to Gravel, clay, and
boulders

27 ft.

to hardpan gravel and
boulders

32 ft.

to hardpan

38 ft.

to water bearing gravel

39 1/2 ft. bottom of well

39 1/2 Show exact depth of bottom.

**Notice of Completion of Groundwater
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner..... Address.....

Driller Philip R. Lewis Address Thompson Falls, Mont

Date of Notice of appropriation of groundwater.....

Date well started May 27, 1969 Date completed June 4, 1969Type of well drilled Equipment used churn drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 inch	24 lb.	top	39 1/2	none	none	none
	welded joints with weld on					

Static Water Level for non-flowing wellfeet.

Shut-in Pressure for Flowing Well none

Pumping Water Level 12 feet
at gal. per minute.

Discharge in gal. per min. of flowing well
none

How Tested.....
baller

Length of Test.....
2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff).....
none

NW 1/4 Sec. 9 T. 21 R. 29
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)
USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

3 acres

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Philip R. Lewis
Driller's Signature

45381

File No. 747

T. 21 R. 29

DUPLICATE

MONTANA WATER RESOURCES BOARD

County Anderson

LOG

RECEIVED

STATE OF MONTANA

JUN 27 1969

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962
(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level _____)

15 ft. old hand dug well probably clay boulders and gravel. Gravel and 3/4 ft. of water.

15 ft. to gravel

18 ft. to gravel, clay, and boulders

27 ft. to hardpan gravel and boulders

32 ft. to hardpan

38 ft. to water bearing gravel


39 1/2 ft. bottom of well

39 1/2 Show exact depth of bottom.

Owner N. Stephenson Address Thompson Falls, Mont.
Driller Philip R. Lewis Address Thompson Falls, Mont.
Date of Notice of appropriation of groundwater _____
Date well started May 27, 1969 Date completed June 4, 1969
Type of well drilled Equipment used churn drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)
Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 inch	24 lb.	top	39 1/2	none	none	none



Static Water Level for non-flowing well _____ feet.
Shut-in Pressure for Flowing Well 11 1/2 feet.
Pumping Water Level 12 feet
at _____ gal. per minute.
Discharge in gal. per min. of flowing well _____
How Tested bailler
Length of Test 2 HOURS
Remarks: (Gravel packing, cementing, packers, type of shutoff) none

NW 1/4 Sec. 9 T. 21 R. 29
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)
USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).
3 acres

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Philip R. Lewis
Driller's Signature

45381

117 116220
INDEXED

I received and filed
this instrument for record on the 25th
of June 1969
at 2:15 o'clock P. M.
Stanley Sedson
County Recorder
By Elliott J. Eldridge
Twp

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner THOMPSON FALLS LUMBER CO	For Administrator's Use
Address Box 368	File 843 10-6157
Thompson Falls, Montana	Sept. 22, 1972 - 11:24 a.m.
Date well started 8/15/72	GW 1
completed 9/01/72	

Type of well **Dug - Dual Well**
(Dug, drives, bored or drilled)

Equipment used **Crown**
(Crown drill, rotary or other)


Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other * Garden/Lawn

*Describe **Mill use and drinking**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL **1,000,000 gallons**

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
#1	48"	0'	18'	48"	9'	18'
#2	48"	0'	18'	48"	9'	18'



Static water level **10!** ft.*
Pumping water level **13!** ft.*
at **330** gallons per minute,
measured **30** minutes after pumping
began.
*Measured from ground level.
Well developed by **concrete**
for **0** hours.
Power **0** Pump **0** HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

NW 1/4 SW 1/4 Sec. 9
T. 21 N. R. 29 E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature **THOMPSON FALLS LUMBER COMPANY**

Driller's Address **Box 368**

Thompson Falls, Montana 59873 LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
		#1 & #2 Dual Well
0	4'	Dirt & sand
4	18'	Sand & gravel
	10'	Static water level
	13'	Spring level entrance
	13'	Lowest pumping level
	18'	Bottom of well

Show exact depth of bottom

51,491

843

126157

INDEXED

I received on this

the instrument for record on the 22

month of Sept 72

at 11:24 a.m.

Dixie Thayer

County Recorder

Fee 25

File No.

T. 21 N. R. 29 W.

DUPLICATE

County Sanders
RECEIVED
JAN 3 1963


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Q. J. Murray, of Thompson Falls
(Name of Appropriator) (Address) (Town)
County of Sanders State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SESE 1/4 SW Sec. 10 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Well dug by applicant for domestic, livestock and garden irrigation

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1946

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 miners inches

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for field irrigation

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. hand pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Last half of year 1946

8. The depth of water table. 34 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Wood lined well 4 feet in diameter and wood lined

10. The estimated amount of groundwater withdrawn each year. Nothing to one million gallons

11. The log of formations encountered in the drilling of each well if available. Not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Well is on land operated by applicant since 1917 and owned since 1925

Signature of Owner

Q. J. Murray
Date December 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

368
Indexed

I received and file
the instrument for record on the

30 day of Dec

1945 at 10:45 o'clock A M

County Clerk
County Recorder

#152 By
Evelyn Wood
Dep

File No.....

T. 21 N R. 29

DUPLICATE

RECEIVED
JAN 5 1969

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater... 1968


Owner... Mr. G. J. Murray Address... Thompson Falls

Contractor (if any) ... No

Address of Contractor ... None

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable... Natural flow



SW 1/4 SW Sec. 11 T. 21 R. 29
Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use.....

Used from spring to fall. From 5 to 50 miners inches.

Signature of Owner... *G. J. Murray*

Date... Dec. 30, 1968

This form to be prepared by contractor (if any). otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

366
Indexed

I received and filed
this instrument for record on the
30 day of Dec
1963 at 10:49 a.m.
Dorothy Dodson
County Recorder
By
Evelyn Wood
Dep

File No.

T. 21 N. 29 W.

DUPLICATE

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 6 1964

Declaration of Vested Groundwater Rights THE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. JOHN G. & FREDA K. Miller, of THOMPSON FALLS
(Name of Appropriator) (Address) (Town)

County of SANDERS State of MONT. have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 14 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based HOUSEHOLD STOCK-GARDE & LAWN

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 6-57 CONTINUOUS-USE

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30 GAL.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof GARDE & LAWN

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater UNKNOWN

8. The depth of water table 34'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 36' DEEP, 36" CONCRETE TILE

10. The estimated amount of groundwater withdrawn each year 100,000 GAL.

11. The log of formations encountered in the drilling of each well if available GRAVEL & SOIL

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner John G. Miller
Freda K. Miller

Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

515
Indexed

I received and read
this instrument for record on the
31st day of Dec
1963 at 2:00 o'clock P M
Dorothy Dodson
County Recorder
Fee 57.00

By
Evelyn Wood
Dep

File No.

T. 9 N R. 29 W
County Sanders

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECORDED
JAN 8 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

R. H. CORNETT &
1. GEORGE G. GREEN of R. R. #2 Thompson Falls
(Name of Appropriator) (Address) (Town)
County of SANDERS State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW NN
1/4 Sec. 15 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based. HOUSEHOLD & IRRIGATION
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. AUGUST 7, 1958 started with continuous use.
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) a minimum of 160 gal. per min.
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Two acres of land, grass & orchard. Owners R. H. Cornett, George G. Green.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Ground pump, Electrically operated.

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Started 7-18-58 completed 8-7-58
- 8. The depth of water table. Three hundred thirty three feet ten inches (333ft 10 in.)
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. N/A
- 10. The estimated amount of groundwater withdrawn each year. 2 million gallons approx.
- 11. The log of formations encountered in the drilling of each well if available. Log Attached.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. unknown

R. H. Cornett
George G. Green
Signature of Owner
Date Dec. 20, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

484
Indexed

I received and filed
this instrument for record on the
31st day of Dec
19 23 at 8:45 o'clock P M
Dorothy Dodson
County Recorder
Fee \$1.00

By
Dixie Vaught
Dep.

File No.

2128 R 29W

DUPLICATE

County: **BLAINE** **RECEIVED**

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE 1964
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level 2500')

Approx. 2500'

0 - 1 Topsoil
1 - 3 Sandy clay
3 - 14 Gravel, cobblestones and boulders
14 - 29 Cemented gravel
29 - 43 Gravel imbedded in tan clay
43 - 62½ Silty sand. Seeps of water.
62½ - 64 Sand and gravel. Water rises to 44'4" from surface.

Owner: K. A. Eggensperger Address: Thompson Falls, Montana

Driller: Liberty Drilling Co./ Address: Missoula, Montana

Date of Notice of Appropriation of Groundwater.....


Date well started 3/30/62 Date Completed 4/3/62

Type of well Drilled Equipment Used Cable tools
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7in	7" OD X 24 pound per ft	0	64'1"	N	O	N E



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well 44' 4" feet.

Shut-in Pressure for Flowing Well Non-flowing

Pumping Water Level 55' feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well Non-flowing

How Tested Submersible pump length of Test 7½ hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) A forged steel drive shoe is welded to the bottom of the casing. All water is entering the well through the open bottom of the 7" casing.

Show exact depth of bottom.

Bottom of well 64'.

52
Driller's Licen Number

William F. Osborn
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

25087

528

Indepd

31st Dec
1963 4:02 o'clock P.M.
Dowdy Labson
County Recorder
Fee 7/02

File No.

T. 21^N R 29^W

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 10 1964

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 5-29-41


Owner Clara Garrison Address Bellevue Mont

Contractor (if any)

Address of Contractor

Date Started 5-29-41 Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Gravity from springs 36 inches



Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use

Household and Irrigation

7^W 1/4^S NE Sec. 15 T.21. R29

Indicate point of appropriation and place of use, if possible.

Signature of Owner Clara Garrison

Date Jan 6th 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

30373

587

Indefinite

I received and filed
this instrument for record on the
7 day of June
1964 at 8:10 o'clock a M
Marathy Hodson
County Recorder
Fee 1.00 By Ry

Dixie Vaught Rly.

File No.

T. 21 W R. 29 W

DUPLICATE

County Sanders


STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
 DATE 1964
 STATE ENGINEER

I, O. J. Murray, of Thompson Falls, Montana
 (Name of Appropriator) (Address) (Town)
 County of Sanders State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NWSW 1/4 NE Sec. 15 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Livestock, domestic including garden
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1919 and continuous to date
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 700 G.P.M.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Adjacent garden on land of owner
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Solely by electric pump in well
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unavailable
8. The depth of water table 30 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Dug well, lined 30" concrete pipe 3 feet in diameter and 28 feet deep
10. The estimated amount of groundwater withdrawn each year 95,000,000
11. The log of formations encountered in the drilling of each well if available Not applicable
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Well is on land purchased by present owner in 1942

Signature of Owner [Signature]
 Date December 27, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

21507

401
Indexed

I received and
his instrument for record on the
30th of Dec
63 at 10:47 o'clock A.M.
Dorothy Dodson
County Recorder
\$1.00 By
Evelyn Wood
Dep

RECEIVED
MAY 11 1958

T 21 R 29

County Sanders

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner John H. Pyatt Address Thompson Falls,

Driller Glenn Camp Address 705 Alder
Missoula, Montana

Date Started June 7, 1958 Date Completed June 11, 1958

Location: Sec. 15 T 21 R 29 1/4 sec. N. W. of 1/4 N. W.

Type of well Drilled That portation discribed in Vol. 58 of Deeds. Page 12
(Dug, driven, bored, or drilled) Equipment used Churn Drill (Churn drill, rotary, other)

Water use: Domestic Municipal Stock Irrigation

Industrial Drainage Other: _____
Ground level Casing: 0 Ft. ft. to 64' 7" ft. Type HY D Std Steel Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to Ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 44' 7" feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level: 59' 7" feet at 700-800 gal. per min.

How tested: Pump

Length of test: 48 Hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
None

(over)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0'	2'	Top Soil and Sand
2'	37'	Cable Stones Gravel and clay with sand
37'	42'	Mostly sand with some gravel little water seepage
42'	49'	Sand and silt
49'	58'	Water sand little Water
58'	65'	Coarse sand gravel with water

#4

91146

I received and filed
 this instrument for record on the
 5th day of Aug.
 1958 at 8:42 a.m.
 Dorothy Radwan
 504 N. W. 1st St. Ocala, Fla.

File No.

DUPLICATE

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER


T. 21 N. R. 29 W.
RECEIVED
 JAN 3 1963
 STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Klar C. Zimmerman of Box 326 Thompson Falls, Mont.
 (Name of Appropriator) (Address) (Town)
 County of Sanders State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NW Sec. 15 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Fire Protection, Irrigation, and Household.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. August 1958
Continuous use since drilling.
4. The amount of groundwater claimed (in miner's inches or gallons per minute). Capacity 20 gallons per minute, 10 Gallons per minute.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 1.15 Acres lawn and shrubs. NW of NW of NW Sec. 15-21-29
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Electric Operated jet pump located 320' south of the NW corner of Sec. 15.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Drilled and completed August 1958.
8. The depth of water table. 32'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6" casing in well, 3/4 HP Electric Jet pump. 80 Gallon pressure tank.
10. The estimated amount of groundwater withdrawn each year. 175,000 gallons per year,
11. The nature of formations encountered in the drilling of each well if available. 1-4' Top Soil, 4' to 16' cobbles, clay and gravel, 16' to 37' Smaller gravel and clay, 37' to 39' 8" Caly (Clay) gravel and water.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. none

Signature of Owner Klar C. Zimmerman
 Date 12-26-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 21405

294

Indexed

I received and filed
this instrument for record on the

27 day of Dec

1963 at 10:00 o'clock 17 M

Dorothy Johnson
County Recorder

Fee 1.00

By
Dixie Vaughn
Dep.

GW 2

File No.

DUPLICATE

T. 21 N R 29 W 16
County. SANDERS

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER
RECEIVED
MAR 25 1963

Notice of Completion of Groundwater
Appropriation by Means of Well ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level Approx. 2460')

D-31 COBBLESTONES, GRAVEL
AND SAND MIXED IN TAN SILTY CLAY
Owner: O. J. MURRAY Address Thompson Falls, Mont.
Driller: LIBERTY DRILLING CO. Address Missoula, Mont.

Date of Notice of Appropriation of Groundwater NONE FILED

31-33 1/2 COARSE GRAVEL
AND COARSE SAND. WATER.
Date well started MAY 16, 1962 Date Completed MAY 17, 1962


Type of well Drilled Equipment Used CABLE TOOL
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Water encountered 428 FT
WATER RISES IN WELL
TO 28 FT FROM
SURFACE -

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	7" 00 24 pound	+1	33 1/2	NONE		



NE 1/4 Sec. 16, T21, R29
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Bottom of well 33 1/2 FT.

Static Water Level for non-flowing Well 28 feet.
Shut-in Pressure for Flowing Well NON-FLOWING
Pumping Water Level 28 1/2 feet at 30 gal. per minute.
Discharge in gal. per min. of flowing well NON-FLOWING
How Tested: TEST PUMP Length of Test 2 1/2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

ANTICIPATE DEVELOPING WATER SUPPLY FOR BUILDING LOTS ON 20 ACRES SURROUNDING WELL

52
Driller's License Number
William F. Osborne
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

4625

16

D

EER

Most

T.

12

L

tion

fferent
r sand,
cter of
ll.

To
(Feet)

feet.

minute.

ing

s.

off, loca-
and any
umber of

LATER

ON

LL

one

nd Re-

Mines

4025

74 100589
Index

Received
this instrument for record on the
22 day of March
1963 at 1:40 o'clock P.M.
Nancy Valen
County Recorder
Fee \$1.00

GW 2

File No.

T. 21 N. R. 29 ✓ 16

DUPLICATE

County Salt LakeSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER**Notice of Completion of Groundwater
Appropriation by Means of Well** ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Owner Earl C. and Alice D. Oliver Address Thompson FallsDriller Kane Water Well Drilling Address St. RegisDate of Notice of Appropriation of Groundwater 4/28/62Date well started 4/28/62 Date Completed 4/29/62Type of well drilled Equipment Used churn drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	st 4	17'	55'	none	none	none

Static Water Level for non-flowing Well 37 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 25 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested bailed Length of Test 3 hours


Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

23

Driller's License Number

Eugene S. Kane
Driller's SignatureTop of Ground
(Elev. above sea level.....)17 already drilled6' sand
22' clay & rock

55'



1/4 Sec 16 T. 21. R. 29

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

684

NO 98775
dated

the instrument for record is the
16 day of May
1967 at 4:27 o'clock P.M.
Harvey Radson
County Recorder
B1-00

File No.

T. R.

DUPLICATE

RECEIVED

County Lawrence

LOG

1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

to
1 ft
to
15 ft
to
19 ft
to
24 ft
to
33 ft
bottom of well.

Top of Ground
(Elev. above sea level)
top soil
sandy silt
sand and clay mixed
gravel
water bearing gravel
bottom of well.

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

Doc. No. 133484
Filed for record
this 28 day of July
A. D. 19 71, at 8:40
o'clock A.M.

(Under Chapter 237, Montana Session Laws, 1961)

Owner Wiley Jackson Address Thompson Falls, Mont
Driller Phil Lewis Address Thompson Falls, Mont.

Date of Notice of appropriation of groundwater


Date well started June 30, 1969 Date completed July 4, 1969

Type of well drilled Equipment used churn drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	19 lb. welded joints and weld on drive shoe.			none		



Static Water Level for non-flowing well 19 feet.
Shut-in Pressure for Flowing Well none
Pumping Water Level feet
at 19 gal. per minute.
Discharge in gal. per min. of flowing well none
How Tested surp
Length of Test 3
Remarks: (Gravel packing, cementing, packers, type of shutoff)

1/4 Sec 17 T21 R29
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

X3333Z

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number
Philip R Lewis
Driller's Signature 48712

File No. _____

MONTANA WATER RESOURCES BOARD

T. N. R. _____

DUPLICATE

RECEIVED

County Lauders

LOG


AUG 2 1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1969

(Under Chapter 237, Montana Session Laws 1961)



Top of Ground

(Elev. above sea level) _____
D&C No. 122484

Filed for record
this 28 day of July
A. D. 19 71 at 8:40
sandy silt
O'clock AM

Owner Wiley Jackson Address Thompson Falls, Mont

Driller Phil Lewis Address Thompson Falls, Mont.

Date of Notice of appropriation of groundwater _____


Date well started: June 30, 1969 Date completed: July 2, 1969

Type of well drilled Equipment used churn drill
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	19 lb. welded joints and weld on drive shoe.			none		



Static Water Level for non-flowing well _____ feet.
Shut-in Pressure for Flowing Well _____
Pumping Water Level _____ feet
at _____ gal. per minute.
Discharge in gal. per min. of flowing well _____

How Tested pump
Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) none

1/4 Sec 1 T 21 R 29
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Philip R Lewis
Driller's Signature 48912

791
INDEXED

122484

I received and filed
this instrument for record on the 28th
day of July 1971
at 8:40 o'clock a.m.
Regis Vaughn
County Recorder
Fee \$1.00 by
Linda Browne, Dep

File No.

T. 21 N R. 29 W

DUPLICATE

County Sanders
RECEIVED
MAY 19 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER
**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 1, 1964

Owner George M. and Helen L. Bybee Address E. 7818 Buckeye Spokane, 6 Wash.
Contractor (if any) (NA)

Address of Contractor (NA)

Date Started (NA) Date Completed (NA)


Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. The water runs from the ground freely by natural processes. Gravity flow to place of use.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. Amount that

flows from the ground varies with the season.

Approx. 10 miner's inches at the most in Spring and Fall. Almost dry in summer. The entire



NW 1/4 NW Sec. 18 T21N R. 29W

Indicate point of appropriation and place of use, if possible.

amount of water that runs from the spring at any time is to be included in this appropriation. The water will be for use, (home) year around.

Signature of Owner George M. Bybee
Helen L. Bybee
Date June 1, 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

632

Subj

I received and filed
this instrument for record on the

11 day of May

1964 at 8:18 o'clock A M

Dorothy Hudson
County Recorder

Fee \$1.00

By

Alexis Vaughn
Ⓢ

File No.

T. 21 N 29 W

DUPLICATE

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECORDED
JAN 8 1964

STATE ENGINEER
Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)


Date of Appropriation of Groundwater 12-30-63

Owner Richard J. Holliman Address Box 545, Thompson Falls, M.M.

Contractor (if any) none

Address of Contractor

Date Started Date Completed



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Water obtained for domestic use and garden irrigation by pumping from springs. Water also used for private fresh ponds.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use Ann

estimated 75 inches of water used throughout year

NE 1/4 Sec. 18 T. 21. R. 29
Indicate point of appropriation and place of use, if possible.

Signature of Owner Richard J. Holliman

Date 12-30-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

461
Indexed

I received and filed
this instrument for record on the
30 day of Dec
19 63 at 4:50 o'clock P M
Dorothy Nelson
County Recorder
Fee 1.00

File No.....

T 21 N R 29 W

DUPLICATE

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 8 1964
STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Gilbert W. Wagner & Elizabeth K. Wagner, Thompson Falls
(Name of Appropriator) (Address) (Town)

County of Sanders State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 22 T. 21 R. 29

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based.
Irrigation, Domestic and stock

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. June 1940 and continuous use

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 400 gallons per hour

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 113 acres, lots 2 & 3 and SW 1/4 NE 1/4 and SE 1/4 NW 1/4 of Sec. 22, Twp. 21 N. R. 29 W.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Pump - 700 gal. per hour

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Well was completed prior to 1940 but did not know exact date.

8. The depth of water table. 30 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Well 45 feet deep, drilled, 6 inch casing with jet pump which pumps 700 gallons per hour

10. The estimated amount of groundwater withdrawn each year. 1,520,000 gallons

11. The log of formations encountered in the drilling of each well if available. not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner Gilbert W. Wagner
Date Dec. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

25084

525
Indexed

I received and filed
this instrument for record on the
31st day of Dec.
1962 at 3:50 o'clock P.
Dorothy Dodson
County Recorder
Fee 1.00

W 3

File No.

NOV 3 1971

T. 21 N. R. 29 W.

DUPLICATE

County Sanders

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1951

Owner Bernard DeLong Address The Falls Motel

Contractor (if any) none

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring water

six inch supply. six pipe
small long gravity feed


Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. time

unlimited use of water cans
four hole sprinkler system
& heads

Signature of Owner Bernard DeLong

Date Oct 29 - 1971



1/4 Sec 23 T. 21 N. R. 29 W.

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Doc. No. 123583 - 802
Filed for record
this 29 day of Oct
A. D. 1971 at 11:35
o'clock A. M.

49308

123583

802
INDEXED

File No.
OW 3

DUPLICATE

NOV 3 1971

RECORDED
NOV 3 1971
STATE OF MONTANA
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1951

Original Address Blair, Mont

Contractor (if any) None

Address of Contractor

I received and filed
this instrument for record on the 29th
day of Oct 19 71
at 11:35 o'clock AM
Doris Haught
County Recorder
For Lillian Wallaston Rep