

207551


Office of Clerk & Recorder  
Stillwater County, Montana

I hereby certify that the above instru-  
ment was filed & indexed in this office

on the \_\_\_\_\_ day of **JUN 29 1973**

AD 19 \_\_\_\_\_, at \_\_\_\_\_ o'clock **9:30 AM**

*Thelma Shaw*  
COUNTY RECORDER  
By \_\_\_\_\_ DEPUTY



RECORDS SECTION  
STILLWATER COUNTY, MONTANA  
JUN 29 1973  
9:30 AM  
INDEXED

*[Faint, mostly illegible text and markings on the left side of the page, possibly bleed-through or administrative notes.]*



207549

Office of Clerk & Recorder  
Billwater County, Montana

I her by certify that the above instrument was filed & indexed in this office on the 29 day of JUN 1973

at 9:20 A.M. o'clock

*Thomas Shaw*

COUNTY RECORDER

By \_\_\_\_\_ DEPUTY

DO NOT WRITE IN THESE SPACES  
THIS SPACE IS RESERVED FOR THE CLERK OF DISTRICT COURT  
IN CASE OF A DISPUTE AS TO THE VALIDITY OF THIS INSTRUMENT

AMOUNT TO BE PAID  
BY THE COUNTY RECORDER  
TO THE CLERK OF DISTRICT COURT  
IN CASE OF A DISPUTE AS TO THE VALIDITY OF THIS INSTRUMENT

RECEIVED BY THE CLERK OF DISTRICT COURT  
ON \_\_\_\_\_ 1973  
AT \_\_\_\_\_

Table with multiple columns and rows, containing faint text and possibly a grid or ledger structure. The text is mostly illegible due to low contrast and scan quality.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CONTROL MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Robert J. Peter Address Box 276 East Helena, Mont Date well started 1957 completed 1957


For Administrator's Use File 262550 6-29-73 GW 1

Type of well Driven Equipment used sand point 1 1/2" Water Use: Domestic [ ] Municipal [ ] Stock [ ] Irrigation [ ] Industrial [ ] Drainage [ ] Other [ ]\* Garden/Lawn [ ]

\*Describe USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 100 000 gal

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static water level 12 ft. Pumping water level ft. at 20 gallons per minute, measured minutes after pumping began.

\*Measured from ground level. Well developed by or hours. Pump HP Remarks: (Gravel packing, cementing, packers, type of shutoff)

Lot 7-12 1812 98 Pad City Orig NW 1/4 SE 1/4 Sec 29 T. 2 R. 23 S.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Robert J. Peter Driller's Address

LICENSE NO.

RECEIVED

JUL 3 1973

County Stillwater

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

Large log table with columns: From (Feet), To (Feet). Entry: 0 to 20 Sandy Clay lenses.

20' Show exact depth of bottom

54982

207550

Office of Clerk & Recorder  
Stillwater County, Montana

I hereby certify that the above instru-  
ment was filed & indexed in this office

on the 29 day of JUN 1970

AD 1970, at 9:25 AM

*Thelma Shaw*

COUNTY RECORDER

By \_\_\_\_\_ DEPUTY

RECORDED  
INDEXED  
JUN 29 1970  
STILLWATER COUNTY, MONTANA

RECORDED  
INDEXED  
JUN 29 1970  
STILLWATER COUNTY, MONTANA

Handwritten notes and signatures in the lower section of the document, including a large signature that appears to be "Thelma Shaw" and various illegible scribbles.

File No. 182499

DUPLICATE

Location  
Probably in  
Park City

T. 2<sup>S</sup> R. 23<sup>E</sup> 29<sup>7</sup>  
County Stillwater


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1951)

RECEIVED

STATE ENGINEER

1. Mrs. Jennie E. Oliver, of Park City Mont.  
(Name of Appropriator) (Address) (Town)  
County of Stillwater State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1952, as follows:



Lots 6-7-Blk 114  
1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.


- The beneficial use on which the claim is based *for household use*
- Date or approximate date of earliest beneficial use; and how continuous the use has been *drilled well August 1951*
- The amount of groundwater claimed (in miner's inches or gallons per minute) *pumps about 3 gallons per minute*
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *not used for irrigation*
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal *electric pumps at residence*
- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *Drilling & completion 2 days*
- The depth of water table
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater *drilled a six in casing - 29 ft deep. unknown depth is river level.*
- The estimated amount of groundwater withdrawn each year *household use only*
- The log of formations encountered in the drilling of each well if available
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner *Mrs Jennie E Oliver*  
Date *July 12-62*

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



Faint, illegible text in the upper left section of the document.

Faint, illegible text in the middle left section of the document.

Faint, illegible text in the lower left section of the document.

Official stamp or signature area in the upper right, partially overlapping the grid.

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instru-  
ment was filed and indexed in his office

on the 13<sup>th</sup> day of July  
A. D. 1927, at 8:35 o'clock A. M.

*Gertrude H. Calhoun*  
COUNTY RECORDER

By \_\_\_\_\_ Deputy

202655

*Albert Field*

County STURGEON

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG 29

NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL  
Developed after January 1, 1962

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner PAIN CITY SCHOOL DIST NO 5

Address PAIN CITY  
MONTANA

Date well started 4-11-71  
completed 4-15-71

Type of well DRILLED  
(Dug, driven, bored or drilled)

Equipment used \_\_\_\_\_  
(Casta drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

For Administrator's Use

File \_\_\_\_\_


GW 1 \_\_\_\_\_

\*Describe \_\_\_\_\_

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). \_\_\_\_\_

ESTIMATED ANNUAL WITHDRAWAL \_\_\_\_\_

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7 3/4	6" 110	0	40	1 1/2" 30	30	40



Static water level 17 ft.\*  
Pumping water level 22 ft.\*  
at 30 gallons per minute,  
measured 30 minutes after pumping began.  
\*Measured from ground level.  
Well developed by \_\_\_\_\_  
for \_\_\_\_\_ hours.  
Power \_\_\_\_\_ Pump \_\_\_\_\_ HP  
Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature J. Brown

Driller's Address 112 S. 1st St.  
Pain City, Mont. LICENSE NO. 117

Top of Ground (Elev. above sea level)

From (Feet)	To (Feet)	
0	23	SANDY TOP SOIL
23	112	GRAVEL SANDSTONE
112	194	CLAY
194	200	CLAY
200	210	CLAY
210	220	CLAY
220	230	CLAY
230	240	CLAY
240	250	CLAY
250	260	CLAY
260	270	CLAY
270	280	CLAY
280	290	CLAY
290	300	CLAY
300	310	CLAY
310	320	CLAY
320	330	CLAY
330	340	CLAY
340	350	CLAY
350	360	CLAY
360	370	CLAY
370	380	CLAY
380	390	CLAY
390	400	CLAY
400	410	CLAY
410	420	CLAY
420	430	CLAY
430	440	CLAY
440	450	CLAY
450	460	CLAY
460	470	CLAY
470	480	CLAY
480	490	CLAY
490	500	CLAY
500	510	CLAY
510	520	CLAY
520	530	CLAY
530	540	CLAY
540	550	CLAY
550	560	CLAY
560	570	CLAY
570	580	CLAY
580	590	CLAY
590	600	CLAY
600	610	CLAY
610	620	CLAY
620	630	CLAY
630	640	CLAY
640	650	CLAY
650	660	CLAY
660	670	CLAY
670	680	CLAY
680	690	CLAY
690	700	CLAY
700	710	CLAY
710	720	CLAY
720	730	CLAY
730	740	CLAY
740	750	CLAY
750	760	CLAY
760	770	CLAY
770	780	CLAY
780	790	CLAY
790	800	CLAY
800	810	CLAY
810	820	CLAY
820	830	CLAY
830	840	CLAY
840	850	CLAY
850	860	CLAY
860	870	CLAY
870	880	CLAY
880	890	CLAY
890	900	CLAY
900	910	CLAY
910	920	CLAY
920	930	CLAY
930	940	CLAY
940	950	CLAY
950	960	CLAY
960	970	CLAY
970	980	CLAY
980	990	CLAY
990	1000	CLAY

STATE OF MONTANA  
COUNTY OF STURGEON

I hereby certify that the above instrument has been filed and indexed in this office on the 10 day of June 1971 at 9:00 A.M.

J. Brown  
COUNTY RECORDER

40 Show exact depth of bottom

48616





29

File No. 207560

Twp. 22 N R 23

County Stillwater

TRIPPLICATE

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Herman Handberg Address 1703-6 st E

Driller Walter Wade Address Yardmont

Date of Notice of appropriation of groundwater.....


Date well started 6-26-73 Date completed 6-30-73

Type of well Driven Equipment used Lamm  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

207556  
June 29, 1973.  
11:00 A.M.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2 inch	1/2 in	10	30	3 1/2 in	10	30



Static Water Level for non-flowing well 10 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 30 feet at 300 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested pumped to get level

Length of Test 12

Remarks: (Gravel packing, cementing, packers, type of shutoff) gravel

Block 115-567  
1/4 Sec 29 T. 23 R. 23 E.  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Lot 115-Block 567

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Herman Handberg  
Driller's Signature.

54492

207560

Office of Clerk & Recorder  
Stillwater County, Montana


I hereby certify that the above instru-  
ment was filed & indexed in this office

on the 29 day of JUN 1973

AD 1973 at Stillwater, Mont.

COUNTY RECORDER

By \_\_\_\_\_ DEPUTY



*[Handwritten signature]*

CLERK: SUSAN M. HAYES  
1011 N. HUNTER

File No. 207502

TRIPLICATE

T. R. County Stillwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner: [Name] Address: Park City

Driller: [Name] Address: Park City

Office of Clerk & Recorder Stillwater County, Montana

Date of Notice of appropriation of groundwater: [Date]

I hereby certify that this appropriation was filed & recorded in this State on the day of JUN 29 1973


AD 1- at 11:12 AM Type of well: [Type] Equipment used: [Equipment]

Water use: Domestic [X] Municipal [ ] Stock [ ] Irrigation [X] Industrial [ ] Drainage [ ] Other [ ]

By [Name] DEPUTY

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static Water Level for non-flowing well: 20 feet. Shut-in Pressure for Flowing Well: [ ] feet. Pumping Water Level: 20 feet at [ ] gal. per minute. Discharge in gal. per min. of flowing well: 300. How Tested: [ ]. Length of Test: [ ]. Remarks: (Gravel packing, cementing, packers, type of shutoff): [ ]

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side) USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number [ ] Driller's Signature [ ]

54494

File No. 207302

T. \_\_\_\_\_ R. \_\_\_\_\_

TRIPLICATE

County Stillwater

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater  
Appropriation by Means of Well  
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner [Signature] Address [Address]

Driller [Signature] Address [Address]

Office of Clerk & Recorder  
Stillwater County, Montana

Date of Notice of appropriation of groundwater \_\_\_\_\_

I hereby certify that this notice of appropriation of groundwater was filed & recorded in this date well started 11/11/73 Date completed 11/17/73


on the 29 day of JUN 1973 Type of well [Type] Equipment used [Equipment]  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

AD 11 at Block 11/1/1AM Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

By [Signature] DEPUTY

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2 1/2"	1 1/2" Pipe	0'	30'	4"	27'	30'
				5"	27'	30'



Static Water Level for non-flowing well 1.0 feet.  
 Shut-in Pressure for Flowing Well \_\_\_\_\_  
 Pumping Water Level 2.0 feet  
 at \_\_\_\_\_ gal. per minute.  
 Discharge in gal. per min. of flowing well 200  
 How Tested \_\_\_\_\_  
 Length of Test \_\_\_\_\_  
 Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

1/4 Sec. 7 T. 25 R. 23E  
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)  
 USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition). \_\_\_\_\_

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number \_\_\_\_\_

Driller's Signature \_\_\_\_\_

54494

File No. 191688

DEC 15 1965

Sec. 29 T. 2S R. 23E 29

DUPLICATE

Blille \_\_\_\_\_ McDermott \_\_\_\_\_  
Butzerin \_\_\_\_\_ McNulty \_\_\_\_\_  
Coyle \_\_\_\_\_ Morton \_\_\_\_\_  
L. O. Marlinton \_\_\_\_\_ Sullivan \_\_\_\_\_  
Dickert \_\_\_\_\_


Block 115, Park City, Mont  
County Stillwater

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)



Owner Herman Harding Address Park City

Driller Self Address Sams

Date of Notice of appropriation of groundwater Dec. 14, 1965


Date well started August 1965 Date completed August 1965

Type of well dug & driven Equipment used hand auger  
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2 inch	2" pipe	ground	20			



Static Water Level for non-flowing well 10 feet.

Shut-in Pressure for Flowing Well 10 lbs

Pumping Water Level 10 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well 50

How Tested pump

Length of Test 1 1/2 days

Remarks: (Gravel packing, cementing, packers, type of shutoff) gravel

1/4 Sec. T. R. \_\_\_\_\_  
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

NA

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature Herman Harding


181688

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 14th day of December A. D. 1935, at 11:15 o'clock A. M.

Helene H. Carlson  
COUNTY RECORDER

By \_\_\_\_\_ Deputy



one of the parties to the instrument  
has been duly examined and found to be  
the person whose name is subscribed to  
the instrument and that he is of legal age,  
sound mind and is not a minor, an idiot,  
or an insane person, and that he is not  
under any legal disability.

RECORDING FEE

CLASSIFICATION	RECORDING FEE	INDEXING FEE	TOTAL FEE
Original	1.00	0.50	1.50
Copy	0.50	0.25	0.75
Search	0.25	0.12	0.37
Other	0.00	0.00	0.00
<b>TOTAL</b>	<b>1.75</b>	<b>0.87</b>	<b>2.62</b>

RECORDED IN BOOK \_\_\_\_\_ PAGE \_\_\_\_\_

STILLWATER COUNTY  
STATE OF MONTANA

29

File No. 186668

ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Twp. 28 Rge. 23 E

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

JAN 8 1964

STATE ENGINEER

1. Teedale W. Hutchins, of Park City, Montana,

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. <u>29</u>	Sec.	Sec.	Sec.	Sec.	Sec.
W E L L S	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Domestic Garden					
3. Approx date of Use	1956					
How continuous?	Cont.					
4. Amount claimed in miner's inches or gallons per min.	300 gal. per min.					
5. Acres irrigated	<u>Lots 8, 9, 10, 11, 12</u>					
Description	<u>Park City</u>					
Name of Owner	<u>Teedale W. Hutchins</u>					
6. Location of Well	<u>Lot 10</u>					
Means of Withdrawal	<u>Elec. pump</u>					
7. Date-Commencement	<u>Dec. 1956</u>					
Date-Completion	<u>23 feet</u>					
8. Depth of water table	<u>1 1/2 pipe Sand point</u>					
9. Type, size, depth or specifications of works	<u>1,000,000</u>					
10. Estimated amount withdrawn annually						
11. Log, if available	<u>NA</u>					
12. Other information	<u>none</u>					

Signature of owner Teedale W. Hutchins

Date December 31, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27639



186668

STATE OF MONTANA, ss.  
COUNTY OF DEWATER

I hereby certify that the above instru-  
ment was filed in my office  
on the 31st day of December  
A. D. 1963, at 8:52 o'clock A. M.

*Gertrude H. Carlson*  
COUNTY RECORDER

By \_\_\_\_\_ Deputy

28-23E 29  
County Stillwater

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner J.T. ROBINSON

Address Park City

Date well started 6-17-73

completed 6-24-73

Type of well DRIVEN


Equipment used OTHER

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe ...  
USE: If used for Irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)



Static water level .....ft.\*  
Pumping water level .....ft.\*  
at .....gallons per minute,  
measured .....minutes after pumping began.  
\*Measured from ground level.  
Well developed by .....  
for .....hours.  
Power..... Pump..... HP  
Remarks: (Gravel packing, cementing, packers, type of shutoff) .....

6-11, 15, 16, 17  
1/4 1/4 Sec  
T. N R. E  
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature John T. Robinson

Driller's Address Park City, Mont.

LICENSE NO.....

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	30	...
30	40	...
40	50	...
50	60	...
60	70	...
70	80	...
80	90	...
90	100	...
100	110	...
110	120	...
120	130	...
130	140	...
140	150	...
150	160	...
160	170	...
170	180	...
180	190	...
190	200	...
200	210	...
210	220	...
220	230	...
230	240	...
240	250	...
250	260	...
260	270	...
270	280	...
280	290	...
290	300	...
300	310	...
310	320	...
320	330	...
330	340	...
340	350	...
350	360	...
360	370	...
370	380	...
380	390	...
390	400	...
400	410	...
410	420	...
420	430	...
430	440	...
440	450	...
450	460	...
460	470	...
470	480	...
480	490	...
490	500	...
500	510	...
510	520	...
520	530	...
530	540	...
540	550	...
550	560	...
560	570	...
570	580	...
580	590	...
590	600	...
600	610	...
610	620	...
620	630	...
630	640	...
640	650	...
650	660	...
660	670	...
670	680	...
680	690	...
690	700	...
700	710	...
710	720	...
720	730	...
730	740	...
740	750	...
750	760	...
760	770	...
770	780	...
780	790	...
790	800	...
800	810	...
810	820	...
820	830	...
830	840	...
840	850	...
850	860	...
860	870	...
870	880	...
880	890	...
890	900	...
900	910	...
910	920	...
920	930	...
930	940	...
940	950	...
950	960	...
960	970	...
970	980	...
980	990	...
990	1000	...

Show exact depth of bottom

54493



207561

Office of Clerk & Recorder  
Stillwater County, Montana

I hereby certify that the above instru-  
ment was filed & indexed in this office

on the \_\_\_\_\_ day of MUN 29 1973

AD 19 \_\_\_\_\_ at \_\_\_\_\_ o'clock 11:05 AM

Shelma Shaw  
COUNTY RECORDER

By \_\_\_\_\_ DEPUTY

STILLWATER COUNTY  
STATE OF MONTANA

29

File No. 186707 ADMINISTRATOR OF GROUNDWATER CODE Sec. 29 Twp 2 S., Rge 23 E  
OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

1. Fred Scott, of Park City,  
County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

RECEIVED  
JAN 8 1964  
STATE ENGINEER

	Sec. 29	Sec.	Sec.	Sec.	Sec.	Sec.
Park City	Lot 3 Block 66					
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	House hold Garage Repair shop					
3. Approx date of Use	April 1949					
How continuous?	Every day					
4. Amount claimed in miner's inches or gallons per min.	10 gallons per minute					
5. Acres irrigated	Gardens & lawns					
Description						
Name of Owner	Fred Scott					
6. Location of Well	Lot 3 Block 66					
Means of Withdrawal	Pump					
7. Date-Commencement						
Date-Completion						
8. Depth of water table	36 feet					
9. Type, size, depth or specifications of works	Drilled 10" casing 36' deep					
10. Estimated amount withdrawn annually	730,000					
11. Log, if available	NA					
12. Other information						

Signature of owner Fred Scott  
Date December 31, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27678

186707

gw-4

I hereby certify that the above instru-  
ment was duly recorded in his office  
on the 31st day of December  
A.D. 1963 at 10:23 o'clock A.M.

*Arthurd H. Cochran*  
COUNTY RECORDER

By \_\_\_\_\_ Deputy

GW

181703

29

File No.....

T.....25<sup>th</sup>.....23 E. S. P.M.

DUPLICATE

County.....Stillwater.....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

STATE ENGINEER

RECEIVED  
APR 10 1962

**Declaration of Vested Groundwater Rights**  
(Under Chapter 237, Montana Session Laws, 1961)


School District #5

Park City, Mont.

1....., of.....  
(Name of Appropriator) (Address) (Town)

County of Stillwater State of Montana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: Wells Nos. 1 and 2 situated on Block 113 and well #3 situated on lot 4 Block 142, according to the official plat of the town of Park City, Mont.



2. The beneficial use on which the claim is based .....  
No's. 1 & 2 for public school use.  
No. 3 for domestic use at teacher housing.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been #1 - 1/30/46; #2 - 8/6/49 and #3 - estimated 1950. All have been used continuously since being drilled.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30gpm per well

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

NW Sec. 29 T. 25R. 23 E. N.P.M. no irrigation

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

Electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Same as #3 above

8. The depth of water table Ten-twelve feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Well #1 - 6 inch casing drilled to depth of 37'; Well #2 - 8" casing drilled to depth of 34'; and #3 - 6" casing to approximately 35'.

10. The estimated amount of groundwater withdrawn each year 800,000 per well gallons.

11. The log of formations encountered in the drilling of each well if available na

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Attest:

*Allen Hansford*  
Allen Hansford - Clerk of Bd.

SCHOOL DISTRICT #5.  
Signature of Owner: *Edson Hedges*  
Chairman of Board  
Date: March 2, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

182013

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 9<sup>th</sup> day of April A. D. 1962, at 8:40 o'clock A. M.

Gertrude W. Callhoun  
COUNTY RECORDER

By \_\_\_\_\_ Deputy

1. The title of instrument submitted for recording is as follows:  
2. The purpose or object of the instrument is as follows:  
3. The date of asset is:  
4. The date of execution is:  
5. The date of recording is:  
6. The date of indexing is:  
7. The date of filing is:  
8. The date of recording is:  
9. The date of indexing is:  
10. The date of filing is:



File No. 207569

T. \_\_\_\_\_ R. \_\_\_\_\_  
County Stillwater

TRIPPLICATE

LOG

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground 2 FT. TOP SOIL  
(Elev. above sea level.....)

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

5 FT. yellow clay

water encountered at 14 ft.

Owner Bernice Mervess Address Park City, Mont.

Driller Husband Address \_\_\_\_\_

Date of Notice of appropriation of groundwater June 29 - 73

Date well started June 23 - 73 Date completed same date

21 FT. Both wells

Type of well Driven Equipment used sand point  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Office of Clerk & Recorder  
Stillwater County, Montana

I hereby certify that this instrument was filed & indexed in this office


on the JUN 29 1973 day of \_\_\_\_\_

at \_\_\_\_\_ o'clock 11:45 AM

By Thelma Elms COUNTY RECORDER

DEPUTY

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>70x1 3/4</u>		<u>0</u>	<u>21</u>			
<u>70x1 3/4</u>		<u>0</u>	<u>21</u>			



LOT 3

Block 99 Park City  
NW 1/4 Sec. 29 T. 25 R. 23 E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well Unknown feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level Unknown feet at \_\_\_\_\_ gal. per minute.

Discharge in gal. per min. of flowing well Unknown

How Tested Pumped

Length of Test 1 day - each

Remarks: (Gravel packing, cementing, packers, type of shutoff) \_\_\_\_\_

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Irrigation of 3 lots

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Bernice Mervess

Driller's Signature.

owner

54499

STILLWATER COUNTY  
STATE OF MONTANA

31

File No. 186697

ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Twp. 29 Rge. 23 E

JAN 8 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961.)

STATE ENGINEER

1. John Mohr, Jr. of Park City, Montana

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: *13-22E Correct*

	Sec. 31	Sec. 31	Sec. 31	Sec. 32	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Household & Livestock	Household & Livestock	Livestock	Livestock		
3. Approx date of Use	1943	1944	1943	1958		
How continuous?	continuous	continuous	continuous	continuous		
4. Amount claimed in miner's inches or gallons per min.	10 gal	10 gal	10 gal	6 gal		
5. Acres irrigated	1/2 acre	1/2 acre	None	None		
Description						
Name of Owner	Mohr	Mohr	Mohr	Mohr		
6. Location of Well	NE Sec 31	NE 1/4	NE 1/4	NE 1/4		
Means of With-drawal	pressure system	pressure system	pump jack	windmill		
7. Date-Commencement	1943	1944	1943	1961		
Date-Completion	"	"	"	"		
8. Depth of water table	18'	38'	18'	21'		
9. Type, size, depth or specifications of works	42 1/2 ft deep 6" casing drilled	40 ft deep 6" casing drilled	22 ft deep 6" casing drilled	64 ft deep 6" casing drilled		
10. Estimated amount withdrawn annually	700,000 gals	500,000 gals	500,000 gals	900,000 gals		
11. Log, if available	NA	NA	NA	NA		
12. Other information	--	--	--	--		

Signature of owner John Mohr Jr.

Date \_\_\_\_\_

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27668

186697

Yw-4

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instru-  
ment was filed and indexed in this office

on the 31st day of December

A. D. 1963 at 10:08 o'clock A.M.

*Arthur H. Carlson*  
COUNTY CLERK

By \_\_\_\_\_ Deputy

STATE OF MONTANA )  
County of Stillwater )  
I ss

NOTARY PUBLIC for the State of Montana  
Residing at Columbus, Montana  
My Commission Expires September 21, 1967

On this 30th day of September, 1966, before me a Notary Public for  
the State of Montana, personally appeared John Mohr, Jr., personally known to  
me to be the person who executed the foregoing instrument and acknowledged  
to me that he executed the same.

IN WITNESS WHEREOF, I set my hand and affixed my Notarial Seal this

STILLWATER COUNTY  
OCT 3 1966  
WATER CONSERVATION BOARD

AFFIDAVIT

TO CORRECT ERROR IN FILING OF DECLARATION OF VESTED GROUNDWATER RIGHTS

Butler \_\_\_\_\_  
Coyne \_\_\_\_\_  
Darlington 10/4/66 \_\_\_\_\_  
Dickert \_\_\_\_\_  
Sullivan \_\_\_\_\_

TO THE PUBLIC:

John Mohr Jr., being first duly sworn, states that on the 31st day of December, 1963, he filed a Declaration of Vested Groundwater Rights in the office of the County Clerk and Recorder of Stillwater County, Montana, which declaration is therein on file under File No. 186697, a part of which Declaration is in error. This affidavit is to correct that part of the said filing insofar as it concerns the No. 4 well which is represented as being in NE $\frac{1}{4}$  of Section 32 Township 2 South, Range 23 East, N.P.M. and which should have filed as NE $\frac{1}{4}$  of Section 32 Township 1 South, Range 22 East, N.P.M.

John Mohr Jr. further states that he hereby rescinds, sets aside and vacates the said Declaration of Vested Groundwater Rights in Section 32 Township 2 South, Range 23 East N.P.M. and claims no vested groundwater rights in said Section 32, Township 2 South, Range 23 E. N.P.M. by virtue of his filing of said Declaration but that wells No. 1, No. 2 and No. 3 are correct as filed and that well No. 4 is hereby corrected as located in the NE $\frac{1}{4}$  of Section 32 Township 1 South, Range 22 East N.P.M.

DATED this 30th day of September, 1966.

*John Mohr Jr.*  
John Mohr Jr.

STATE OF MONTANA )  
                                  ) ss.  
County of Stillwater )

SUBSCRIBED AND SWORN to before me this 30th day of September, 1966.

*Robert Noe*  
Notary Public for the State of Montana  
My Commission expires:  
Residing at Columbus, Montana

STATE OF MONTANA )  
                                  ) ss  
County of Stillwater )

NOTARY PUBLIC for the State of Montana  
Residing at Columbus, Montana  
My Commission Expires September 21, 1967

On this 30th day of September, 1966, before me a Notary Public for the State of Montana, personally appeared John Mohr, Jr., personally known to me to be the person who executed the foregoing instrument and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I set my hand and affixed my Notarial Seal the day and year first above written.

*Robert Noe*  
Notary Public for the State of Montana  
My Commission expires:  
Residing at Columbus, Montana

NOTARY PUBLIC for the State of Montana  
Residing at Columbus, Montana  
My Commission Expires September 21, 1967

STATE OF MONTANA ss.  
COUNTY OF STILLWATER

I hereby certify that the above instru-  
ment was filed and indexed in this office  
on the 20<sup>th</sup> day of September  
A. D. 1946, at 2:40 o'clock P. M.

Hester H. Colham  
COUNTY RECORDER

By \_\_\_\_\_ Deputy

STILLWATER COUNTY  
STATE OF MONTANA

File No. 186634 ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Twp 28, Rge 23 E

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

JAN 8 1964

ENGINEER

1. John W. Mohr, of Park City, Montana

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 31	Sec. 31	Sec.	Sec.	Sec.	Sec.
W E L L S	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	House & Livestock	Livestock				
3. Approx date of Use How continuous?	1944 Continuous	1917 Continuous				
4. Amount claimed in miner's inches or gallons per min.	10 gals per min 500 gal daily	10 gal per min 500 gal daily				
5. Acres irrigated Description	none yard & a.	none none				
Name of Owner	Mohr	Mohr				
6. Location of Well	NE SW	NESW				
Means of With-drawal	pressure system	pump jack				
7. Date-Commencement Date-Completion	1944 "	1917 "				
8. Depth of water table	18 Ft	17 Ft				
9. Type, size, depth or specifications of works	36' deep 6" casing drilled	34' deep 6" casing drilled				
10. Estimated amount withdrawn annually	172,500	172,500				
11. Log, if available	NA	NA				
12. Other information	None	None				

Signature of owner

Date

John W Mohr  
Dec. 31st, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27665

186694

Sw-4

STATE OF MONTANA } ss.  
COUNTY OF STILLWATER }

I hereby certify that the above instru-  
ment was filed and index in his office  
on the 31st of December

1903 at 10:00 o'clock A.M.

*Gertrude H. Carlson*  
COUNTY CLERK

By \_\_\_\_\_ Deputy

STILLWATER COUNTY  
STATE OF MONTANA

File No. 126519 ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Twp 2S, Rge 23E

RECEIVED  
DEC 26 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

1. Fred Benner, of Park City, Montana STATE ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 32	Sec.	Sec.	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	<i>House, stock &amp; lawn</i>					
3. Approx date of Use	<i>4-8-57</i>					
How continuous?	<i>Every day</i>					
4. Amount claimed in miner's inches or gallons per min.	<i>8 gal</i>					
5. Acres irrigated						
Description						
Name of Owner						
6. Location of Well	<i>Farm yard</i>					
Means of With-drawal	<i>Pressure system</i>					
7. Date-Commencement	<i>2-15-57</i>					
Date-Completion	<i>3-25-57</i>					
8. Depth of water table	<i>16'</i>					
9. Type, size, depth or specifications of works	<i>Delivery line</i>					
10. Estimated amount withdrawn annually	<i>unknown</i>					
11. Log, if available						
12. Other information						

Signature of owner Fred Benner

Date 12-17-63

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

12693



RECORDED

INDEXED

186519

STATE OF MONTANA) ss.  
COUNTY OF STILLWATER)

I hereby certify that the above instru-  
ment was filed and indexed in this office  
on the 23 day of December  
A. D. 1963, at 9:35 o'clock A. M.

Gertrude H. Colton  
COUNTY CLERK

By \_\_\_\_\_ Deputy

GW 3

File No. 186518

DUPLICATE

T. 23 R. 23 E

County Stillwater

32

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 26 1963

STATE ENGINEER  
**Notice of Completion of Groundwater Appropriation Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Feb. 1957

Owner Fred Benner Address Rt. 1, 24 St. W. Billings, Mont.


Contractor (if any) none

Address of Contractor none

Date Started..... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

One of many side hill springs. Water hornet 2' deep with plank



SW 1/4 NW 5W Sec. 32 T. 23 R. 23 E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

4 5" pipe is required to carry gravity flow

Signature of Owner Fred Benner

Date 12-17-1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

12692

186518

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instru-  
ment was filed and indexed in this office  
on the 23 day of December

A. D. 1952 at 10 o'clock A.M.

Gertrude H. Callahan  
COUNTY RECORDER

By \_\_\_\_\_ Deputy



207162

Office of Clerk & Recorder  
Stillwater County, Montana

I hereby certify that the above instru-  
ment was filed & indexed in this office

on the            day of MAY 21 1973

at            at                      

COUNTY RECORDER

By            DEPUTY

RECORDED  
INDEXED  
MAY 21 1973  
STILLWATER COUNTY MONTANA

BY PRIVATE CONTRACTOR  
MAY 21 1973

County Clerk of Stillwater  
County, Montana  
I hereby certify that the above  
instrument was filed & indexed  
in this office on the  
day of  
at

STILLWATER COUNTY RECORDER

NOT RECORDED  
MAY 21 1973  
STILLWATER COUNTY MONTANA

File No. 207611

RECEIVED

T. 25 R. 23E 33

DUPLICATE

JUL 18 1973

County Stillwater

LOG

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 3,000)

sandy

### Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

207611

Owner Mary J. & Geo. Damm Address Rt. 1 Park City, MT

Driller well I Unknown Address \_\_\_\_\_

well II Otto Schieles Address \_\_\_\_\_

Office of Clerk & Recorder Date of Notice of appropriation of groundwater \_\_\_\_\_  
Stillwater County, Montana

I hereby certify that this notice of appropriation of groundwater was filed & indexed in this office on the \_\_\_\_\_ day of \_\_\_\_\_, 1973. Date well started unknown Date completed \_\_\_\_\_


Type of well drilled Equipment used Sand Point  
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

AD 1-4 at \_\_\_\_\_ o'clock 3:56 PM Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

15' gravel

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
well I 6"		0	8'			
well II 6"		0	8'	Iron		15'



Static Water Level for non-flowing well unknown feet.  
 Shut-in Pressure for Flowing Well \_\_\_\_\_  
 Pumping Water Level 6-8 feet  
 at 25' gal. per minute.  
 Discharge in gal. per min. of flowing well unknown

How Tested \_\_\_\_\_  
 Length of Test \_\_\_\_\_  
 Remarks: (Gravel packing, cementing, packers, type of shutoff) gravel packing - faucets

(Continue on reverse side)  
 USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.  
 Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number \_\_\_\_\_  
 Driller's Signature Mary Damm

1000

PLANT	REMARKS	DATE

PLANT	REMARKS	DATE

PLANT INSPECTION REPORT

PLANT NAME: [Handwritten]

DATE: [Handwritten]

INSPECTOR: [Handwritten]

Office of Clerk & Recorder  
STILLWATER COUNTY, MONTANA

207611

By: [Handwritten Signature]

Notarizing to certify

207611

Office of Clerk & Recorder  
STILLWATER COUNTY, MONTANA

June 20, 1973

[Handwritten text and signatures]

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—393.

File No. **183823**

T. **25** R. **23**

DUPLICATE

County **Stillwater**

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 28 1962

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner: **Louis Gauthier** Address: **Peak City, Mont.**  
Driller: **C. E. McKeel** Address: **Laurel, Mont.**


Date of Notice of Appropriation of Groundwater.....

Date well started **11-9-62** Date Completed **11-12-62**

Type of well **drilled** Equipment Used **drill**  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 20 lb steel casing	0	25'6"	3-6" x 1/8"	24'	25'6"

Static Water Level for non-flowing Well..... **17 1/2** feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... **17** feet at **24** gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested..... **Bailing** Length of Test **30 min**

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

**36**  
Driller's License Number

**C. E. McKeel**  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



183823

STATE OF MONTANA  
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 27<sup>th</sup> day of December A. D. 19562, at 10:30 o'clock A.M.

Gertrude H. Culhoun  
COUNTY RECORDER  
By Jessie Bishop Deputy

... to the ...  
... of the ...  
... of the ...  
... of the ...  
... of the ...

Table with 2 columns and 2 rows, likely for recording fees or taxes.

...  
...  
...  
...  
...

...  
...  
...  
...

File No. 203981 ORIGINAL

RECEIVED

T 25 R 23E 34 County STILLWATER

JAN 28 1972

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

Top of Ground

(Elev. above sea level.....)

0-4 FT TOP SOIL

21 FT. GRAVEL

WATER @ 10 FT.

WATER LEVEL 9 FT.

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner HOWARD KOSTERDE Address 3839 NORMAL CHICAGO ILL 60609

Driller DIGGER Drilling Address 3143 PRAIRIE DR BILLINGS, MONT. 59101

Date of Notice of Appropriation of Groundwater.....

Date well started 10-26-71 Date Completed 10-26-71

Type of well DRILLED Equipment Used ROTARY (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic [ ] Municipal [ ] Other [ ] Irrigation [ ] Industrial [ ] Drainage [ ] Stock [x]

STATE OF MONTANA COUNTY OF STILLWATER


I hereby certify that the above instrument was filed and indexed in this office

on the 26th day of Jan. A. D. 1972 at 10:05 o'clock A.M.

Shelma Shaw County Recorder

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)). Includes handwritten entry: 6 5/8" 17# 17 21 OPEN BOTTOM



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 8 FT. feet.

Shut-in Pressure for Flowing Well N.A.

Pumping Water Level 19 feet at 30 gal. per minute.

Discharge in gal. per min. of flowing well N.A.

How Tested PUMP Length of Test 3 HRS

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation BENTONITE

SEAL TO 8 FT. CEMENT TO TOP.

197 Driller's License Number

J. J. Bai Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

TRIPPLICATE

49,793

Department of Natural Resources and Conservation  
 Water Resources Division  
 Engineering Bureau  
 Groundwater Section  
 Sam W. Mitchell Building  
 Helena, Montana 59601

Owner Howard ~~Kastbade~~ Kastbade  
 Address North of Laurel 7044  
 Location T. 25 R. 23E S. 34  
 Doc. No. \_\_\_\_\_

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:


Please provide, as indicated in red on the enclosed form, the county filing document number, day, month, year, hour and minute the well was filed. Also clarify the Township location. Is it Township 2 South?

Thank you.

Sent on  
4/12/78

49,742

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	6 5/8" 17#	1+	21	OPEN	BOTTOM	



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 8 FT. feet.  
 Shut-in Pressure for Flowing Well N.A.  
 Pumping Water Level 19 feet at 30 gal. per minute.  
 Discharge in gal. per min. of flowing well N.A.  
 How Tested PUMP Length of Test 3 HRS

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) BENTONITE

SOAL TO 8 FT. Cement to TOP

197  
 Driller's License Number  
J. J. Bai  
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

②

49,742

RECEIVED

T. 25 R. 23E 34

DUPLICATE

JAN 17 1977

County STILLWATER

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level) 0-4 FT TOP SOIL

21 FT GRAVEL

WATER @ 10 FT.

WATER LEVEL 7 FT.

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner HOWARD KOSTBADE Address 3839 NORMAL CHICKEN LN 60609

Driller DIGGER DRILLING Address 3143 PRAIRIE DR BILLINGS, MONT 57101

Date of Notice of Appropriation of Groundwater

Date well started 10-26-71 Date Completed 10-26-71


Type of well DRILL-D Equipment Used ROTARY (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Doc. No. Filed for record this day of A.D. 19 at o'clock M.

Water Use: Domestic [ ] Municipal [ ] Other [ ] Irrigation [ ] Industrial [ ] Drainage [ ] Stock [ ]

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)). Handwritten entries: 8", 6 5/8" 17 1/4, 1, 21, OPEN BOTTOM.



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 8 FT. feet. Shut-in Pressure for Flowing Well N.A. Pumping Water Level 19 feet at 30 gal. per minute. Discharge in gal. per min. of flowing well N.A. How Tested PUMP Length of Test 3 HRS

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) BENTONITE SOAL TO 8 FT. CEMENT TO TOP.

197 Driller's License Number J. J. Bai Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

9

49,742