

File No. 133859

JAN 16 1967

T. R. 17


DUPLICATE

LOG

Billie _____ McDermott _____
Butzeria _____ McFadyly _____
Coyle _____ McElroy _____
Darbrinton _____ McElroy _____
Dickert _____ McElroy _____

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Edmund Markon Address Billings, Mont

Driller B + H Drilling Address Fish Tail, Mont

Date of Notice of appropriation of groundwater.....


Date well started 7/28/65 Date completed 7/29/65

Type of well Drilled Equipment used Churn
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in	6 5/8 19°	1 ft +	12 ft	<u>none</u>		



Static Water Level for non-flowing well 5 1/2 ft feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 54 feet at 9 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Baley

Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff).....
Lot H Plat # 192677
1/4 Sec. 12, T.3.S.R.19.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

64 ft.
Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

70.27
Driller's License Number

Edmund Markon
Driller's Signature

41660

STATE OF MONTANA (ss.
COUNTY OF STILLWATER)

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 13th day of January
A. D. 1967, at 3:00 o'clock P.M.

Thelma S. Law
COUNTY RECORDER

By _____ Deputy

RECORDED
INDEXED
FILED
JAN 13 1967
STILLWATER, MONTANA

11-10

F4

11-10

File No. 199888

MONTANA WATER RESOURCES BOARD

T. 3S R. 19E


DUPLICATE

RECEIVED

County Stillwater

LOG JAN 27 1970

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Roy Sutherland Address Billings, Mont

Driller B. H. Drilling Address Fichtail, Mont

Date of Notice of appropriation of groundwater.....

Date well started 7/24/65 Date completed 7/27/65

Type of well Drilled Equipment used Churn

Water use: Domestic [X] Municipal [] Stock [] Irrigation [] Industrial [] Drainage [] Other []

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

STATE OF MONTANA COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and recorded in this office


on the 23rd day of Jan

A. D. 1970 at 3:45 P.M.

Theresa Shaw County Recorder

By Deputy

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 5/8 19"	bin.	1 ft +	10 ft	None		



Lot L Sutherland Sub 1/4 Sec. 12 T. 3S R. 19E

Static Water Level for non-flowing well 5 ft feet. Shut-in Pressure for Flowing Well. Pumping Water Level 33 feet at 25 gal. per minute. Discharge in gal. per min. of flowing well. How Tested Baler. Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form will be returned.

no. 27 Driller's License Number. Driller's Signature B. H. Drilling 46107

RECEIVED

File No. 205431

SUP 15 1972

T. 35. R. 19 E. 12

DUPLICATE

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

County Stillwater

LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE STATE WATER CONSERVATION BOARD

Top of Ground (Elev. above sea level) 0-3 Top Soil 3-8 Gravel & Rocks 8-29 Hard Grey Shale 29-47 Sandstone 1 1/2 GPM 47-61 Shale 61-67 Sandy Shale 6 1/2 GPM 67-73 Hard Shale

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner J. W. Bergeson Address Billings, Mont.

Driller B & H Drilling Address Fichtail, Mont.

Date of Notice of appropriation of groundwater


Date well started 3/9/72 Date completed 3/11/72

Type of well Drilled Equipment used Churn drill

Water use: Domestic [x] Municipal [] Stock [] Irrigation [] Industrial [] Drainage [] Other []

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)).



Static Water Level for non-flowing well 10 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 55 feet at 8 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailers

Length of Test 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Drove steel into hard shale 3 ft.

Doc. No. 205431 Filed for record this 14 day of Sept. A. D. 1972 at 11:05 o'clock A. M.

Indicate location of well and place of use, if possible. Each square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition):

Water is for trailer house & lawn.

Show exact depth of bottom.

73 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No 27

Driller's License Number

Driller's Signature: Red L. Hagan

51,383

205431

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 14th day of Sept
A. D. 1972, at 11:05 o'clock P.M.

Thelma Shaw
COUNTY RECORDER
Jessie Ludwig

STATE WATER CONSERVATION BOARD
 STILLWATER COUNTY
 STATE OF MONTANA

File No. 11598 B/c ADMINISTRATOR OF GROUNDWATER CODE Twp 39, Rge 19E
 OFFICE OF STATE ENGINEER
 DECLARATION OF VESTED GROUNDWATER RIGHTS
 (Under Chapter 237, Montana Session Laws, 1961)

1. Cecilia Pasy Hudson, of Columbus

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 12	Sec. 12	Sec. 12	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Household & Garden	Household Lawn Garden	Chickens & Stock			
3. Approx date of Use How continuous?	Prior to 1962 Year round	Prior to 1962 Year around	Prior to 1962 Year around			
4. Amount claimed in miner's inches or gallons per min.	10 gal per min	7 gal pr min	15 gal per min			
5. Acres irrigated Description	garden	1/4 garden	None			
Name of Owner						
6. Location of Well	(Lot 11) S2SW	S2SW	S2SW			
Means of With-drawal	Elec Pump	Elec Pump	Elec Pump			
7. Date-Commencement	Prior 1962	prior 1962	Prior 1962			
Date-Completion						
8. Depth of water table	5 ft	5 ft	5 ft			
9. Type, size, depth or specifications of works	Dug well Concrete Tank 12' deep	Dug well Concrete Tank 11' deep	Dug Well Concrete Tank 14' deep			
10. Estimated amount withdrawn annually	110,000	250,000	100,000			
11. Log, if available	NA	NA	NA			
12. Other information						

Signature of owner Cecilia Pasy Hudson
 Date December 30, 1965

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

791248

File No. 203301

MONTANA WATER RESOURCES BOARD
RECEIVED

T. 25. R. 19E.

DUPLICATE

County Stillwater

LOG

OCT 18 1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Top of Ground
(Elev. above sea level.....)

0-4 top soil
4-27 soft clay
27-29 Hard shale
29-49 soft gray shale
49-59 Broken Sandstone (water)
59-75 soft grey shale

Owner: George Nordahl Address: Columbus, Mont.

Driller: E. E. H. Drilling Address: Stillwater, Mont.

Date of Notice of appropriation of groundwater.....

Date well started: 8/18/71 Date completed: 8/20/71

Type of well: Drilled (Dug, driven, bored or drilled) Equipment used: Rotary (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.


STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 1st day of Oct. A. D. 1971, at 11:30 o'clock A.M.

Thelma Shaw
COUNTY RECORDER

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7/8	6 5/8	15+	59 1/2	1/8 x 6	50	58
	4 1/2 Plastic 5-		75	3/16 holes	60	70

By.....



Static Water Level for non-flowing well 49 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 60 feet at 3 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested: Bailor

Length of Test: 3 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

Well will be cemented below the pipes.

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Well is for a new house. there has been two dry holes drilled within 500 or 600 ft of this well. water comes from broken sandstone.

Show exact depth of bottom.

75 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No. 27
Driller's License Number

Med L Hargan
Driller's Signature.

49238

1038015

Office of Clerk & Recorder
Silver Lake County, Montana

I hereby certify that the above instrument was filed & indexed in this office

on the day of FEB 28 1973

AD 11, at o'clock 3:15 PM

Thelma Shaw

COUNTY RECORDER

By *Plz* DEPUTY

GW2

File No. 183377

DUPLICATE

T3S R 19E

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
17 1962

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)
Hand Dug to 17'

Sand Shovel & Rocks 32'

Owner Henry Van Hemst Address Columbus, Mont

Driller Bt H. Drilling Address Fishtail, Mont

Date of Notice of Appropriation of Groundwater


Date well started 8/11/62 Date Completed 8/11/62

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6	6 in 19#	6'	32'			



S1/4 Sec. 13 T36 R19
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.
32' Deep

Static Water Level for non-flowing Well 11 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 24 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Bailer Length of Test 1 Hr.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

NO 27
Driller's License Number
Red L. Hargan
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2482

Henry Van Heest

Dec. 13 - 1952 - R 148

STATE OF MONTANA }
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office

on the 13 day of Dec

A. D. 1952, at 10:22 o'clock P. M.

Henry Van Heest
COUNTY RECORDER

By _____ Deputy

75
2#
1
12
25

196973

File No.....

T. 3 So. R. 19 E. M.P.H.

DUPLICATE

County.....Stillwater 13

STATE WATER CONSERVATION BOARD

RECEIVED
SEP 10 1965

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION
WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater.....September 9th, 1965

Henry and Alice

Owner.....Van Heemst..... Address.....Columbus, Montana

Contractor (if any)owner.....

Address of Contractor

Date Started...No. 1.....1950... Date Completed.....

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable...No. 1...Big 3" culvert sunk down, natural

spring used for house water

No. 2...Natural spring...15" culvert draws water from a pond

No. 3...Natural spring...undeveloped

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use...No. 1...estimated

15 or 20 barrels per hour year around use for house


No. 2...estimated...50 or 60 barrels per hour used for stock

year around

No. 3...Natural spring, unimproved and free flowing

Signature of Owner.....

Henry Van Heemst
Alice Van Heemst
September 9th, 1965



No 1 SW 1/4
2. SW 1/4
3. NW 1/4

.....1/4..... Sec. 13.. T. 3S R. 19. E.

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA (ss.
COUNTY OF STILLWATER)

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 9th day of September
A. D. 1945 at 1:15 o'clock P. M.

Gertrude J. Calhoun
COUNTY RECORDER

By _____ Deputy

RECORDED 10

10

SEP 10 1945

RECEIVED

10

Hw-3

STILLWATER COUNTY
STATE OF MONTANA

14
25
24

File No. 1867-1

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 38, Rge 19 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

JAN 8 1964

1. R. O. Shaw, of Columbus, Montana ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Well Sec. 14	Spring Sec. 14	Sec.	Spring Sec. 25	Spring Sec. 24	Sec.
<i>Spring</i>	•	•		•	•	
WELL	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Household & Stock	Stock		Stock	Stock	
3. Approx date of Use	1949	1949		1949	1949	
How continuous?	Daily	Daily		Daily	Daily	
4. Amount claimed in miner's inches or gallons per min.	50 gal	10 gals		15 gals	5 gals	
5. Acres irrigated	none	none		none	none	
Description						
Name of Owner	R O Shaw	R O Shaw	R O Shaw	R O Shaw	R O Shaw	
6. Location of Well	Lot 7,9,10 Sec. 14	Lot 7,9,10 Sec. 14	Lot 7,9,10 Sec. 14	W1/2	W1/2NW1/4	
Means of Withdrawal	electric pump	free flowing		flowing	flowing	
7. Date-Commencement	Nov. 1949	1949		1949	1949	
Date-Completion						
8. Depth of water table	15'					
9. Type, size, depth or specifications of works	40' deep 8" casing 4" syl.			750 gal steel tank 1 1/2" line	500 gal steel tank 1" line	
10. Estimated amount withdrawn annually	700,000 gals					
11. Log, if available	NA					
12. Other information						

Signature of owner R O Shaw

Date Dec. 31st, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27672

186701

Gu-3

STATE OF MONTANA ss.
COUNTY OF STILLWATER


I hereby certify that the above instru-
ment was filed in my office

on the 31st day of December
1963 at 10:17 o'clock A.M.

Gertrude H. Calhoun
COUNTY CLERK

By _____ Deputy

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner: MONT FISH & GAME DEPT Address: HELENA MONT.
516 SCOTT LANE
 Driller: L & D. DRILLING Address: BILLINGS MONT

Date of Notice of Appropriation of Groundwater.....

Date well started 2/19/70 Date Completed 2/14/70


Type of well DRILLED Equipment Used CABLE
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
 Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with-in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Doc. No. 200054
 Filed for record this 26 day of February 19 70, at 8:40 o'clock am

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>8 5/8"</u>	<u>6 5/8"</u>	<u>0</u>	<u>23</u>	<u>CUT</u>	<u>20</u>	<u>23</u>
<u>5 1/2"</u>	<u>18-97</u>			<u>1/8"</u>		



SE 1/4 NE 1/4 Sec. 14 T35 R19E
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom. OK
735. R19E
R11

Static Water Level for non-flowing Well..... 15 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 4 feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested BAILER Length of Test 4 HR

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) DRIVE SHAOE

END OF PIPE GROUTED 16'
WITH TYPE I CEMENT. PIPE EXT
END 1' ABOVE GROUND

MONT 188
 Driller's License Number
Ray Lenger
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.
 Please answer all questions. If not applicable, so state, otherwise the form will be returned.
 Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

200054

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 26th day of Feb. A. D. 1957 at 8:40 o'clock A.M.

Thelma Shaw
COUNTY RECORDER

By Jessie Bishop Deputy
Fee Exempt

Rock - 200054

AVATE DWAZ

MAY 15 1957

STAD

FILED BANK

RECORDED

INDEXED

RECORDED

INDEXED

X

FILED

File No. 186539

T. 38 R. 19E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964
STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1959

Owner John C. & Merrill Miller Address Absarokee

Contractor (if any) Vic Gltrogge - dozer work

Address of Contractor Absarokee

Date Started 1959 & 1960 Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Reservoirs in Sec 15 Reservoir 2nd

* in Sec 15 piped to tank

Sec 28 = piped to 2 tanks = balance natural

flowing springs

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use

556 All conservation does not have record of quantity

XX developed tanks are 150 gal and they are kept filled

Good lively free flowing springs

Signature of Owner Miller

Date Feb 30, 1963


This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.


- Sec 9: SW $\frac{1}{4}$ SW $\frac{1}{4}$
- Sec 16: NE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$
- Sec 15: SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$
- Sec 22: W $\frac{1}{2}$ SW $\frac{1}{4}$
- Sec 28: SE $\frac{1}{4}$ NW $\frac{1}{4}$



1/4 Sec. T. R.

Indicate point of appropriation and place of use, if possible.

2 Jork
1460



186599

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and index in the office
on the 30th day of December
A. D. 1963, at 1:48 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

GW3

186090

File No.....

T. 35 R. 19E

DUPLICATE

County Stillwater

SW

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 19 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1948


Owner William V. Guthrie Address Absarokee

Contractor (if any) None

Address of Contractor None

Date Started 1948 Date Completed 1948

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring dug out and box installed. Pipe leads from box to wooden trough.



NW 1/4 SW Sec. 17 T. 35 R. 19E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-

tent estimate approximate lengths of periods of use

water runs year around into trough

Trough for approximately 100 head of cattle

Signature of Owner William V. Guthrie

Date November 18th, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

186090

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 18th day of November A. D. 1953, at 10:30 o'clock A. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

1860 7/17

GW 3

File No. 186084

T. 35 R. 19E

County Stillwater

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 19 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1960


Owner William V. Guthrie Address Absarokee, Mont.

Contractor (if any) none

Address of Contractor

Date Started 1960 Date Completed 1960

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring dug out and heavy wooden box installed. 150 feet of pipe laid in trench leading to stock water tank.



NE 1/4 SW Sec. 17, T. 35, R. 19E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

Quantity - enough water for 200-300 head of cattle
Runs year around in tank.

Signature of Owner William V. Guthrie

Date November 18th, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

7260

186084

STATE OF MONTANA }
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office

on the 18th day of Nov

A. D. 1903, at 10:00 o'clock 17 M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

GW3

186087

File No.....

T. 35 R. 19E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 19 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1960


Owner William V. Guthrie Address Absarokee

Contractor (if any) None

Address of Contractor

Date Started 1960 Date Completed 1960

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring cleaned out and 35 ft of 2" pipe leading to stock water tank laid on 30 cubic yards of gravel.



NW 1/4 NW Sec. 17 T. 35 R. 19E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
Runs in tank year around - waters approximately 150 head of cattle.

Signature of Owner *William V. Guthrie*

Date November 18th, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

G.W-3

186087

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 18th day of Nov A. D. 1943, at 10:15 o'clock P.M.

Gertrude N. Calhoun
COUNTY RECORDER

By _____ Deputy

186088

GW 3

File No. 186088

DUPLICATE

SW

T. 35 R. 19

County Stillwater

18

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
NOV 19 1963

Notice of Completion of Groundwater Appropriation Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1960


Owner William V. Guthrie Address Absarokee

Contractor (if any) None

Address of Contractor

Date Started 0 Date Completed 1960

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring cleaned out and dam made with dozer.



SE 1/4 NE Sec. 18 35 T. 19 R. 19

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

Water runs year around into dam - quantity enough for approximately 150 head of cattle

Signature of Owner William V. Guthrie

Date Nov. 18th, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

7264

186088

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 18th day of Nov
A. D. 1963 at 10:20 o'clock A. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 186609

T. 25 R. 19
3S 19

DUPLICATE

County Stillwater
JAN 8 1964

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Sec 18 2a - 19E -- 1936

Owner Walter J. Brown Address Columbus

Contractor (if any) ---

Address of Contractor -----

Date Started ----- Date Completed -----

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Sec 18 - Natural spring

All natural springs - Sec 35 not as good as others

Developed spring in Sec 10 3S 19 - piped to tanks & rocked

up

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use -----


Sec 18 - Strong, live spring

Developed spring in Sec 10 - Extra good spring

will provide for about 50 head of cattle

Signature of Owner Walter J. Brown

Date Dec 31st, 1963



1/4 Sec. ----- T. ----- R. -----
Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Yw-3

186699

TERESA MONTANA ss.
COUNTY CLERK

By the undersigned by the above instru-
ment was filed in his office

on the 31st of December
A. D. 1963, at 10:13 o'clock A.M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

GW 3

File No. 186247

T 3 S R 19 E

DUPLICATE

County Stillwater

SW

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 3 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1924

Owner Isabel Guthrie Address Absarokee

Contractor (if any) None


Address of Contractor None

Date Started 1924 Date Completed 1962-Repaired

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Concrete house built over spring.

Water piped to farm house and to 2 stock water tanks.

Irrigates about 2 acres including garden.



SW $\frac{1}{4}$ NE Sec. 19. T 3S. R 19E

Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

Used year around in house and tanks. Irrigates

about 2 acres in summer.

Signature of Owner Isabel Guthrie

Date November 13, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

1762

186247

STATE OF MONTANA)
COUNTY OF STILLWATER)

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 2nd day of December
A. D. 1923, at 1:35 o'clock P. M.

Gertrude H. Colhoun
COUNTY RECORDER

By _____ Deputy

File No. 201996

T. 35 R. 19E

DUPLICATE

County Stillwater

LOG

FEB 28 1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Top of Ground
(Elev. above sea level.....)

0-8 TOP Soil

8-22 Gravel + Sand

water

22-37 Gravel + Sand

37-40 Clay shale

Owner David Thor Address Calumet, Mont.

Driller B + H Drilling Address Freshwater, Mont.

Date of Notice of appropriation of groundwater.....

Date well started 7/25/70 Date completed 7/27/70


Type of well Drilled Equipment used Churndrill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, rock of sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6 inch</u>	<u>6 5/8</u> <u>18.97</u>	<u>1+</u>	<u>38</u>	<u>Teach</u> <u>Cuts</u> <u>1/4-6</u>	<u>31</u>	<u>37</u>

Doc. No. 201996
Filed for record
this 19 day of February
A. D. 19 71 at 8:20
o'clock A. M.



Static Water Level for non-flowing well
..... 6 feet.
Shut-in Pressure for Flowing Well.....
Pumping Water Level 25 feet
at 30 gal. per minute.
Discharge in gal. per min. of flowing well.....
How Tested Bailer
Length of Test 7 hrs
Remarks: (Gravel packing, cementing, packers, type of shutoff).....

NW 1/4 Sec. 23 T. 35 R. 19E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

40 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

NO 27
Driller's License Number

Paul J. Hugueny
Driller's Signature

48158

201996

5013000

GW-2

NAME, Sec. 23
38 19E

David Thor

COUNTY OF MONTANA
COUNTY OF BILLWATER

I hereby certify that the above instrument was filed and indexed in this office

on the 19th day of February
A. D. 1971, at 8:40 clock AM.

By

Jessie K. [Signature]

Fee \$2.00

3/11 25

1971

Handwritten notes:
 2-19-71
 38 19E
 5013000
 David Thor
 1971
 8:40 AM
 Fee \$2.00
 3/11 25
 1971
 38 19E + 19.21
 5013000

GW3

File No. 186400

T. 35 R. 19E

23/26

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 13 1963

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1945


Owner Ernest Peter Address Columbus, Mont

Contractor (if any) None

Address of Contractor --

Date Started -- Date Completed --

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.



#1-free flowing without improvements used for stock water

#2-free flowing spring piped into tank for stock

#3-free flowing spring for stock water

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-

- 1 SE 1/4 SE Sec 23 T 35 R 19E
- 2 NW 1/4 NE 1/4 Sec 26 - 35 19E
- 3 SE 1/4 NE 1/4 Sec 26 - 35 19E

Indicate point of appropriation and place of use, if possible.

tent estimate approximate lengths of periods of use

Used the year around

Signature of Owner

Ernest Peter

Date

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

186400

STATE OF MONTANA } ss.
COUNTY OF STEELWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 12 day of December
A. D. 1963, at 3:25 o'clock P. M.

Gertrude H. Colburn
COUNTY RECORDER

By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 106401 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 3, Rge 10E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 13 1963

1. Ernest Peter, of Columbus, Montana STATE ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 26	Sec. 26	Sec. 26	Sec.	Sec.	Sec.
	x	x	x			
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Stock & garden	House lawn	stock			
3. Approx date of Use How continuous?	1949 continuous	1943 continuous	1943 continuous			
4. Amount claimed in miner's inches or gallons per min.	unlimited	10 gal	10 gal			
5. Acres irrigated Description	garden	lawn				
6. Location of Well	Ernie Peter	E. Peter	Peter			
Means of With-drawal	pressure pump	pressure pump	hand pump			
7. Date-Commencement Date-Completion	Sept 1949 Sept 1949	prior to 1943 —	prior to 1943 —			
8. Depth of water table	57'	12'	10'			
9. Type, size, depth or specifications of works	Drilled 7 1/2" casing	drilled deep	Dug 15' 1/2" pipe			
10. Estimated amount withdrawn annually	150,000	50,000	100,000			
11. Log, if available	1-2ft top soil 2-25 sand rock 25-38 shale 38-45 hard rock 45-71 sand rock	NA	NA			
12. Other information	Driller LeRoy Johnson	NA	NA			

941 Cook Ave
Billings, Mont

Signature of owner Ernest Peter

Date December 12, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

9008

186401

STATE OF MONTANA) ss.
COUNTY OF STILLWATER)

I hereby certify that the above instrument was filed and indexed in this office on the 12th day of December A. D. 1933, at 2:30 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 199963

FEB 11 1970

T. 35 R. 19 E. Q. 8

DUPLICATE

County Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground 0-3 Top Soil

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

3-15 Big Rock of Yellow
water
15-27 Gravel + Sand
Top 5 feet

Owner William Hawthorn Address Columbus, Mont

Driller B & H Drilling Address Fidelity, Mont

Date of Notice of appropriation of groundwater.....

Date well started 1-9-70 Date completed 1-12-70


Type of well Drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8 18.97	18 1/4	27	NONE		

Doc. No. 199963
Filed for record
this 10 day of February
A. D. 1970, at 10:20
o'clock A.M.



Static Water Level for non-flowing well 10 feet.
Shut-in Pressure for Flowing Well.....
Pumping Water Level 15 feet
at 20 gal. per minute.
Discharge in gal. per min. of flowing well.....
How Tested Bailey
Length of Test 2 hrs
Remarks: (Gravel packing, cementing, packers, type of shutoff) water was taken out of gravel because of sulphur in this area.

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)
USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.
27 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No 27
Driller's License Number
Red L Hangan
Driller's Signature.
46154

199963

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 10th day of Feb A. D. 1957, at 10:20 o'clock A. M.

Thelma Shaw
COUNTY RECORDER

By Jesse Bishop Deputy

Feb 20

32
M.F.

[Handwritten notes and stamps, including "RECORDED", "INDEXED", and "FILED" with dates and times.]

STILLWATER COUNTY
STATE OF MONTANA

File No. 185709 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 3S, Rge 19E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 8 1964

1. John Asm and Florence E. Asm, of Columbus, Montana ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 29	Sec.	Sec.	Sec.	Sec.	Sec.
W E L L S	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Domestic					
3. Approx date of Use How continuous?	1957 continuous					
4. Amount claimed in miner's inches or gallons per min.	20 gals per min					
5. Acres irrigated Description	None as above					
Name of Owner						
6. Location of Well Means of With-drawal	SW1/4 Hand pump					
7. Date-Commencement Date-Completion						
8. Depth of water table	8 ft					
9. Type, size, depth or specifications of works	dug well shallow					
10. Estimated amount withdrawn annually	25,000					
11. Log, if available	NA					
12. Other information	None					

Signature of owner Florence E. Asm

Date Dec 31, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

186709

HW-4

LOUISIANA } ss.
COUNTY OF TERREBOUT

I certify that the above instru-
ment was filed in my office

on the 31st December
A. D. 1963 at 10:37 o'clock a. M.

Artrude H. Caspary
COUNTY RECORDER

By _____ Deputy

File No. 196081

T. 36 R. 19k

DUPLICATE

1968

County Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground 0-3 TOP Soil

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

3-11 Clay

11-18 Gravel + Big Rocks

18-30 Sand + Gravel

30-31 Yellow Clay

31-33 1/2 Gravel (water)

Owner: Floyd Hefford Address: Absarokee, Mont.

Driller: B & H Drilling Address: Fishtail, Mont.

Date of Notice of appropriation of groundwater.....

Date well started: 2/29/68 Date completed: 3/4/68

STATE OF MONTANA ss.
COUNTY OF STILLWATER

Type of well: Drilled Equipment used: Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

I hereby certify that the above instrument was filed and indexed in this office

Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

on the 7th day of March


A. D. 1968, at 2:15 o'clock P.M.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

J. Helena Shaw
COUNTY RECORDER

By..... Deputy

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8 Seamless 280	1+	33 1/2	NONE		



Static Water Level for non-flowing well 14 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 25 feet
at..... 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested..... 13'iler

Length of Test..... 2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff)..... Took water out of gravel with open end pipe. The water in the Sandstone has Sulphur.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

33 1/2 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

14027
Driller's License Number

Paul L. Hanganey
Driller's Signature.

43,892

STILLWATER COUNTY
STATE OF MONTANA

File No. 186120 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 35, Rge 19 E
29

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 16 1963

1. Floyd Hafford, of Absarokee STATE ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

300 4pc 13 E Twp 35 Rge 19 E Twp 35 Rge 19 E
Sec. 36 Sec. 29 Sec. 29 Sec. Sec. Sec.

WELLS	+					
	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Domestic & Stock	Domestic & Stock	Domestic & Stock		Domestic & Stock	
3. Approx date of Use How continuous?	Prior to Purchase 1945 continuous		Prior to 1936 continuous		Prior to 1939 continuous	
4. Amount withdrawn in miner's inches or gallons per min.	10 gallons per min		10 gal per minute		10 gal per minute	
5. Acres irrigated Description Name of Owner	as above		as above		as above	
6. Location of Well Means of Withdrawal	Lot 4 (S14)		Lot 4 (S14)		Lot 4 (S14)	
7. Date-Commencement Date-Completion	unknown		unknown		unknown	
8. Depth of water table	10 ft		10 ft		10 ft	
9. Type, size, depth or specifications of works	dug well rocked up 6' diam 10' deep		dug well rocked up 6' diam 10' deep		dug well rocked up 6' diam 10' deep	
10. Estimated amount withdrawn annually	100,000		50,000		100,000	
11. Log, if available	NA		NA		NA	
12. Other information	None		None		None	

Signature of owner Floyd Hafford
Date December 13th. 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

9463

GW:

File No. 186419

T. 3 S. R. 19

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 16 1963

Notice of Completion of Groundwater Appropriation Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1936

Owner Floyd Hufford Address Absarokee

Contractor (if any) none

Address of Contractor

Date Started Date Completed


Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

Natural flowing spring

There are several natural flowing springs over my land as shown on plat which I hereby claim

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

good flowing spring which flows year around



Sw 1/4 SW Sec 29 T3N R. 19

Indicate point of appropriation and place of use, if possible.

Signature of Owner Floyd Hufford

Date December 13th, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

9460

GW3

29

File No. 186413

T. 32 N. R. 19 W.

DUPLICATE

County Hillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 16 1963

Notice of Completion of Groundwater Appropriation Without Well STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1936


Owner Floyd Hufford Address Absarokee

Contractor (if any) none

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.



Natural flowing spring

There are several natural flowing springs over my land as shown on plat which I hereby claim

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

good flowing spring which flows year around

SW 1/4 SW Sec 29 T32 R19

Indicate point of appropriation and place of use, if possible.

Signature of Owner Floyd Hufford

Date December 13th 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

9460

183419

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 13th day of December A. D. 1956, at 2:00 o'clock P.M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—39085

File No. 187815

T. 3 S. R. 19 E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JUN 8 1964
STATE ENGINEER

Top of Ground 0-4 TOPSail-

(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Rocks & Gravel 4-18
18'-9" Hard Brown shale
39-36 Grey Sandstone

Owner: John Miller Address: Absarokee, Mont.

Driller: B & H Drilling Address: Fichtel, Mont.

Date of Notice of Appropriation of Groundwater.....


Date well started 3/17/64 Date Completed 3/18/64

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic Municipal Other Irrigation
Industrial Drainage Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 inch 18.97	1+	20	none		



SE 1/4 Sec. 30 T. 3 S. R. 19 E.

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

36 ft

Static Water Level for non-flowing Well 11 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 30 feet at 40 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Bailer Length of Test 2 hrs -

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

NO 27

Driller's License Number

Red L. Haugan
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

38160

187815

STATE OF MONTANA) ss.
COUNTY OF STILLWATER)

I hereby certify that the above instrument was filed and indexed in this office

on the 5th day of June

A. D. 1956, at 4:20 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By Jessie Bishop Deputy

File No. 181967

T. 38 R. 19E

DUPLICATE


County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
FEB 13 1962

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER

1. The Montana Power Company, of 40 East Broadway Butte
(Name of Appropriator) (Address) (Town)
County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows.



Size 1/4 SW 1/4 Sec. 30 T. 38 R. 19E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Domestic consumption
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Feb. 1951 - continuous use
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) Approximately 5 gallons per minute - 24 hours per day
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Jun. 12, 1951
- 8. The depth of water table 12' 6" from surface to water level. Sulphur water was found at 97', so well was filled to 40' deep with plenty of good water
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled well - 43' of 6" casing
- 10. The estimated amount of groundwater withdrawn each year 500,000 per year
- 11. The log of formations encountered in the drilling of each well if available

0' to 14' - dirt	33' to 39' - grey shale
14' to 33' - boulders + gravel	39' to 52' - grey sandy shale
	52' to 97' - white sand stone
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

(CORPORATE SEAL)
ATTEST:
[Signature]
Its Secretary

Signature of Owner By [Signature]
Vice President
Date February 1, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

... a time amount of \$1000.00 ...

... of the ...

... of the ...

... of the ...

STATE OF MONTANA
COUNTY OF SHELBY
I hereby certify that the above instru-
ment was filed and indexed in this office
on the 2nd day of April
A. D. 1912, at 9:10 o'clock A. M.
Gertrude H. Calhoun
COUNTY RECORDER
Deputy

181007

REC'D
APR 2 1912

File No. 181966

R. 19E

DUPLICATE

County Stillwater


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1931)

RECEIVED
FEB 13 1962
STATE ENGINEER

1. The Montana Power Company, of 40 East Broadway, Butte
(Name of Appropriator) (Address) (Town)

County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



8 1/2 SE 1/4 SW 1/4 Sec. 30, T. 3S, R. 19E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Industrial

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Jan. 27, 1951

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gallons per minute - 24 hours per day

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Completed October 7, 1950

8. The depth of water table 16' from surface to water level

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drilled well - 31' 8" casing - 12" casing Well total depth 38' 2"

10. The estimated amount of groundwater withdrawn each year 7,924,800 gallons

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

(CORPORATE SEAL)

ATTEST: [Signature] Its Secretary

THE MONTANA POWER COMPANY

Signature of Owner By [Signature] Vice President Date February 1, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

1967 APR 02 10 30 AM

18196B

18196B

18196B

18196B

18196B

18196B

18196B

18196B

STATE OF MONTANA ss.
COUNTY OF TILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 2nd day of April
A. D. 1967, at 9:05 o'clock A. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

18196B

18196B

18196B

18196B

18196B

18196B

File No. 181965

T. 38 R. 19E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
APR 13 1962

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. The Montana Power Company, of 40 East Broadway Butte
(Name of Appropriator) (Address) (Town)
County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



size 1/4 SW 1/4 Sec. 30, T. 38 R. 19E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based Industrial
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Jan. 27, 1951
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) Approximately 20 gallons per minute
24 hours per day
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Completed Sept. 21, 1950
- 8. The depth of water table 16' from surface to water level
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drilled well - 30' 8" of casing - 12" casing
Well total depth 41' 4"
- 10. The estimated amount of groundwater withdrawn each year 7,924,800 gallons
- 11. The log of formations encountered in the drilling of each well if available
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

(CORPORATE SEAL)

ATTEST:

[Signature]

Its Secretary

THE MONTANA POWER COMPANY

Signature of Owner

[Signature]

Vice President

Date February 1, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

181965

STATE OF MONTANA } ss.
COUNTY OF BILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 22 day of April
A. D. 1962, at 9:00 o'clock A. M.

Gertrude H. Calhoun
COUNTY RECORDER

By Deputy

GW 2
Vile No. 207652

T. 35 R. 19E
County Stillwater 30

DUPLICATE

RECEIVED

LC4

JUL 18 1973

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. above sea level)

1
30

DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 227, Montana Session Laws, 1961)

Owner: **Elizabeth/ Thompson** **Absarokee, Mont.**

Address: _____

Driller: **Leslie Thorpson** **Gama**

Address: _____

Date of Notice of appropriation of groundwater: **4/20/68**

Date well started: _____ Date completed: **4/11/68**

Type of well: **Dgg** Equipment used: **Backhoe**
(Dug, driven, bored or drilled) (Churn drill, rotary or other)


Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

JUN 29 1973

By: **Thelma Shaw** 5:45 PM
COUNTY RECORDER PA 2⁰⁰

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2ft	2 ft	1-30	feet	None		



Static Water Level for flowing well: **no info**

Shut-in Pressure for Flowing **77** feet

Pumping **60** Water Level: _____ feet
at _____ gal. per minute.

Discharge in gal. per min. of flowing well: **100**

How Tested: **Bailer**

Length of Test: **2 hours**

207652
June 29, 1973
5:45 pm

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

USE -if used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data. (i.e.: Lot, Block and Addition).

None

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Driller's License Number _____

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's Signature _____

56168

207652

Office of Clerk & Recorder
STILLWATER COUNTY, OREGON
I hereby certify that the above instru-
ment was filed and recorded in this office
ON THE _____ DAY OF June 29, 1923
A. D. 19____ AT _____ O'CL CK 5:45 PM
BY: William S. [Signature] COUNTY RECORDER
DEPUTY

GW 2

196531

File No.

DUPLICATE

MONTANA WATER RESOURCES BOARD

Approved Stock Form—State Publishing Co., Helena, Montana—42325

RECEIVED

T. 3S R. 19E

County Stillwater

JUN 11 1968

LOG

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Top of Ground

0-1 Topsoil

(Elev. above sea level)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

1-18 Sand & Big Rocks

18-25 Sand & Gravel

25-26 Grey Shale

Owner: Irma Barron & Thomas Barron

Address: Absarokee, Mont

Driller: B & H Drilling

Address: Fish Lake, Mont

Date of Notice of appropriation of groundwater

Date well started: 4/29/68

Date completed: 4/30/68

STATE OF MONTANA vs. COUNTY OF STILLWATER

Type of well: Drilled

Equipment used: Churn drill

I hereby certify that the above instrument was filed and indexed in this office on the 21st day of May, A. D. 1968, at 4:30 o'clock P.M.

Water use: Domestic [checked] Municipal [] Stock [] Irrigation [] Industrial [] Drainage [] Other []


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Sheema S. Shaw COUNTY RECORDER

By Deputy

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)). Handwritten entries: 6 inch, 65/8, 14, 25, NONE.



Static Water Level for non-flowing well 9 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 15 feet

at 25 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested: Bailer

Length of Test: 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Lot 6 Soil 13S 19E. Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Water taken at the top of shale because of sulphur in this area. (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

25 ft

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

NO 27 Driller's Licen. Number

Red L. Hargy Driller's Signature

4/4/98

STILLWATER COUNTY
STATE OF MONTANA

File No. 186564 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 3, Rge 17 E
35 19 31
R RECEIVED **D**
DEC 30 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Irma Barron & Thomas L. Barron, of Absarokee, Montana STATE ENGINEER,

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

T 3S-19E T3S-17E T3S 17E T3S 17E
Sec. 31 Sec. 12 Sec. 35 Sec. 10 Sec. Sec.

WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
	2. Basis of Beneficial Use	Domestic & stock water	Stock water	Domestic & stock water	Stock water	
3. Approx date of Use How continuous?	1958 continuous	1919 use continuous	1915 use continuous	1953 cont.		
4. Amount claimed in miner's inches or gallons per min.	250 gal per min	100 gal per min	300 gal per min	100 gal per min		
5. Acres irrigated Description Name of Owner	none lawn only Same	none Same	none garden Same	none Same		
6. Location of Well Means of With-drawal	NW $\frac{1}{2}$ NW $\frac{1}{2}$ Pump	NE $\frac{1}{2}$ SW $\frac{1}{2}$ Pump	NE $\frac{1}{2}$ NE $\frac{1}{2}$ Pump	SW $\frac{1}{2}$ NE $\frac{1}{2}$ Flowing		
7. Date-Commencement Date-Completion	1958 Same	1919 same	1915 same	1953 same		
8. Depth of water table	25 ft	40	30	35		
9. Type, size, depth or specifications of works	4 inch	4 inch	dug well 4 $\frac{1}{2}$ ac.	15 inch		
10. Estimated amount withdrawn annually	500,000	150,000	700,000	25,000		
11. Log, if available	None	none	none	none		
12. Other information	none	none	none	none		

Signature of owner Irma Barron
Thomas L. Barron

Date December 23, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

207315

Office of Clerk & Recorder
STILLWATER COUNTY, MONTANA

I hereby certify that the above instru-
ment was filed & indexed in this office

ON THE 8th DAY OF June
A.D. 1973 AT 3:20 O'CLOCK P.M.

[Signature] COUNTY RECORDER
BY [Signature] DEPUTY

Fee \$ 2.⁰⁰