

193027

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 12th day of July

A. D. 1966, at 9:10 o'clock a M.

Gertrude H. Callahan
COUNTY RECORDER

By _____ Deputy

RECEIVED
OCT 7 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

T. _____ R. _____
County Stillwater

WATER WELL LOG

Owner Jim Annin Address Columbus, Mont.

Driller B. and H. Drilling Address Fishtail, Mont.

Date Started 9/26 Date Completed 10/3/58

Location: Sec. NW 10 T. 3S R. 21E $\frac{1}{4}$ sec. _____

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 29 ft. Type Black Dress Size 6" D. D.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations 11 feet

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 15 feet at 25 gal. per min.

How tested: Baler

Length of test One Hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Log of Well

[illegible]

GW 2

186153

Approved Stock Form—State Publishing Co., Helena, Montana—3931.

File No.

T. 38 R. 21 E

DUPLICATE

County StillwaterSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER NOV 20 1963

Top of Ground

(Elev. above sea level.....)

3' soil
4' gravel
16' sand
6' coarseNotice of Completion of ~~Groundwater~~ **Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)


Owner Al Landers Address Park City, MontDriller Clyde E. McNeahan Address Land, Mont

Date of Notice of Appropriation of Groundwater.....

Date well started July 20 Date Completed July 26, 1963Type of well drilled Equipment Used Case Tool
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" S.D. 20 lb.	0	32'	cut 4x2 1/2"	28	31'6"



NE 1/4 NW Sec. 11 T. 38 R. 21 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

32'

Show exact depth of bottom.

Static Water Level for non-flowing Well 13 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 17 feet at 32 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Running Length of Test 30 min

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

36
Driller's License NumberClyde E. McNeahan
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

3625

186152

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 26th day of November
A. D. 1913, at 11:20 o'clock A.M.

Helene H. Alham
COUNTY RECORDER

By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 185608

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
SEP 23 1963

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Al Coderys, of Columbus, Montana,

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 11	Sec.	Sec.	Sec.	Sec.	Sec.
	1 x x					
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Not in use	Domestic				
3. Approx date of Use	1940	1930				
How continuous?	Not used	continuous				
4. Amount claimed in miner's inches or gallons per min.	1000 per min in summer but not much in either	1000 gal in winter				
5. Acres irrigated	none	1.00				
Description						
Name of Owner						
6. Location of Well	NE 1/4 Sec 11	NE 1/4 Sec 11				
Means of Withdrawal	none	elec pump				
7. Date-Commencement						
Date-Completion	1935	1930				
8. Depth of water table	10' summer 25' winter	10' to 10' 25' winter				
9. Type, size, depth or specifications of works	drilled none	ug				
10. Estimated amount withdrawn annually	none	73,000				
11. Log, if available	not available					
12. Other information						

Signature of owner Al Coderys
Date _____

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

6010

STILLWATER COUNTY
STATE OF MONTANA

File No. 185608

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
SEP 23 1963

STATE ENGINEER

1. Al Codenys, of Columbus, Montana,
County of Stillwater, State of Montana, have appropriated groundwater according to the
Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 11	Sec.	Sec.	Sec.	Sec.	Sec.
	1 x x					
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Not in use	Domestic				
3. Approx date of Use	1940	1930				
How continuous?	Not used	continuous				
4. Amount claimed in miner's inches or gallons per min.	1000 per min in summer in either	1000 gal but not much in winter				
5. Acres irrigated	none	lawn				
Description						
Name of Owner						
6. Location of Well	NE 1/4 Sec 11	NE 1/4 Sec 11				
Means of Withdrawal	none	Elec pump				
7. Date-Commencement						
Date-Completion	1935	1930				
8. Depth of water table	10' summer 25' winter	8' to 10' 25' winter				
9. Type, size, depth of specifications of works	Drilled none	Aug				
10. Estimated amount withdrawn annually	none	73,000				
11. Log, if available	Not available					
12. Other information						

Signature of owner Al Codenys

Date _____

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

6010

185608

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 20th day of September
A. D. 1953, at 1:20 o'clock P.M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 184730

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Two 39, Rge 21 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Wesley Thatcher, of Route #1, Park City, Montana

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 12	Sec. 12	Sec.	Sec.	Sec.	Sec.
	x	x				
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	House	Stock water				
3. Approx date of Use	10 yrs	10 yrs				
How continuous?	Continuously	Winter 6 months				
4. Amount claimed in miner's inches or gallons per min.	40 gals	40 gals				
5. Acres irrigated	none	none				
Description						
Name of Owner	Sandquist & Thatcher	Sandquist & Thatcher				
6. Location of Well	Electric Pump	Hand Pump				
Means of Withdrawal	SW $\frac{1}{4}$ NE $\frac{1}{4}$	SW $\frac{1}{4}$ NE $\frac{1}{4}$				
7. Date-Commencement	unknown	1959				
Date-Completion	at least 20 years	1959				
8. Depth of water table	20 ft	10 ft				
9. Type, size, depth or specifications of works	drilled 6" pipe	dug 16" culvert				
10. Estimated amount withdrawn annually	30,000 gals	50,000 gals				
11. Log, if available						
12. Other information						

Signature of owner Thoyl R. Sandquist

Date April 24th, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

184730

STATE OF MONTANA
COUNTY OF TELLER

I hereby certify that the ^{original of} ~~document~~ ^{document} was filed and indexed in this office
on the 30th day of April
A. D. 1963, at 8:20 o'clock A. M.

Gertrude M. Calhoun
COUNTY CLERK

By _____ Deputy

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner ..Woodson W. Wilson

Address

Columbus, Mont.

Date well started1/23/71.

completed 1/25/73

Type of well *Drilled*

(Dug, driven, bored or drilled)

Equipment used *Churn Drill*

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe Well is for new home

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). on ranch

ESTIMATED ANNUAL WITHDRAWAL 300000

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8 17.02 4 1/2 Plastic	+ 2	59	none		
	200#	7-	87	3/16 Holes	70	82

A 3x3 grid with a solid border and dashed internal lines. The top edge is labeled 'N', the bottom edge 'S', the left edge 'W', and the right edge 'E'. The top-left cell contains the letter 'X'.

Static water level35.....ft.*
Pumping water level50.....ft.*
at40.....gallons per minute,
measured45.....minutes after pumping
began.

*Measured from ground level.
Well developed by Bailer
for 2 hours.

Power..... Pump..... HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

ne 1/4 NW 1/4 Sec. 12
T. 35 N R. 21 E E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Red L. Hansen

Driller's Address Fishtail, Mont.

LICENSE NO. **27**

County SULLY**DRILLER'S LOG**

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

87 Show exact depth of bottom

525-44

510012

RECEIVED BY CLERK & RECORDER
SILWATER COUNTY, MONTANA
MAR 2 1973

RECEIVED BY CLERK & RECORDER
SILWATER COUNTY, MONTANA
MAR 2 1973

Office of Clerk & Recorder
Silwater County, Montana
I hereby certify that the above Instru-
ment was filed & indexed in this office
on the 2 day of MAR 2 1973
AD 1973, at 1:35 PM
Thelma Shaw
COUNTY RECORDER
By 200 DEPUTY

File No. **196083**

DUPLICATE

T. _____ R. _____
County Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

0-31 Sandy Soil

Owner W. W. Wilson Address Columbus, MontDriller B & H Drilling Address 712 East, Mont

Date of Notice of appropriation of groundwater.....

Date well started 11/24/68 Date completed 11/31/6831-54 Sand + Gravel
54-56 Brown ShaleType of well Drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-


ment was filed and indexed in this office

on the 7th day of MarchA. D. 1968, at 3:05 o'clock P.M.D. Helena Shaw

COUNTY CLERK

By _____ Deputy

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8	1+	54	Tech Cuts 1/2 x 6	48	53
2.80	wall					

Static Water Level for non-flowing well 33 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 40 feetat 30 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested BailerLength of Test 1 1/2 hrs

Remarks: (Gravel packing, cementing, pack-

ers, type of shutoff).....

NW 1/4 NE Sec. 12, T. 2 S. R. 21 E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

56 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

No 27
Red L Hagan

Driller's Signature.

43,891

File No. **207573**

SWNW Sec. 17 T. 3S R. 21E

TRIPLICATE

County **Stillwater**

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner **W. L. Colgrove et al** Address **Columbus, Montana**Driller **---** Address **---**Date of Notice of appropriation of groundwater **6-29-73**Date well started **Unknown** Date completed **Unknown**Type of well **Dug** Equipment used **Unknown**
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that this instrument was filed & indexed in this office


on the 29 day of **JUN 1973**AD 19 73, at 1:15 PM o'clock

COUNTY RECORDER

By

DEPUTY

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)



Two wells

SW 1/4 NW Sec. 17 T. 3S R. 21E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 20 feet.Shut-in Pressure for Flowing Well ---Pumping Water Level 15 feetat Untested gal. per minute.Discharge in gal. per min. of flowing well ---How Tested UntestedLength of Test ---Remarks: (Gravel packing, cementing, packers, type of shutoff) ---#1 - Rocked#2 - Cased

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Depth

#1 Approx. 20'

#2 Approx. 40'

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

54485

RECEIVED

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

			X

Owner Klaid Skibstad Address Columbus, Mont.
Driller B & H Drilling Address Fishtail, Mont
Date Started 8/15/60 Date Completed 8/17/60
Location: Sec. 18 T. 3S R. 21E $\frac{1}{4}$ sec. SE $\frac{1}{4}$

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 10 $\frac{1}{2}$ ft. Type Black Size 6 in.

Casing: 0 ft. to 54 ft. Type Galv liner Size 5 in.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 18 to ft. 27 Ft. 45 to ft. 48

Type of screen or perforations: _____

Static Water level, for non-flowing well: 18 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 45 feet at 9 gal. per min.

How tested: Bailer

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

[illegible][illegible]

GW

File No. 186340

DUPLICATE

T. 36 R. 21 East

County Stillwater


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 10 1963

STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. W. R. Peterson, Chester W. Peterson, of Columbus, (Name of Appropriator) (Address) (Town)
County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 14, 28, T. 36, R. 21 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based
stock water

3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1940 used when needed

4. The amount of groundwater claimed (in miner's inches or gallons per minute)
20 gal

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
no

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
pump jack

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
1940

8. The depth of water table
25'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
20 feet deep 6 inch iron casing

10. The estimated amount of groundwater withdrawn each year
35,000

11. The log of formations encountered in the drilling of each well if available
none available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
none

W. R. Peterson
Signature of Owner by Chester W. Peterson

Date December 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2393

GW

File No. 186340

DUPLICATE

T. 3S. R. 21. East

County Stillwater


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 10 1963

STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. W. R. Peterson & Chester W. Peterson, of Columbus
(Name of Appropriator) (Address) (Town)
County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NW Sec. 28, T. 3S. R. 21 E.

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1940 used when needed
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 20 gal
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof no
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump jack
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1940
8. The depth of water table 25'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 80 feet deep 6" galv. iron casing
10. The estimated amount of groundwater withdrawn each year 35,000
11. The log of formations encountered in the drilling of each well if available none available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

W. R. Peterson
Signature of Owner Chester W. Peterson

Date December 9, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

8393

186340

W.R. + Chester Peterson

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office on the 9th day of December A. D. 1963, at 3:15 o'clock P.M.

Gertrude N. Calhoun
COUNTY RECORDER

By _____ Deputy

Form No. 18
8-60

T. 3S R. 21 E
County Stillwater.

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 25 1961

WATER WELL LOG

STATE ENGINEER

Owner H. A. Lemming Address Columbus, Mont
Driller B & H Drilling Address Fishtail, Mont
Date Started 6/16/61 Date Completed 6/19/61
Location: Sec. 29 T. 3S R. 21 E $\frac{1}{4}$ sec. NE $\frac{1}{4}$ S 29

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 1 ft. to 27 ft. Type Black Size 6 in

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 40 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 80 feet at 8 gal. per min.

How tested: Baler & pump

Length of test one hour each

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

Form No. 18
8-60

T. 3S R. 21E
County _____

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE WATER CONSERVATION BOARD
RECEIVED
NOV 20 1961

WATER WELL LOG

REFERRED TO: _____

		X

Owner Klaid Skibstad Address Columbus, Mont
Driller B & H Drilling Address Fishtail, Mont
Date Started 8/21/61 Date Completed 8/13/61
Location: Sec. 30 T. 3S R. 21E $\frac{1}{4}$ sec. NE

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 2 ft. to 16 ft. Type Black Size 6 in

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 32 feet at 30 gal. per min. _____

How tested: Baler

Length of test one hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

Form No. 18
8-60

T. 3S R. 21E

County Stillwater

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
MAY 31 1961

WATER WELL LOG

STATE ENGINEER

Owner Klaid H. Hagedorn Address Columbus, Mont

Driller B & H Drilling Address Fishtail, Mont

Date Started 5/8/61 Date Completed 5/23/61

Location: Sec. 31 T. 3S R. 21E $\frac{1}{4}$ sec. SW

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 0 ft. to 18 1/2 ft. Type Black Size 6 in

Casing: 0 ft. to 375 ft. Type Galv Liner Size 5 in.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 30 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 330 feet at 1 1/2 gal. per min. _____

How tested: Baler

Length of test 6 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

202336

GW 3 Revised 1969
2057-1500-1/71

County STILLWATER ✓

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MAY 10 1971

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.


Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 202336
April 19, 1971
10:30 P.M.

GW 1 _____

NESE 1/4 Sec. 31T. 3S N R. 21 E
S WINDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.Elevation of spring, if known or estimated 5000'STATE OF MONTANA
COUNTY OF STILLWATERI hereby certify that the above instrument was filed for record on the 19th day of April, 1971.A. D. 10:30 P.M.Shirley

COUNTY RECORDER

Shirley DeputyFrank KaularicColumbus, Mont.

Contractor (if any) _____

Address of Contractor _____

Date Started _____ Date Completed _____

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Developed spring

2. Means of withdrawing water (gravity, pump, canal, etc.) _____

Gravity3. Depth of water table Unknown4. Use of the water Livestock5. Amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal. per min. (Estimate)

6. If used for irrigation, give number of acres and description of land _____

7. Estimate amount of water used each year all8. Months of year spring flows all yearSignature of Owner Frank KaularicDate April, 19, 1971

38440

File No. **203729**T. **35.** R. **21 E.**

DUPLICATE

County **Stillwater**

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground

(Elev. above sea level.....)

0-12 Top Soil

12-40 Soft Brown Shale

40-62 Gray Shale

62-70 Gray Sandstone (Water)


70-74 Gray Shale

Owner **Frank Kozlarski** Address **Columbus, Mont.**Driller **B & H Drilling** Address **Fishtail, Mont.**

Date of Notice of appropriation of groundwater.....

Date well started **11/18/71** Date completed **11/19/71**STATE OF MONTANA
COUNTY OF STILLWATERType of well **Drilled** Equipment used **Rotary**
(Dug, driven, bored or drilled) (Churn drill, rotary or other)I hereby certify that the above instru-
ment was filed and indexed in this officeWater use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐on the **DEC. 6** day of **1971** Indicate on the diagram the character and thickness of the different strata
met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show
A. D. 195, at **0** o'clock depth at which water is encountered, thickness and character of water-bearing
strata and height to which the water rises in the well.

By	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
					Kind Size	From (Feet)	To (Feet)
	6 3/4	6 5/8	18 1/2	18 1/2	none		
	5 5/8	4 1/2 Plastic	2-	76	3/16 Holes	60	70

Static Water Level for non-flowing well
18 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level **60** feet
at **15** gal. per minute.

Discharge in gal. per min. of flowing well

How Tested **Bailer**Length of Test **2 hrs**Remarks: (Gravel packing, cementing, pack-
ers, type of shutoff)**Drove 6 inch into 5 5/8 hole
about 1 foot. Then cemented top.**ne 1/4 ne Sec. **33** T. **35.** R. **21 E.**
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).**Well is for stock water.**

Show exact depth of bottom.

74 ft.This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.No. **27**

Driller's License Number

Paul L. Hangan
Driller's Signature.

49615

GW
File No. 151817

DUPLICATE


GAZETTE 12965
T 38 R 21 E MPM.
County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 21, Montana Session Laws, 1965)

1. Nunziata B. + Carol D. Critelli of 209 So. 29 Street Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



14-6 Tract in SWNW 128 ac.

1/4 Sec. 1 T. 21 R. 38

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Stillwater County

2. The beneficial use on which the claim is based. openable grass & irrigate trees & small garden & house use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. May thru September 1961 - 65
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal. a minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 3/4 of an acre uses water. Owner is the same as appropriator
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. well using 3/4 h. p. Myers pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. Apr. 15, 1961
8. The depth of water table. 43 ft down is water
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. pressure tank, 3/4 h. p. motor 6" shaft
10. The estimated amount of groundwater withdrawn each year. approx 86,400 gal. a yr.
11. The log of formations encountered in the drilling of each well if available. sand stone
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. 14-6 Tract in SW-NW, 1-28 AC 4 30-21 in Stillwater Co.

Signature of Owner

Date

Nunziata B. Critelli
September 30, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40396

1918 17

STATE OF MONTANA (ss.
COUNTY OF STILLWATER)

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 31st day of December
A. D. 1965 at 10:20 o'clock A. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

GROUNDWATER INDEX

Page 1 of 1

County Stillwater

Twp. 35

Rge. 22 E

[illegible]

GV-4

File No. 188733

T3 S R22 E

DUPLICATE

County Stillwater


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 8 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Peter Yegen, Jr., of 306 N. 30th St., Billings
(Name of Appropriator) (Address) (Town)
County of YELLOWSTONE State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 5. T. 3. S. R. 22 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based house use and for livestock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been many years continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) no record kept so don't know amount needed
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pressure system
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater no records available
8. The depth of water table don't know
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 70 ft. drilled well
10. The estimated amount of groundwater withdrawn each year no record kept
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Peter Yegen Jr.


Date Dec. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

27720



186759

STATE OF MONTANA
COUNTY OF ...
...
... 31st ...
... 63 ... 3:00 ... P.M.
Gertrude H. Carhoun
COUNTY CLERK

By ... Deput

File No. 180733

T. 32 S. R. 22 E.

DUPLICATE


County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 8 1964

Declaration of Vested Groundwater Rights: ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Peter Yegen, Jr., of 306 N. 30th St. Billings
(Name of Appropriator) (Address) (Town)
County of YELLOWSTONE State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 5 T32 S. R. 22 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and livestock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been old well. Continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) no record kept so don't know amount needed
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used for irrigation
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal old style pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater no records available
8. The depth of water table don't know
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater about 60 feet. Drilled well.
10. The estimated amount of groundwater withdrawn each year no record kept.
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Date Dec. 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

21734


to be sure of all questions. If not satisfactory, no more questions to him and be released.
Noted.
There shall be no delay in the matter with the County Clerk and Recorder of the County in which it is
located.

Deputy
Recorder of County

to be sure of all questions. If not satisfactory, no more questions to him and be released.
Noted.
There shall be no delay in the matter with the County Clerk and Recorder of the County in which it is
located.

186763

STATE OF CALIFORNIA
COUNTY OF LOS ANGELES
31st December
6:3 3:20 P.M.
Mertrude H. Calloun
COUNTY RECORDER
Deputy



NOTED
There shall be no delay in the matter with the County Clerk and Recorder of the County in which it is
located.

File No. **203529****RECEIVED**T. **3 S.** R. **22 E.**

DUPLICATE

NOV 3 1971

County **Stillwater**

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER**Notice of Completion of Groundwater
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground

(Elev. above sea level.....)


0-17 Clay with Sand & Gravel**17-38 Brown Sandstone with Clay stringers****38-60 Hard Grey Shale****60-62 Coal****62-67 Hard Black Shale****67-77 Hard Grey Shale****77-88 Hard Brown Sandstone****88-93 Hard Grey Sandstone****93-102 Brown Sandstone****102-158 Grey Sandstone****158-161 Very Hard Grey Sandstone****161-185 Hard Grey Sandstone****185-193 Soft Grey Sandstone
(Water)****193-221 Grey Sandstone (Water)****221-230 Grey Sandstone with
Shale Stringers****PH = 8.0****Spec. = .03****15 Grains Hard**Owner **Montana Highway Commission** Address **Billings, Montana**Driller **B. E. H. Drilling** Address **Helena, Montana**

Date of Notice of appropriation of groundwater.....

Date well started **9/15/71** Date completed **9/24/71**Type of well **Drilled** Equipment used **Rotary**
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7 7/8	6 5/8 18.97	2+	230	Open Cuts 1 1/8"		
8 inch surface pipe set to top sandstone	8 5/8 24.00	0	19		187 207	191 217

Static Water Level for non-flowing well **138** feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level **216** feetat **37** gal. per minute.

Discharge in gal. per min. of flowing well

How Tested **4 hrs Bailing & Pumping**Length of Test **24 hrs Test Pumping**

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Rubber Packer set at 39 ft.**Well was cemented back within****6 ft of surface so that pitless**

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Adaptor could be installed

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Water is to be used for the Park City West Rest Area and for sprinkling (East Lane)

Show exact depth of bottom.

230 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No. **27**

Driller's License Number

Red L. Hargan
Driller's Signature.

49310

RECEIVED

GW 2

NOV 3 1971

Approved Stock Form—State Publishing Co., Helena, Montana—45042

File No. 203528

T 3 S. R 22 E.

DUPLICATE

County Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 3623.98 ft.)

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

0-16 Sandy Brown Clay & Broken Sandstone

16-32 Clay & Sandstone Stringers

32-42 Grey Shale

42-51 Grey Sandstone

51-56 Grey Shale

56-59 Grey Sandstone

59-63 Grey Sandstone

63-65 Coal

65-72 Grey Sandstone

72-80 Hard Black Sandy Shale

80-111 Hard Grey Shale

111-189 Hard Grey Sandstone

189-210 Coarse Sandstone (Water)

210-232 Sandstone with thin
shale stringers (Water) Water
Coming from 189 to 222

Owner Montana Highway Commission Address Billings, Montana

Driller E. E. H. Drilling Address Richfield, Montana

Date of Notice of appropriation of groundwater

Date well started 9/1/71 Date completed 9/14/71

Type of well Drilled Equipment used Rotary
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7 7/8	6 5/8 18.97	2+	232	Open Cuts 1/8" x 1/8"	224	209

pH 8.0
Iron 0.03
Total Hardness 16 ppm.

STATE OF MONTANA
COUNTY OF STILLWATER


I hereby certify that the above instrument was filed and indexed in this office

on the 1st day of November

A.D. 1971, at 1:15 o'clock P.M.

Thelma Shaw
COUNTY RECORDER

By Elise Houghton Deput
No fee



Static Water Level for non-flowing well
150 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 205 feet

at 44 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested 6 hrs Bailing & Test Pump.

Length of Test 24 hrs Pumping

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Rubber Packer set at 96 ft.

Well was cemented back within
6 ft of surface so that pitless

Sec 6 T 35. R 22 E.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Adaptor could be installed.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Water is to be used for the Park City West Rest Area
and for sprinkling.

Show exact depth of bottom.

232 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No. 27

Driller's License Number

Red L. Hargany
Driller's Signature.

49309

File No. 186773T. 3S R. 22E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


JAN 4 1964

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Gerald W. Brewster and/or Audrey L. Brewster of 2120 22nd St. W. (Box 666) Billings
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



See Above
1/4 Sec. 6 T. 3S R. 22E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Watering of livestock gardens and household use.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Was homesteaded 50 years ago and used continually to the present time and is still being used.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) PN wells #1 35 gal per min #2 35 gal per min #3 35 gal per min
Springs total for both 100 gallons per min.
Need 900 gallon per min for future irrig setup.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
No irrigated land at present but reserve the right to set up to irrigate approx. 100 acres at a future date.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Two wells and two springs. One well by barn and one well by the house. One spring in coulee behind barnyard and one spring in north corner of pasture.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Dates unknown as we purchased the property in 1962 and these facilities were and had been in use continually by the family who homesteaded the place.
8. The depth of water table 20 feet (meaning approx 70 feet of water in 90 foot well)
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Springs are flowing naturally. One well is on pressure system and is approx. 90 feet deep and well by the barn has an electric pump in approx. 90 feet deep.
10. The estimated amount of groundwater withdrawn each year 450,000 gallons.
for household use, watering approx. 100 head livestock and watering gardens, etc.
11. The log of formations encountered in the drilling of each well if available These not available so far as we can determine.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Have no other information.

Signature of Owner Gerald W. Brewster
Audrey L. Brewster

Date 12/31/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quaduplicate for the Appropriator.

27742

186773

WATER ss.
the above instru-
his office
31st of December
A. D. 1903, at 3:52 o'clock P.M.
Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 199978

RECEIVED

T. 38 R. 22E7

DUPLICATE

FEB 13 1970

County.....

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Top of Ground

(Elev. above sea level.....)

10' sandy soil
5' dirty gravel
15' sand & gravel
7' sand rockNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Joseph L. Ames Address Box 3 Park City, MontanaDriller Clyde E. McKeenan Address Park City, Montana

Date of Notice of appropriation of groundwater.....


Date well started May 6, 1963 Date completed May 8, 1963STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instrument was filed and indexed in this office

On the 11 day of FebA. D. 1970, at 4:10 o'clock P.M.Theresa J. Rand
COUNTY RECORDERType of well drilled Equipment used collar tool
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6 1/2</u>	<u>6 5/8 O.D.</u>	<u>+1'</u>	<u>30'</u>	<u>cut</u> <u>1/8 x 6</u>	<u>24'</u>	<u>29'</u>

on Plat 165937NW 1/4 NE Sec. 7 T. 35 R. 22 E.
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well.....feet.

Shut-in Pressure for Flowing Well.....feet.

Pumping Water Level 24'.....feet
at 8 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested RadioLength of Test 30 min

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

318'

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 36Driller's Signature Clyde E. McKeenan
46165

207128

Office of Clerk & Recorder
Sulawesi, Indonesia

I hereby certify that the instru-
ment was filed and recorded in this office
on the _____ day of MAY 15 1973

AD 10:21 AM 3:15 PM

Thelma Shaw

COUNTY RECORDER

By _____

DEPUTY

Page 1 of 1

County Stillwater Twp. 35 Rge. 23 E

[illegible]

STILLWATER COUNTY
STATE OF MONTANA

File No. 185023 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

3 South Range 23E
Twp 2 South, Rge 23 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JUN 18 1963

1. Amelia M. Adams, of Park City, Montana STATE ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

3S - Rgs 23 E Twp 2 S Rge 23 E.
Sec. 4 Sec. 8 Sec. 8 Sec. 8

WELLS	<table border="1"> <tr> <td>x</td> <td></td> <td></td> <td>x</td> <td></td> <td></td> </tr> <tr> <td>No. 1</td> <td>No. 2</td> <td>No. 3</td> <td>No. 4</td> <td>No. 5</td> <td>No. 6</td> </tr> </table>						x			x			No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
	x			x														
No. 1	No. 2	No. 3	No. 4	No. 5	No. 6													
2. Basis of Beneficial Use	Domestic & Stock water		Stock water															
3. Approximate Date of Use	Aug 1, 1944		1946															
How continuous?	continuous		continuous															
4. Amount claimed in miner's inches or gallons per min.	200 gal per min		200 gal per min.															
5. Acres irrigated	none		none															
Description																		
Name of Owner	Amelia Adams		Amelia Adams															
6. Location of Well	NW 1/4 Sec 4 3S 23E		NW 1/4 Sec 8 2S 23E															
Means of Withdrawal	Elec Pump		Elec Pump															
7. Date-Commencement	Aug 1, 1944		?															
Date-Completion	Aug, 1944		?															
8. Depth of water table	8 ft		60 ft															
9. Type, size, depth or specifications of works	Drilled 2" Galv pipe		Drilled 6" steel pipe															
10. Estimated amount withdrawn annually	75,000 gal		75,000 gal															
11. Log, if available																		
12. Other information																		

Signature of owner Amelia M. Adams
Date June 5th, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

46.48.

File No. 202843

DUPLICATE

T. 35 R. 23E 34

County STILLWATER

1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner HOWARD KOSTBADE Address PARK CITY
420 S. 100th AVE
Driller DISSADALY Address BILLINGS MONT

Date of Notice of Appropriation of Groundwater


Date well started 6-3-71 Date Completed 6-5-71

Type of well DRILLING Equipment Used ROTARY
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

STATE OF MONTANA
COUNTY OF STILLWATERI hereby certify that the above
information is true and correct.July, 1971 8:40 AM
Sheema Shaw
COUNTY CLERK

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7 7/8"	6" 17#	0	30	45/105	15	19

S.E. 1/4 Sec. 34 T. 38 R. 23E
Indicate location of well and
place of use, if possible. Each
small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 10 FT. feet.

Shut-in Pressure for Flowing Well N.A.

Pumping Water Level 25 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well N.A.

How Tested PUMP Length of Test 2 HRS

Remarks: (Gravel packing, cementing, packers, type of shutoff, loca-
tion of place of use of groundwater if not at well, and any
other similar pertinent information, including number of

acres irrigated, if used for irrigation) GRAVEL

PART TO 10 FT. COMPT TO
TOP197
Driller's License NumberJ. J. Bane
Driller's SignatureThis form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder
in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology and Quadruplicate for the Appropriator.

48816

GROUNDWATER INDEX

Page 1 of

County Stillwater Twp. 4S Rge. 15E

[illegible]

File No. 207584

QUADRUPLICATE

RECEIVED

T. 4S R. 15E

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Office of Clerk & Recorder
Stillwater County, Montana


I hereby certify that the above instrument was filed & indexed in this office

on the day of JUN 29 1973

at 3:02 o'clock P.M.

COUNTY RECORDER

By DEPUTY



No. 1 SE1/4SE1/4 S. 16, 4S 15E

No. 2 NW1/4SE1/4 S. 16, 4S 15E

1/4 Sec. T. R.

Indicate point of appropriation
and place of use, if possible.

Date of Appropriation of Groundwater

Owner Herbert Russell Jr Address Nye, Mont

Contractor (if any) Self

Address of Contractor None

Date Started 1919 Date Completed 1919

Describe means of obtaining groundwater without a well "as by
sub-irrigation and other natural processes". Include depth to
water when applicable. Natural processes

Quantity of water developed and used with explanation of method
used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use all year

Signature of Owner

Date June 29, 1973

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the
works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana
Bureau of Mines and Geology and Quadruplicate for the Appropriator.

56209

207584

Notice to the public that the State of Iowa has decided to establish a new system of public education in the State of Iowa. The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

The new system will be based on the principles of the State of Iowa and will be designed to provide a high quality of education for all children in the State of Iowa.

Office of Clerk & Recorder
STILLWATER COUNTY, IOWA

I hereby certify that the foregoing is a true and correct copy of the original as the same appears in the records of the County of Stillwater, Iowa.

IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the County of Stillwater, Iowa, this 23rd day of June, 1923.

BY Thomas Shaw DEPUTY CLERK & RECORDER

RECEIVED

207649
3 GW 3 Revised 1969
2057-1500-1/71

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

County Stillwater

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.


Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 56171

June 29, 1973

GW 1 530 p.m.



SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 17

T. 4 S N R. 15 E E

S W

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or esti-
mated 5,500'

Owner Glen R. McKinsey

Address None, Mont. 59061

Contractor (if any) none

Address of Contractor N.A.

Date Started 5/1/1927 Date Completed 5/1/1927

1. Describe means of obtaining groundwater (as by sub-irrigation,
developed spring, drains, etc.) Directed spring
to Ditch

2. Means of withdrawing water (gravity, pump, canal, etc.)

Gravity

3. Depth of water table unknown

4. Use of the water Irrigation & Stockwater

5. Amount of groundwater claimed (in miner's inches or gallons
per minute) unknown total
Capacity of spring used.

6. If used for irrigation, give number of acres and description
of land supplements water
from other springs on 15 A.
Hay land

7. Estimate amount of water used each year unknown
entire amount of spring used

8. Months of year spring flows 12

Signature of Owner Glen R. McKinsey

Date June 28, 1973

56171

207649

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instru-
ment was filed & indexed in this office

on the day of JUN 29 1973

AD 19 , at o'clock 5:30 PM

Thelma Shaw

PR 2nd

COUNTY RECORDER

BY


DEPUTY

NEW TUCUMPHI MONTANACORRA MONTANACORRO 30 MONTANACORRO 30 30000

2000 2000000000 30 2000000000
2000 2000000000 30 2000000000

2000 2000000000 30 2000000000

2000 2000000000 30 2000000000



207648
3 GW 3 Revised 1969
2057-1500-1/71

RECEIVED

JUL 14 1973

County Glennwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.


Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207648

June 29, 1973

GW 1 5:25 p.m.



NE 1/4 Sec. 17

T. 4 S N R. 15 E E
S W

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.

Elevation of spring, if known or esti-

mated 5450'

Owner Mr. R. McKinney

Address Dye, Montana 59061

Contractor (if any) None

Address of Contractor N/A

Date Started unknown Date Completed April, 1912

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Diversion of water from Lodge Pole Creek to ditch.

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity

3. Depth of water table unknown

4. Use of the water Irrigation

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 80"

6. If used for irrigation, give number of acres and description of land 6 A hay 25 A pasture

7. Estimate amount of water used each year unknown

8. Months of year spring flows 12 months

Signature of Owner Mr. R. McKinney

Date June 28, 1973

56172

207648

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instrument was filed & indexed in this office on the _____ day of JUN 29 1973

At 10 _____ o'clock 5:25 PM

Thelma Shaw

Per 24

By _____ DEPUTY

RECEIVED BY THE CLERK OF THE DISTRICT COURT OF STILLWATER COUNTY, MONTANA, JUNE 29, 1973.

RECEIVED BY THE CLERK OF THE DISTRICT COURT OF STILLWATER COUNTY, MONTANA, JUNE 29, 1973.

RECEIVED BY THE CLERK OF THE DISTRICT COURT OF STILLWATER COUNTY, MONTANA, JUNE 29, 1973.

20765 RECEIVED

3 GW 3 Revised 1969
2057-1500-1/71

JUL 18 1973

County Hillwater

STATE OF MONTANA
 RESOURCES AND CONSERVATION
 ADMINISTRATOR OF GROUNDWATER CODE
 MONTANA WATER RESOURCES BOARD

20

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
 Developed After January 1, 1962


(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207651June 28, 1973GW 1 5:40 pm

S.W. 1/4 N.E. 1/4 Sec. 20

T. 4 S. N. R. 15 E. E. W.

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.

Elevation of spring, if known or estimated

5,600Owner Glen R. McKinseyAddress Nye, Mont. 59061Contractor (if any) noneAddress of Contractor N/ADate Started unknown Date Completed 5/1/19731. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Diversion of springs to ditch2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity3. Depth of water table unknown4. Use of the water Irrigation and stock water5. Amount of groundwater claimed (in miner's inches or gallons per minute) unknown, capacity of springs vary all used6. If used for irrigation, give number of acres and description of land 60 A - 25 A Hay and 35 A pasture. Rocky, gravelly ground7. Estimate amount of water used each year unknown8. Months of year spring flows 12Signature of Owner Glen R. McKinseyDate June 28, 1973

56169

207651

Office of Clerk & Recorder
Stillwater County, Montana
I hereby certify that the above instru-
ment was filed & indexed in this office
on the _____ day of JUN 29 1973
AD 19____, at _____ o'clock 5:40 PM
Thelma Shaw PL 2-11
COUNTY RECORDER DEPUTY

RECORDED AS 1981 JUNE 29 1973

207650
3 GW 3 Revised 1969
2057-1500-1/71

1973

County Hillwater

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

20

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207650

6-29-73

GW 1 3:35 p.m.

Owner Glen R. McKinney

Address Dye, Montana 59061

Contractor (if any) none

Address of Contractor NA

Date Started 7/20/58 Date Completed 7/20/58

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Developed spring, concrete tile.

2. Means of withdrawing water (gravity, pump, can) Shallow well pump to raise to house level.

3. Depth of water table unknown


4. Use of the water house and yard

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 5 gal. per min.

6. If used for irrigation, give number of acres and description of land NA

7. Estimate amount of water used each year 18,000 gallons

8. Months of year spring flows 12



NW 1/4 NE 1/4 Sec. 20

T. 4 S N R. 15 E E
S W

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or esti-

mated 5,400

Signature of Owner Glen R. McKinney

Date June 21, 1973

56170

207650

County Clerk & Recorder
County, Montana
This above Instru-
ment was recorded in this office
at _____ o'clock 5:35 AM.
June 29 1913
Shelma Shaw Rec'd 2nd
COUNTY RECORDER
BY _____ DEPUTY

COPIES OF THIS INSTRUMENT

Abstracted as per 1001 serial number 1001-1001-1001

Handwritten notes and signatures on the right side of the page, including a signature that appears to be "Shelma Shaw".

Very truly yours, to the above named

Shelma Shaw

File No. 207583

QUADRUPLICATE

T. 4S R. 15E

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Office of Clerk & Recorder
Stillwater County, Montana


I hereby certify that the above instrument was filed & indexed in this office

on the day of JUN 29 1973

at 3:00 o'clock p.m.

By *Thelma* COUNTY RECORDER

By _____ DEPUTY



SW 1/4 Sec. 20 T. 4S R. 15E

Indicate point of appropriation and place of use, if possible.

Date of Appropriation of Groundwater _____

Owner *Herbert Russell Jr* Address *Nye, Montana.*

Contractor (if any) *None* *self*

Address of Contractor *Nye, Montana*

Date Started *1938* Date Completed *1938*

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. *Natural processes*

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. *intake 2' pipe*

and reduced at point of use to 1 1/4 inch.

Used entirely for domestic use in dwelling. Dwelling located in the NE 1/4 of Sec. 29, 4S15E

Signature of Owner *Herbert Russell Jr*

Date *June 29, 1973*

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

56,208

[illegible]

111

Office of Clerk & Recorder
STILLWATER COUNTY, MONTANA

I hereby certify that _____ is duly qualified as _____
notary public for the _____ office
N.T.E. _____ BY _____ *June 29, 1973*
A.D. 19____, AT _____ *3:00 PM*
Thelma Shaw CLERK & RECORDER
BY _____ DEPUTY

A blank sheet of graph paper with a grid pattern. The grid consists of small squares formed by thin lines. There are also thicker lines forming a larger grid, dividing the page into four quadrants. A small dark mark or smudge is visible in the upper-left quadrant.

207422

3.GW 3
2057-1500

1009

County

25
Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)


This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207422
June 21, 1973
GW 1 10-20 A.M.



NE 1/4 NE 1/4 Sec. 25

T. 4S N R. 15E E
S W

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or esti-

mated

Owner William Ekwortzel

Address Nye, Montana

Contractor (if any) Self

Address of Contractor Nye, Montana

Date Started Free flowing Date Completed

1. Describe means of obtaining groundwater (as by sub-irrigation,
developed spring, drains, etc.) Free flowing and
dug out

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity

3. Depth of water table Surface

4. Use of the water Stock water and irrigation

5. Amount of groundwater claimed (in miner's inches or gallons
per minute) 60 gallons per minute

6. If used for irrigation, give number of acres and description
of land 120 acres

7. Estimate amount of water used each year 1,200,000
gallons

8. Months of year spring flows All year: used 5
months for irrigation

Signature of Owner William Ekwortzel

Date June 20, 1973

53,743

207422

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instru-
ment was filed & indexed in this office
on the 21st day of June

A.D. 1973, at 10:20 o'clock A. M.

Thelma Shaw
COUNTY RECORDER

By Leslie Bishop DEPUTY

Fee \$ 2.00

GW 2

File No. **207486****RECEIVED**

JUN 29 1973

T. **48** R. **15E**

DUPLICATE

County **Stillwater**MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground


(Elev. above sea level **5135**)**Notice of Completion of Groundwater
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Owner **William Ekwortzel** Address **Nye, Montana**Driller **Great Northern Drlg.** Address **Billings, Montana**Date of Notice of Appropriation of Groundwater **8-25-69**Date well started **8-13-69** Date Completed **8-25-69**Type of well **Drilled** Equipment Used **Rotary**
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
15"	10-3/4" 32.75# 0		393			
8-3/4"	None			3/4"	3188	2900
to 3300'						

NW, NE NE
Sec. **25** T. **48** R. **15E**

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

3300'

Show exact depth of bottom.

Static Water Level for non-flowing Well **380** feet.Shut-in Pressure for Flowing Well **1239 pounds**Pumping Water Level **400** feet at **75** gal. per minute.Discharge in gal. per min. of flowing well **50 gal.**
straddle openHow Tested **hole** Length of Test **60 min.**

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater, if not at well, and any other similar pertinent information including number of

acres irrigated, if used for irrigation)

8" casing**None**

Driller's License Number

William Ekwortzel
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

54383