

Water Resources Division
Engineering Bureau
Groundwater Section
Sam W. Mitchell Building
Helena, Montana 59601

Address 515 Penn. Ave., Laurel, MT
Location T. 4S R. 17E Sec. 18
Doc. No. 204225

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the enclosed form, the date of well completion, static water level, pumping water level, and gallons per minute claimed.

Thank you.

RECEIVED

APR 27 1972

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

I hereby certify that the above instrument was filed and indexed in this office on the MAR 20 1972 day of MAR, A. D. 1972, at 8:30 o'clock A.M.

Bottom 4500 ft Helena Flat
COUNTY RECORDER
Deputy

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	4"					

Static Water Level for non-flowing well 4516 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 4509 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested.....

Length of Test.....

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

Flat #172640^s

Fr. 24 NW Sec. 18 T. 4S R. 17E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

On river bank (still water)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

M. J. Hoppel
Driller's Signature
Donald J. Hoppel

59,119

File No. **204225**

RECEIVED

T. 45 R. 17E

DUPLICATE

MAR 28 1972

County Stillwater 3rd

MONTANA DEPARTMENT OF NATURAL
LOG RESOURCES AND CONSERVATION

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 4520')

**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED

APR 27 1972

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Static water Level
4516' feet
Pumping water Level
4509 feet

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 24 day of MAR 1972
A. D. 1957, at 8:30 o'clock A. M.

4500 ft Stillwater
Bottom COUNTY RECORDER

Owner M. J. and D. J. Hoppel Address 515 1/2 Ave. S. Laurel Mont 57044

Driller _____ Address _____

Date of Notice of appropriation of groundwater ?


Date well started June 1971 Date completed Aug 1971

Type of well Driven Equipment used Pipe Driven
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	4"					



Flat #172640

Fr. SW Sec. 18 T4S R17E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

On riverbank (Stillwater)

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

Static Water Level for non-flowing well 4516 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 4509 feet
at 20 gal. per minute

Discharge in gal. per min. of flowing well _____

How Tested _____

Length of Test _____

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number _____

M. J. Hoppel
Driller's Signature
Ronald J. Hoppel

50,117

File No. 185718

T. 4S R. 17

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 8 1964

Notice of Completion of Groundwater Appropriation
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1960

Owner Leslie L. Yates Address Fishtail Montana

Contractor (if any) Vic Oltrogge & Self

Address of Contractor Abetook

Date Started 1961 Date Completed 1961

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable.

- #1 - #2 - #4 - Natural free flowing springs
#1 - Excavated and installed metal tank - water piped to stock tank

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent


estimate approximate lengths of periods of use.

- #3 - 12" pipe has steady flow - used the year around for stock

- #1 - Approx 20 miner's inches
#3 " 10 " "
#2 " 10 " "

Signature of Owner Leslie L. Yates

Date 12-31-63



#1 NE 1/4 Sec. 20. T. R. Indicate point of appropriation and place of use, if possible.

- #2 - NWSE Sec 25
#3 - NWSE Sec 24
#4 - SESE Sec 25

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

186748

STATE OF MONTANA
COUNTY OF FLEWATER

Every day of the above instru-
ment was in his office

on 31st December
63 at 2:05 P.M.

Gertrude H. Callahan
COUNTY CLERK

By Debute

STILLWATER COUNTY
STATE OF MONTANA

File No. 188727 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 13, Rge 27 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961) JAN 8 1964

1. Leslie L. Yates, of Fishtail ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 25	Sec. 25	Sec.	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Stock	Domestic / Livestock				
3. Approx date of Use	1960	1960				
How continuous?	seasonal	Seasonal				
4. Amount claimed in miner's inches or gallons per min.	60 gals	60 gals				
5. Acres irrigated	none	None				
Description						
Name of Owner	L.L. Yates	L.L. Yates				
6. Location of Well	SWSW Sec 25	NE 1/4 Sec 25				
Means of With-drawal	Car Pump	Elec Pump				
7. Date-Commencement	1947	1947				
Date-Completion	"	"				
8. Depth of water table	15'	25'				
9. Type, size, depth or specifications of works	65' deep drilled 6" metal casing	40' deep drilled 6" casing				
10. Estimated amount withdrawn annually	360,000	360,000				
11. Log, if available	NA	NA				
12. Other information	—	—				

Signature of owner Leslie L. Yates

Date 12/21/63

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27718

186747

RECEIVED
U.S. CUSTOMS OFFICE
31st December
63 2:00 P.M.
Gertrude H. Carman
FOURTH FLOOR
By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 185303 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 4-S, Rge 17

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
SEP 5 1963

STATE ENGINEER

1. Bates Ranch, a Corporation, of Fishtail, Montana

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 29	Sec. 28	Sec. 27	Sec. 26	Sec. 32	Sec. 33 & 34
	X	X X	X X			
	X X	X X		X	X X	
W E L L S	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Stock Water	Stock Water	Stock Water	Stock Water	Stock Water	Stock Water
3. Approx date of Use	1915	1915	1920	1920	1920	1920
How continuous?	All year	All year	All year	All year	All year	All year
4. Amount claimed in miner's inches or gallons per min.	15 gal. per min.	100 gal. per min.	10 gal. per min.	10 gal. per min.	15 gal. per min.	150 gal. per min.
5. Acres irrigated						
Description	Not	Not	Not	Not	Not	Not
Name of Owner	Appl.	Appl.	Appl.	Appl.	Appl.	Appl.
6. Location of Well			Sec. 27			
Means of Withdrawal	Springs	Springs	Springs	Springs	Springs	Springs
7. Date-Commencement	Not	Not			Not	Not
Date-Completion	App.	App.	About 1920		App.	App.
8. Depth of water table	Unknown	Unknown	70 feet	Unknown	Unknown	Unknown
9. Type, size, depth or specifications of works	Earth Dams	Earth Dams	Well 80 feet	Earth Dam	Earth Dams	Earth Dams
10. Estimated amount withdrawn annually	Unknown	--	--	--	--	--
11. Log, if available	None	None	80 feet Well cased.	None	None	None
12. Other information	3 Ponds This Sec.	5 Ponds This Sec.	1 well 1 Pond	1 Pond	3 Ponds	11 Ponds Sec. 33 & 34

Total: 1 Well
25 Springs & Ponds

Signature of owner

Date

Bates Ranch
James E. Bates, Pres
July 10, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

185503

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 3rd day of September
A. D. 1963, at 8:35 o'clock A. M.

Hester H. Cason
COUNTY RECORDS

By _____ Deputy

RECEIVED

3 GW 3 Revised 1969
2057-1500-1/71

County STILLWATER

29

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207537

June 28, 1973

GW 1 3:30 p.m.

Owner ROBERT W. KIRCH

Address FISHTAIL, MONTANA

Contractor (if any) SELF

Address of Contractor _____

Date Started JUNE 1, 1971 Date Completed JUNE 5, 1971

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) DUG LIFT & PUMPED UP PIPE INSTALLED INTO STOCK TANKS

2. Means of withdrawing water (gravity, pump, canal, etc.) GRAVITY

3. Depth of water table 3 FT


4. Use of the water LIVESTOCK WATER

5. Amount of groundwater claimed (in miner's inches or gallons per minute) #1 30 GAL PER MIN
#2 30 GAL PER MIN

6. If used for irrigation, give number of acres and description of land _____

7. Estimate amount of water used each year 4,000 GAL

8. Months of year spring flows 12 MONTH



SE 1/4 NW 1/4 Sec. 29

T. 4 R. 17 E. W.

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.

Elevation of spring, if known or estimated 1575.00 FT

Signature of Owner Robert W. Kirch

Date JUNE 23, 1973

54425

RECEIVED

3 GW 3 Revised 1967
2057-1500-1/71

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

County STILLWATER

29

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.


Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 207537

June 28, 1973

GW 1 3:30 p.m.



SE 1/4 NW 1/4 Sec. 29

T. 4 S. R. 17 E.

INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or estimated EST 5000 FT

Owner ROBERT W. KIRCH
Address FISHTAIL, MONTANA
Contractor (if any) SELF
Address of Contractor _____
Date Started JUNE 1 1951 Date Completed JUNE 5 1951

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) DUG OUT & PUMPED UP PIPE INSTALLED INTO STOCK TANKS

2. Means of withdrawing water (gravity, pump, canal, etc.) GRAVITY

3. Depth of water table 3 FT

4. Use of the water LIVESTOCK WATER

5. Amount of groundwater claimed (in miner's inches or gallons per minute) #1 30 GAL PER MIN
#2 30 GAL PER MIN

6. If used for irrigation, give number of acres and description of land 11.00 AC

7. Estimate amount of water used each year 400,000 GAL

8. Months of year spring flows 12 MONTHS

Signature of Owner Robert W. Kirch
Date JUNE 28 1973

54425

THE UNIVERSITY OF MICHIGAN LIBRARY

WORLD WIDE RETAIL ADVERTISING
TELEPHONE 333-3333

1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809

1950

I hereby certify that the above instrument was filed & recorded in this office

on the _____ day of JUN 28 1973
AD 19_____, at _____, 2:30 PM

COUNTY RECORD

DEPUTY

By

County Stillwater

Twp. 45

Rge. 18E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
1	Eggen, Orlando + Louise	GW2	207610	
1	Anderson, Cleone C.	GW2	207518	
1	Weast, Gerald W.	GW2	207377	
1	Bridges, Wm C.	GW2	207273	
1	Landan, Urban	GW4	184741	
1	Arthun, Joseph	GW4	186361	
1	Absarokee Water Users Ass.	GW2	193292	
1	Absarokee Water Users Ass.	GW4	186777	
1	Absarokee Water Users Ass.	GW2	183636	
1	Absarokee Water Users Ass.	GW2	200575	
1	Noe, Robert	GW2	207555	
1	Noe, Robert	GW2	207554	
1	Noe, Robert	GW2	207555	
1	Powell, Dell B.	GW2	207632	
1	Tod, K.E.	GW2	194094	
1	Weast, Gerald W.	GW4	186551	
1	Robbins, Jay C.	GW2	207535	
1	Porter, Willist Agnes	GW4	191791	
1	Porter, Willist Agnes	GW2	204268	
1	Shelly, Ken + Hazel	GW2	207469	
1	Absarokee Water Users Ass.	GW2	183035	
3	Rhyneer, Donald F.	GW4	186737	
3	Rhyneer, Donald F.	GW3	186751	
4	Arhey, Cleve	Water Well Log	none	
9	Rhyneer, Donald F.	GW3	186751	see #3 above
10	Rhyneer, Donald F.	GW3	186751	see #3 above
11	Flanagan, John J.	GW4	191794	
12	Edwards, E. F.	GW2	192674	
12	Cornier, Clem	GW2	192958	
12	Baker, Alfred	GW2	193213	
12	Peterson, Melvin	GW2	204753	
12	Moore, Harry	GW2	196811	
12	MacIntyre, Lansing	GW2	194639	
12	MacIntyre, Lansing	GW2	194640	
12	MacIntyre, Lansing	GW4	191846	
12	Gaston, Harold W.	GW2	207076	
13	Ostrom, Jerry	GW2	195953	
13	Ostrom, Jerry	GW4	186670	
13	Smith, C. J.	GW4	186648	
13	Smith, C. J.	GW3	186640	
13	Shelly, Russell + Betty	GW2	207415	
14	Flanagan, John J.	GW4	191794	see #11 above
14	Woods, Josephine H.	GW4	191724	
14	Carstens, Wilhelm	GW4	190913	
14	Smith, C. J.	GW3	186640	see #13 above
15	Smith, C. J.	GW3	186640	see #13 above

County StillwaterTwp. 45Rge. 18E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
18	Shelly, K. L. + Hazel	GW2	207468	
18	Tyler, Robert H.	GW4	190904	
19	Brunckhorst, Calvin L.	GW3	186664	
20	Brunckhorst, Calvin L.	GW3	186664	see #19 above
20	Prewett, Jim	GW2	182587	
20	Brunckhorst, Calvin L.	GW4	186665	
20	Goodman, Terry	GW2	206243	
21	Ostrum, R. M.	GW3	202146	
22	Allen, Barney	GW2	186051	
23	Molby, John	GW3	201991	
23	Gahagen, W. H.	GW4	186703	
23	Gahagen, W. H.	GW3	186702	
24	Ostrum, Richard	GW2	201616	
24	Lehner, Alice	GW3	207539	
25	Hood, Rowena	GW2	201122	
25	Herem, Osmond	water well Log	none	
26	Gahagen, W. H.	GW3	186702	see #23 above
27	Sherwood, Elton S.	GW2	192414	
27	Sherwood, Elton S.	water well Log	none	
28	Ostrum, Merrill	GW2	196166	
28	Ostrum, Merrill	GW2	206094	
28	Travis, Virgil	GW2	186586	
28	Schaff, Jacob J.	GW4	186547	
28	Martin, Ted	GW2	207485	
28	Bluton, Philbert M.	GW2	196501	
28	Chitwood, Walter J.	GW4	186586	
28	Haugen, Ted + Blanche	GW4	186575	
28	Jurich, Angie	GW2	207563	
28	Jurich, Angie	GW2	206636	
28	Jurich, Angie	GW2	206637	
28	Hunter, Bill	GW2	1917362	
28	Abney, Wayne	water well Log	none	
28	Dailer, Mildred	water well Log	none	
28	Dinsdale, Bud	water well Log	none	
28	Giochetto, Tony	water well Log	none	
28	Hamilton, Art	water well Log	none	
28	Lowe, Bob	water well Log	none	
28	Malek, Joe	water well Log	none	
28	McClure, Rex	water well Log	none	
28	Stewart, Sam	water well	none	
28	Lehner, Alice	GW2	207540	
29	Brunckhorst, Calvin L.	GW3	186664	see #19 above
29	Bird, Lawrence	GW3	199758	
29	Prewett, Mary	GW2	199371	
30	Trees, Verle	GW2	198828	
30	Parsons, George + Ruth	GW4	186633	

Rge. 18 E

[illegible]

File No. 207610

RECEIVED

T. 45 R. 18E

DUPLICATE

JUL 14 1973

County Stillwater

LOG

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level 4070±)**Notice of Completion of Groundwater
Appropriation by Means of Well**

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

207610

Owner ORLANDO B. & LOUISE J. ECKHART Address ABSAROOKEE, MT.Office of Clerk & Recorder
Stillwater County, Montana

Driller _____ Address _____

I hereby certify that this notice of appropriation of groundwater was filed & indexed in this office

Date of Notice of appropriation of groundwater _____

on the _____ day of JUN 29 1973Date well started 6-1-73Date completed 6-10-73


AD 19 _____, at _____

Type of well DUG
(Dug, driven, bored or drilled)Equipment used SHOVEL
(Churn drill, rotary or other)John S. EckhartWater use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

By _____ DEPUTY

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3 FT	16"	3'	7'	5/8"	7'	6'



BLK 1, LOT 3, HEIMER ADD'N

1/4 Sec. 1, T. 45 R. 18E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.Static Water Level for non-flowing well 3 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 5 feetat 2.0 gal. per minute.Discharge in gal. per min. of flowing well NOT APP.How Tested 1 HP CENT. PUMPLength of Test 1/2 HR.Remarks: (Gravel packing, cementing, packers, type of shutoff) UNKNOWN

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

LOT 3, HEIMER ADD'N, BLOCK 1

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number _____

Driller's Signature _____

56198

207610

Office of Clerk & Recorder

STILLWATER COUNTY, MONTANA

I hereby certify that the above instru-
ment was filed & indexed in this office

ON THE DAY OF June 29, 1973

A. D. 1973 AT 3:54 PM

Thomas Shaw

COUNTY RECORD

BY

DEPUTY

3rd
1st
2nd
4th
5th
6th
7th
8th
9th
10th
11th
12th

207518

File No.

T. 45 R. 18E

DUPLICATE

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONCounty Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Top of Ground

(Elev. above sea level.....)

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Cleone Gaustad Anderson Address Absarokee, Montana

Driller..... Address.....

Office of Clerk & Recorder
Stillwater County, MontanaDate of Notice of appropriation of groundwater June 1948

I hereby certify that this instrument was filed & indexed in this office


Date well started..... Date completed June 1948on the June 2, 1948 day of June Type of well driven Equipment used churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)AD 13, at 1:35 PM Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

COUNTY RECORDER

By _____ DEPUTY

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4"	4"	0	98'	Not Known		

207518
June?Hawkins Third Addition - Absarokee
Blk. 13: Lots 7, 8, 9, 101/4 Sec. 1 T. 45 R. 18E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.Static Water Level for non-flowing well
..... 8' feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level..... 15' feet

at..... gal. per minute.

Discharge in gal. per min. of flowing well

How Tested.....

Length of Test.....

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

544/20

207377
D. M. - 2
Gerald M. Healt
NW 1/4 Sec 1 - 48-18E

Office of Clerk & Recorder
Stillwater County, Montana
I hereby certify that the above Instru-
ment was filed & indexed in this office
on the 18th day of June
AD 1973, at 11:20 o'clock A. M.
Thelma Shaw
COUNTY RECORDER
BY James Bishop DEPUTY
Fee \$2.00

207273

Office of Clerk & Recorder
Silver Star County, Montana

I hereby certify that the above instru-
ment was filed & indexed in this office
on the 4th day of June

1973, at 2:25 o'clock P. M.

Thelma Shaw

COUNTY RECORDER

James Bishop DEPUTY

Fee \$2.00

File No. 184741

DUPLICATE

45-18E
 Lots 26, 27, & S 33 2/3 ft 1
 of Lot 28 Block 1 R. O. T. Absarokee
 County Stillwater


STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

RECEIVED
 MAY 3 1963

Declaration of Vested Groundwater Rights
 (Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Urban Landan, of Absarokee
 (Name of Appropriator) (Address) (Town)
 County of Stillwater State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



None Sec 1 T. 45 R. 18

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based irrigation of lawn and garden
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1955
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 90 gal per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lots 26, 27, & South 33 2/3 ft of 28 Block 1 Original Town, Absarokee
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater about 1955
8. The depth of water table 4 ft to 6 ft
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 8" casing 90 ft deep
10. The estimated amount of groundwater withdrawn each year 7,500
11. The log of formations encountered in the drilling of each well if available N.A.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Urban Landan

Date May 2nd, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

4312

184741

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 2nd day of May
A. D. 1953, at 9:30 o'clock A M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 186361 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 4S, Rge 18 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 12 1963

1. Joseph Arthun, of Absarokee STATE ENGINEER

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 1	Sec.	Sec.	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Irrigation					
3. Approx date of Use	1955					
How continuous?	All summer Approx 5 mos.					
4. Amount claimed in miner's inches or gallons per min.	20 gal					
5. Acres irrigated	1/2 Lot 7					
Description						
Name of Owner	Joseph Arthun					
6. Location of Well	1/2 Lot 7, Blk 2 Riverside Addn to Absarokee					
Means of With-drawal	Centrifical pump					
7. Date-Commencement	Prior to 1955					
Date-Completion	" "					
8. Depth of water table	varies from 18" to 9"					
9. Type, size, depth of specifications of works	Dug-tiled 2" pipe	8" tile				
10. Estimated amount withdrawn annually	450,000					
11. Log, if available	NA					
12. Other information	NA					

Signature of owner

Date December 10th, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

8749.

186361

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 10th day of Dec.
A. D. 19543, at 2:35 o'clock P.M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 193232

STATE WATER CONSERVATION BOARD

T. LS R. 18E

DUPLICATE

SEP 21 1966

County Stillwater

LOG

Driller's Name McDonnell

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Top of Ground 0-3 Top Soil

(Elev. above sea level.....)

3-12 Sandrock Gravel

Notice of Completion of Groundwater

Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962


(Under Chapter 237, Montana Session Laws, 1961)

12-28 Pack & Gravel Owner Absarokee Association Address Absarokee, Mont28-34 Brown Clay Driller B. H. Drilling Address Fishtail, Mont.

Date of Notice of appropriation of groundwater.....

Date well started 7/21/66 Date completed 7/28/6634-56 Hard Brown Type of well..... Equipment used.....
Sandstone (Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☒ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐56-66 Hard Sandstone Indicate on the diagram the character and thickness of the different strata
66-69 Brown Sandstone met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show
69-75 Gray Shale Sandstone depth at which water is encountered, thickness and character of water-bearing
strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
10 inch	10 5/8 63#	20 inch	37'	NONE		
8 inch	8 5/8 24#	2'	41'	NONE		

Plot # 193238Lot 4 Garden Homes Sub.Adj. to Absarokee T. LS R. 18E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Cemented between inner & outer casing 2 ft. above ground. (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

75#

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Static Water Level for non-flowing well 33.8 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 56 feetat 250 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Test PumpLength of Test 24 hrsRemarks: (Gravel packing, cementing, packers, type of shutoff) 10 inch casingSet into Sandrock3 1/2 ft. 8 inch casingSet to 41 ft. ThenNO 27

Driller's License Number

Red L. Hungary
Driller's Signature41,421

193292

STATE OF MONTANA
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 19th day of September
A. D. 1966, at 6:30 o'clock A. M.

Richard H. Cushman
COUNTY RECORDER

By _____ Deputy

STILLWATER COUNTY
STATE OF MONTANA

File No. 188777 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Twp 4 S, Rge 18 E

JAN 4 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961).

ENGINEER

1. **Absarokee Water User's Association**
a Montana Corporation, of **Absarokee, Montana**

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 1	Sec. 1	Sec.	Sec.	Sec.	Sec.
W E L L S	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	domestic farmstead	domestic farmstead	domestic farmstead			
3. Approx date of Use	10 years	1 yr	not used			
How continuous?	contin.	50 %				
4. Amount claimed in miner's inches or gallons per min.	50 gals per min	50 gals	14 gals			
5. Acres irrigated	NA	NA	NA			
Description						
Name of Owner	NA	NA	NA			
6. Location of Well	NE NE	NE NE	NE NE			
Means of With-drawal	pump	pump	none			
7. Date-Commencement	Mar, 1954	7-20-62	6-29-62			
Date-Completion	Mar 1954	8-2-62	7-12-62			
8. Depth of water table	70'	NA	NA			
9. Type, size, depth or specifications of works	7 1/2 HP 4" pump	7 1/2 HP pump	none			
10. Estimated amount withdrawn annually	NA	NA	NA			
11. Log, if available	NA Total depth 200'	0-10' sand & gravel 10-31 loose sandstone 31-48 sand and gravel 48-63 hard brown sand stone 63-75 grey sandstone	See file No 185035			
12. Other information		no room	here for logs			

Absarokee Water User's Assoc
Signature of owner Preston Blakely
Preston Blakely, Sec.
Date Dec. 31, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

27746

186777

STATE OF MONTANA ss.
COUNTY OF STILLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 31st day of December

A. D. 1923, at 4:00 o'clock P. M.

Gertrude H. Cochran
COUNTY RECORDER

By..... Deputy

GW 2

183036

File No.

DUPLICATE

Town of Absarokee
T. 45 R. 18E NPM
County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
SEP 21 1962
STATE ENGINEER

Top of Ground
(Elev. above sea level.....)

Channel + Sand 0-10'

Owner Absarokee Water Users Assoc. Absarokee, Mont

Broken Sandstone 10-31'

Driller B & H Drilling Address Fishtail, Mont

Date of Notice of Appropriation of Groundwater

Sand Channel 31-48'

Date well started 7/20/62 Date Completed 8/2/62

Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)

Very Hard Brown Sandstone 48-63'

Water Use: Domestic ☐ Municipal ☒ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Gray Sandstone 63-75'


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Gray Shale 75-83'

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 in	8 in 25 #	1+	53			
	6 in 17 #	1+	17 1/2	Touch Cuts 6" x 1/4"	161	150
					63	75

Sandstone Gray 83'-130'

Static Water Level for non-flowing Well 38 feet.



Shut-in Pressure for Flowing Well

Pumping Water Level 160 feet at 55 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Test Pump Length of Test 10 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

171 1/2

No 27
Driller's License Number
Red L Haugan
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2131

183036

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 19th day of September
A. D. 1962, at 2:50 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 200575T. 45 R 18 E

DUPLICATE

County Stillwater

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Top of Ground
(Elev. above sea level 4064)0-20 Gravel + Rocks.20-28 Gravel + Sand28-36 Brown S. shaleOwner Absaroke Water Users Association Address Absaroke, Mont
Driller B & H Drilling Address Fishtail, Mont


Date of Notice of appropriation of groundwater.....

Date well started 4-17-70 Date completed 4-27-70Type of well Drilled Equipment used Churn drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☒ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

36-84 Gray S. shale84-86 Sandstonewith Sulphur water 1/4 inch
Cemented back
to 75 ft.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	14 inch 3.65	1+	20			
	12 inch 10 inch 3.65	2+	37	80 Slot Stainless well screen	21	29

STATE OF MONTANA ss.
COUNTY OF STILLWATERI hereby certify that the above instrument was filed and indexed in this office on the 28th day of MayA. D. 1970, at 8:35 o'clock A.M.Thelma Shaw
COUNTY RECORDERBy Blaise Houghton Deputy
200 PRFlat # 184967 T. of Abs.Static Water Level for non-flowing well
5 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 21 feetat 135 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Test PumpLength of Test 12 hrs

Remarks: (Gravel packing, cementing, pack-

ers, type of shutoff) Cemented offSulphur water at 84 ft.Put Pack on 10 inchCasing at 37 ft. SetScreen 21-29 ft.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

75 ft.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No. 27
Driller's License NumberRal L. Houghton
Driller's Signature.

46496

56,225

207555

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above Instru-
ment was filed & indexed in this office

on the _____ day of JUN 29 1973

AD 19____, at _____ o'clock 9:55A M.

Thelma Shaw

COUNTY RECORDER

By _____ DEPUTY

County Stillwater

**STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD**

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner **Robert Noe**
Address **B.O.Box 102**
Absarokee, Montana 59001

Date well started
completed **May 1967**

Type of well Dug
(Dug, driven, bored or drilled)

Equipment used Backhoe
(Churn drill, rotary or other)


Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 11 1/2 Acres

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	3' concrete tile	0'	13	1"		



Static water level 2 1/2.....ft.*
Pumping water level 7 to 9 ft.*
atgallons per minute,
measuredminutes after pumping
began.
*Measured from ground level.
Well developed by
forhours.
Power..... Pump 3 HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Riverside Addition Absarokee
Block 3: 1/4 Lots 1/4 4 & 5 and **T 4 S, R 18 E**
 T..... N R..... E
 S W
Sec. 1: Lot 2 being
Tract "B" on Flat
#174297
 INDICATE LOCATION OF WELL AND PUMP IF POSSIBLE

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address _____

..... LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION
ended) Top of Ground

Top of Ground (Elev. above sea level)

[illegible]

Show exact depth of bottom

56773.

207554

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above Instru-
ment was filed & indexed in this office

on the _____ day of JUN 20 1973

AD 17, at _____ o'clock 9:50A M.

Edna Shaw
COUNTY RECORDER

By _____ DEPUTY

4A-18E

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner **Robert Nbe**

Address **P.O. Box 102**

Absarokee, Montana 59001

Date well started

completed April 1958

Type of well Dig

(Dug, driven, bored or drilled)

Equipment used ~~Backhoe~~

(Churn drill), rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☒

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒


*** Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block

and Addition). 2 Lots 50! x 140!

ESTIMATED ANNUAL WITHDRAWAL **Not Known**

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3' con crete tile	0'	12'	None			



Static water level 2 ft.*
Pumping water level 6 to 8 ft.*
at gallons per minute,
measured minutes after pumping
began.

*Measured from ground level.

Well developed by ...
forhours.

Power..... Pump 1/3..... HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

First Addition, Absarokee

Block 10/ Lots 3c & 4.

T..... N R..... E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Drifter's Signature

Driller's Address

LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

12.5' Show exact depth of bottom

54487

207555

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instru-
ment was filed & indexed in this office

on the _____ day of JUN 29 1973

AD 1) _____, at _____ o'clock 9:55 A M.

Thelma Shaw

COUNTY RECORDER

By _____

DEPUTY

4A 18E
County **Stillwater**

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner **Robert Noe**

Address **B.O. Box 102**

Abnareoke, Montana 59001

Date well started

completed **May 1967**

Type of well **Dug**

(Dig, driven, bored or drilled)

Equipment used Practice

(Church drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☒


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 114 Acres

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3" con crete tile		0'	13'	1"		



Static water level 24.....ft.*
Pumping water level 7 to 9.....ft.*
atgallons per minute,
measuredminutes after pumping
began.

*Measured from ground level.

Well developed by

forhours.

Power..... Pump **3**..... HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Riverside Addition Absarokee pack

Block 3 1/4 Lots 4 & 5

and T 4 S, R 18 E

T..... N R.
S

Sec. 1: Lot 2 being

Tract "D" on Flat

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address

LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

Show exact depth of bottom

54194

207554

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instrument was filed & indexed in this office

on the _____ day of JUN 29 1973

AD 19____, at _____ o'clock 9:50 A M.

Edna J. Ross
COUNTY RECORDER

By Edna J. Ross DEPUTY

RECEIVED

T.....R.....

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Dell E. Powell Address Alexandria, MO

Driller.....Address.....

I hereby certify that the above instrument was filed & indexed in this office on _____ Date of Notice of appropriation of groundwater _____

on the date JUN 29 1973 Date well started.....Date completed.....

AD-19 at No. 4136 Type of well Dug Equipment used Back hoe
(Dug, driven, bored or drilled) (Churn drill, rotary or other)

By _____ DEPUTY

Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
 Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

[illegible]

Lot 2 A Plat 198475 Garden Home Sub. Static Water Level for non-flowing well 6 feet.

Lot 2A Plat 187 D9D					Shut-in Pressure for Flowing Well.....
					Pumping Water Level.....feet

1. 1 Heimer Ad^w Block 3 E at 36 gal. per minute.
Discharge in gal. per min. of flowing well

How Tested... *unknown*

Length of Test.....

Remarks: (Gravel packing, cementing, pack-
ers, type of shutoff).....*gravel*.....

.....1/4.....Sec..... T..... R.....
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

..(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

9 feet Sho

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature.

56178

207632

Office of Clerk & Recorder
SHELBY COUNTY, MONTANA

I hereby certify that the above instru-
ment was recorded in this office

ON THE 29th DAY OF June 1973
A.D. 1973 AT 4:38 PM CLERK

Phelma Shaw COUNTY RECORDER

BY Phelma Shaw DEPUTY

File No. 194094

STATE WATER CONSERVATION BOARD

MAR 7 1967

T. 4S R. 18E

DUPLICATE

County Stillwater

LOG

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Top of Ground 8-1 TOP Soil

(Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)


Owner K. E. Toel Address Billings, MontDriller B + H Drilling Address Frankfort, Mont

Date of Notice of appropriation of groundwater.....

Date well started 1/20/67 Date completed 1/21/67Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8 280	1'6"	26 1/2	Tank Cuts 1/4 X 6	19	25

Static Water Level for non-flowing well.....8 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....15 feet
at.....30 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested.....BailerLength of Test.....2 hrs

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

N 1/4 Sec. 11 T. 4S R. 18
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Just used for Lawren.

Show exact depth of bottom.

26 1/2

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No 27
Driller's License Number

Reed L. Langley
Driller's Signature.

4/17/86

194094

G W -2

K. E. Tod

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 6th day of March
A. D. 1967, at 10:05 o'clock A.

Thelma Shaw

COUNTY RECORDER

By

June Bishop

STILLWATER COUNTY
STATE OF MONTANA

File No. 186551

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

48 18E
Twp _____, Rge _____

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 30 1963

1. Gerald W. Weast, of Absarokee STATE ENGINEER,

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 1	Sec. 1	Sec.	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Household & Livestock	Livestock				
3. Approx date of Use	1958	1958				
How continuous?	continuous	continuous				
4. Amount claimed in miner's inches or gallons per min.	30 gals	30 gals				
5. Acres irrigated	None	None				
Description	None	None				
Name of Owner	Gerald Weast	Gerald W. Weast				
6. Location of Well	NWSE	NWSE				
Means of With-drawal	Electric pump	Electric pump				
7. Date-Commencement	Approx 1891	Approx 1894				
Date-Completion	"	"				
8. Depth of water table	12 ft	5 ft				
9. Type, size, depth or specifications of works	30' deep dug rock wall	40' deep dug rock wall				
10. Estimated amount withdrawn annually	70,000	800,000				
11. Log, if available	NA	NA				
12. Other information	--	--				

Signature of owner Gerald W. Weast

Date December 26th, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

15871

186551

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instrument was filed and indexed in this office on the 26 day of December A. D. 1963, at 1:30 o'clock P.M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

RECEIVED

File No. 207535T. 45 R. 18

DUPLICATE

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION
LOGCounty StillwaterSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARDNotice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner Jay C. Rothman Address Abundant Int.

Driller: _____ Address: _____

Date of Notice of appropriation of groundwater _____

Date well started June 24, 1973 Date completed June 24, 1973Type of well Dug Equipment used _____
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.


Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instrument was filed & recorded in this office

on the 28 day of JUN 1973at 3:00 PMChelms
COUNTY RECORDER

by _____ DEPUTY

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	<u>10 inch</u>	<u>4'</u>	<u>6'</u>			

Tate A3-A48 Plate 1870701/4 Sec. 1 T45 R. 18
Indicate location of well and place of use, if possible. Each small square represents 40 acres.Static Water Level for non-flowing well three ft. feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level four feet
at 2 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested PerchedLength of Test 10 min.Remarks: (Gravel packing, cementing, packers, type of shutoff) brack

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Jay C. Rothman
Signature.

54424

STILLWATER COUNTY
STATE WATER CONSTRUCTION BOARD
STATE OF MONTANA

File No. 191781

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

TwP 4S, Rge 18 E

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Willis G & Agnes H Porter, of Absarokee,

County of Stillwater, State of Montana, have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

	Sec. 1	Sec. 1	Sec.	Sec.	Sec.	Sec.
WELLS	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
2. Basis of Beneficial Use	Household & Yard	Stock Use				
3. Approx date of Use	1942	Prior to Purchase				
How continuous?	continuous	continuous				
4. Amount claimed in miner's inches or gallons per min.	5 gal per min	4 gal per min				
5. Acres irrigated	none					
Description						
Name of Owner						
6. Location of Well	SE 1/4 of SE 1/4 of S 1/2 of T 14 N, R 18 E	SE 1/4 of SE 1/4 of S 1/2 of T 14 N, R 18 E				
Means of Withdrawal	Elec Pump	Hand Pump				
7. Date-Commencement	Dug 1942	Don't know				
Date-Completion						
8. Depth of water table	7 ft	7 ft				
9. Type, size, depth or specifications of works	Dug 10' deep 24" dia	Dug 10' deep 24" dia				
10. Estimated amount withdrawn annually	110,000	110,000				
11. Log, if available	NA	NA				
12. Other information	--	--				

Signature of owner Willis G Porter
Agnes H Porter
Date December 30, 1965

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

40384

191791

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 30th day of December
A. D. 1965, at 1:45 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

RECEIVED

File No. **204268**

MAP 28 1972

T. **4 S.** R. **18 E.**

DUPLICATE

MONTANA DEPARTMENT OF NATURAL
LOG RESOURCES AND CONSERVATIONCounty **Stillwater**STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Top of Ground

(Elev. above sea level.....)

0-2 Top Soil

2-12 Gravel & Sand

12-33 Gravel & Boulder

33-36 Sand & Gravel

36-47 Soft Grey Shale

47-50 Hard Grey Sandstone

50-75 Sandy Grey Shale (Water)

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Owner **Willis or Aones Porter** Address **XXXXXXXXX Absarokee, Mont.**Driller **B & H Drilling** Address **Fishtail, Mont.**

Date of Notice of appropriation of groundwater.....

Date well started **March 2 1972** Date completed **March 8 1972**Type of well **Drilled** Equipment used **Churn drill**
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

STATE OF MONTANA (ss.)
COUNTY OF STILLWATERI hereby certify that the above instru-
ment was filed and indexed in this officeon the **MAR 24 1972** day of **MAR 24 1972**A. D. 195....., at **12:10** o'clock **A.M.****Helma Shaw**

COUNTY RECORDER

By..... Deputy

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 inch	6 5/8	18 1/4	48 1/2	None		
	18.97	9-	75	3/16 holes	50	65
	4 1/2 Plastic					

Static Water Level for non-flowing well
9 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level **25** feet
at **50** gal. per minute.

Discharge in gal. per min. of flowing well

How Tested **Bailer**Length of Test **2 hrs**

Remarks: (Gravel packing, cementing, pack-

ers, type of shutoff) **Drive steel****into hard sandstone at 47 ft.**nw 1/4 Sec. 1 T. 4 S. R. 18 E.
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).**Water is for home and lawn. AND STOCK.**

Show exact depth of bottom.

75 ft.This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.Please answer all questions. If not applicable, so state, otherwise the form will be
returned.

No. 27

Driller's License Number

Red L. Hargan
Driller's Signature.

50, 116

3 GW 2 Revised 1969
STATE PUBLISHING COMPANY

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.


Please answer all questions. If not applicable, so state, otherwise the form may be returned.

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition):

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
	4'	0'	10'		7'	10'
	by Hatch Co.					



Static water level 16 ft.*
Pumping water level 5 ft.*
at 2 gallons per minute,
measured minutes after pumping
began.

*Measured from ground level.

Well developed by ...
forhours.

Power..... Pump..... HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

into rock & sand
fossils, plants & animals

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature**Driller's Address**

LICENSE NO.

County Stellwagen

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

10'

Show exact depth of bottom

53, 873

GW 2

207469

Ken Shelley et ux

Plat # 197180
4S 18 E

Office of Clerk & Recorder
Stillwater County, Montana

I hereby certify that the above instrument was filed & indexed in this office

on the 25th day of June
AD 19 73, at 4:20 o'clock P.M.

Thelma Shaw
COUNTY RECORDER

by Elise Houghton DEPUTY

Fee \$ 2.00

GW 2

183035

File No.

DUPLICATE

Town of Absarokee

T. 48 R. 18

County StillwaterSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERRECEIVED
SEP 21 1962Notice of Completion of Groundwater
Appropriation by Means of Well STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level.....)

0'-29' Gravel Rocks

29'-37' Brown clay

38'-45' Hard Grey Shale

45'-65' Grey Sandstone

65'-82' Grey Shale

82'-92' Grey Sandstone

92'-115' Grey Shale


Owner Absarokee water users assoc. Absarokee, MontDriller B & H Drilling Address Fishtail, Mont

Date of Notice of Appropriation of Groundwater

Date well started 6/29/62 Date Completed 7/12/62Type of well Drilled Equipment Used Churn Drill
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☐ Municipal ☒ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8 in	8 in	1#	4 1/2			
2 5/8 in	2 5/8 in					



Town of Absarokee
..... 1/4 Sec. 1 T. 48 R. 18
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

115' Deep -

Static Water Level for non-flowing Well 6 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 80 feet at 14 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Pump Length of Test 22 Hrs -

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

No 27
Driller's License NumberDriller's Signature Red L. Hargrave

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2130

183036

STATE OF MONTANA ss.
COUNTY OF TELLWATER

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 19th day of Sep. 1967
A. D. 1967, at 2:45 o'clock P. M.

Gertrude H. Calhoun
COUNTY RECORDER

By _____ Deputy

File No. 186737T. 4S R. 18

DUPLICATE

County Stillwater


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 4 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Donald F. Rhyneer et al, of Absarokee
(Name of Appropriator) (Address) (Town)
County of Stillwater State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 4

1/4 Sec 3 T. 4S R. 18E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic use:
household and livestock
3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been Well #1 drilled in 1948,
continuous daily use; Well #2 drilled in
1960, continuous daily use.
4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 50 gallons
5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
no irrigation
6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal Electric pumps
on each well located in Lot 4, Section 3,
Township 4 South, Range 18 East
7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater Well #1 drilled in 1948; Well #2 drilled in 1960.
8. The depth of water table 15 feet each
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater Unit #1 is drilled to a depth of 65 feet
and cased with 10 inch steel casing. Unit #2 is drilled to 80 feet
and cased with 6 inch steel casing.
10. The estimated amount of groundwater withdrawn each year a million gallons
11. The log of formations encountered in the drilling of each well if available Sand, clay and
gravel in each instance
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record None

Signature of Owner L. M. RhyneerDate December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

27708

186737

STATE OF MONTANA } ss.
COUNTY OF DEER

I hereby certify that the above instru-
ment was filed in my office

on the 31st December

at 12:00 P.M.

Gertrude H. Calhoun

COUNTY CLERK

By...

Deputy

Scillwater
Donald F. Rhynear
s
ls

December
Wm. R. Morse

Absarokee, Montana

October 21 65

ls
s

s

186731

File No.....

T. 4 S. R. 18 E

DUPLICATE

County Stillwater

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 8 1964

**Notice of Completion of Groundwater Appropriation
Without Well**


(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater December 30, 1963Owner Donald F. Rhynner Address Absarokee, MontanaContractor (if any) none

Address of Contractor

Date Started unknown Date Completed Est. 1910

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. #1. walled & piped to bldgs. & outdoor hydrants; #2. dug out, walled and piped to tank; #3 dug out and rocked up; #4. dug out & piped to tank; #5. dug out and walled into reservoir & piped to bldgs; #6. dug out and walled.



Indicate point of appropriation and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. All six springs are continuous; flows are as follows: #1. 35 gpm; #2. 35 gpm; #3. 50 gpm; #4. 35 gpm; #5. 75 gpm; #6. 35 gpm.

Signature of Owner Donald F. RhynnerDate December 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

27722

186751

STATE OF MONTANA } ss.
COUNTY OF STILLWATER }

I hereby certify that the above instru-
ment was filed and indexed in this office
on the 31st day of December
A. D. 1953, at 2:20 o'clock P.M.

Gertrude H. Cackoun
COUNTY RECORDER

By _____ Deputy

Form No. 18
8-60

T. 4S R. 18E

County Stillwater

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
OCT 15 1961

WATER WELL LOG

STATE ENGINEER

Owner Cleve Arney Address Absarokee, Montana

Driller B & H Drilling Address Fishtail, Mont

Date Started 7/18/61 Date Completed 7/19/61

Location: Sec. 4 T. 4S R. 18E $\frac{1}{4}$ sec. Lot 2 (NW 1/4)

Type of well Drilled Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 21 1/2 ft. Type Black Size 6 in

Casing: 4 ft. to 85 ft. Type Galv. Liner Size 5 in

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static Water level, for non-flowing well: 18 feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 70 feet at 30 gal. per min.

How tested: Roller

Length of test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]