



938016

STATE OF MONTANA ) ss.  
County of Yellowstone )

This instrument was filed in my office

this 32 day of June 1923

at 12.57 o'clock P.M.

MERRILL H. HANSEN  
County Clerk & Recorder

By Robert L. Burroughs Deputy



938014

STATE OF MONTANA, } ss.  
County of Yellowstone, }  
This instrument was filed in my office  
this 28 day of June 1923  
at 12.56 o'clock P. M.  
MERRILL M. KNUDST  
County Clerk & Recorder  
By Robert C. ... Deputy

File No. ....

DUPLICATE

T. 15 R. 25 E  
County YELLOWSTONE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)


Owner: Joe Smith Address: West Billings  
Driller: ROY D PIERCE Address: Billings MONT

Date of Notice of Appropriation of Groundwater.....  
Date well started: 8/29/68 Date Completed: 8/29/68

Type of well: DRILLED Equipment Used: CHURN  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 5/8	6 5/8" - 19 #	0	35 1/2	NONE		

Static Water Level for non-flowing Well: 10' FROM SURFACE Feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level: 30' feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested: BAUER Length of Test: 1 HR.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Show exact depth of bottom.

35 1/2'

MONT-170  
Driller's License Number

ROY D PIERCE  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

44,549

827083

MONTANA WATER RESOURCES BOARD  
**RECEIVED**  
SEP 6 1968

STATE OF MONTANA, )  
County of Yellowstone, ) ss.  
This instrument was filed in my office  
this SEP 5 1968 at 1:00 of the 1 M.

*[Handwritten Signature]*  
County

SEP 5 1968  
MONTANA WATER RESOURCES BOARD



937376

STATE OF MONTANA, } ss.  
County of Yellowstone, }

This instrument was filed in my office  
this JUN 22 day of 1973

at 5:21 o'clock P M.

MERRILL H. KLUNDT  
County Clerk & Recorder

By [Signature] Deputy

[Signature]



936817

County of Orange, Florida  
I, James R. [unclear], Sheriff of said County, do hereby certify that  
this 18 day of June, 1923  
at 11:30 o'clock P. M.  
County Clerk's Office  
By CAB Deputy

THIS INSTRUMENT IS VALID ONLY WHEN SIGNED BY THE SHERIFF OF THE COUNTY OF ORANGE, FLORIDA.

File No.....

T. 1. S. .... R. 2. S. ....

ORIGINAL

County.....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 2 1964

DECLARATION of VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. George Freda Frank of Route 7, Box 103, Billings  
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to  
January 1, 1962, as follows:



<sup>3</sup>/<sub>4</sub> Sec 30 T. 1. S. R. 2. S.  
Indicate point of appropriation  
and place of use, if possible.  
Each small square represents  
10 acres.

- 2. The beneficial use on which the claim is based  
stock lawn garden
- 3. Date or approximate date of earliest beneficial  
use; and how continuous the use has been  
1900 stock lawn garden
- 4. The amount of groundwater claimed (in miner's  
inches or gallons per minute)  
100 gal/min
- 5. If used for irrigation, give the acreage and  
description of the lands to which water has been  
applied and name of the owner thereof  
1/4 Sec 30 T. 1. S. R. 2. S.
- 6. The means of withdrawing such water from the  
ground and the location of each well or other  
means of withdrawal  
electric pump

7. The date of commencement and completion of the construction of the well, wells,  
or other works for withdrawal of groundwater  
1900

8. The depth of water table  
10 feet

9. So far as it may be available, the type, size and depth of each well or the gen-  
eral specifications of any other works for the withdrawal of groundwater  
unknown

10. The estimated amount of groundwater withdrawn each year  
unknown

11. The log of formations encountered in the drilling of each well if available  
unknown

12. Such other information of a similar nature as may be useful in carrying out the  
policy of this act, including reference to book and page of any county record  
unknown

Signature of Owner George Freda Frank  
Date DEC 31 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the  
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will  
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate  
to the Montana Bureau of mines and Geology, and Quadruplicate for the appropriator

721598

STATE OF MONTANA,  
County of Yellowstone,

This instrument was filed in my office  
this DEC 31 1963

at 12:16 o'clock P. M. ||

SMK  
Recorder

RECEIVED

County YELLOWSTONE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD  
**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**  
Developed after January 1, 1962

**DRILLER'S LOG**

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Mrs. Margaret Freed

Address Ch. J. Road

BILLINGS, MT. 59102

Date well started Summer 1957

completed Summer 1957

For Administrator's Use	
File	<u>258-207</u>
	<u>6-29-58</u>
GW 1	<u>8-48-200</u>

Type of well Driven (Dug, driven, bored or drilled)

Equipment used Hand Point (Chain drill, rotary or other)


Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \* Garden/Lawn

\*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 30,000 gal

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind	From (Feet)	To (Feet)
<u>3"</u>	<u>3" WT-?</u>	<u>63 ft</u>		<u>1/2"</u>	<u>10 ft</u>	



Static water level ? ft.\*  
Pumping water level ? ft.\*  
at ? gallons per minute,  
measured ? minutes after pumping  
began.

\*Measured from ground level.

Well developed by \_\_\_\_\_  
for \_\_\_\_\_ hours.

Power \_\_\_\_\_ Pump \_\_\_\_\_ HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)  
gravel packers

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Mrs. Margaret Freed

Driller's Address \_\_\_\_\_

LICENSE NO. \_\_\_\_\_

Show exact depth of bottom

938207

STATE OF MONTANA, } ss.  
County of Yellowstone,  
This instrument was filed in my office  
this JUN 29 1973 10  
at Salt Lake City M.  
MERRILL F. KLUNGE  
County Clerk & Recorder  
By [Signature] Deputy  
[Signature]

RECEIVED

File No. \_\_\_\_\_

JAN 18 1972

T. \_\_\_\_\_ R. \_\_\_\_\_  
County Yellowstone


DUPLICATE

MONTANA DEPARTMENT OF NATURAL  
RESOURCES AND CONSERVATION

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)



Owner Elmer Leischner Address RT. 1 BILLINGS MONTANA

Driller Elmer Leischner Address S.A.M.C.

Date of Notice of Appropriation of Groundwater.....

Date well started 12-1-70 Date Completed 12-3-70

Type of well Dug Equipment Used SAND POINT  
( driven; bored or drilled) (Churn, drill, rotary or other)

Doc. No. 899051  
Filed for record

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

this 17 day of January  
A.D. 19 72, at 11:20  
o'clock P.M.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2"	2"	0'	26'			

Static Water Level for non-flowing Well 15' feet.


Shut-in Pressure for Flowing Well.....

Pumping Water Level 20' feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Pump Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....



NW 1/4 Sec 32, T. 15, R. 25. E  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Driller's License Number

Elmer Leischner  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

49,765

899051

Water Resources Division  
Engineering Bureau  
Groundwater Section  
Sam H. Mitchell Building  
Helena, Montana 59601

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your ground-water right.

Special Instructions:  
Please provide, as indicated in red on the attached forms, the correct township

either North or South.  
Thank you.

Owner Elmer Lelseher  
Address Rt. 1, Billings, MT 59102  
Location T. 1 R. 25E Sec. 32  
Doc. No. 899051, 899052

STATE OF MONTANA  
County of Yellowstone  
The following was duly recorded  
this 17th day of April 1972  
at 4:20 P.M.  
By Carol B. Brown Deputy

RECEIVED

JAN 18 1972

T. \_\_\_\_\_ R. \_\_\_\_\_

County YELLOWSTONE

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level.....)

18' Soil  
5' GRAVEL  
6' POA GRAVEL & SAND

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner ELMER LEISCHNER Address RT. 1 BILLINGS MONTANA

Driller ELMER LEISCHNER Address S.A.M.C.

Date of Notice of Appropriation of Groundwater.....

Date well started 12-1-70 Date Completed 12-3-70

Type of well DUG Equipment Used SAND POINT  
(aug driven, bored or drilled) (Churn, drill, rotary or other)

Doc. No. 899051

Filed for record


this 17 day of January

A. D. 19 72, at 1:20 o'clock P.M.

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2"	2"	0'	26'			



NW 1/4 SE 3/4 T. 15 R. 25 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

46'

Static Water Level for non-flowing Well 15' feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 20' feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested PUMP Length of Test 2 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation).....

Driller's License Number

Elmer Leischer  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

(1)

49.765

File No. \_\_\_\_\_

RECEIVED

T. \_\_\_\_\_ R. \_\_\_\_\_

DUPLICATE

JAN 18 1977

County YELLOWSTONE

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground (Elev. above sea level) \_\_\_\_\_  
5' 50.6

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 287, Montana Session Laws, 1961)

35' Gravel & Sand  
40' SAND & Small gravel  
42' Ten Gravel & Sand

Owner Elmer Leischnick Address Billings, MONT.

Driller Ray D. Pierce Address Billings, MONTANA

Date of Notice of Appropriation of Groundwater \_\_\_\_\_

Date well started 5-22-69 Date Completed 5-24-69

Type of well DRILLED Equipment Used CHURN  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Doc. No. 899052  
Filed for record this 17 day of January  
A. D. 19 77, at 1:21 o'clock P.M.

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>6 5/8"</u>	<u>6 5/8" - 17'</u>	<u>0</u>	<u>42'</u>			

Static Water Level for non-flowing Well 27' feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 40 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested BAILEY Length of Test 1/2 HA

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) \_\_\_\_\_

NW 1/4 SE Sec 32 T15 R35 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

42'

170  
Driller's License Number

Ray D. Pierce  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

49,764  
49,764

899052

STATE OF MONTANA }  
COUNTY OF }  
17th day of June 1912  
1:21 P.M.  
By Carroll Blaine Deputy

6200

Static Water Level for non-flowing Well 27' feet

RECEIVED

JAN 18 1972

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

County YELLOWSTONE

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground (Elev. above sea level.....)

15' 50" L

35' Gravel & Sand  
40' SAND & Small gravel  
43' Red sand & sand

Owner Elmer Heischner Address Rt. 1 Billings, MONT.

Driller Ray D. Pince Address Billings, MONTANA

Date of Notice of Appropriation of Groundwater.....

Date well started 5-22-69 Date Completed 5-24-69

Type of well DRILLED Equipment Used CHURN (Churn, drill, rotary or other)

Doc. No. 899052 Filed for record this 12 day of January A.D. 1972 at 1:21 o'clock P.M.

Water Use: Domestic [checked] Industrial [ ] Municipal [ ] Drainage [ ] Other [ ] Stock [ ] Irrigation [ ]

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)). Handwritten entries: 6 5/8", 6 5/8" - 17", 0, 42'.

Static Water Level for non-flowing Well 27' feet.


Shut-in Pressure for Flowing Well.....

Pumping Water Level 40 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested BAILEY Length of Test 1/2 HA

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....



NW 1/4 SE Sec 32 T. 15 S. R. 35 E. Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

43'

Driller's License Number 170

Driller's Signature Ray D. Pince

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located. Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

49.764

(1)

DUPLICATE

MAY 18 1970

STATE OF MONTANA  
 ADMINISTRATOR OF GROUNDWATER CODE  
 OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater  
 Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
 (Elev. above sea level.....)

15' GRAVEL

18' SAND & PEA GRAVEL

Owner DON DEVORE Address BILLINGS MONT.

Driller BOB PIERCE Address BILLINGS MONT.

Date of Notice of Appropriation of Groundwater.....

Date well started 4/6/70 Date Completed 4/17/70


Type of well DRILLED Equipment Used CHURN  
 (dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
 Industrial  Drainage  Stock

Doc. No. 860921  
 Filed for record  
 this 11 day of MAY  
 A. D. 19 70, at BILLINGS  
 o'clock 2:00 P.M.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)		To (Feet)		PERFORATIONS		
		From (Feet)	To (Feet)	Kind Size	From (Feet)	To (Feet)		
<u>6 1/8"</u>	<u>6 5/8" - 19#</u>	<u>0</u>	<u>13'</u>	<u>NONE</u>				



NE 1/4 Sec. 22 T. 15 R. 25  
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

18'

Static Water Level for non-flowing Well 4' FROM SURFACE feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 10' feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested BAILER Length of Test 30 MIN

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

MONT-170  
 Driller's License Number

Bob A. Pierce  
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

46434

File No. ....

T 15 R 25 E

County YELLOWSTONE

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well  
(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

15' GRAVEL

18' SAND & LIME GRAVEL

Doc. No. 860921

Filed for record  
this 11 day of May  
A. D. 1970, at 2:10  
o'clock P.M.

NE 1/4 Sec. 33 T. 15 R. 25

Indicate location of well and  
place of use, if possible. Each  
small square represents 10 acres.

Show exact depth of bottom.  
18'

Owner: DON DELMORE Address: BILLINGS-MONT.

Driller: BOB PIERCE Address: BILLINGS-MONT.

Date of Notice of Appropriation of Groundwater.....


Date well started 4/1/70 Date Completed 4/7/70

Type of well DRILLED Equipment Used CHURN  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 1/2"	6 1/2" - 19 #	0	18'	NONE		



Static Water Level for non-flowing Well 4' FROM SURFACE feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 10' feet at 15 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested PULSER Length of Test 30 MIN.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

271017-170  
Driller's License Number

Bob Pierce  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

46434

860921

STATE OF MONTANA  
County of Y. *Yellowstone*  
This instrument was filed in my office  
this 11 day of May 1970  
at 2:10 o'clock P. M.  
MERRILL H. FLUNDY  
County Clerk & Recorder  
By [Signature] Deputy

MONTANA WATER RESOURCES BOARD  
RECEIVED

T. 15 R. 25E  
County Yellowston

File No.....

DUPLICATE

APR 12 1971


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

### Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Doc. No. 879788  
Filed for record  
this 8th day of April  
A. D. 19 71 at 4:30  
o'clock P. M.

Date of Appropriation of Groundwater June, 1966  
Owner John B. Edward Address RI #1, Box 239  
Contractor (if any) S.I.P.  
Address of Contractor N.A.  
Date Started MAY, 1966 Date Completed June, 1966



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. NATURAL FLOW

Will Fill 10" pipe year round

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Year round use. Estimated flow 1/2 acreage 1" pipe full. Domestic and livestock

N 25 W 1/4 Sec 33 T. 15 R. 25E  
Indicate point of appropriation and place of use, if possible.

Signature of Owner John B. Edward  
Date April 8, 1971

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

879788

STATE OF MONTANA  
 County of Yellowstone  
 This instrument was filed on my office  
 this 4:30 day of APR 8 1976  
 MERRILL H. KENNEDY  
 County Clerk & Recorder  
 Deputy



*[Faint, mostly illegible text and markings, possibly bleed-through from the reverse side of the page.]*

File No. ....

T. 15 R. 25 E. 33

DUPLICATE

County

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
OCT 15 1964

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

5' dirt  
10' sand & gravel  
11' sand  
2' small gravel

NE 1/4 NW 1/4  
T. 15 R. 25 E. Sec 33

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

28'  
Show exact depth of bottom.

Owner John B. Edwards Address Bullinger St 1

Driller Upton E. McKeehan Address Laurel Mont

Date of Notice of Appropriation of Groundwater.....

Date well started 9/22/64 Date Completed 9/24/64

Type of well drilled Equipment Used Cable Tool  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Hole Size	From (Feet)	To (Feet)
6"	6" JD 19 lb.	+1'	28'			

Static Water Level for non-flowing Well 5 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 12 feet at 34 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested Packings Length of Test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

36  
Driller's License Number

Upton E. McKeehan  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

37560

# 740563

STATE OF MONTANA,  
County of Yellowstone,

This instrument was filed in my office  
this OCT 13 1969 of 19

at 10:02 o'clock A M.

Edwin S. Redding,  
County Clerk & Recorder

By [Signature] Deputy

File No. \_\_\_\_\_  
 DUPLICATE

T. 12 R. 25E  
 County YELLOWSTONE

STATE OF MONTANA  
 ADMINISTRATOR OF GROUNDWATER CODE  
 OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
 Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner GEORGE VAUTMAN Address DULL BILLINGS

Driller ROY PIERCE Address BILLINGS

Date of Notice of Appropriation of Groundwater \_\_\_\_\_

Date well started SEPT 28-62 Date Completed SEPT 28-62

Type of well Drilled Equipment Used CHURN DRILL  
 (dug, driven, bored or (Churn, drill, rotary or drilled) other)


Water Use: Domestic  Municipal  Other  Irrigation   
 Industrial  Drainage  Stock

MONTANA WATER RESOURCES BOARD  
 RECEIVED

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.



Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 5/8"	6 5/8-13"	0	15'			



N 25 E Sec. 33 T. 12 S. R. 25 E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 1.0' feet.

Shut-in Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 12' feet at 1.0 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested BAILER Length of Test 11"

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) \_\_\_\_\_

GRAVEL WELL

Mont-170  
 Driller's License Number

Roy D. Pierce  
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

45,249

841431

STATE OF MONTANA  
County of Yellowstone ss.

This instrument was filed in my office  
this MAY 20 1960 day of \_\_\_\_\_ 19\_\_

at 10:32 o'clock A. M.

MERRILL H. KLUNDT  
County Clerk & Recorder

By [Signature] Deputy

200

Vertical text on the right side of the page, possibly a recording or filing stamp.

Vertical text on the far right side of the page, possibly a recording or filing stamp.

RECEIVED

SE 1501 429  
NENE 32  
NWN 33

STATISTICAL PRINT

File No. 936955

T. 1. S. R. 25. E.

DUPLICATE

County Yellowstone

DEPARTMENT OF NATURAL  
RESOURCES AND CONSERVATION

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Notice of Completion of Groundwater Appropriation  
Without Well**

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater 1892


Owner Dave & Lydia Neibauer Address Rte 1 Box 167  
Billings, Mont. 59101

Contractor (if any) None

Address of Contractor

Date Started Date Completed

Describe means of obtaining groundwater without a well "as by  
sub-irrigation and other natural processes". Include depth to  
water when applicable.



Spring which runs year round. Known as Molendike Spring

Takes in part of 3 Sections. listed above.

Quantity of water developed and used with explanation of method  
used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use. Year around

N. 1/4 NW. Sec 33. T18. R25E

Indicate point of appropriation  
and place of use, if possible.

Stock Water & Irrigation

FILE 936955

DATE June 19, 1973

TIME 2:12 p.m.

Signature of Owner Dave Neibauer

Date 6-19-73

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the  
works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana  
Bureau of Mines and Geology and Quadruplicate for the Appropriator.

53645

936955

JUN 14 1993  
2:12 P

By *Jew*  
20

File No. ....

T. 15 R. 25 E  
County Yellowstone

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level.....)

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner David Naibauer Address Rte 1

Driller Bryant Address 2613 Copper Blv

Date of Notice of Appropriation of Groundwater.....


Date well started July Date Completed July

Type of well Driven Equipment Used  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3 in.	3 in.	0	30 ft	slots	25	35



1/4 Sec. 37 T. 15 R. 25 E  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 10 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 12 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested pumped Length of Test.....

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) lawn

Bryant Drilling Co #132  
Driller's License Number  
Bryant  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state; otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39665

763521

STATE WATER CONSERVATION BOARD

OCT 4 1965

Boe  
Burzer  
Evans  
Garfield  
Dickert  
McDonnell  
Morris  
Sullivan

STATE OF MONTANA  
County of Yellowstone

This instrument was filed in my office  
this 7 day of Oct 1965  
at 8:52 o'clock A. M.

Edmon S. [unclear]  
County Clerk & Recorder

By Paul Rock Deputy

200

File No. ....

T. 15 R. 25 E.

DUPLICATE

County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater  
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner David Malbauer Address Rte. 1

Driller Bryant Address 2613 Copper Blvd

Date of Notice of Appropriation of Groundwater .....

Date well started July Date Completed July

Type of well ..... Equipment Used .....  
(aug, driven, bored or drilled) (Churn, drill, rotary or other)


Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3 in.	3 in.	0	30 ft.	slots	25	35



Top of Ground  
(Elev. above sea level.....)



N 1/4 Sec. 22, T. 15, R. 25 E  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 10 feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 12 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested pumped Length of Test .....

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) Lawn

# 132  
Driller's License Number  
E. L. Bryant  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

39666

763524

PAID  
1965

1.56 oct 1 65

Paul Hale

2.00



File No.....

T. 15<sup>th</sup> R. 25<sup>th</sup>  
County.....

ORIGINAL

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS  
(Under Chapter 237, Montana Session Laws, 1961)

1. Henry Rush of R-1-R-15 Billings  
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to  
January 1, 1962, as follows:


Sec. 227, R. 25<sup>th</sup> E  
Indicate point of appropriation  
and place of use, if possible.  
Each small square represents  
10 acres.

2. The beneficial use on which the claim is based  
Law

3. Date or approximate date of earliest beneficial  
use; and how continuous the use has been - 1910

4. The amount of groundwater claimed (in miner's  
inches or gallons per minute - 110

5. If used for irrigation, give the acreage and  
description of the lands to which water has been  
applied and name of the owner thereof - more

6. The means of withdrawing such water from the  
ground and the location of each well or other  
means of withdrawal - electric

7. The date of commencement and completion of the construction of the well, wells,  
or other works for withdrawal of groundwater - 1910

8. The depth of water table - 6 ft

9. So far as it may be available, the type, size and depth of each well or the gen-  
eral specifications of any other works for the withdrawal of groundwater - 6-7 ft

10. The estimated amount of groundwater withdrawn each year - 50000

11. The log of formations encountered in the drilling of each well if available  
more

12. Such other information of a similar nature as may be useful in carrying out the  
policy of this act, including reference to book and page of any county record -  
more

Signature of Owner - Henry Rush  
Date -

Three copies to be filed by the owner with the County Clerk and Recorder of the  
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will  
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate  
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator



RECEIVED

File No. \_\_\_\_\_

JUN 20 1972

County Yellowstone

DUPLICATE

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Top of Ground (Elev. above sea level.....)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Charles Schweigert Address Route #1

Driller Charles Weed Address 1064 Hannan Rd.

Date of Notice of Appropriation of Groundwater June 12 1972


Date well started..... Date Completed.....

Type of well driven Equipment Used locking beam (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation  Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Table with columns: Size of Drilled Hole, Size and Weight of Casing, From (Feet), To (Feet), PERFORATIONS (Kind Size, From (Feet), To (Feet)). Handwritten entry: 3", 3" 8lb. 00, 25' Slots, 20', 25'



NE 1/4 Sec 33, T.15, R.25E. Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Static Water Level for non-flowing Well 10 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level 15 feet at 25 gal per minute.

Discharge in gal. per min. of flowing well.....

How Tested Pump Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).

Show exact depth of bottom.

Doc. No. 909668 Filed for record this 19th day of June A. D. 19 72 at 8:00 a.m.

Driller's License Number 430 Driller's Signature Charles Weed

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

50,639

909668

Department of Natural Resources and Conservation  
Water Resources Division  
Engineering Bureau  
Groundwater Section  
Sam W. Mitchell Building  
Helena, Montana 59601

Owner Charles Schweigert  
Address Route 1 - Billings MT 59102  
Location I.1S R. 25E Sec. 33  
Doc. No. 909668

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the attached form, the dates the well construction was started and completed.

Thank you.

STATE OF MONTANA } ss.  
County of Yellowstone }  
This instrument was filed in my office  
JUN 18 1972  
at 8:00 A.M.  
County Clerk & Recorder  
By *[Signature]* Deputy

*72*

DUPLICATE

JUN 20 1972

T. 15 R. 25 E  
County Yellow Pine

MONTANA DEPARTMENT OF NATURAL  
RESOURCES AND CONSERVATION

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level.....)

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Charles Schweigert Address Route # 1

Driller Charles Weed Address 1064 Hannan Rd.

Date of Notice of Appropriation of Groundwater June 12, 1972

Date well started 6-10-72 Date Completed 6-11-72

Type of well T.J.S.N. Equipment Used locking beam  
(dug, driven, bored or (Churn, drill, rotary or drilled) other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3"	3" 8 lb.	00	25'	Slots	20'	25'

Static Water Level for non-flowing Well..... 10 feet


Shut-in Pressure for Flowing Well.....

Pumping Water Level 15 feet at 25 gal. per minute.

Discharge in gal. per min. of flowing well.....

How Tested pump Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

DOC. No. 209668  
Filed for record this 19th of June A.D. 1972

Driller's License Number 133  
Driller's Signature Charles Weed

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triuplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator. 59,639

7-10-72 11:55 AM

RECEIVED  
JUN 20 1972  
MONTANA DEPARTMENT OF NATURAL  
RESOURCES AND CONSERVATION


File No. \_\_\_\_\_  
 STATE WATER CONSERVATION BOARD  
 DUPLICATE

GAZETTE 1234  
 T. 1.50 R. 25 E  
 County) Yellowstone

JAN 11 1965  
 STATE OF MONTANA  
 ADMINISTRATOR OF GROUNDWATER CODE  
 OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**  
 (Under Chapter 21, Montana Session Laws, 1965)

1. Peter W. Wright of 1200 West 2nd St Bozeman  
 (Name of Appropriator) (Address) (Town)  
 County of Yellowstone State of Montana  
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1. E. N. E. 1/4 Sec. 33 T. 1.50 R. 25 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household, dairy & beef cattle.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been October 1953, steady use
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 322,500 gallons per year or 15 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal submersible pressure pump, located south east corner of land

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater October 1953

8. The depth of water table winter - 6 feet - summer 3 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater well is 20 feet deep

10. The estimated amount of groundwater withdrawn each year 322,500 gallons

11. The log of formations encountered in the drilling of each well if available topsoil - clay - gravel - clay - gravel, well is between clay & gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Peter W. Wright  
 Date 12-31-65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located. Please answer all questions. If not applicable, so state, otherwise the form will be returned. Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40480



RECEIVED  
MAR 27 1959

T. 15 R. 25  
County Yellowstone

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG


Owner Edward B. Lodgett Address Duck Creek Route  
Billings  
Driller Clyde Sando Address 147 Miles one,  
Billings  
Date Started March 19, 1959 Date Completed March 20, 1959  
Location: Sec. 34 T. 15 R. 25 1/4 sec. 40 acres

Type of well drilled Equipment used cable  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other: \_\_\_\_\_

Casing: 0 ft. to 14 ft. Type black Size 1 1/2 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static Water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at 30 gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)





one

thick  
and,  
show  
and  
well.

938044

RECORDED  
INDEXED  
JUN 26 1913

STATE OF MONTANA, )  
County of Yellowstone, ) ss.  
This instrument was filed in my office  
this JUN 26 of 1913  
at 1:15 o'clock P M.  
MERRILL H. KLUNDT  
County Clerk & Recorder  
By CTB Deputy

6 200

of bottom

311



938043

*Handwritten notes:*  
To the County Clerk  
for recording  
of the above  
mentioned  
instrument

*Vertical stamp:*  
RECORDED

STATE OF MONTANA, } ss.  
County of Yellowstone, }  
This instrument was filed in my office  
this 20th day of August 1934  
at 1:44 o'clock P. M.  
MERRILL H. KLUNDT  
County Clerk & Recorder  
By [Signature] Deputy

*Handwritten:* 7200







938041

*Handwritten notes:*  
Bureau  
6/26/73  
10:00  
10:00  
10:00

STATE OF MONTANA  
County of Yellowstone

JUN 26 1973

At 1:42 P

By [Signature]

200



838042

*Handwritten notes:*  
MAY 23 1972  
MAY 23 1972  
MAY 23 1972

STATE OF MONTANA, } ss.  
County of Yellowstone, }

This instrument was filed in my office

this JUN 23 1972 19

at 1:43 o'clock P M.

MERRIL H. KLUNDT  
County Clerk & Recorder

By [Signature] Deputy

20

RECEIVED  
DEC 31 1958

T. ~~24~~ R. 25E  
County Yellowstone

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

SW 1/4 SW 1/4 Sec 34


Owner John Jones Address Box 739 Billings

Driller Charles Landa Address 114 N. Lincoln  
Billings

Date Started \_\_\_\_\_ Date Completed Sept. 30, 1958

Location: Sec. 34 T. ~~24~~ R. 25E 1/4 sec SW  
1 South RANGE 25E

Type of well drilled Equipment used Cable  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other: \_\_\_\_\_

Casing: 0 ft. to 13 1/2 ft. Type black Size 6 inch

Casing: 0 ft. to 5' ft. Type galv Size 6 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static Water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on \_\_\_\_\_ (date)

Pumping water level: \_\_\_\_\_ feet at 30 gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)



Depth, feet		Description of Material Drilled
From	To	
0	4	soil
4	12	hard shale
12	16	blue shale
16	50	coarse sand shale

Log of Well

COUNTY OF YELLOWSTONE  
OFFICE OF COUNTY CLERK AND RECORDER  
BILLINGS, MONTANA

CHRIS RUBICH,  
CLERK AND RECORDER

December 31, 1958

ADDRESS ALL REPLIES TO:  
**RECEIVED**  
DEC 2 1958

State Engineer  
Helena, Montana

STATE ENGINEER

Dear Sir:

I am writing regarding a Water Well Log that we mailed you on the 30th day of December. It is the one of Mr. Fox and the description is incorrect. It reads SW $\frac{1}{4}$ , SW $\frac{1}{4}$  Lot 3, Sec. 34, Township 1 North, Range 2 $\frac{1}{2}$  East. It should read as follows:  
SW $\frac{1}{4}$ , SW $\frac{1}{4}$  Lot 3, Sec. 34, 1 South Range 2 $\frac{1}{2}$  East.

We have made the correction on our copy.

CHRIS RUBICH  
County Clerk and Recorder  
By: *Merrill Shull* Deputy

File No. ....

DUPLICATE

T. R. 25 E

County Gallatin

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level 7900)

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Chas. Headlock Address R.P. 1

Driller Chas. Headlock Address 1064 Thompson

Date well started 4-20-67 Date Completed 4-20-67

Type of well 1 1/2" pipe Equipment Used Walker  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Gravel



MONTANA DEPARTMENT OF MINES AND GEOLOGY  
RECORDED  
MAR 2 1971

Size of Drilled Hole	Size and Weight of Casing	From (Feet)		To (Feet)		PERFORATIONS	
		From	To	Kind	From (Feet)	To (Feet)	
3"	3" 4 1/2 lb	00	25	slant	22	-25	



Static Water Level for non-flowing Well 16 feet.

Shut-in Pressure for Flowing Well .....

Pumping Water Level 18 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested Perf Length of Test 2 Hr

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) 1 acre

Indicate location of well and place of use, if possible. Each small square represents 10 acres.  
20 20 20 Sec 7 1/2 T. 5 S. R. 5 E  
20 5, Drains average 100 ft

Show exact depth of bottom.  
Doc. No. 87315  
Filed for record  
this 1 day March  
A. D. 19 71 at 9:43  
o'clock A. M.

Mont 161  
Driller's License Number  
Schmitt Drilling Co  
1207 Leary  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

48 178

877315

County of ...  
Filed ...  
MAR 1 1971  
at 9:42  
By: [Signature]  
Deputy