

938515

STATE OF MONTANA }
County of Yellowstone } ss.
This instrument was filed in my office
this _____ day of _____ 19____
at 3:43 o'clock P. M.
MERRILL H. KLUNDT
County Clerk & Recorder
By J. Sullivan Deputy
200

55/32

938158

RECEIVED

CLERK OF DISTRICT COURT
COUNTY OF YERGEN, MONTANA
The instrument was filed in my office
this 20 day of August 1973
at 8:01 o'clock A.M.
MERRILL E. KLUND
County Clerk & Recorder
By Jaw Deputy
2a

938283

STATE OF MONTANA, }
County of Yellowstone } ss.
This instrument was filed in my office
this JUN 29 1973
at 10:21 A.M.
County Clerk & Recorder
By CBP Deputy
9200

543/8

938053

STATE OF MONTANA } ss.
County of Yellowstone }
This instrument was filed in my office
this JUN 28 1979 19
at 1:54 o'clock P M.
MERRILL E. KLUNDT
County Clerk & Recorder
By [Signature] Deputy
20

GV-2nd

File No.

DUPLICATE

T. 15 R. 26 E. 10

County Yellowstone


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Lincoln H. Allen, of 1024 Hannon Rd. Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 10 T. 15 R. 26 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based House water and yard
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Jan. 1, 1959
still using it 3-10-1962.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30 Gallons Per day
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 100 ft. x 300 ft. long
yard and house also.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater completion 7-1-59
8. The depth of water table 4 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 3" iron pipe cased
19 ft. 6" inches
10. The estimated amount of groundwater withdrawn each year 12,000 Gallon.
11. The log of formations encountered in the drilling of each well if available None
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner

Date

Lincoln H. Allen3-10-62.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

8212

719524

STATE OF MONTANA)
County of Yellowstone

This instrument was filed in my office
this DEC 6 1963

at 9:36 o'clock A M.

Edmen S. Hedding,
County Clerk & Recorder

By Jaw Deputy
202

GV-4

File No.

DUPLICATE

T. 15 R. 26 E. 10

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 9 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Lincoln Hall, of 1024 Hannon Rd. Belling
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Mont
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$ Sec 6 T 15 R 26 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based irrigation
Garden

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 4-1-61

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1.80 ac by 200 ft long Garden
spot same

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater completed 4-1-61

8. The depth of water table 14 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Aug 14 ft by 10 ft by 10 ft deep

10. The estimated amount of groundwater withdrawn each year 35,000 Gallon per year

11. The log of formations encountered in the drilling of each well if available 4 ft sandy loam
6 ft of gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Lincoln Hall

Date 3-10-61

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

8210

719522

STATE OF MONTANA
County of Yellowstone

This instrument was filed in my office
this DEC 6 day of 1968

at 9:32 o'clock A M.

Edison S. Rodding,
County Clerk & Recorder

By Jaw Deputy

200

File No. _____

DUPLICATE

T 15

R

26 10

County Yellowstone


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 9 1963

Declaration of Vested Groundwater Rights STATE ENGINEER
(Under Chapter 237, Montana Session Laws, 1961)

1. Lincoln H. Allen of 1094 Harrison Rd Billings
(Name of Appropriator) (Address) (Town)

County of _____ State of _____
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$ Sec 16 T15 R26E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based House
water and yard
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 2-2-59 subsequent
3-10-62
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2.0 Gallon per day
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 60 ft - 120 ft long yard
and house
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater completed 7-2-59
8. The depth of water table
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 9" iron pipe observed
19 ft
10. The estimated amount of groundwater withdrawn each year 1,600 Gallons
11. The log of formations encountered in the drilling of each well if available none
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Lincoln H. Allen

Date 3-10-62

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

719523

STATE OF MONTANA,
County of Yellowstone

This instrument was _____ in my office
on _____ day of _____ 1963
at _____ M.
Edna E. McElroy,
County Clerk & Recorder
By Jan Deputy

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner THOMAS E. BELL

Address 411 JEFFERSON

Date well started July 1972

completed July 1972

Type of well DUG

Equipment used SHOVEL

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☒

*Describe LOTS, BLOCK 2, STATE BEAUTY ADD 24

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 100,000 GAL.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind-Size	From (Feet)	To (Feet)
	3"	0'	22'			



NE 1/4, N 1/2, S 1/4, E 1/4, S 1/2, E 1/2, S 3/4, E 3/4, S 1/8, E 1/8, S 3/8, E 3/8, S 7/8, E 7/8, S 15/16, E 15/16, S 1, E 1, S 1 1/4, E 1 1/4, S 1 1/2, E 1 1/2, S 1 3/4, E 1 3/4, S 1 7/8, E 1 7/8, S 2, E 2, S 2 1/4, E 2 1/4, S 2 1/2, E 2 1/2, S 2 3/4, E 2 3/4, S 2 7/8, E 2 7/8, S 3, E 3, S 3 1/4, E 3 1/4, S 3 1/2, E 3 1/2, S 3 3/4, E 3 3/4, S 3 7/8, E 3 7/8, S 4, E 4, S 4 1/4, E 4 1/4, S 4 1/2, E 4 1/2, S 4 3/4, E 4 3/4, S 4 7/8, E 4 7/8, S 5, E 5, S 5 1/4, E 5 1/4, S 5 1/2, E 5 1/2, S 5 3/4, E 5 3/4, S 5 7/8, E 5 7/8, S 6, E 6, S 6 1/4, E 6 1/4, S 6 1/2, E 6 1/2, S 6 3/4, E 6 3/4, S 6 7/8, E 6 7/8, S 7, E 7, S 7 1/4, E 7 1/4, S 7 1/2, E 7 1/2, S 7 3/4, E 7 3/4, S 7 7/8, E 7 7/8, S 8, E 8, S 8 1/4, E 8 1/4, S 8 1/2, E 8 1/2, S 8 3/4, E 8 3/4, S 8 7/8, E 8 7/8, S 9, E 9, S 9 1/4, E 9 1/4, S 9 1/2, E 9 1/2, S 9 3/4, E 9 3/4, S 9 7/8, E 9 7/8, S 10, E 10, S 10 1/4, E 10 1/4, S 10 1/2, E 10 1/2, S 10 3/4, E 10 3/4, S 10 7/8, E 10 7/8, S 11, E 11, S 11 1/4, E 11 1/4, S 11 1/2, E 11 1/2, S 11 3/4, E 11 3/4, S 11 7/8, E 11 7/8, S 12, E 12, S 12 1/4, E 12 1/4, S 12 1/2, E 12 1/2, S 12 3/4, E 12 3/4, S 12 7/8, E 12 7/8, S 13, E 13, S 13 1/4, E 13 1/4, S 13 1/2, E 13 1/2, S 13 3/4, E 13 3/4, S 13 7/8, E 13 7/8, S 14, E 14, S 14 1/4, E 14 1/4, S 14 1/2, E 14 1/2, S 14 3/4, E 14 3/4, S 14 7/8, E 14 7/8, S 15, E 15, S 15 1/4, E 15 1/4, S 15 1/2, E 15 1/2, S 15 3/4, E 15 3/4, S 15 7/8, E 15 7/8, S 16, E 16, S 16 1/4, E 16 1/4, S 16 1/2, E 16 1/2, S 16 3/4, E 16 3/4, S 16 7/8, E 16 7/8, S 17, E 17, S 17 1/4, E 17 1/4, S 17 1/2, E 17 1/2, S 17 3/4, E 17 3/4, S 17 7/8, E 17 7/8, S 18, E 18, S 18 1/4, E 18 1/4, S 18 1/2, E 18 1/2, S 18 3/4, E 18 3/4, S 18 7/8, E 18 7/8, S 19, E 19, S 19 1/4, E 19 1/4, S 19 1/2, E 19 1/2, S 19 3/4, E 19 3/4, S 19 7/8, E 19 7/8, S 20, E 20, S 20 1/4, E 20 1/4, S 20 1/2, E 20 1/2, S 20 3/4, E 20 3/4, S 20 7/8, E 20 7/8, S 21, E 21, S 21 1/4, E 21 1/4, S 21 1/2, E 21 1/2, S 21 3/4, E 21 3/4, S 21 7/8, E 21 7/8, S 22, E 22, S 22 1/4, E 22 1/4, S 22 1/2, E 22 1/2, S 22 3/4, E 22 3/4, S 22 7/8, E 22 7/8, S 23, E 23, S 23 1/4, E 23 1/4, S 23 1/2, E 23 1/2, S 23 3/4, E 23 3/4, S 23 7/8, E 23 7/8, S 24, E 24, S 24 1/4, E 24 1/4, S 24 1/2, E 24 1/2, S 24 3/4, E 24 3/4, S 24 7/8, E 24 7/8, S 25, E 25, S 25 1/4, E 25 1/4, S 25 1/2, E 25 1/2, S 25 3/4, E 25 3/4, S 25 7/8, E 25 7/8, S 26, E 26, S 26 1/4, E 26 1/4, S 26 1/2, E 26 1/2, S 26 3/4, E 26 3/4, S 26 7/8, E 26 7/8, S 27, E 27, S 27 1/4, E 27 1/4, S 27 1/2, E 27 1/2, S 27 3/4, E 27 3/4, S 27 7/8, E 27 7/8, S 28, E 28, S 28 1/4, E 28 1/4, S 28 1/2, E 28 1/2, S 28 3/4, E 28 3/4, S 28 7/8, E 28 7/8, S 29, E 29, S 29 1/4, E 29 1/4, S 29 1/2, E 29 1/2, S 29 3/4, E 29 3/4, S 29 7/8, E 29 7/8, S 30, E 30, S 30 1/4, E 30 1/4, S 30 1/2, E 30 1/2, S 30 3/4, E 30 3/4, S 30 7/8, E 30 7/8, S 31, E 31, S 31 1/4, E 31 1/4, S 31 1/2, E 31 1/2, S 31 3/4, E 31 3/4, S 31 7/8, E 31 7/8, S 32, E 32, S 32 1/4, E 32 1/4, S 32 1/2, E 32 1/2, S 32 3/4, E 32 3/4, S 32 7/8, E 32 7/8, S 33, E 33, S 33 1/4, E 33 1/4, S 33 1/2, E 33 1/2, S 33 3/4, E 33 3/4, S 33 7/8, E 33 7/8, S 34, E 34, S 34 1/4, E 34 1/4, S 34 1/2, E 34 1/2, S 34 3/4, E 34 3/4, S 34 7/8, E 34 7/8, S 35, E 35, S 35 1/4, E 35 1/4, S 35 1/2, E 35 1/2, S 35 3/4, E 35 3/4, S 35 7/8, E 35 7/8, S 36, E 36, S 36 1/4, E 36 1/4, S 36 1/2, E 36 1/2, S 36 3/4, E 36 3/4, S 36 7/8, E 36 7/8, S 37, E 37, S 37 1/4, E 37 1/4, S 37 1/2, E 37 1/2, S 37 3/4, E 37 3/4, S 37 7/8, E 37 7/8, S 38, E 38, S 38 1/4, E 38 1/4, S 38 1/2, E 38 1/2, S 38 3/4, E 38 3/4, S 38 7/8, E 38 7/8, S 39, E 39, S 39 1/4, E 39 1/4, S 39 1/2, E 39 1/2, S 39 3/4, E 39 3/4, S 39 7/8, E 39 7/8, S 40, E 40, S 40 1/4, E 40 1/4, S 40 1/2, E 40 1/2, S 40 3/4, E 40 3/4, S 40 7/8, E 40 7/8, S 41, E 41, S 41 1/4, E 41 1/4, S 41 1/2, E 41 1/2, S 41 3/4, E 41 3/4, S 41 7/8, E 41 7/8, S 42, E 42, S 42 1/4, E 42 1/4, S 42 1/2, E 42 1/2, S 42 3/4, E 42 3/4, S 42 7/8, E 42 7/8, S 43, E 43, S 43 1/4, E 43 1/4, S 43 1/2, E 43 1/2, S 43 3/4, E 43 3/4, S 43 7/8, E 43 7/8, S 44, E 44, S 44 1/4, E 44 1/4, S 44 1/2, E 44 1/2, S 44 3/4, E 44 3/4, S 44 7/8, E 44 7/8, S 45, E 45, S 45 1/4, E 45 1/4, S 45 1/2, E 45 1/2, S 45 3/4, E 45 3/4, S 45 7/8, E 45 7/8, S 46, E 46, S 46 1/4, E 46 1/4, S 46 1/2, E 46 1/2, S 46 3/4, E 46 3/4, S 46 7/8, E 46 7/8, S 47, E 47, S 47 1/4, E 47 1/4, S 47 1/2, E 47 1/2, S 47 3/4, E 47 3/4, S 47 7/8, E 47 7/8, S 48, E 48, S 48 1/4, E 48 1/4, S 48 1/2, E 48 1/2, S 48 3/4, E 48 3/4, S 48 7/8, E 48 7/8, S 49, E 49, S 49 1/4, E 49 1/4, S 49 1/2, E 49 1/2, S 49 3/4, E 49 3/4, S 49 7/8, E 49 7/8, S 50, E 50, S 50 1/4, E 50 1/4, S 50 1/2, E 50 1/2, S 50 3/4, E 50 3/4, S 50 7/8, E 50 7/8, S 51, E 51, S 51 1/4, E 51 1/4, S 51 1/2, E 51 1/2, S 51 3/4, E 51 3/4, S 51 7/8, E 51 7/8, S 52, E 52, S 52 1/4, E 52 1/4, S 52 1/2, E 52 1/2, S 52 3/4, E 52 3/4, S 52 7/8, E 52 7/8, S 53, E 53, S 53 1/4, E 53 1/4, S 53 1/2, E 53 1/2, S 53 3/4, E 53 3/4, S 53 7/8, E 53 7/8, S 54, E 54, S 54 1/4, E 54 1/4, S 54 1/2, E 54 1/2, S 54 3/4, E 54 3/4, S 54 7/8, E 54 7/8, S 55, E 55, S 55 1/4, E 55 1/4, S 55 1/2, E 55 1/2, S 55 3/4, E 55 3/4, S 55 7/8, E 55 7/8, S 56, E 56, S 56 1/4, E 56 1/4, S 56 1/2, E 56 1/2, S 56 3/4, E 56 3/4, S 56 7/8, E 56 7/8, S 57, E 57, S 57 1/4, E 57 1/4, S 57 1/2, E 57 1/2, S 57 3/4, E 57 3/4, S 57 7/8, E 57 7/8, S 58, E 58, S 58 1/4, E 58 1/4, S 58 1/2, E 58 1/2, S 58 3/4, E 58 3/4, S 58 7/8, E 58 7/8, S 59, E 59, S 59 1/4, E 59 1/4, S 59 1/2, E 59 1/2, S 59 3/4, E 59 3/4, S 59 7/8, E 59 7/8, S 60, E 60, S 60 1/4, E 60 1/4, S 60 1/2, E 60 1/2, S 60 3/4, E 60 3/4, S 60 7/8, E 60 7/8, S 61, E 61, S 61 1/4, E 61 1/4, S 61 1/2, E 61 1/2, S 61 3/4, E 61 3/4, S 61 7/8, E 61 7/8, S 62, E 62, S 62 1/4, E 62 1/4, S 62 1/2, E 62 1/2, S 62 3/4, E 62 3/4, S 62 7/8, E 62 7/8, S 63, E 63, S 63 1/4, E 63 1/4, S 63 1/2, E 63 1/2, S 63 3/4, E 63 3/4, S 63 7/8, E 63 7/8, S 64, E 64, S 64 1/4, E 64 1/4, S 64 1/2, E 64 1/2, S 64 3/4, E 64 3/4, S 64 7/8, E 64 7/8, S 65, E 65, S 65 1/4, E 65 1/4, S 65 1/2, E 65 1/2, S 65 3/4, E 65 3/4, S 65 7/8, E 65 7/8, S 66, E 66, S 66 1/4, E 66 1/4, S 66 1/2, E 66 1/2, S 66 3/4, E 66 3/4, S 66 7/8, E 66 7/8, S 67, E 67, S 67 1/4, E 67 1/4, S 67 1/2, E 67 1/2, S 67 3/4, E 67 3/4, S 67 7/8, E 67 7/8, S 68, E 68, S 68 1/4, E 68 1/4, S 68 1/2, E 68 1/2, S 68 3/4, E 68 3/4, S 68 7/8, E 68 7/8, S 69, E 69, S 69 1/4, E 69 1/4, S 69 1/2, E 69 1/2, S 69 3/4, E 69 3/4, S 69 7/8, E 69 7/8, S 70, E 70, S 70 1/4, E 70 1/4, S 70 1/2, E 70 1/2, S 70 3/4, E 70 3/4, S 70 7/8, E 70 7/8, S 71, E 71, S 71 1/4, E 71 1/4, S 71 1/2, E 71 1/2, S 71 3/4, E 71 3/4, S 71 7/8, E 71 7/8, S 72, E 72, S 72 1/4, E 72 1/4, S 72 1/2, E 72 1/2, S 72 3/4, E 72 3/4, S 72 7/8, E 72 7/8, S 73, E 73, S 73 1/4, E 73 1/4, S 73 1/2, E 73 1/2, S 73 3/4, E 73 3/4, S 73 7/8, E 73 7/8, S 74, E 74, S 74 1/4, E 74 1/4, S 74 1/2, E 74 1/2, S 74 3/4, E 74 3/4, S 74 7/8, E 74 7/8, S 75, E 75, S 75 1/4, E 75 1/4, S 75 1/2, E 75 1/2, S 75 3/4, E 75 3/4, S 75 7/8, E 75 7/8, S 76, E 76, S 76 1/4, E 76 1/4, S 76 1/2, E 76 1/2, S 76 3/4, E 76 3/4, S 76 7/8, E 76 7/8, S 77, E 77, S 77 1/4, E 77 1/4, S 77 1/2, E 77 1/2, S 77 3/4, E 77 3/4, S 77 7/8, E 77 7/8, S 78, E 78, S 78 1/4, E 78 1/4, S 78 1/2, E 78 1/2, S 78 3/4, E 78 3/4, S 78 7/8, E 78 7/8, S 79, E 79, S 79 1/4, E 79 1/4, S 79 1/2, E 79 1/2, S 79 3/4, E 79 3/4, S 79 7/8, E 79 7/8, S 80, E 80, S 80 1/4, E 80 1/4, S 80 1/2, E 80 1/2, S 80 3/4, E 80 3/4, S 80 7/8, E 80 7/8, S 81, E 81, S 81 1/4, E 81 1/4, S 81 1/2, E 81 1/2, S 81 3/4, E 81 3/4, S 81 7/8, E 81 7/8, S 82, E 82, S 82 1/4, E 82 1/4, S 82 1/2, E 82 1/2, S 82 3/4, E 82 3/4, S 82 7/8, E 82 7/8, S 83, E 83, S 83 1/4, E 83 1/4, S 83 1/2, E 83 1/2, S 83 3/4, E 83 3/4, S 83 7/8, E 83 7/8, S 84, E 84, S 84 1/4, E 84 1/4, S 84 1/2, E 84 1/2, S 84 3/4, E 84 3/4, S 84 7/8, E 84 7/8, S 85, E 85, S 85 1/4, E 85 1/4, S 85 1/2, E 85 1/2, S 85 3/4, E 85 3/4, S 85 7/8, E 85 7/8, S 86, E 86, S 86 1/4, E 86 1/4, S 86 1/2, E 86 1/2, S 86 3/4, E 86 3/4, S 86 7/8, E 86 7/8, S 87, E 87, S 87 1/4, E 87 1/4, S 87 1/2, E 87 1/2, S 87 3/4, E 87 3/4, S 87 7/8, E 87 7/8, S 88, E 88, S 88 1/4, E 88 1/4, S 88 1/2, E 88 1/2, S 88 3/4, E 88 3/4, S 88 7/8, E 88 7/8, S 89, E 89, S 89 1/4, E 89 1/4, S 89 1/2, E 89 1/2, S 89 3/4, E 89 3/4, S 89 7/8, E 89 7/8, S 90, E 90, S 90 1/4, E 90 1/4, S 90 1/2, E 90 1/2, S 90 3/4, E 90 3/4, S 90 7/8, E 90 7/8, S 91, E 91, S 91 1/4, E 91 1/4, S 91 1/2, E 91 1/2, S 91 3/4, E 91 3/4, S 91 7/8, E 91 7/8, S 92, E 92, S 92 1/4, E 92 1/4, S 92 1/2, E 92 1/2, S 92 3/4, E 92 3/4, S 92 7/8, E 92 7/8, S 93, E 93, S 93 1/4, E 93 1/4, S 93 1/2, E 93 1/2, S 93 3/4, E 93 3/4, S 93 7/8, E 93 7/8, S 94, E 94, S 94 1/4, E 94 1/4, S 94 1/2, E 94 1/2, S 94 3/4, E 94 3/4, S 94 7/8, E 94 7/8, S 95, E 95, S 95 1/4, E 95 1/4, S 95 1/2, E 95 1/2, S 95 3/4, E 95 3/4, S 95 7/8, E 95 7/8, S 96, E 96, S 96 1/4, E 96 1/4, S 96 1/2, E 96 1/2, S 96 3/4, E 96 3/4, S 96 7/8, E 96 7/8, S 97, E 97, S 97 1/4, E 97 1/4, S 97 1/2, E 97 1/2, S 97 3/4, E 97 3/4, S 97 7/8, E 97 7/8, S 98, E 98, S 98 1/4, E 98 1/4, S 98 1/2, E 98 1/2, S 98 3/4, E 98 3/4, S 98 7/8, E 98 7/8, S 99, E 99, S 99 1/4, E 99 1/4, S 99 1/2, E 99 1/2, S 99 3/4, E 99 3/4, S 99 7/8, E 99 7/8, S 100, E 100, S 100 1/4, E 100 1/4, S 100 1/2, E 100 1/2, S 100 3/4, E 100 3/4, S 100 7/8, E 100 7/8, S 101, E 101, S 101 1/4, E 101 1/4, S 101 1/2, E 101 1/2, S 101 3/4, E 101 3/4, S 101 7/8, E 101 7/8, S 102, E 102, S 102 1/4, E 102 1/4, S 102 1/2, E 102 1/2, S 102 3/4, E 102 3/4, S 102 7/8, E 102 7/8, S 103, E 103, S 103 1/4, E 103 1/4, S 103 1/2, E 103 1/2, S 103 3/4, E 103 3/4, S 103 7/8, E 103 7/8, S 104, E 104, S 104 1/4, E 104 1/4, S 104 1/2, E 104 1/2, S 104 3/4, E 104 3/4, S 104 7/8, E 104 7/8, S 105, E 105, S 105 1/4, E 105 1/4, S 105 1/2, E 105 1/2, S 105 3/4, E 105 3/4, S 105 7/8, E 105 7/8, S 106, E 106, S 106 1/4, E 106 1/4, S 106 1/2, E 106 1/2, S 106 3/4, E 106 3/4, S 106 7/8, E 106 7/8, S 107, E 107, S 107 1/4, E 107 1/4, S 107 1/2, E 107 1/2, S 107 3/4, E 107 3/4, S 107 7/8, E 107 7/8, S 108, E 108, S 108 1/4, E 108 1/4, S 108 1/2, E 108 1/2, S 108 3/4, E 108 3/4, S 108 7/8, E 108 7/8, S 109, E 109, S 109 1/4, E 109 1/4, S 109 1/2, E 109 1/2, S 109 3/4, E 109 3/4, S 109 7/8, E 109 7/8, S 110, E 110, S 110 1/4, E 110 1/4, S 110 1/2, E 110 1/2, S 110 3/4, E 110 3/4, S 110 7/8, E 110 7/8, S 111, E 111, S 111 1/4, E 111 1/4, S 111 1/2, E 111 1/2, S 111 3/4, E 111 3/4, S 111 7/8, E 111 7/8, S 112, E 112, S 112 1/4, E 112 1/4, S 112 1/2, E 112 1/2, S 112 3/4, E 112 3/4, S 112 7/8, E 112 7/8, S 113, E 113, S 113 1/4, E 113 1/4, S 113 1/2, E 113 1/2, S 113 3/4, E 113 3/4, S 113 7/8, E 113 7/8, S 114, E 114, S 114 1/4, E 114 1/4, S 114 1/2, E 114 1/2, S 114 3/4, E 114 3/4, S 114 7/8, E 114 7/8, S 115, E 115, S 115 1/4, E 115 1/4, S 115 1/2, E 115 1/2, S 115 3/4, E 115 3/4, S 115 7/8, E 115 7/8, S 116, E 116, S 116 1/4, E 116 1/4, S 116 1/2, E 116 1/2, S 116 3/4, E 116 3/4, S 116 7/8, E 116 7/8, S 117, E 117, S 117 1/4, E 117 1/4, S 117 1/2, E 117 1/2, S 117 3/4, E 117 3/4, S 117 7/8, E 117 7/8, S 118, E 118, S 118 1/4, E 118 1/4, S 118 1/2, E 118 1/2, S 118 3/4, E 118 3/4, S 118 7/8, E 118 7/8, S 119, E 119, S 119 1/4, E 119 1/4, S 119 1/2, E 119 1/2, S 119 3/4, E 119 3/4, S 119 7/8, E 119 7/8, S 120, E 120, S 120 1/4, E 120 1/4, S 120 1/2, E 120 1/2, S 120 3/4, E 120 3/4, S 120 7/8, E 120 7/8, S 121, E 121, S 121 1/4, E 121 1/4, S 121 1/2, E 121 1/2, S 121 3/4, E 121 3/4, S 121 7/8, E 121 7/8, S 122, E 122, S 122 1/4, E 122 1/4, S 122 1/2, E 122 1/2, S 122 3/4, E 122 3/4, S 122 7/8, E 122 7/8, S 123, E 123, S 123 1/4, E 123 1/4, S 123 1/2, E 123 1/2, S 123 3/4, E 123 3/4, S 123 7/8, E 123 7/8, S 124, E 124, S 124 1/4, E 124 1/4, S 124 1/2, E 124 1/2, S 124 3/4, E 124 3/4, S 124 7/8, E 124 7/8, S 125, E 125, S 125 1/4, E 125 1/4, S 125 1/2, E 125 1/2, S 125 3/4, E 125 3/4, S 125 7/8, E 125 7/8, S 126, E 126, S 126 1/4, E 126 1/4, S 126 1/2, E 126 1/2, S 126 3/4, E 126 3/4, S 126 7/8, E 126 7/8, S 127, E 127, S 127 1/4, E 127 1/4, S 127 1/2, E 127 1/2, S 127 3/4, E 127 3/4, S 127 7/8, E 127 7/8, S 128, E 128, S 128 1/4, E 128 1/4, S 128 1/2, E 128 1/2, S 128 3/4, E 128 3/4, S 128 7/8, E 128 7/8, S 129, E 129, S 129 1/4, E 129 1/4, S 129 1/2, E 129 1/2, S 129 3/4, E 129 3/4, S 129 7/8, E 129 7/8, S 130, E 130, S 130 1/4, E 130 1/4, S 130 1/2, E 130 1/2, S 130 3/4, E 130 3/4, S 130 7/8, E 130 7/8, S 131, E 131, S 131 1/4, E 131 1/4, S 131 1/2, E 1

938326

STATE OF MONTANA, }
County of Yellowstone, } ss.
This instrument was filed in my office
this JUNE 29 1973 19____
at 12:10 o'clock P M.
MERRILL M. KLUNDT
County Clerk & Recorder
By C.B.B. Deputy

[Handwritten signature]

STATE WATER CONSERVATION BOARD

File No.

JAN 31 1967

T. 15 R. 26 E

DUPLICATE

Bits _____ McDermott _____
 Butcher _____ McNeely _____
 Coyle _____ McNeely _____
 Darlington _____ Sullivan _____
 Dickert _____

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level) 3119

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner: **GEORGE BUNTING** 4039 KRATZ LANE
 + **DONALD R. FOGELSONGER** BILLINGS, MONTANA
 Driller: **Olth Schaefer** Address: 1017 E. ...

Date of Notice of Appropriation of Groundwater


Date well started 12-1-66 Date Completed 12-1-66

Type of well 3" Driven Equipment Used
 (dug, driven, bored or (Churn, drill, rotary or
 drilled) other)

Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☒
 Industrial ☐ Drainage ☐ Stock ☒

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2"				NA		



SW 1/4 Sec. 10 T. 15 R. 26 E
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well NA feet

Shut-in Pressure for Flowing Well 13 ft.

Pumping Water Level 19 feet at 25-30 gal. per minute

Discharge in gal. per min. of flowing well NA

How Tested Charge Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation 100

and stock water

Driller's License Number 21070

Driller's Signature Olth Schaefer

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

H1687

792537

DAVID K. LOCETENSE
GEORGE E. MULLINE

OFFICE OF THE ATTORNEY GENERAL
STATE OF CALIFORNIA
SACRAMENTO, CALIFORNIA

STATE OF CALIFORNIA
COUNTY OF SACRAMENTO
JAN 30 1987
22-16
2*

STATE OF CALIFORNIA
COUNTY OF SACRAMENTO
JAN 30 1987
22-16
2*

RECEIVED

File No.

JUN 9 1970

T. 1 S. R. 26 E.
County YELLOWSTONE

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner BOB DEVENIS Address 3819 Riverdale Drive
BILLINGS, MONT.Driller ROY D. PIERCE Address BILLINGS

Date of Notice of Appropriation of Groundwater

Date well started 1/26/70 Date Completed 1/26/70Type of well Drilled Equipment Used Churn
(dug, driven, bored or
drilled) (Churn, drill, rotary or
other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐Indicate on the diagram the character and thickness of the different
strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc.
Show depth at which water is encountered, thickness and character of water-
bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 5/8	6 5/8 15'	0	22 1/2'	NONE		

Static Water Level for non-flowing Well 10' feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 19 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested BALLER Length of Test 45 MINRemarks: (Gravel packing, cementing, packers, type of shutoff, loca-
tion of place of use of groundwater if not at well, and any
other similar pertinent information, including number of

acres irrigated, if used for irrigation)

SE 1/4 Sec. 2 T. 1 S. R. 26 E.
Indicate location of well and
place of use, if possible. Each
small square represents 10 acres.

Show exact depth of bottom.

Doc. No. 862529
Filed for record
this 8 day of June
A. D. 19 70 at 3:52
o'clock P.
Driller's License Number Mont-170
Driller's Signature Roy D. PierceThis form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder
in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology and Quadruplicate for the Appropriator.

46 553

RECEIVED

JUN 9 1970

File No.

DUPLICATE

T. 1S R. 26E

County YELLOWSTONE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERTop of Ground
(Elev. above sea level.....)

8' 50" L

16' GRAVEL

22' SAND & GRAVEL

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 287, Montana Session Laws, 1961)

Owner Bob DEVILUS Address BILLINGS, MONT.

Driller R. D. PIERCE Address BILLINGS


Date of Notice of Appropriation of Groundwater.....

Date well started 1/26/70 Date Completed 1/26/70

Type of well Drilled Equipment Used CHURN
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 3/8	6 3/8 15'	0	22 1/2'	NONE		

SE 1/4 SW 1/4 Sec. 10, T. 1N, R. 26E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

22 1/2'

Static Water Level for non-flowing Well 10' feet

Shut-in Pressure for Flowing Well.....

Pumping Water Level 19' feet at 20 gal. per minute

Discharge in gal. per min. of flowing well.....

How Tested BAILER Length of Test 115 min

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation).....

Doc. No. 862529
Filed for record this 9 day of June 1970 at 3:52
A. D. 1970 at 3:52
Driller's License Number Mont-170
Driller's Signature R. D. Pierce

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

46 553

862529

RECEIVED

JUN 8 1970

DEPARTMENT OF REVENUE
DIVISION OF COMPTROLLER

CLERK OF DISTRICT COURT
JUDICIAL DISTRICT OF YELLOWSTONE

STATE OF MONTANA, }
County of Yellowstone, } ss.
This instrument was filed in my office
this JUN 8 1970 day of JUN 1970
at 3:52 o'clock P M.
MEREN A. H. KLUNDT
County Clerk & Recorder
By [Signature] Deputy

200

FILED	INDEXED	SERIALIZED	FILED
170	170		

GW


File No.

DUPLICATE

T 15 R 26 E 10
County Yellow StoneSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERDeclaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)RECEIVED
DEC 19 1963

STATE ENGINEER

1. Robert E. Etzel, of 520 Sugar Ave., Billings
(Name of Appropriator) (Address) (Town)
State of _____
County of _____
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



520 Sugar Ave.

1/4 Sec. 10 T 15 R 26 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1956, truck & garden
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 35 gals
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1 acre garden sandy loam
Robert E. Etzel
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
centrifugal
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1956
8. The depth of water table 2.5 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2.4 feet - 3 inch casing
10. The estimated amount of groundwater withdrawn each year 15000 gals
11. The log of formations encountered in the drilling of each well if available sand gravel
some rocks
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Date

Robert E. Etzel
Dec 17 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

10609

720314

STATE OF MONTANA,
County of Yellowstone,)

This instrument was filed in my office
this 17 day DEC 1938
at 3:20 o'clock P.M.

Edmon S. Downing,
County Clerk & Recorder

Paul
20

Deputy

GVA

File No. _____

DUPLICATE

T 15 R 26 E 10
County YellowstoneSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 19 1963

STATE ENGINEER

1. Robert E. Ethel, of 520 Sugar ave Bellingham
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



520 Sugar ave.
1/4 Sec. 10T 15R 26E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based drinking
3. Date or approximate date of earliest beneficial use; and how continuous the use has been June 4, 1954
4. The amount of groundwater claimed (in miner's inches or gallons per minute) six gals.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof _____
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal inside of residence, pressure, jet pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater June 12, 1954, same day
8. The depth of water table 25 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2 inch casing - 22 feet
10. The estimated amount of groundwater withdrawn each year 6000 gals
11. The log of formations encountered in the drilling of each well if available sand gravel and some rocks
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record _____

Signature of Owner

Date

Robert E. Ethel
Dec 17 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

10608

720313

STATE OF MONTANA,
County of Yellowstone,
This instrument was filed in my office
this DEC 17 1969
at 3:26 o'clock P M.
By Jaw Deputy
200

GW

File No.

T. 15 R. 26 E

County Yellowstone

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. Ronita M. Gaer, of 202 Monroe St. Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 21 to 24, Catmon add
Sec. 16 T. 15 R. 26 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. Used to water lawn & gardens, tree
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Not sure. Last six years in summer months every year.
4. The amount of groundwater claimed (in miner's inches or gallons per minute). Not known certainly about 8 gal per minute.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. Subdivision lots 21-24
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. one sand point well, 20 to 25 feet deep with electric pump.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. About June 1957. I believe but am not sure, might have been earlier year.
8. The depth of water table. Very near surface. Could have used a more shallow well.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. On lot 24, beside house, 1 sand point well 20-25 feet deep using an electric pump for power.
10. The estimated amount of groundwater withdrawn each year. Not known, probably 100,000 gallons.
11. The log of formations encountered in the drilling of each well if available. Garden soil, gravel, sand.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None.

Signature of Owner Ronita M. Gaer

Date Dec 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

16251

721274

STATE OF MONTANA)
County of Y.) ss. \

This DEC 30 1963
at 2:35 P

By J. H. Hall Deputy
J. H.

54316

Show exact depth of bottom

338054

STATE OF MONTANA,) ss.
County of Yellowstone)
This instrument was filed in my office
this JUN 28 1973 day of JUN 1973
at o'clock M.
By M. KLUNDE
County Clerk & Recorder
By Deputy

JLK

54,237

ck-
d,
ow
nd
ell.

938951

STATE OF MONTANA. } ss.
County of Yellowstone. }
This instrument was filed in my office
this JUN 28 1972 at _____
at 1:52 o'clock P M.
MERRILL E. KLONDI
County Clerk Recorder
By _____ Deputy

ju

54274

937928

STATE OF MONTANA, } ss.
County of Yellowstone, }
This instrument was filed in my office
this JUN 28 1973 day of 19
at 9:16 o'clock A M.
MERRILL H. KLUNY
County Clerk & Recorder
By [Signature] Deputy

[Signature]

File No.

ORIGINAL

T. 1 S. R. 26
County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Donald H. Kuffman -----, of 3097 Washington St. Billings -----
(Name of Appropriator) (Address) (Town)

County of Yellowstone ----- State of Montana -----
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



----- Sec. T. R.
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
Irrigation - Stock Water - House Use

3. Date or approximate date of earliest beneficial
use; and how continuous the use has been -----
1937 ----- Daily

4. The amount of groundwater claimed (in miner's
inches or gallons per minute) -----
40 gal per minute

5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof -----
12 acres
0.2 - N 52-52 DE - S 1665
0.5 - W 2 64 - S 10-5-10 N ES. No 74 - 10-15-26

6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal hole - Pump

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater well was in operation in 1937 when
I bought place

8. The depth of water table ----- 8 ft from surface

9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater -----
Drift 20 ft Iron well

10. The estimated amount of groundwater withdrawn each year ----- 70000 gal

11. The log of formations encountered in the drilling of each well if available
not available

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record -----

Signature of Owner Donald H. Kuffman -----
Date Dec 31 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quaduplicate for the appropriator

18274

721502

STATE OF TEXAS
County of Tarrant, ss.
This instrument was filed in my office
this 31 day of DEC 1963
at 10:11 o'clock A.M.
Edmon S. Radtke
County Clerk & Recorder
By Edm Deputy
J. M.

DRILLER'S LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner WILLIAM G. KOBELT

Address 3064 RIVERSIDE RD.

BILLINGS, MONT. 59101

Date well started April 1953

completed

Type of well Pug- + DRIVEN

Equipment used Foot Lockers


Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location, or other data (i.e. lot, block, and Addition). Land

ESTIMATED ANNUAL WITHDRAWAL

[illegible]

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature _____

Driller's Address

LICENSE NO.

Top of Ground

(Elev. above sea level)

From (Feet)	To (Feet)
----------------	--------------

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Show exact depth of bottom

55113

938544

RECEIVED
JUL 21 1973
COUNTY CLERK
JUL 21 1973
JUL 21 1973

STATE OF MONTANA, } ss.
County of Yellowstone, }

This instrument was filed in my office
this 19th day of July, 1973

at 4:12 o'clock P. M.
MERRILL M. LUNDT
County Clerk & Recorder

By [Signature] Deputy

[Signature]

938249

STATE OF MONTANA, }
County of Yellowstone, } ss.
This instrument was filed in my office
on JUN 20 1973 day of _____ 19_____
at 9:29 o'clock A.M.
MERRILL M. KLUNDT
County Clerk & Recorder
By [Signature] Deputy

70

45388

938478

STATE OF MONTANA, } ss.
County of Yellowstone. }
This instrument was filed in my office
this JUN 29 1973 19__
at 3:24 o'clock P M.
MERRILL H. KLUNDT
County Clerk & Recorder
By [Signature] Deputy

525

File No.

DUPLICATE

RECEIVED
DEC 30 1963

T. 15 R. 26 E

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

STATE ENGINEER

(Elev. above sea level 3,119)

Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Jacob Sang Address 15. Riverside Rd. Billings, Mont.Driller William S. Fox Address Front 1 Billings, Mont.

Date of Notice of Appropriation of Groundwater

Date well started April 27, 1963 Date Completed April 30, 1963Type of well driven Equipment Used pipe driver
(dug, driven, bored or (Churn, drill, rock or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
2 inch	2" extra heavy steel pipe	0	22	cuttings acetylene torch 2" long 4" wide	0	6

Static Water Level for non-flowing Well 13 feet.


Shut-in Pressure for Flowing Well

Pumping Water Level 4 feet at 20 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested purge Length of Test 10 minutes

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) used forhousehold + irrigationNW 1/4 Sec. 10 T. 15 R. 26 E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Driller's License Number 88Driller's Signature William S. Fox

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

16264

67
67
ion ☐
fferent
d, etc.
water-
To
(Feet)
fect/
minute.
off, loca-
and any
mber of
recorder
reau of
264

721287

STATE OF MONTANA,
County of Yellowstone,
This instrument was filed in my office
this DEC 30 1968 day of 10
at 2:49 o'clock P M.
Edmon S. Redding,
County Clerk & Recorder
By [Signature] Deputy


RECEIVED

AUG 13 1959

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG



Owner Ethel A. Love

Address Pt 1 Kretz Lane

Driller P & K Oil Drilling Co

Address Billings, Montana

Date Started May 15 / 59

Date Completed July 24 / 59

Location: Sec. 10 T. 15 R. 26 E. 1/4 sec. NW

Type of well Drilled
(Dug, driven, bored, or drilled)

Equipment used Cable Rig, Churn
(Churn drill, rotary, other)

Water use: Domestic ☒

Municipal ☐

Stock ☒

Irrigation ☒

Industrial ☐

Drainage ☐

Other:

Casing: 3 ft. to 12 ft.

Type Steel Casing Size 8 3/4 O.D.
(9 feet)

Casing: ft. to ft.

Type Size

Casing: ft. to ft.

Type Size

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations.

Static Water level, for non-flowing well: 6 feet feet.

Shut-in pressure, for flowing well: lb./sq. in. on: (date)

Pumping water level 6 feet feet at 20 gal. per min.

How tested: Pump

Length of test: Two days

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Casing drove thru glacial drift to migratory water shale, no perforations. (fine, clear cool water) after pumping out sand.

(over)

Log of Well

[illegible]

DECLASSIFIED

JUN 1 1972

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Eden Martin

Address 104 Jefferson St

Billings Mont

Date well started May 10, 72

completed May 17, 77

Type of well Driven

Equipment used Power driver on Truck
(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐

Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒


***Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block

State number of acres and location or other data (i.e. lot, block and Addition) 2 State Realty Add. Lots 23-24
Block 6

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casting	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3 1/2"	3" Ø. B. Pipe X. H.	0'	21'	Slots 1/4" X 6"	16'	21'



Static water level 11' ft.*
Pumping water level 14' ft.*
at 3.0 gallons per minute,
measured 3.0 minutes after pumping
began.

*Measured from ground level.
Well developed by *pumping*
for *1 1/2* hours.
Power *electric* Pump *one* HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address

LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

[illegible]

21'0" Show exact depth of bottom

50,494

RECEIVED
MAY 21 1972
MONTANA DEPARTMENT OF LAND & MINES

908425

908425

Engineering Bureau
Groundwater Section
Sam M. Mitchell Building
Helena, Montana 59601

note of the following special instructions, in order to properly protect your ground-

Special Instructions:

Owner Adam Smith
Address 24 Jefferson St. - A
Location 1. R. 24 S. - A
Doc. No. 908425 Sec. 4
As the Administrator of the Groundwater Code for the State of Montana, please take

STATE OF MONTANA, }
County of Yellowstone, } ss.
This instrument was filed in my office
this MAY 31 1972
at 2:24 o'clock P. M.
By Deputy Deputy

200

attested (see above), as indicated in red on all
county large and small maps.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

RECEIVED

Today's Date

DRILLER'S LOG

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Robert M. Haddock

Address 117 Jefferson Street

Billings, Montana

Date well started July 12, 1972

completed July 12, 1972

For Administrator's Use

File 93535C

6-29-73

Time 12:34 p.m.

Type of well driven

(Dug, driven, bored or drilled)

Equipment used well driller

(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. lot, Block and Addition). Lot 19, 20. Sub. Realty, 1st. BLK 2

ESTIMATED ANNUAL WITHDRAWAL 20,000 gallons

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3 1/2"	3 1/2" casing	0	22 1/4"	slots	19 1/4"	22 1/4"



Static water level 12 ft.*
Pumping water level 15 ft.*
at 30 gallons per minute,
measured 30 minutes after pumping began.

*Measured from ground level.

Well developed by cast. sand for 1 hours.

Power 1/2 HP Pump 1 HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)

X N 1/4 Sec. 10
T. 1 R. 26 E
S

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Robert M. Haddock

Driller's Address 51 Madison Street

Billings, Montana 59101

LICENSE NO. 22

22 1/4

Show exact depth of bottom

55219

938350

STATE OF MONTANA, } ss.
County of Yellowstone,
This instrument was filed in my office
this JUN 29 1973 19
at 12:34 1/2 clock P M.
MERRILL H. KLUNDT
County Clerk & Recorder
By [Signature] Deputy.

700

File No. _____
STATE WATER CONSERVATION BOARD
DUPLICATE

T. 15 R. 26 E
County Yellowstone

JAN 4 1966


STATE OF MONTANA

Dillon _____ McNamee _____
Bellevue _____ McNamee _____
Cody _____ McNamee _____
Dorchester _____ Sullivan _____
Dickinson _____

Declaration of Vested Groundwater Rights

(Under Chapter 21, Montana Session Laws, 1965)

1. Res. Ag. McIntyre, of Belling's 3925-4th Ave So.
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Mont. Belling's
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec 13 To 16, W 1/2 Sec 12, R. 25
1/4 Sec 10, T. 15 R. 26 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1961
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 59 A1
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 1/4 A. 1. Garden
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1961
8. The depth of water table 20 ft
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 20 ft Deep Sandpoint
10. The estimated amount of groundwater withdrawn each year 250,000 gA1
11. The log of formations encountered in the drilling of each well if available Not Known
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner Res. Ag. McIntyre

Date Dec 30 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40547

769176

ASSISTANT ATTORNEY GENERAL

STATE OF MONTANA
County of Yellowstone

Return of process was filed in my office

DEC 30 1965

1:44

P. M.

Edmund H. Rindler

County Clerk & Recorder

Deputy

2:00

File No.

T. R.

DUPLICATE

County.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. O C MOCABEE, of 103 MONROE ST. BILLINGS
(Name of Appropriator) (Address) (Town)

County of YELLOWSTONE State of MONT.
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 NW Sec. 10 T. 15. R. 26E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based IRRIGATION
OF GARDEN + YARD

3. Date or approximate date of earliest beneficial use; and how continuous the use has been AUG. 1959
8 MONTHS PER YEAR

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 60 GAL.

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
2 CITY LOTS

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal ELECTRIC
PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater AUG. 10, 1959

8. The depth of water table 15 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2 INCH CASING

10. The estimated amount of groundwater withdrawn each year NOT APPLICABLE

11. The log of formations encountered in the drilling of each well if available NOT APPLICABLE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record A 13040
2 STATE REALTY 25 + 26 - 6

Signature of Owner O C MOCABEE

Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

16170

721174

STATE OF MONTANA,
County of Yellowstone,
This instrument was filed in my office
this 30 day of Dec 1963
at 11:00 o'clock A M.
Edmon S. Redding
County Clerk & Recorder
By J. J. S. Deputy

\$9.00

GW

File No.

DUPLICATE

T 1 S R 26 E


County Telluride

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 2 1964
STATE ENGINEER

1. Richard Popelka, of 832 Lake Elmo Drive, Billings
(Name of Appropriator) (Address) (Town)
County of Telluride State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Cert. of Survey 214
Allison Tracts
N 1/4 Sec 10 T 1 S R 26 E
Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based
Domestic and Livestock
Domestic
3. Date or approximate date of earliest beneficial use; and how continuous the use has been
Well was there when property acquired.
4. The amount of groundwater claimed (in miner's inches or gallons per minute)
6 gal per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Garden use sometimes
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
Not available
8. The depth of water table
6 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drilled, 3 inch pipe, 55 feet approx.
10. The estimated amount of groundwater withdrawn each year
approx 50, 000
11. The log of formations encountered in the drilling of each well if available
Not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
Not available

Signature of Owner

Richard Popelka

Date

12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

18222

721468

STATE OF MONTANA,
County of Yellowstone.

This instrument was filed in my office
this DEC 31 1963
at 8:28 o'clock A.M.

E E
County Clerk & Recorder
by E E Deputy

2.00