

Form No. 18
8-60

T. 27 R. 27
County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

RECEIVED
JAN 2 1962

STATE ENGINEER

Owner Butterfield, W. J. Address Butterfield, W. J.

Driller Self Address _____

Date Started _____ Date Completed 1940

Location: Sec. ST. 18 T. 27 R. 27
Lot 13 - Blk 10 - Townsite

Type of well Drilled Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened Ft. _____ to ft. _____ Ft. _____ to Ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet. at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Form No. 18
8-60

T. 22 R. 22
County Butte

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

RECEIVED
JAN 10 1962

STATE ENGINEER

Owner Butte Water Works Address Butte, Montana

Driller _____ Address _____

Date Started _____ Date Completed 1943

Location: Sec. 4 T. 22 R. 22 & Sec. _____

Type of well Dug Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary
other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened Ft. _____ to ft. _____ Ft. _____ to Ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure for flowing well _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet. at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth
of shut-off)

Form No. 18
8-60

T. 27 R. 215
County San Juan

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

RECEIVED
JAN 2 1962
STATE ENGINEER

Owner East Butte Water Co. Address Butte, Montana

Driller _____ Address _____

Date Started _____ Date Completed 1943

Location: Sec. 24 T. 27 R. 215 & Sec. _____

Type of well Drill Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened Ft. _____ to ft. _____ Ft. _____ to Ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure for flowing well _____ lb./sq. in. on: _____
(date)

Pumping water level _____ feet. at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

#4

Form No. 8
8-60

1. 241 2. 29 E
COUNTY ROBERTS STATE D

DEPARTMENT OF MINES AND GEOLGY
Butte, Montana

STATE ENGINEER

Water Well Log

Owner <u>ENOS J ERB</u>	Address <u>Huntley Mont</u>
Driller <u>J. E. ANDERSON</u>	Address <u>Billings Mont</u>
Date Started <u>OCT 10 - 1948</u>	Date Completed <u>OCT 14 - 1948</u>
Location: Sec. <u>25</u> T. <u>24</u> R. <u>27</u> E. Sec. <u>5</u> Block <u>7</u> <u>Traverse of Huntley</u>	

Type of well Drilled Equipment used Cable Tool
(Dug, driven, or drilled) (Churn drill, rotary other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing 0 ft. to 30 ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened _____ ft. to _____ ft. _____ ft. to _____ ft.

Type of screen or perforations _____

Static water level, for non-flowing wells: 12 feet.

Shut-in pressure for flowing wells: _____ lb. / sq. in. on _____ (date)

Pumping water level: 34 feet at 900 gal. per min. 150

How tested: Cable Bail

Length of test: 2-hrs Intermittent

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

37 ft Deep

#5

Form No. 18
8-60T. 2N R. 27E
COUNTY - YELLOWSTONEMONTANA BUREAU OF MINES AND GEOLGY
Butte, MontanaRECEIVED
DEC 15 1960

Water Well Log

STATE ENGINEER

		Owner <u>ENO. J. ERB</u>	Address <u>HUNTLEY MONT.</u>
		Driller <u>Self</u>	Address <u>..</u>
		Date Started <u>Dec 10-1960</u>	Date Completed <u>Dec 15-1960</u>
		Location: Sec. <u>35</u> T. <u>2N</u> R. <u>27E</u> Sec. <u>NW 1/4</u> <u>25E 1/4</u>	

Type of well Drum Equipment used Cable Drum
(Dug, driven or drilled) (Churn drill, rotary other)Water use Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other Casing 0 ft. to 23 ft. Type Steel Size 4 1/2 inchesCasing ft. to ft. Type Size Casing ft. to ft. Type Size Perforated or screened Ft. 18 to ft. 23 ft. to ft. Type of screen or perforations 4 in slots 12" longStatic water level, for non-flowing wells: 12 feet.Shut-in pressure for flowing wells: lb. /sq. in. on: (date)Pumping water level 20 feet at 9000 gal. per min. 150How tested: Cable BailersLength of test 3 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

23 ft Deep

#.6

Form No. 8
8-60

24 RECEIVED
JAN 1932

ONTARIO BUREAU OF MINES AND GEOLGY
Butte, Montana

STATE ENGINEER

Water Well Log

X	Owner <u>ENOS, J. E. R. B.</u>	Address <u>Huntley Mont</u>
	Driller <u>Unknown</u>	Address _____
	Date Started <u>Unknown</u>	Date Completed <u>Approx 1930</u>
Location: Sec. <u>23</u> T. <u>24</u> N. <u>27</u> E. Sec. <u>118</u> <u>Huntley Terrille</u>		

Type of well Drum Equipment used Cable Drum
(Dug, driven, or drilled) (Churn drill, rotary, other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing _____ ft. to 24 ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened _____ ft. 18 to ft. 24 ft. _____ to ft. _____

Type of screen or perforations 2 in holes

Static water level, for non-flowing wells: _____ 9 feet.

Shut-in pressure for flowing wells: _____ lb. / sq. in. on: _____ (date)

Pumping water level 20 feet at 3600 gal. per min. 60

How tested: Cable Bailers

Length of test 2

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

24 ft Drift

3

Form No. 18
8-60

T. 2 N R. 27 E
COUNTY YELLOWSTONE

UNITED STATES BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

Water Well Log

Owner <u>ENOS J E R B</u>	STATE ENGINEER
Driller <u>L. E. ANDERSON</u>	Address <u>BILLINGS MONT</u>
Date Started <u>1948</u>	Date Completed <u>1948</u>
Location: Sec. <u>25</u> T. <u>24</u> R. <u>27 E</u> Sec. <u>SE 4 Q NE 4</u>	

Type of well Drilled Equipment used Cable Tool
(Dug, driven, or drilled) (Churn drill, rotary other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing 0 ft. to 50 ft. Type Steel Size 6 inch

Casing _____ ft. to _____ ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened Ft. _____ to ft. _____ .Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing wells: 18 feet.

Bottom pressure for flowing wells: _____ lb. /sq. in. on: _____ (date)

Pumping water level 40 feet at 8000 gal. per min. 135

How tested: Cable Tools

Length of test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

70 ft Deep

Enos J Erb

2

Form No. 18
R-60

1. 2N R. 27E
COUNTY YELLOWSTONE

DEPARTMENT OF MINES AND GEOLGY
Butte, Montana

RECEIVED
JUL 17 1961

Water Well Log

		Owner <u>ENOS J. ERS</u> STATE ENGINEER <u>TRILEY MONT</u>
		Driller <u>Glynn Mayson</u> Address <u>Billings Mont</u>
		Date Started <u>Aug 10, 1961</u> Date Completed <u>Sept 29, 1961</u>
		Location: Sec. <u>25</u> T. <u>2N</u> R. <u>27E</u> Loc. <u>Lot 1 Block 53</u> <u>Shively Summit</u>

Type of well Drilled Equipment used cable tool & rotary
(Dug, driven, or drilled) (Churn drill, rotary, other)

Water use Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing 6 ft. to 37 ft. Type Behnd Conqth Size 30 inch

Casing _____ ft. to _____ ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened _____ ft. 2-4 ft. 37 ft. _____ ft. to _____ ft.

Type of screen or perforations 1/2 in hole & slots

Static water level, for non-flowing wells: 10 ft from top feet.

Shut-in pressure for flowing wells _____ lb. /sq. in. on _____ (date)

Pumping water level 30 feet at 9000 gal. per min. 1500

How tested: 6" Centrifugal

Length of test 7 days intermittent

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

37 ft Deep

Enos J Erb

No 1

Form No. 8
8-60

12 N 27 E
COUNTY OF YELLOWSTONE
MAY 2 1962

CONTAINING BUREAU OF MINES AND SECTION
Butte, Montana

STATE ENGINEER

Water Well Log

		Owner <u>ENOS, J. E. R. B.</u>	Address <u>HUNTLEY MONT</u>
		Driller <u>J. E. ANDERSON</u>	Address <u>BILLINGS MONT</u>
	X	Date Started <u>NOV 15 - 1955</u>	Date Completed <u>NOV 23 - 1955</u>
		Location: Sec <u>35</u> T. <u>2N</u> R. <u>27E</u>	Sec. <u>58 1/2</u> T. <u>2N</u> R. <u>27E</u>

Type of well Drilled Equipment used Cable Tool
(Dug, driven, or drilled) (Churn drill, rotary, other)

Water use Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing 60 ft. to 105 ft. Type Submerged Size 4 inch
Casing 0 ft. to 60 ft. Type _____ Size _____
Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened _____ ft. _____ to _____ ft. _____ to _____ ft.

Type of screen or perforations None

Static water level, for non-flowing well: 20 feet.

Shut-in pressure for flowing well: _____ lb. / sq. in. on: _____ (date)

Pumping water level 40 feet at 18,000 gal. per min. 300

How tested: Cable Bailer Meyers Jet Pump installed

Length of test 3 hrs Intermittent

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well is 105 ft Deep

Enos & Co.

GV

File No. STATE WATER COMMISSION BOARD


T. W 1/2 4 54 1/2 N. of Hwy.
County Yellowstone

DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 21, Montana Session Laws, 1965)

1. Shirley L. Shotton + David C. of Shenley, Montana
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic and lawn water3. Date or approximate date of earliest beneficial use; and how continuous the use has been Feb 23, 1958
The use is constant4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1005. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
W 1/2 4 54 1/2 N. of Hwy. 20 1/2 Sec 25 T2N R2EOT. Shirley Shotton
Irrigation of lawn about 1/2 acre6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
2 Cent pumps from same well7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Feb 23, 1958 Feb 26, 19588. The depth of water table 22 ft9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
5 inch casing 20 pumps.10. The estimated amount of groundwater withdrawn each year 75,00011. The log of formations encountered in the drilling of each well if available none12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none

Signature of Owner

Date

Shirley Shotton
Dec 31 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40495

769331

NOT RECORDED

RECEIVED

TO: [illegible]

1964

1964

DEC 31 1964

68

Form No. 18
8-60

1. 20 R. 277
COUNTY Yellowstone

UNITED STATES BUREAU OF MINES AND GEOL
Butte, Montana

RECEIVED
JAN 2 1962

Water Well Log		STATE ENGINEER
Owner <u>H. P. R. Leach & Huntley</u>	Address <u>Huntley</u>	
Driller <u>Glenn Mayson</u>	Address <u>Billings</u>	
Date Started <u>Sept. 1960</u>	Date Completed <u>Sept. 1960</u>	
Location: <u>Sec. 25 T. 21 N. R. 27 E</u>		<u>Sec. SW 1/4 of NE 1/4</u>

Type of well Rotary Drill Equipment used Rotary
(Dug, driven, or drilled) (Churn drill, rotary, other)

Water use Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Other ☐

Casing 6 ft. to 21 ft. Type Steel 1 1/2" Size 36"

Casing ft. to ft. Type Size

Casing ft. to ft. Type Size

Perforated or screened 17 ft. to 27 ft. to ft.

Type of screen or perforations 1/4" Slots - 4 to 5'

Static water level, for non-flowing wells: 8' feet.

Shut-in pressure for flowing wells: lb. /sq. in. on: (date)

Pumping water level 20 feet at 500 gal. per min.

How tested: 4" centrifugal Pump

Length of test 5 Hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

22' - Deep

File No.

T 2N. R 27 E. M.P.M.

DUPLICATE

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

WATER CONSERVATION BOARD

MAY 15 1966

Notice of Appropriation of Groundwater

(Under Chapter 21, Montana Session Laws, 1965)

1. I, HUNTLEY WATER ASSOCIATION, of _____, (Name of Appropriator) _____, (Address) _____, (Town) _____

County of Yellowstone, State of Montana, intend to appropriate groundwater in accordance with Chapter 21, Montana Session Laws of 1965.

2. The beneficial use to which water is to be applied is domestic water supply for the town of Huntley, Montana, and its inhabitants.
(describe lands to be benefited, if for irrigation)

3. The rate of use in gallons per minute or miner's inches of groundwater claimed _____

200 gallons per minute.

4. The annual period (inclusive dates) of intended use during the entire year.

5. The probable or intended date of first beneficial use August 1, 1966.

6. The probable or intended date of commencement and completion of the well* or wells* The well has been completed but the distribution mains will not be completed until August 1, 1966.


7. The location, type, size and depth of well or wells contemplated Drilled well in Lot 9, Block 54 of the Townsite of Huntley, Montana; depth of 142 feet with 8 inch casing.

8. The probable or estimated depth of the water table or artesian aquifer 17 feet from surface.

9. Name, address and license number of the driller engaged Clyde Sando,
1141 Miles Avenue, Billings, Montana. License No. 2.

10. Give such other similar information as may be useful

In carrying out the policy of this act _____



E 1/4 Sec. 25

T 2N. R 27E.

Locate well or other means of development as accurately as possible on the plat.

HUNTLEY WATER ASSOCIATION

Signature of Appropriator Thomas W. Kelley
Thomas W. Kelley, Attorney

Date May 16, 1966

* As defined in the Code Sec. 1(c) "Well" means any artificial opening or excavation in the ground, however made, by which groundwater can be obtained or through which it flows under natural pressures or is artificially withdrawn."

Three copies of this notice are to be filed with County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

778586

THE UNIVERSITY OF CHICAGO

JUN 17 1966

5. 46



[Handwritten signature]
22

STATE WATER CONSERVATION BOARD

File No.

MAY 23 1966

T. 2 N. R. 27 E. M.P.M.

DUPLICATE

Billie McDermott County Yellowstone
 Butler McNulty STATE OF MONTANA
 Cove Morton ADMINISTRATOR OF GROUNDWATER CODE
 Darmonson Sullivan OFFICE OF STATE ENGINEER
 Dickert

Top of Ground
 (Elev. above sea level. 3024.....)

Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 287, Montana Session Laws, 1961)

Owner HUNTLEY WATER ASSOCIATION Address Huntley, Montana
1141 Miles Avenue
 Driller Clyde Sando Address Billings, Montana

Date of Notice of Appropriation of Groundwater May 16, 1966Date well started Date Completed January 1, 1966


Type of well Drilled Equipment Used Churn
 (dug, driven, bored or (Churn, drill, rotary or
 drilled) other)

Water Use: Domestic ☐ Municipal ☒ Other ☐ Irrigation ☐
 Industrial ☐ Drainage ☐ Stock ☐

0' - 15' - Topsoil
 15' - 36' - Gravel
 36' - 65' - Grey Rock
 65' - 75' - Sand Rock
 75' - 123' - Blue Shale
 123' - 142' - Sandrock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
10"	10"	0'	36'	None - open hole bottom		
10"	8"	0'	139'			



Section 25 T2N. R27E.
 Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom. 142'Static Water Level for non-flowing Well 17' feet.Shut-in Pressure for Flowing Well NAPumping Water Level 34 feet at 110 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Air Lift Length of Test 3 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) Water will

be used for Huntley Town water supply

through approximately 16,625 L.F. of

3, 4, 6 and 8 inch pipe.

2
 Driller's License Number

Clyde Sando
 Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

41074

File No.....

ORIGINAL

T. 2N R. 27E

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Max Mathews, of Huntley
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



Lot 6, Block 6, Huntley
Townsite Sec. 25 T. 2N R. 27E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
for irrigation
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been
approximately 1920 and continuous since
4. The amount of groundwater claimed (in miner's
inches or gallons per minute)
10 gallons per minute
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof
1/2 of lot 3, all of lots 6 and 7, Block 6
Townsite of Huntley, Montana
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal
Centrifugal pump, Lots 3, 6 & 7, Block 6
Huntley, Montana

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater
1963

8. The depth of water table
20'

9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater
drilled well, 65' deep

10. The estimated amount of groundwater withdrawn each year
300,000 gallons

11. The log of formations encountered in the drilling of each well if available
Not available

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record

Yellowstone County record of deed Book 712, Page 291

Signature of Owner Max Mathews
Date December 11, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of mines and Geology, and Quadruplicate for the appropriator

721706

STATE OF MONTANA
County of Yellowstone

This instrument was filed in my office

this DEC 31 1963 to

at 3:12 P.M.

Cor. Recorder

By Jaw Deputy

24

File No.

T. 2N R. 27E 25

ORIGINAL


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

County Yellowstone
RECEIVED
JAN 2 1964

STATE ENGINEER
DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Max Mathews -----, of ----- Huntley
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



Lot 6, Block 6, Townsite of
Huntley - Sec. 25 T. 2N R. 27E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
Household use for 8 room house
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been -
approximately 1920 and continuous since
4. The amount of groundwater claimed (in inches or
inches or gallons per minute - 10 gallons per minute
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof -
none
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal - Pressure pump, Lot 6, Block 6
Townsite of Huntley

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater - 1920

8. The depth of water table - 20'

9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater -
well 65' deep, drilled

10. The estimated amount of groundwater withdrawn each year - 200,000 gallons

11. The log of formations encountered in the drilling of each well if available
not available

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record -

Yellowstone County record of deed Book 712, page 99

Signature of Owner Max Mathews
Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of mines and Geology, and Quadruplicate for the appropriator

18439

721707

STATE OF MONTANA.)
County of Yellowstone,)
This instrument was filed in my office
this DEC 31 day of 1963
at 3:13 o'clock P M.
Edmon S. Redding,
County Clerk & Recorder
By [Signature] Deputy, 1
200

File No.....

T. 2^N.....R. 27.....

ORIGINAL


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

County.....
RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

I, Eleanor Hood, of Huntley
1. (Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



Lot 21, Block 5, Huntley Townsite

Sec. 24, 28 R. 77E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
Household use for 5 room home
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been
February, 1957 and continuous since
4. The amount of groundwater claimed (in miner's
inches or gallons per minute)
10,000 gallons per minute
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof
None
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal
Drilled well, 45' deep, Lot 21, Block 5, Huntley
Townsite
7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater
about 1957
8. The depth of water table
about 10'
9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater
Drilled well, 45'
10. The estimated amount of groundwater withdrawn each year
170,000 gallons
11. The log of formations encountered in the drilling of each well if available
not known
12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record
See State Court Number C-1272

Signature of Owner- Eleanor L. Hood

Date- December 11, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator

25



721705

STATE OF ARIZONA
County of Pima
This instrument is a true and correct copy of the original as the same appears of record in the office of the County Clerk & Recorder of the County of Pima, Arizona.
this DEC 31 1963 day of DECEMBER
at 3:11 o'clock P.M.
County Clerk & Recorder
By Jay Deputy

37

File No.....

ORIGINAL

T...2N.....R...27E.....

County...Yellowstone.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Eleanor L. Mead of Huntley
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



Lot 21, Block 5, Huntley
Townsite - Sec. 25 T2N R. 27E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
for irrigation
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been -
July 1954
4. The amount of groundwater claimed (in miner's
inches or gallons per minute -
25 gallons per minute
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof -
one 50' lot, Number 21, Block 5, Huntley
Townsite
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal -
Centrifugal pump on Lot 21, Block 5
7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater - July, 1954
8. The depth of water table - about 10'
9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater -
Driven sandpoint well approximately 20' deep
10. The estimated amount of groundwater withdrawn each year - 2,000,000 gallons
11. The log of formations encountered in the drilling of each well if available
not available
12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record -
see State and C2291

Signature of Owner - Eleanor L. Mead

Date - December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of mines and Geology, and Quadruplicate for the appropriator

721701

STATE OF MONTANA
County of Yellowstone
This instrument is a check of cash on my office
this 31 day of December 1963
at 3:00 o'clock P.M.
Edna B. Boland
County Clerk & Recorder
By DLB Deputy
210

File No.....

T..2N....R..27E.....

ORIGINAL


County, Yellowstone....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

1. Victor A. Mead of Hunley (Name of Appropriator) (Address) (Town)
County of Yellowstone State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



--- Sec 25 T. 27 N. R. 27 E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

Blk 10 Lot 849
Township of Hunley

2. The beneficial use on which the claim is based
sprinkling or irrigation
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been-
1948
4. The amount of groundwater claimed (in miner's
inches or gallons per minute- 10 Blk. Pm.
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof-
Blk 10 Lot 849 Township of Hunley
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal-
Electric Power Co.
7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater- 1948
8. The depth of water table- 14'
9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater-
Drilled Size 4" 20'
10. The estimated amount of groundwater withdrawn each year- 80000
11. The log of formations encountered in the drilling of each well if available
Water Shale
12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record-
None

Signature of Owner

Date 12-21-63

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator

721715

STATE OF MONTANA
County of Yellowstone
This instrument was filed
this _____ day of _____
at _____ 3:21 P. _____
DEC 31 1963

7 dW
20.

File No.....

T. 2N...R. 27E.....

ORIGINAL


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964
Yellowstone

STATE ENGINEER

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

Victor Ormead of Huntley
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



--- Sec 28 T 2N R 27E
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

Blk-10 S4 84 9
Townsite of Huntley

2. The beneficial use on which the claim is based
Household Use
3. Date or approximate date of earliest beneficial
use; and how continuous the use has been-
1948 Continuous
4. The amount of groundwater claimed (in miner's
inches, or gallons per minute-
3-4000 Gallons
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof-
Household Use
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal-
Electric Motor & Pump
7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater-
1948
8. The depth of water table-
75'
9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater-
Drilled 3 1/2 inch - 23'
10. The estimated amount of groundwater withdrawn each year-
100,000 gals
11. The log of formations encountered in the drilling of each well if available
Sand & Shale
12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record-
None

Signature of Owner- Victor Ormead

Date 12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator

721715

STATE OF CALIFORNIA
County of _____
Time is _____
at _____ DEC 31 1963
at _____
by _____
Law
26

File No.

T. 2N R. 27E

DUPLICATE

County Yellowstone


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
NOV 18 1963
STATE ENGINEER

1. Northern Pacific Railway Co. of NP Depot Bentley
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 25 T. 2N R. 27E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Domestic and heating purposes

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been.....
Dec. 23, 1948

4. The amount of groundwater claimed (in miner's inches or gallons
per minute).....
3 gallons per minute

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
None

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Jet pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater.....
Started Dec. 4, 1948 Completed Dec. 23, 1948

8. The depth of water table 18 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater.....
6 inch drilled well, 33' deep

10. The estimated amount of groundwater withdrawn each year..... 200,000 gallons

11. The log of formations encountered in the drilling of each well if available..... see attached log A3-C

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.....
None

Signature of Owner

Date

Nov 8, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

48. DEPOT.

MONT. 45-
12/7-51.
Yellowstone, Div.

718259

D. Dec. 23-48.

Water Analysis, 12/27-48.

Calcium bicarbonate	0.5 G.P.G.	} Expressed as Ca CO ₃
Magnesium "	0.0 "	
Sodium "	17.4 "	
" carbonate	6.8 "	
" sulfate	9.3 "	
" chloride	1.8 "	
Silica	0.32 "	
Iron	3.5 P.P.M.	
pH	8.8	
Total dissolved solids 48.7 G.P.G. (actual.)		
Turbidity 25 on standing.		


Note: See file 1046-4, for drilling and test data, Office of Engineer of Water Service, St. Paul.

STATE OF MONTANA,
County of Yellowstone,

This instrument was filed in my office
this 15 day of Nov 19 63
at 10:30 o'clock A M.

Edmon S. Redding,
County Clerk & Recorder

Deputy



LOCATION PLAN
Scale 1"=100'

MONT. 45-C


12/7-51
Yellowstone, Div.

HUNTLEY MONT. AFE. 825-48. DEPOT.

6" Well, 55' Deep.


Drilled by E.A. Bodin, N.P.R.Y.

Work begun, Dec. 4-48, completed, Dec. 23-48.



Water Analysis, 12/27-48.	Expressed as
Calcium bicarbonate	0.5 G.P.G.
Magnesium "	0.0 "
Sodium "	17.4 "
carbonate	6.8 "
sulfate	9.3 "
chloride	1.8 "
Silica	0.32 "
Iron	3.5 P.P.M.
pH	8.8
Total dissolved solids	48.7 G.P.G. (actual)
Turbidity	25 on standing.

Note: See file 1046-4, for drilling and test data, Office of Engineer of Water Service, St. Paul.



File No. _____

T. S. N. R. 272

DUPLICATE


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

County
RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Lawrence E. Osness, of Huntley
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



No 85ft of lot 24 Block 7
Town Sec 2 Huntley, Mont

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based
Household

3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been 1942. To date.

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) Fifty Gallons.

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
Not for irrigation

6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal
1 horse power electric motor

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater Do not remember

8. The depth of water table This vein tapped at sixty feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater Six inch casing and drilled to
Depth of sixty five feet approximatly.

10. The estimated amount of groundwater withdrawn each year Enuff for two households.

11. The log of formations encountered in the drilling of each well if available I do not have one.
all was drilled by L.E. Anderson

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record None

Signature of Owner Lawrence E. Osness

Date Dec 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

18408

721675

DEC 21 1963
2041
J. J. J.
20

File No.

T. 2^N R. 27

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights 2 1964

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
STATE ENGINEER

1. Lawrence E. Ganes of Huntley Montana
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Lot 23 Block 9 Town of
Huntley Montana
NE 1/4 Sec. 25 T. 2N R. 27E
Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.....

Household

3. Date or approximate date of earliest beneficial use; and how continu-
ous the use has been to date

About 1948 to date

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) Fifty Gallons

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof

Not for irrigation

6. The means of withdrawing such water from the ground and the loca-
tion of each well or other means of withdrawal

1 horse power electric pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater do not remember

8. The depth of water table Forty five feet and drilled to 48 or 49 feet.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater six inch casing. Drilled to about
48 or 49 feet

10. The estimated amount of groundwater withdrawn each year ??? Enough for two households.

11. The log of formations encountered in the drilling of each well if available I do not have one.
Well was drilled by L. E. Anderson.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record none

Signature of Owner Lawrence E. Ganes

Date Dec 31, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate for the Appropriator.

18390

721674

STATE OF MONTANA.)
County of Yellowstone.)
This instrument was filed in my
this _____ day of DEC 31 1968
at 2:40 o'clock P. STAT
Edmon Settlement. Com
County Clerk & Recorder This
By J. A. at
2 a.

By:

File No.

DUPLICATE

T 2 N R 27 E 25

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
JAN 2 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mrs. Bessie L. Peterson, of Huntley
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N 10 1/4 Sec 25 T 2 N R 27 E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based
for irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been
1957
In use each year
4. The amount of groundwater claimed (in miner's inches or gallons per minute)
25 gal per min.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
2 fully lots and part of another - Lots 11, 12, 14 Block 8
Owner - Bessie L. Peterson
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Cent. Pump on lot 13
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater
about 1957
8. The depth of water table
About 10 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Sandpoint - Driven well.
10. The estimated amount of groundwater withdrawn each year
2,250,000 gal -
11. The log of formations encountered in the drilling of each well if available
n/a
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record
Tax statement C-1319

Signature of Owner Bessie L. Peterson

Date 12-29-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

18443

721711

STATE OF MONTANA
County of Yellowstone
This instrument was filed in my office
this 31 day of DEC 1963
at 3:17 o'clock P M.
I, John S. R. [illegible]
County Clerk of said County
By John S. R. [illegible] Deputy
20

GV-1

File No.

DUPLICATE

T 2N R 27E 25

County Yellowstone

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
JAN 2 1964

STATE ENGINEER

1. Mrs. Bessie L. Peterson, of Huntley
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 25 T2N R27E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based General house use for 4 bedroom home.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been About 1922
In continuous use ever since.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 8 gal per min.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof none
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pressure pump
On lot 12 Block 8
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater About 1922
8. The depth of water table About 10 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drilled well
Depth 63 feet.
10. The estimated amount of groundwater withdrawn each year 175,000 gal.
11. The log of formations encountered in the drilling of each well if available n/a
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Tax statement C-1319

Signature of Owner

Bessie L. Peterson

Date

12-29-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

18444

721712

STATE OF MONTANA
County of Yellowstone

To

th

31/3

Y.C.

Eq.

DEC 31 1917

10

for

Deputy

Sec. 25

Form No. 18
8-60

7. 2 N. 3. 27 E
COUNTY OF CHANDLER
JAN 2 1962

ONTARIO BUREAU OF MINES AND PETROLEUM
Butte, Montana

STATE ENGINEER

Water Well Log

Owner Ralph E Schmiedesknecht Address Huntley, Mont.
Driller L. E. Anderson Address Billings, Mont.
Date Started Dec. 1954 Date Completed Dec 1954
Location: Sec. 2 N. 3. 27 E. 25 Sec. NW 1/4 Sec 4
Block 68 Huntley Township

Type of well Drilled Equipment used Cable Tool
(Dug, driven, or drilled) (Churn drill, rotary, other)

Water use Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing 75 ft. to 100 ft. Type Galvanized Size 6" O.D.

Casing 0 ft. to 75 ft. Type _____ Size _____

Casing _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened _____ ft. to _____ ft. _____ ft. to _____ ft.

Type of screen or perforations None

Static water level, for non-flowing well: 20 feet.

Shut-in pressure for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 42 feet at 2400 gal. per min. 400

How tested: Cable Bailer and 2" Jet Pump

Length of test 5 hrs.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

well is 120 ft deep

File No.

DUPLICATE

T. 2 N. R. 27. E

County YellowstoneSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Ralph E. Schmiedeknecht Address Huntley, Mont.Driven by owner Address Huntley, Mont.Date of Notice of Appropriation of Groundwater Oct. 1, 1963Date well started Oct. 1, 1963 Date Completed Oct. 1, 1963Type of well Driven Equipment Used Sandpoint and Weight
(dug, driven, bored or drilled) (Churn, drill, rotary or other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☒
Industrial ☐ Drainage ☐ Stock ☒

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilling Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
4"	4"	6	29'	slots 4x10"	19'	29ft
				120 slots		

Static Water Level for non-flowing Well 16 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 25 feet at 400 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Centrifugal pump Length of Test 8 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)


Driven by owner
Driller's License NumberRalph E. Schmiedeknecht
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

19240



721448

STATE OF MICHIGAN
County of YALOWA
This instrument was filed in my office
this **DEC 31 1963** 19
at **9:08** o'clock **11** M.
Edison S. Redding,
County Clerk & Recorder
By *[Signature]* Deputy

2.00

File No.

DUPLICATE

T. 2N R. 27 E

County Yellowstone


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 27 1963

Declaration of Vested Groundwater Rights STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. United States of America, of Box 2553 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 25 T. 2N R. 27 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1907 continuously
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 4 gals. per min.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof watering garden and lawn, 2 acres at Mantley ditchrider's residence
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal by pressure pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1904
8. The depth of water table 30 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" casing 1 1/2" pump
10. The estimated amount of groundwater withdrawn each year 7 acre-feet
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record The water is used for domestic, household, stock watering, and similar purposes by employees of the United States or its agents at the Mantley ditchrider's residence in connection with operation and maintenance of the Mantley Federal Reclamation Project.

United States of America
Signature of Owner E. Richard Ansel
For Regional Director, Region 6, Bureau of Reclamation
Date December 24, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

13774

720838

STATE OF MONTANA,
County of Yellowstone, ss.
This instrument was filed in my office
this DEC 28 day of 1900
at 9.02 o'clock A M.
Edmon S. Redding,
County Clerk & Recorder
By [Signature] Deputy

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD
**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**
Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner DONALD A. WICKER

Address Box 84
HUNTLEY MONT

Date well started 8/21/70
completed 8/10/70

Type of well DRILLED

Equipment used CABLE


Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 180, 610

ESTIMATED ANNUAL WITHDRAWAL 180,000

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
<u>7"</u>	<u>18" 97</u> <u>6 5/8</u>	<u>0</u>	<u>31</u>	<u>CUT</u> <u>4"</u>	<u>24</u>	<u>29</u>



Static water level 20 ft.*
Pumping water level 18 ft.*
at 18 gallons per minute,
measured 15 minutes after pumping
began.

*Measured from ground level.
Well developed by PS
for 4 hours.
Power 3 HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Lot 9 - Block 5 - Huntley Mont
..... 1/4 Sec. 25
T. 2 N. R. 27 E.
S. W.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Ray R. Lenger

Driller's Address 1035 Winemiller Lane

J.D. DRILLING LICENSE NO. 188
516 SCOTT ST
BILLING

County Yellowstone
DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)	
From (Feet)	To (Feet)
<u>0</u>	<u>1 - TOP SOIL</u>
<u>1</u>	<u>10 SANDY CLAY</u>
<u>10</u>	<u>38 SAND - GRAVEL</u>
<u>38</u>	<u>31 5 FT. GREY SANDSTONE</u>
	<u>WATER AT 12'</u>
	<u>WATER AT 33'</u>
	<u>259 GAL PER MIN</u>

31' Show exact depth of bottom

47403

866773

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located. Last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Dennis A. Wick

Address Box 57

Huntley Mont

Date well started 8/27/70
completed 8/10/70

For Administrator's Use

File

866773
8/10/70

GW 1

Drilled 210' 10"

Drilled 210' 10"

Drilled 210' 10"

(Dig, drop, bore or drilled)
(Chain drill, rotary or other)

Mc. Japal ☐ Stock ☐ Irrigation ☐

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (ft., above or below)

From (feet)	To (feet)	Character, color, thickness of strata
0	1	TOP SOIL
1	10	SANDY CLAY
10	28	SANDY GR. CLAY
28	31	SANDY GR. CLAY
31	31	WATER AT 31'
31	210	WATER AT 210'
210	210	210' 10" PERMIT

STATE OF MONTANA, }
County of Yellowstone }
In testimony whereof, I have hereunto set my hand and the seal of said office this 25th day of August, 1970.
9-60 A
2"

DRILLER'S LOG

866773

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner DONALD A. WICKER

Address Box 84
HUNTLEY MONT

Date well started 8/21/70
completed 8/10/70

Type of well DRILLED (Dig, driven, bored or drilled)

Equipment used CABLE (Churn drill, rotary or other)


Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 180, 010

ESTIMATED ANNUAL WITHDRAWAL 180,000

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind Size	From (Feet)	To (Feet)
7" 18' 9"	6 5/8	0	31	CUT 1/8	24	29



Block 55 Huntley Mont
NW 1/4 SE 1/4 Sec. 25
T. 2 N. R. 27 E.

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature

Driller's Address 1035 Winemiller Lane

+ D. DRILLING
516 SCOT ST
DRILLING

LICENSE NO. 188

STATE OF MONTANA
County of Yellowstone
August 25 1970
day of
9-00-000000000000
MERRILL E. GLENN
County Clerk & Recorder
Jewell

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)	
From (Feet)	To (Feet)
0	1 TOP SOIL
1	10 SANDY CLAY
10	28 SANDY GRAVEL
28	31 SOFT GREY SANDSTONE
	WATER AT 12'
	WATER AT 33'
	26944 PERMIN

Static water level 20 ft.
Pumping water level 18 ft.
at 18 gallons per minute,
measured 15 minutes after pumping began.

*Measured from ground level.
Well developed by R.S.
for 4 hours.
Power 3 Pump 3 HP
Remarks: (Gravel packing, cementing, packers, type of shutoff)

DRIVE SHOE
USED

31' Show exact depth of bottom

**ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD**

**NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL**

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner DONALD A. WICKER

Address Box 84
HUNTLEY MONT

Date well started 8/21/70
completed 8/10/70

Type of well DRILLED (Aug. driven, bored or drilled)

Equipment used CABLE (Churn drill, rotary or other)


Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). 180, 810

ESTIMATED ANNUAL WITHDRAWAL 181,000

Size of Pump Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind Size	From (Feet)	To (Feet)
<u>7"</u>	<u>18" 77</u> <u>6 5/8"</u>	<u>0</u>	<u>31</u>	<u>4 1/2"</u> <u>8</u>	<u>24</u>	<u>29</u>



Static water level 20 ft.
Pumping water level 28 ft.
at 18 gallons per minute
measured 15 minutes after pumping
began.

*Measured from ground level.
Well developed by R.S.
for 4 hours.
Power 3 HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES

Driller's Signature ROY R. Langer

Driller's Address 1035 W. Main St. Laramie

J.D. DRILLING
516 SCOT. ST
DRILLING

LICENSE NO 188

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)	
From (Feet)	To (Feet)
<u>0</u>	<u>1</u>
<u>1</u>	<u>10</u>
<u>10</u>	<u>28</u>
<u>28</u>	<u>31</u>
<u>TOP SOIL</u>	
<u>10 SANDY CLAY</u>	
<u>10 SANDY GRAVEL</u>	
<u>28 31 SOFT GREY SANDSTONE</u>	
<u>WATER AT 12'</u>	
<u>WATER AT 28'</u>	
<u>28 31 PERMIT</u>	

31' Show exact depth of bottom

4/11/73

File No.

2N R. 27E

ORIGINAL

Yellowstone
County.....


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

Yellowstone Valley Electric Coop., Inc. of Huntley, Montana
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



Lot 19, Block 7, Huntley
Townsite
Indicate point of appropriation
and place of use, if possible.
Each small square represents
10 acres.

2. The beneficial use on which the claim is based
for office building
3. Date or approximate date of earliest beneficial
use; 1941 how continuous the use has been
and continuous since
4. The amount of groundwater claimed (in miner's
inches or gallons per minute)
10 gallons per minute
5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof
none
6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal
pressure pump, Lot 19, Block 7 Huntley townsite

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater
1941

8. The depth of water table
20'

9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater
65' drilled well

10. The estimated amount of groundwater withdrawn each year
300,000 gallons

11. The log of formations encountered in the drilling of each well if available
Not known

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record

County Tax 1963, \$ 80 Yellowstone Valley Electric Coop., Inc.

Signature of Owner Max Mathews Manager
Date December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator

721714

SHAW, J. W.
County of ...

This is to certify

that 3.20 DEC 8 1961

County of ...

For
20

File No.

T. 2^N R. 27^E 26

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Oscar Heine, of Rte 3 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 26 T2N R27E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based farm home use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1945
every day since
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pressure Pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1945 in February 1945 drove a 2" pipe with sand point attached
8. The depth of water table 14 feet 8 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
14 feet
10. The estimated amount of groundwater withdrawn each year 75000 gal
11. The log of formations encountered in the drilling of each well if available Hit gravel about 511 feet from top with water in it
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Oscar Heine

Date

Dec 21, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

721014

STATE OF ARIZONA
COUNTY OF PIMA

This last day of **DEC 27 1963**

at **12:53** P.M.

by *Jail* Deputy
sn


File No.

DUPLICATE

T ^{2N} R ^{27E} 26
CountySTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERRECEIVED
DEC 30 1963Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Oscar Heine, of Rte 3 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



N 1/4 Sec 26 T2N R27E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Farm Stock Use and Milk house use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1948 every day since
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pressure pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Oct. 1948 drove a 2" pipe with sandpoint attached
8. The depth of water table 8 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 13 feet
10. The estimated amount of groundwater withdrawn each year 100,000 gal
11. The log of formations encountered in the drilling of each well if available Hit gravel about 10 feet from top with water in it
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Oscar Heine
Date Dec 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quaduplicate for the Appropriator.

721015

STATE OF MONTANA ss.
County of Yellowstone

This instrument was recorded DEC 27 1963

this at 12:54 P

County Clerk Recorder

Paul Deputy
20

File No.

T ^{2nd} R 27 ²⁶

DUPLICATE

County

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963


Well No 4

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Oscar Heine, of Rte 3 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 26 T24N R21E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based farm stock use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1946 till 1948
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal
5. If used for irrigation, give the acreage and description of the land's to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal The well was used until 1948 now closed with a cap

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Feb. 1946 drove 2" pipe with sand point attached
8. The depth of water table 7 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 12 feet
10. The estimated amount of groundwater withdrawn each year None at this date
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record 1st gravel at about 100 feet from top with water in it

Signature of Owner Oscar Heine
Date Dec 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

721017

7 2 2 5
instrument to take subject
of Henry M. and to have his
of a county clerk's name read

STATE OF MONTANA)
County of Yellowstone)
This instrument was filed in the
this 1 DEC 27 1963
at 12:56 P M.
E. J. [Signature]
County Clerk & Recorder
By [Signature] Deputy
20

File No.

DUPLICATE

T 2nd R 27th 26

County


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

Well No 3

1. Oscar Heinle, of Rte 3 Billings
(Name of Appropriator) (Address) (Town)
County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 Sec 26 T2N R27E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based
Farm Stock use
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1955
About 8 months a year
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gal
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Pressure pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater In June 1955 drove a 2" pipe with sand point attached
8. The depth of water table 7 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
1 1/2 feet
10. The estimated amount of groundwater withdrawn each year 75000
11. The log of formations encountered in the drilling of each well if available Hit gravel about five feet from top with water in it
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Oscar HeinleDate Dec 27, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

721016

STATE OF MONTANA,
County of Yellowstone.

This instrument was filed
this DEC 27 1963

at 12:55 P M.

Edmund B. Heston,
County Clerk & Recorder.

[Signature] Deputy
2nd

File No.....

T. 2nd R. 27th 27

ORIGINAL

County.....


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
JAN 2 1964

DECLARATION OF VESTED GROUNDWATER RIGHTS
(Under Chapter 237, Montana Session Laws, 1961)

George Foss of 122nd No 28th St Billings
(Name of Appropriator) (Address) (Town)

County of Yellowstone State of Montana
have appropriated groundwater according to the Montana laws in effect prior to
January 1, 1962, as follows:



NE 1/4 - Sec. 27 T. 27R. 2N
Indicate point of appropriation
and place of use, if possible.
Each small square represents
40 acres.

2. The beneficial use on which the claim is based
home water supply & livestock use

3. Date or approximate date of earliest beneficial
use; and how continuous the use has been -
about 1928

4. The amount of groundwater claimed (in miner's
inches or gallons per minute -
3 gals - Per minute

5. If used for irrigation, give the acreage and
description of the lands to which water has been
applied and name of the owner thereof -
not used for irrigation

6. The means of withdrawing such water from the
ground and the location of each well or other
means of withdrawal -
shallow well - Pump

7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater -
about 1928

8. The depth of water table - 12 ft.

9. So far as it may be available, the type, size and depth of each well or the gen-
eral specifications of any other works for the withdrawal of groundwater -

shallow well - sand pump driven - approximately 20 ft.

10. The estimated amount of groundwater withdrawn each year - 75,000 gallons

11. The log of formations encountered in the drilling of each well if available

not available

12. Such other information of a similar nature as may be useful in carrying out the
policy of this act, including reference to book and page of any county record -
no other information available - this well has been given
regular priority tests and all were good results

Signature of Owner - George Foss
Date - 4/31/63

Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will
be returned.

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate
to the Montana Bureau of Mines and Geology, and Quadruplicate for the appropriator

721826

State of Missouri
County of Jackson
This instrument was filed in my office
this 31 day of DEC, 1963
at 5:11 o'clock P.M.
John S. Bellant,
County Clerk & Recorder
By James H. Bellant Deputy
J. H.