

File No. ....

T. 3N R. 30E

DUPLICATE

County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 30 1963

## Declaration of Vested Groundwater Rights

STATE ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

1. HARRY W PEARSON, of Pompey Pillar  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 13 T. 3N R. 30E  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based. House

3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1933  
50 gal Day

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 50 gal Day

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

No

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

Shallow Well Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1933

8. The depth of water table 20 ft

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

1/2 Home shallow well Pump

10. The estimated amount of groundwater withdrawn each year 17500 gal

11. The log of formations encountered in the drilling of each well if available

Gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Date 12/30/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

16216

721223

STATE OF MONTANA,  
County of Yellowstone,  
In presence of me was filed in my office  
this 12th day of DEC 1919  
12:38 P M  
John A. Heston,  
County Clerk & Recorder  
*Taw* Deputy  
2a

GW

GARRETT 12041 45

File No. \_\_\_\_\_

T3N R30E

DUPLICATE

WATER CONSERVATION BOARD

County Yellowstone

STATE OF MONTANA


ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

# **Declaration of Vested Groundwater Rights**

(Under Chapter 21, Montana Session Laws, 1965)

1. Charles J. Althoff Sr., of Compass, R1100  
 (Name of Appropriator) (Address) (Town)  
 County of Yellowstone State of Montana  
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 24 T3N R30E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based Domestic - Livestock
- Date or approximate date of earliest beneficial use; and how continuous the use has been 1920
- The amount of groundwater claimed (in miner's inches or gallons per minute) 159.1 gal. m. m.
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lamar, Idaho
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electro. Pump

- The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920
- The depth of water table 30 ft.
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 30 ft. Sand point
- The estimated amount of groundwater withdrawn each year 1,000,000 gal. per year
- The log of formations encountered in the drilling of each well if available Not Known
- Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Charles J. Althoff Sr.

Date Nov. 30, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

10554

769167

STATE OF MONTANA  
County of Yellowstone  
This instrument was filed in my office  
this DEC 30 1965 at 1:30 P. M.  
Edna R. Fleming,  
County Clerk & Recorder  
By E. E. Deputy

Form No. 18  
8-60

T. 3N R. 30E  
County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED

Water Well Log

STATE ENGINEER

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner James Kratochvil Address Bonanza, Idaho  
Driller V. Kratochvil Address Bonanza, Idaho  
Date Started \_\_\_\_\_ Date Completed 1915  
Location: unit R. 24 T. 3N R. 30E  $\frac{1}{4}$  sec. SE 1/2 SW 1/4

Type of well Super Sandpoint Equipment used \_\_\_\_\_  
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other yard

Casing: 28 ft. to \_\_\_\_\_ ft. Type Gal pipe Size 2 1/2 in

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ 25 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level 25 feet at 240 gal. per min.

How tested: final

Length of test 60 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. \_\_\_\_\_

DUPLICATE

T 3N R 30E


County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**

(Under Chapter 21, Montana Session Laws, 1965)

1. Charles J. Althoff, SR., of Pompey, P. 1101  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 25 T 34 N R 30 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based livestock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1925, continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gpm
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof N.A.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Hand Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1925
8. The depth of water table 110 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 110 ft. 6" Iron casing
10. The estimated amount of groundwater withdrawn each year 100,000 gal
11. The log of formations encountered in the drilling of each well if available NOT KNOWN
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record NONE

Signature of Owner: Charles J. Althoff, SR.

Date: Dec 31 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.


Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

110553

Form No. 18  
8-60

T. 3 N R. 30 E  
County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana



Water Well Log

STATE ENGINEER

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner James Kratochvil Address Company's Pillar Mont  
Driller \_\_\_\_\_ Address \_\_\_\_\_  
Date Started \_\_\_\_\_ Date Completed 1918  
Location: Sec. 24 T. 3 N R. 30 E  $\frac{1}{4}$  sec. E  $\frac{1}{2}$  SE  $\frac{1}{4}$

Type of well Drilled Equipment used \_\_\_\_\_  
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other yard

Casing: 80 ft. to \_\_\_\_\_ ft. Type Corrugated Size 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 75 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 75 feet at 38 gal. per min.

How tested: Pail

Length of test 60 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

ude

ws:

con-

allons

lands  
hereof

the lo-

with-

other

cluding

located.

unes and

0553

769166

DEC 30 1965

1-3-1

P

County Clerk & Recorder

*Paul*  
*7a*



Form No. 18  
8-60

T. 3 N R. 30

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner George Bohl Address Compay's Pillar, Mont.

Driller Unknown Address \_\_\_\_\_

Date Started 1917 Date Completed 1917

Location: Sec. 25 T. 3 N R. 30  $\frac{1}{4}$  sec. NW  $\frac{1}{4}$  SW  $\frac{1}{4}$

Type of well Dug Equipment used Shovel and manpower  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to 60 ft. Type Corrugated Galvanized steel size 24 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 10 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level Not measured feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18  
8-60

T. 3 N R. 30

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|   |  |  |
|---|--|--|
|   |  |  |
|   |  |  |
| 4 |  |  |
|   |  |  |

Owner George Bohl Address Pompey's Pillar, Mont.

Driller George Bohl Address Pompey's Pillar, Mont.

Date Started 1933 Date Completed 1933

Location: Sec. 25 T. 3 N R. 30  $\frac{1}{4}$  sec. NW  $\frac{1}{4}$  SW  $\frac{1}{4}$

Type of well Dug Equipment used Shovel, manpower  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other ☐

Casing: 0 ft. to 45 ft. Type Corrugated Galvanized Steel Size 24 inch

Casing: 45 ft. to 55 ft. Type Corrugated Galvanized Steel Size 36 inch

Casing:        ft. to        ft. Type        Size       

Perforated or screened: Ft.        to ft.       . Ft.        to ft.       

Type of screen or perforations       

Static water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well:        lb./sq. in. on:        (date)

Pumping water level 91 ft 7 in feet at        gal. per min.

How tested:       

Length of test       

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18  
8-60

T. 3 N R. 30 E

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
DEC 13 1961

Water Well Log

STATE ENGINEER

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner James Kratochvil Address Pompeys Pillar Mont  
Driller Alfred Taylor (Owner) Address Pompeys Pillar Mont  
Date Started \_\_\_\_\_ Date Completed 1920  
Location: Sec. 25 T. 3 N R. 30 E  $\frac{1}{4}$  sec. W  $\frac{1}{2}$  N E  $\frac{1}{4}$

Type of well dry cement walls Equipment used \_\_\_\_\_  
(Dug, driven, bored, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: 30 ft. to \_\_\_\_\_ ft. Type cement Size 3' X 4'

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ 28 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 29 feet at \_\_\_\_\_ gal. per min. \_\_\_\_\_

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

OW

File No.

DUPLICATE

STATE WATER CONTROL BOARD

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER


T 3N R 30E

County YELLOWSTONE

# Declaration of Vested Groundwater Rights

(Under Chapter 21, Montana Session Laws, 1965)

1. ESTATE OF ELLEN TRACY BERG-EXEC of 418 BURLINGTON, Billings  
(Name of Appropriator) (Address) (Town)  
County of YELLOWSTONE State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 26 T3N R30E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Franklin M. and Susan W. Berg  
Sub 1/4 Sec 26 T3N R30E

2. The beneficial use on which the claim is based. Stock & domestic
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1924 - Continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 65 gals per min
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. 3/4 acre - NW CORNER of farm Unit M in NW 1/4 of Sec 26 T3N R30E
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Elec - Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1924
8. The depth of water table. 55 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 6" STEEL Casing 92 ft Depth
10. The estimated amount of groundwater withdrawn each year. 200,000 gals / yr.
11. The log of formations encountered in the drilling of each well if available. Not Available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner

Date

12-31-65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

46492

769334

STATE OF MONTANA  
County of Yellowstone  
The following is a true and correct copy of the original as the same is on file in my office

DEC 31 1985

2:18

SMR

Form No. 18  
8-60

T. 3 N R. 30

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner George Bahl Address Pompey's Pillar, Mont.

Driller Unknown Address \_\_\_\_\_

Date Started Unknown Date Completed Unknown

Location: Sec. 26 T. 3 N R. 30  $\frac{1}{4}$  sec. NE  $\frac{1}{4}$  NE  $\frac{1}{4}$

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Iron Size 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level Not Known feet at \_\_\_\_\_ gal. per min. \_\_\_\_\_

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18  
8-60

T. 31 R. 30

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

Owner George Bohl Address Pempey's Pillar, Mont.

Driller Unknown Address \_\_\_\_\_

Date Started 1957 Date Completed 1957

Location: Sec. 26 T. 3 R. 30  $\frac{1}{2}$  sec. NE ¼ SE ¼

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Iron pipe Size 6 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level Not known feet at \_\_\_\_\_ gal. per min. \_\_\_\_\_

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18  
8-60

T. 3 N R. 30  
County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Owner George Bohl Address \_\_\_\_\_  
Driller Unknown Address \_\_\_\_\_  
Date Started Unknown Date Completed \_\_\_\_\_  
Location: Sec. 26 T. 3 N R. 30  $\frac{1}{4}$  sec. NW  $\frac{1}{4}$  SW  $\frac{1}{4}$

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: 0 ft. to 90 ft. Type Iron Pipe Size 6 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level Not known feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



Form No. 18  
8-60

T. 3 R. 30

County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

Owner George Bohl Address Pompey's Pillar, Mont.

Driller Unknown Address \_\_\_\_\_

Date Started Unknown Date Completed \_\_\_\_\_

Location: Sec. 26 T. 3 R. 30  $\frac{1}{4}$  sec. NE  $\frac{1}{4}$  SE  $\frac{1}{4}$

Type of well Dug Equipment used Shovel, manpower  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐  
Industrial ☐ Drainage ☐ Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Tile Size 12 inch

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_  
(date)

Pumping water level Not Known feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

**DUPLICATE**

T 3 M R 204

County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 23 1963

## Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Master, Jeffrey, of Compers, John  
(Name of Appropriator) (Address) (Town)  
County of Beaumont State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 SE Sec. 28 T3N R. 30E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- N  
W E  
S
- Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.
- NW 1/4 S E Sec. 28 T3 N R. 30 E
2. The beneficial use on which the claim is based *for stock*
3. Date or approximate date of earliest beneficial use; and how continuous the use has been *Approx. May 28, 1905*
4. The amount of groundwater claimed (in miner's inches or gallons per minute) *1000 gallons per minute*
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof *None*
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal *Hand-dug well in NW 1/4*
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater *June 1905*
8. The depth of water table *16 feet*
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater *Hand-dug well*
10. The estimated amount of groundwater withdrawn each year *14,600 gallons*
11. The log of formations encountered in the drilling of each well if available *Approx. 10 ft. of sand*
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record *None*

**Signature of Owner**

Date \_\_\_\_\_

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

**Please answer all questions. If not applicable, so state, otherwise the form will be returned.**

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

11994

720568

STATE OF MONTANA,  
County of Yellowstone.

This instrument was filed in my office  
this 22 day of Aug 1906

at 22 o'clock P. M.

Edison C. Hedding,  
County Clerk & Recorder

By John Deputy

53,595

936793

STATE OF MONTANA } ss.  
On JUN 18 1973 at 11:30 A  
By Jaw Deputy  
20

53598

hick-  
and,  
show  
and  
well.

936796

JUN 18 1973  
11:34

68-  
11-24-73

*Jan*  
22

Deputy

of bottom

3,598

County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

# NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

**Developed after January 1, 1962**

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner WILBURN F. FARK, JR.

Address: WORDEN,

MONTANA

Date well started MAY 1966

completed JUNE-1966

Type of well DUG & DRIVEN

(Dug, driven, bored or drilled)

Equipment used PICK + SHOVEL AND CHURN

(Churn drill, rotary or other) \_\_\_\_\_

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒


Industrial ☐ Drainage ☐ Other ☐\* Garden/Lawn ☒

**\*Describe**

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). **LOT 5-18 THRU 24 = BLOCK # 3**

ESTIMATED ANNUAL WITHDRAWAL 500,000

| Size of Drilled Hole | Size and Weight of Casting | From (Feet)  | To (Feet) | PERFORATIONS |             |           |
|----------------------|----------------------------|--------------|-----------|--------------|-------------|-----------|
| 12"                  | 10#                        | Ground Level | 4 ft.     | Kind Size    | From (Feet) | To (Feet) |
|                      | 5 LB                       | 4 ft.        | Loam      | Coarse       | From        | Ground    |
|                      | PERF.                      | soil         | To        | Gravel       | water       | Point     |
|                      |                            | To sand      | Gravel    | To           | Bottom      | 12 ft.    |
|                      |                            | Loam         | 4 ft.     | water        | opening     | Below     |
|                      |                            |              |           | 2 1/2 ft.    | 11 ft.      | Casing    |
|                      |                            |              |           | 12" Hole     |             |           |



NE 1/4 1/4 Sec. 30  
T. 3 N N R. 30 E  
S W

Static water level 16 ft.\*  
Pumping water level 14 ft.\*  
at 100 gallons per minute,  
measured 240 minutes after pumping  
began.

\*Measured from ground level.  
Well developed by the night  
for 2 hours.

Power.....~~1/2~~..... Pump.....1 1/2..... HP

Remarks: (Gravel packing, cementing,  
packers, type of shutoff) .....

### Counting and Gate valve Shutoff

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.

EACH SMALL SQUARE REPRESENTS 40 ACRES.

**Driller's Signature**

**-Driller's Address**

LICENSE NO. 17-00000

Top of Ground

(Elev. above sea level)

**DRILLER'S LOG**

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

From top of breast to bottom of  
3/4 ft Show exact depth of bottom

51,063



912842

STATE OF MONTANA  
County of Yellowstone  
This instrument was filed for record on  
AUG 1 1972  
at 11:40 A.M.  
by *[Signature]*  
County Clerk of Montana  
*ja*

JUL 10 1977

County Yellowstone

## STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground *approximately*  
Elev. above sea level *29800*

## Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

This well is on lot  
#12-Block #3

Owner Wilburn F. Frank Address Star Route, Warden

original townsite  
of nibbs mont.

Driller Witburn Frank Jr. Address 1111 1/2 St. Rome  
San Antonio, Texas

County of Yellowstone Da

Date of Notice of Appropriation of Groundwater May 28-1941

State of Montana

Date well started May 28-1941 Date Completed June 6-1941

School Dist #24

Type of well Dug Equipment Used Churn drill  
(dug, driven, bored or  
(drilled) (Churn, drill, rotary or  
other)

There are (2) wells

Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☒  
Industrial ☐ Drainage ☐ Stock ☐

on same lot.

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

one is on N. W. corner  
of this lot.

It is same as the one I have described here. 14 inch only it is for Domestic use only

| Size of<br>Drilled<br>Hole | Size and<br>Weight of<br>Casing     | From<br>(Feet)                      | To<br>(Feet)                                    | PERFORATIONS   |                                    |   |
|----------------------------|-------------------------------------|-------------------------------------|---|--|------------------------------------|---|
|                            |                                     |                                     |   | Hole<br>Size   | From<br>(Feet)                     | To<br>(Feet)                              |
| 14 inches                  | 5 lbs.<br>Per ft<br>8 in.<br>casing | 4 ft.<br>of sail<br>to sand<br>beam | And<br>down<br>4 ft.<br>to sand<br>and<br>cross | 1 1/2 in<br>hole<br>in sand<br>and<br>cross<br>6 ft deep | Cross<br>sand<br>Point<br>to 8 ft. | sand<br>Point<br>8 ft.<br>Below<br>casing |

Doc. No. \_\_\_\_\_  
 Filed for record  
 this 13<sup>th</sup> day of July  
 A. D. 19 72 at 2:25  
 o'clock PM

Static Water Level for non-flowing Well 12 feet.

Shut-in Pressure for Flowing Well *not flowing*

Pumping Water Level 12 feet at 100 gal. per minute.

Discharge in gal. per min. of flowing well 100

How Tested Water meter Length of Test 24 hrs.

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation).....1 acre

### Cementing Sale Value

shut off

NEV, Dec 30 TAN R-30E

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

This well is 22 ft deep from top of ground to bottom of sand point

Driller's License Number no license no

This will is on my own property and I put it in myself in 1941

Willburn T. Zant, Jr.  
 Doctor's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

50,913

911582

STATE OF MONTANA } ss.  
County of Yellowstone }  
This instrument was filed in my office  
on JUL 13 1972 at 2:25 o'clock P.M.  
I, WILLIAM H. HILTON  
County Clerk & Recorder,  
By Carol R. Balle Deputy

9200

GB-4

File No. ....

DUPLICATE

T. 3N R. 30E of MPM <sup>30</sup>

County Yellowstone


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 26 1963  
STATE ENGINEER

**Declaration of Vested Groundwater Rights**

(Under Chapter 237, Montana Session Laws, 1961)

1. Lorenz Heyd of Norden  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW 1/4 of Sec. 30 T. 3N R. 30E of MPM

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Household  
And Livestock Water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1950, used continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Not used
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Pressure Pump, N.W. corner of lot one in Section 30.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1960
8. The depth of water table 10 Feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 2" pipe with sandpoint on end, 20 feet deep.
10. The estimated amount of groundwater withdrawn each year 40,000 gal.
11. The log of formations encountered in the drilling of each well if available Not Available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Lorenz Heyd

Date Dec. 15, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

2841

720710

RECEIVED  
U.S. DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C.

RECEIVED  
U.S. DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C.

RECEIVED  
U.S. DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C.  
DEC 23 1968  
2:12 PM  
Jaw  
2a

File No. ....

DUPLICATE

T. 3N R. 30E 30


County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**  
(Under Chapter 287, Montana Session Laws, 1961)

RECEIVED  
DEC 20 1963  
STATE ENGINEER

1. Frank Toulouse, of Warden  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE Sec. 30 T. 3N R. 30E

Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based Stock Water & Household Use.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1935—Steady use since then.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 25 Gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof None
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric pump.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1935
8. The depth of water table 12'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Tiled down with 12" tile for 12' and other 8' is with driven pipe 2". Total depth is 20'.
10. The estimated amount of groundwater withdrawn each year 220,000 Gallons.
11. The log of formations encountered in the drilling of each well if available Not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner

Frank ToulouseDate December 18, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

11162

720435

STATE OF MONTANA,  
County of Yellowstone,

This instrument was filed in my office

this DEC 19 1936  
at 12:30 o'clock PM M.

Edmon S. Redding,  
County Clerk & Recorder

By \_\_\_\_\_ Deputy

2-2

County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
MONTANA WATER RESOURCES BOARD

# NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner John S. Bowers

Address **P.O. 237**

WORDEN

Date well started 6-14-73

completed 6-16-73

For Administrator's Use

File 936794

June 18, 1973

GW 1 11:32 A.M.

Type of well DUG DRIVEN

(Dug, driven, bored or drilled)

Equipment used BACK HOE - ARROW HAMMER  
(Churn drill, rotary or other)

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☒


Industrial ☐    ☐    Age ☐    Other ☐\*    Garden/Lawn ☐

\*Describe Drilling

**USE:** If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 500,000

| ESTIMATED ANNUAL YIELD IN WATER |                           |             |           |                                 |
|---------------------------------|---------------------------|-------------|-----------|---------------------------------|
| Size of Drilled Hole            | Size and Weight of Casing | From (Feet) | To (Feet) | PERFORATIONS                    |
|                                 |                           |             |           | Kind Size From (Feet) To (Feet) |
| 24"                             | 8"<br>9" per ft           |             |           | 3/8 DRILLED<br>12 16            |



NW 1/4 NW 1/4 Sec. 31  
T. 3N N. R. 30

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.  
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature\_\_\_\_\_

Driller's Address P.O. 237

worden

LICENSE NO. 2497

## DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

### Top of Ground

(Elev. above sea level)

[illegible]

Static water level 8 ft.\*  
Pumping water level 26 ft.\*  
at 1.4 gallons per minute,  
measured 60 minutes after pumping  
began.

\*Measured from ground level.

Well developed by part 2  
for one hours.

Power GAS Pump 6 HP

Remarks: (Gravel packing, cementing  
packers, type of shutoff) .....

76 Show exact depth of bottom

53,594



936794

STATE OF MONTANA } ss. 14

County of \_\_\_\_\_ } ss. 15

Know all men by these presents, that \_\_\_\_\_ } ss. 16

of the County of \_\_\_\_\_ and State of Montana, } ss. 17

do hereby certify that \_\_\_\_\_ } ss. 18

is the true and correct owner of the above described } ss. 19

land, and that he is the true and correct owner of the } ss. 20

same, and that he is the true and correct owner of the } ss. 21

same, and that he is the true and correct owner of the } ss. 22

same, and that he is the true and correct owner of the } ss. 23

same, and that he is the true and correct owner of the } ss. 24

same, and that he is the true and correct owner of the } ss. 25

same, and that he is the true and correct owner of the } ss. 26

same, and that he is the true and correct owner of the } ss. 27

same, and that he is the true and correct owner of the } ss. 28

same, and that he is the true and correct owner of the } ss. 29

same, and that he is the true and correct owner of the } ss. 30

same, and that he is the true and correct owner of the } ss. 31

same, and that he is the true and correct owner of the } ss. 32

same, and that he is the true and correct owner of the } ss. 33

STATE OF MONTANA } ss. 14

County of \_\_\_\_\_ } ss. 15

Know all men by these presents, that \_\_\_\_\_ } ss. 16

of the County of \_\_\_\_\_ and State of Montana, } ss. 17

do hereby certify that \_\_\_\_\_ } ss. 18

is the true and correct owner of the above described } ss. 19

land, and that he is the true and correct owner of the } ss. 20

same, and that he is the true and correct owner of the } ss. 21

same, and that he is the true and correct owner of the } ss. 22

same, and that he is the true and correct owner of the } ss. 23

same, and that he is the true and correct owner of the } ss. 24

same, and that he is the true and correct owner of the } ss. 25

same, and that he is the true and correct owner of the } ss. 26

same, and that he is the true and correct owner of the } ss. 27

same, and that he is the true and correct owner of the } ss. 28

same, and that he is the true and correct owner of the } ss. 29

same, and that he is the true and correct owner of the } ss. 30

same, and that he is the true and correct owner of the } ss. 31

same, and that he is the true and correct owner of the } ss. 32

same, and that he is the true and correct owner of the } ss. 33

53,5%

936795

STATE OF MONTANA } ss.  
County of Yellowstone,  
This certificate was filed in my office  
on JUN 18 1973 19 4 M.  
2nd Deputy

53,597

936797

STATE OF NEW YORK

JUN 18 1973  
11:35

A

*Sam* Deputy  
22

File No. \_\_\_\_\_

DUPLICATE

T. <sup>34</sup> R. <sup>30</sup> 31

County \_\_\_\_\_


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED  
DEC 30 1963  
STATE ENGINEER

1. Clinton A. & Elton P. Foss, of Ballantine  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$  Sec. 21 T. 22 R. 30  
Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based stock water, irrigation supplement
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1910; continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) two second-feet
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Unit 1 or 2, Unit 2, Sec 32, T2N, R30E
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump - centrifugal
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown
8. The depth of water table approximately 20 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater curbed spring
10. The estimated amount of groundwater withdrawn each year 2,000,000 second-feet
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner Clinton A. FossDate 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

721230

STATE OF MONTANA,  
County of Yellowstone.

This instrument was filed in my office  
this 30 day of DEC 1913  
at 12:54 P M

THE UNIVERSITY OF CHICAGO

File No. ....

DUPLICATE

T. 5N R. 30 31

County .....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 30 1963

**Declaration of Vested Groundwater Rights**

(Under Chapter 287, Montana Session Laws, 1961)

STATE ENGINEER

1. Clinton A. & Helen P. Jones, of Ballantine,  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec 1/4 Sec 32 T. 32 R. 30

Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1957 continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 6/1/57
8. The depth of water table approximately 25 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater sand point
10. The estimated amount of groundwater withdrawn each year 100,000 gallons
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record see item 9

Signature of Owner

Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

16225



721232

STATE OF MONTANA  
County of Yellowstone

This instrument was filed in my office  
this DEC 30 1951  
at 12:58 o'clock P M.

Ernest C. Redding,  
County Clerk & Recorder

By E. C. Redding Deputy

*[Handwritten signature]* 2.00

File No. ....

DUPLICATE


T 3N R 30E 31  
County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

**Declaration of Vested Groundwater Rights**  
(Under Chapter 237, Montana Session Laws, 1961)

1. Charles H. Waller, of RR #1 Ballantine  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based Stock water  
House Use, Irrigation  
3. Date or approximate date of earliest beneficial use; and how continuous the use has been August 1949, Continuous  
Sept 5, 1950

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 23 gallons Per Minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Approx. 1/2 Acre Charles H. Waller  
& Marguerite J. Waller, Owners

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Water  
Drawn From Well By  
Centrifugal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Sept 2, 1950

8. The depth of water table 24'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
Well is 24' Deep with 6" Galvanized Casing  
Equipped with Centrifugal Pump Powered By  
1/2 HP Electric Motor. All Controlled By Pressure Tank

10. The estimated amount of groundwater withdrawn each year 200,000 Gallons

11. The log of formations encountered in the drilling of each well if available Gravel From  
Ground Level To Bear Paw Clay or Shale  
Formations at Approximately 25'

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record  
No County Records Available of L.E. Anderson of  
Billings, Montana, Drilled the Well

Signature of Owner Charles H. Waller  
Date 12-27-1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

721024

ST. LOUIS, MO.  
This is a copy of the original  
filed 27 Sep 63

# ~~XXXX~~  
2.00

File No. ....

DUPLICATE

T. 3N R. 30E  
County Yellowstone


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED  
DEC 30 1963

Notice of Completion of Groundwater Appropriation  
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater June 13, 1963  
Owner Charles H. Waller Address Ballantine Mont.  
Contractor (if any) None  
Address of Contractor .....  
Date Started June 10 Date Completed June 13



Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes" Include depth to water when applicable. Water collected in open Trench on Side Hill. Perforated Pipe Acts as gathering Agent for Plastic Pipe which Carries Water To Stock Tank.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

South Property Line  
Sec 31 T3N R30E  
Indicate point of appropriation and place of use, if possible.

estimate approximate lengths of periods of use. 450 gallons water Used Daily. Approximately 3 Tanks of water Used Daily. Tank Holds 150 gallons. Used About 7 Months During Summer.

Signature of Owner Charles H. Waller  
Date 12-27-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

721023

STATE OF MONTANA,  
County of Yellowstone.

This instrument was filed in and since  
this day DEC 27 1953

at 1:06 P. M.

Edron S. Harding,  
County Clerk & Recorder

By gaw Deputy

20

GV

File No. \_\_\_\_\_

DUPLICATE

T 3 N R 30 E


County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**

(Under Chapter 21, Montana Session Laws, 1965)

1. Emanuel J. Alles, of Pompeys, P. 1100  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S 4 1/4 SE Sec 32 T 3 N R 30 E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based DOMESTIC + LIVESTOCK
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1944 (3 wells)  
Continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) Well #1 - 109 AI Well #2 - 159 AI  
Well #3 - 69 AI
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
N.A.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  
Hand Pump Well #3  
Electric Pump Wells #1 & 2

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater  
Not Known
8. The depth of water table Well #1 - 16 ft. Well #2 - 18 ft. Well #3 - 14 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
Not Known
10. The estimated amount of groundwater withdrawn each year Well #1 - 1,500,000 gals  
Well #2 - 2,000,000 gals Well #3 - 500,000 gals
11. The log of formations encountered in the drilling of each well if available  
Not Known
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record  
None

Signature of Owner

Date

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40719

769554

RECEIVED  
JAN 5 1986  
10:40  
Jaw  
20


RECEIVED  
JAN 5 1986  
10:40  
Jaw  
20

File No. ....

DUPLICATE

T. 30 R. 30 32  
County .....STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEERRECEIVED  
DEC 30 1963  
STATE ENGINEERDeclaration of Vested Groundwater Rights  
(Under Chapter 237, Montana Session Laws, 1961)

1. Clinton A. Foss & Milton P. Foss, of Ballantine  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 33 T. 30 R. 30E  
Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1967
8. The depth of water table about 20 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater sand point
10. The estimated amount of groundwater withdrawn each year 150,000 gallons
11. The log of formations encountered in the drilling of each well if available see item 9
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record see item 9

Signature of Owner Clinton A. FossDate 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quaduplicate for the Appropriator.

16224



721231

STATE OF MONTANA  
County of Yellowstone

This instrument was filed in my office

this DEC 30 day of 1953

at 12:56 o'clock P M.

Edmon S. Redding,  
County Clerk & Recorder

By EE Depy

2.00

File No. ....

DUPLICATE

T <sup>30</sup> R <sup>30</sup> 32

County .....


STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

# Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED  
DEC 30 1963  
STATE ENGINEER

1. Clinton A. & Elton P. Yeag of Ballantine,  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 33 T4N R. 30E

Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based stock water, supplemental irrigation
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1910 continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) two second-feet
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Unit Ex 1
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pump-centrifugal
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater unknown
8. The depth of water table approximately 20 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater curbed spring
10. The estimated amount of groundwater withdrawn each year 1,000,000 second-feet
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner

Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

16227

721234

RECEIVED  
DECEMBER 30 1963

RECEIVED  
DECEMBER 30 1963

DEC 30 1963

1.00 12.60

EE

2.00

my office  
P  
M  
der  
Deputy

RECEIVED

GV

File No. ....

T <sup>3<sup>N</sup></sup> R <sup>30</sup> 32

DUPLICATE

County .....

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
DEC 30 1963

**Declaration of Vested Groundwater Rights**

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Clinton A. & Ellen P. Rose, of Ballantine,  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 32 T2N R. 30E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based household & stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1910 continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 100 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not used
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal pressure system
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1910
8. The depth of water table 20 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater hand dug, tile curred
10. The estimated amount of groundwater withdrawn each year 1,000,000 gallons
11. The log of formations encountered in the drilling of each well if available not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available

Signature of Owner Clinton A. Rose

Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

16226

721233

STATE OF MONTANA.  
County of Yellowstone.

This instrument was filed in my office  
this DEC 30 1963

at 12:59 P.M.

Filed by S. R. Long,  
County Clerk & Recorder

By EE Deputy

2.00

RECORDED  
INDEXED  
DEC 31 1963  
COUNTY CLERK & RECORDER  
YELLOWSTONE, MONTANA

RECORDED  
INDEXED  
DEC 31 1963  
COUNTY CLERK & RECORDER  
YELLOWSTONE, MONTANA

File No. ....

T. 3 N R. 30 E

DUPLICATE


County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

JAN 10 1964

Notice of Completion of Groundwater Appropriation  
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater Nov. 1956Owner Conrad Lofgren Address 1117 Main Ave  
Billings MontanaContractor (if any) Martin LofgrenAddress of Contractor Company Puller MontanaDate Started 1964 Date Completed 1960Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Spring

NE NE 1/4 Sec. 22 T. 3 N R. 30 E  
Indicate point of appropriation  
and place of use, if possible.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent

estimate approximate lengths of periods of use There iswater for approximately fifty  
head of cattleSignature of Owner Conrad LofgrenDate 1-9-64

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

722411

STATE OF MONTANA,  
County of Yellowstone, )  
This instrument was filed in my office  
this JAN 9 day 1964  
at 2:40 o'clock P. M.  
Edw. S. Hedding,  
County Clerk & Recorder

Jaw Deputy

File No. STATE WATER CONSERVATION BOARD

T 34 R 30E

DUPLICATE


County Yellowstone

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**Declaration of Vested Groundwater Rights**

(Under Chapter 21, Montana Session Laws, 1965)

1. Leo Althoff of Pompey's Mill  
(Name of Appropriator) (Address) (Town)  
County of Yellowstone State of Montana  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec 33 T34N R30E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Livestock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1961
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 6 gpm
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof N/A
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1961
8. The depth of water table 20 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 20 ft. SANITARY
10. The estimated amount of groundwater withdrawn each year 100,000 GAL
11. The log of formations encountered in the drilling of each well if available Not Known
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None

Signature of Owner Leo Althoff  
Date Dec 29, 1965

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.  
Please answer all questions. If not applicable, so state, otherwise the form will be returned.  
Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

40552



769165

STATE OF MONTANA

DEC 30 1965

1.33

*P*  
2.00

File No. STATE WATER CONSERVATION BOARD

T. 3 N. R. 30 E.

DUPLICATE

MAY 1 1967

County Gallatin

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

Top of Ground  
(Elev. above sea level)

### Notice of Completion of Groundwater Appropriation by Means of Well

1st Strata Level Reading: (Under Chapter 237, Montana Session Laws, 1961)  
27 Feet - Clay (yellow) Em. N.E. BATHMAN 127 Wyo. Ave. Bellingham  
Owner: Melvin F. Ellis Address: 4028 2nd Ave. South

Driller: Melvin F. Ellis Address: 4028 2nd Ave. South

Date of Notice of Appropriation of Groundwater

Date well started Feb. 20, 1967 Date Completed Feb. 25, 1967

Type of well Drilled Equipment Used: Drill  
(aug, driven, bored or (Churn, drill, rotary or  
drilled) other)

Water Use: Domestic ☐ Municipal ☐ Other ☐ Irrigation ☐  
Industrial ☐ Drainage ☐ Stock ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

10 Ft.  
20 Ft.  
30 Ft.  
40 Ft.  
50 Ft.  
60 Ft.  
70 Ft.  
80 Ft.  
90 Ft.  
100 Ft.

Water Rises To  
20 Ft. Level

1st Water At 27 Feet  
2nd Strata Level Reading:  
8 Feet - Sand & Gravel  
3rd Strata Level Reading:  
3 Feet - Gravel & Shale  
4th Strata Level Reading:  
3 Feet - Brown Shale  
5th Strata Level Reading:  
10 Feet - Gray Shale

| Size of Drilled Hole | Size and Weight of Casing | From (Feet)         | To (Feet) | PERFORATIONS |             |           |
|----------------------|---------------------------|---------------------|-----------|--------------|-------------|-----------|
| 6" I.D. 11'          | Top - Ground Level        | Bottom - 56 1/2 Ft. |           | Kind Size    | From (Feet) | To (Feet) |

Well Drilled To A Depth OF 56 1/2 Feet.  
2nd Strata Level Reading:  
8 Feet - Sand & Gravel  
Also - 2nd Water

Static Water Level for non-flowing Well feet.

Shut-in Pressure for Flowing Well

Pumping Water Level feet at gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Length of Test

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

N 25° 41' N 25° 41' S  
1/4 Sec. 33 T. 31 N. R. 30 E.  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Driller's License Number

Melvin F. Ellis  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

11,952

798087

STATE OF MONTANA  
County of Yellowstone  
The instrument was filed with me  
this 28th day of APR 28 1967  
at 2:29 PM  
By Jaw  
2nd

Handwritten notes and signatures in the right margin, including "Jaw" and "2nd".

T. 3N R. 30 E.  
County Yellowstone

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

WATER WELL LOG

STATE ENGINEER

|  |   |  |  |
|--|---|--|--|
|  | X |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |

Owner Billie Corie Address 7040 Hawthorne Lane  
Alma Mole Billings, Montana  
Driller Loren E. Anderson Address Billings, Mont.  
Date Started 1948 Date Completed 1948  
Location: Sec. 33 T. 3N R. 30 1/4 sec.

Type of well drilled Equipment used rotary  
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒  
Industrial ☐ Drainage ☐ Other: \_\_\_\_\_

Casing: 8" ft. to 40 to 50 ft. Type steel Size 8"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or Screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations: \_\_\_\_\_

Static Water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level: \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: constant flow

Length of test: \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

lots of water for stock and irrigation and house use.

(over)